




Swagger AI

WORKSPACE

Overview

Specifications

Environments

Execute tests

Reports

Test generation

Settings

API connected

Workspace > Specifications

API CONTRACTS

Specifications

Import and inspect the contracts that drive your test workspace.

Search specifications

1 Imported

QA Demo API

OpenAPI 3.0.3

10 operations

View details

Import specification

32°C Clear

Search

ENG IN

19:28 18-09-2026

localhost:5173/specs

Imported From IE Learnings WhatsApp Welcome to Facebo... ACT LOGIN Home Gmail YouTube Maps News Translate Adobe Acrobat

Specifications

OPENAPI CONTRACT

QA Demo API

Version 1.0.0 - b396ac8e-72c0-4187-a33f-9379f7e0323b

Validate spec

Server

Operations

Tags

https://api.example.com

10

4

Operations

Tags

Environments

Search operations

All methods

METHOD	PATH	SUMMARY	TAGS
GET	/health	Check API health	Health
GET	/users	Get all users	Users
POST	/users	Create a user	Users
GET	/users/{userId}	Get user by ID	Users
PUT	/users/{userId}	Update user	Users
DELETE	/users/{userId}	Delete user	Users
GET	/products	Get products	Products
GET	/products/{productId}	Get product by ID	Products
POST	/orders	Create an order	Orders
GET	/orders/{orderId}	Get order by ID	Orders

Showing 10 of 10 operations

32°C Clear

Search

ENG IN

19:28 18-09-2026

localhost:5173/specs/b396ac8e-72c0-4187-a33f-9379f7e0323b

Imported From IE Learnings WhatsApp Welcome to Facebo... ACT LOGIN Home Gmail YouTube Maps News Translate Adobe Acrobat

Workspace

Overview

Specifications

Environments

Execute tests

Reports

Test generation

Settings

API connected

Specifications

OPENAPI CONTRACT

Validate spec

QA Demo API

Version 1.0.0 - b396ac8e-72c0-4187-a33f-9379f7e0323b

Server

https://api.example.com

Operations

10

Tags

4

Operations

Tags

Environments

Search operations

GET

POST

PUT

DELETE

METHOD	PATH	SUMMARY	TAGS
GET	/health	Check API health	Health
GET	/users	Get all users	Users
POST	/users	Create a user	Users
GET	/users/{userId}	Get user by ID	Users
PUT	/users/{userId}	Update user	Users
DELETE	/users/{userId}	Delete user	Users
GET	/products	Get products	Products
GET	/products/{productId}	Get product by ID	Products
POST	/orders	Create an order	Orders
GET	/orders/{orderId}	Get order by ID	Orders

Showing 10 of 10 operations

32°C Clear

Search

19:28 18-09-2026

Swagger AI

Test workspace

Workspace

Specifications

Environments

Execute tests

Reports

Test generation

Settings

API connected

Specifications

OPENAPI CONTRACT

Validate spec

QA Demo API

Version 1.0.0 - b396ac8e-72c0-4187-a33f-9379f7e0323b

Server

https://api.example.com

Operations

10

Tags

4

Operations

Tags

Environments

Search operations

GET


METHOD	PATH	SUMMARY	TAGS
GET	/health	Check API health	Health
GET	/users	Get all users	Users
GET	/users/{userId}	Get user by ID	Users
GET	/products	Get products	Products
GET	/products/{productId}	Get product by ID	Products
GET	/orders/{orderId}	Get order by ID	Orders



Showing 6 of 10 operations

32°C Clear

Search

19:29 18-09-2026





Swagger AI

Test workspace

WORKSPACE

Overview

Specifications

Environments

Execute tests

Reports

Test generation

Workspace > Test generation

CODE GENERATION

Test generation

Turn your API contract into a reviewable Axios + Jest suite, scoped to the operations that matter.

1. Select contract

Specification

QA Demo API - 1.0.0

2. Scope generation

All operations By tag By endpoint

Health Users Products Orders

3. Test options

☒ Negative validation tests

☒ Authentication tests

☒ Boundary tests

Generate tests

GENERATED SUITE

Axios + Jest

```
1 // Auto-generated by Swagger AI Agent.
2 // Review placeholder path names and request bodies, and add auth headers for your target
3 // environment before running - generated tests intentionally carry no credentials.
4 const axios = require('axios');
5
6 const BASE_URL = process.env.API_BASE_URL || "https://api.example.com";
7
8 describe('Health', () => {
9   describe('GET /health', () => {
10     it('happy path - GET /health', async () => {
11       const response = await axios.request({
12         method: 'GET',
13         url: `${BASE_URL}/health`,
14         headers: {},
15         validateStatus: () => true,
16       });
17       expect(response.status).toBe(200);
18     });
19   });
20 });
21
22 describe('Users', () => {
23   describe('GET /users', () => {
24     it('happy path - GET /users', async () => {
25       const response = await axios.request({
26         method: 'GET',
27         url: `${BASE_URL}/users`,
28         headers: {},
29         validateStatus: () => true,
30       });
31       expect(response.status).toBe(200);
32     });
33   });
34   describe('POST /users', () => {
35     it('happy path - POST /users', async () => {
```

Swagger AI

Test workspace

WORKSPACE

Overview

Specifications

Environments

Execute tests

Reports

Test generation

Workspace > Test generation

CODE GENERATION

Test generation

Turn your API contract into a reviewable Axios + Jest suite, scoped to the operations that matter.

1. Select contract

Specification

QA Demo API - 1.0.0

2. Scope generation

All operations By tag By endpoint

☐ GET /health
Check get health

☐ GET /users
Get all users

☐ POST /users
Create a user

☐ GET /users/{userId}
Get user by ID

3. Test options

☒ Negative validation tests

☒ Authentication tests

☒ Boundary tests

Generate tests

GENERATED SUITE

Axios + Jest

```
1 // Auto-generated by Swagger AI Agent.
2 // Review placeholder path names and request bodies, and add auth headers for your target
3 // environment before running - generated tests intentionally carry no credentials.
4 const axios = require('axios');
5
6 const BASE_URL = process.env.API_BASE_URL || "https://api.example.com";
7
8 describe('Health', () => {
9   describe('GET /health', () => {
10     it('happy path - GET /health', async () => {
11       const response = await axios.request({
12         method: 'GET',
13         url: `${BASE_URL}/health`,
14         headers: {},
15         validateStatus: () => true,
16       });
17       expect(response.status).toBe(200);
18     });
19   });
20 });
21
22 describe('Users', () => {
23   describe('GET /users', () => {
24     it('happy path - GET /users', async () => {
25       const response = await axios.request({
26         method: 'GET',
27         url: `${BASE_URL}/users`,
28         headers: {},
29         validateStatus: () => true,
30       });
31       expect(response.status).toBe(200);
32     });
33   });
34   describe('POST /users', () => {
35     it('happy path - POST /users', async () => {
```

Workspace

Overview

Specifications

Environments

Execute tests

Reports

Test generation

CODE GENERATION

Test generation

Turn your API contract into a reviewable Axios + Jest suite, scoped to the operations that matter.

1. Select contract

Specification

QA Demo API - 1.0.0

2. Scope generation

All operations

By tag

By endpoint

☐ GET /health

☐ GET /users

☐ POST /users

☐ GET /users/{userId}

3. Test options

☒ Negative validation tests

☒ Authentication tests

☒ Boundary tests

Generate tests

GENERATED SUITE

Axios + Jest

```
1 // Auto-generated by Swagger AI Agent.
2 // Review placeholder path params and request bodies, and add auth headers for your target
3 // environment before running - generated tests intentionally carry no credentials.
4 const axios = require('axios');
5
6 const BASE_URL = process.env.API_BASE_URL || 'https://api.example.com';
7
8 describe('Users', () => {
9   describe('GET /users/{userId}', () => {
10     it('happy path - GET /users/{userId}', async () => {
11       const response = await axios.request({
12         method: 'get',
13         url: `${BASE_URL}/users/1`,
14         headers: {},
15       });
16       validateStatus(() => true,
17       expect([200]).toContain(response.status);
18     });
19   });
20   describe('POST /users', () => {
21     it('happy path - POST /users', async () => {
22       const response = await axios.request({
23         method: 'post',
24         url: `${BASE_URL}/users`,
25         headers: {},
26         data: {},
27       });
28       validateStatus(() => true,
29       expect([201]).toContain(response.status);
30     });
31   });
32   it('Missing required parameter "/users/" - GET /users/{userId}', async () => {
33     const response = await axios.request({
34       method: 'get',
35       url: `${BASE_URL}/users/`,
36       headers: {},
37       validateStatus: () => true,
38     });
39     expect([401,404]).toContain(response.status);
40   });
41   it('Missing authentication - GET /users/{userId}', async () => {
42     const response = await axios.request({
43       method: 'get',
44       url: `${BASE_URL}/users/1`,
45       headers: {},
46       validateStatus: () => true,
47     });
48     expect([401]).toContain(response.status);
49   });
50 });
```

Workspace

Overview

Specifications

Environments

Execute tests

Reports

Test generation

CODE GENERATION

Test generation

Turn your API contract into a reviewable Axios + Jest suite, scoped to the operations that matter.

1. Select contract

Specification

QA Demo API - 1.0.0

2. Scope generation

All operations

By tag

By endpoint

Health

Users

Products

Orders

3. Test options

☒ Negative validation tests

☒ Authentication tests


☒ Boundary tests

Generate tests

GENERATED SUITE

Axios + Jest

```
1 // Auto-generated by Swagger AI Agent.
2 // Review placeholder path params and request bodies, and add auth headers for your target
3 // environment before running - generated tests intentionally carry no credentials.
4 const axios = require('axios');
5
6 const BASE_URL = process.env.API_BASE_URL || 'https://api.example.com';
7
8 describe('Users', () => {
9   describe('GET /users', () => {
10     it('happy path - GET /users', async () => {
11       const response = await axios.request({
12         method: 'get',
13         url: `${BASE_URL}/users`,
14         headers: {},
15       });
16       validateStatus(() => true,
17       expect([200]).toContain(response.status);
18     });
19   });
20   describe('POST /users', () => {
21     it('happy path - POST /users', async () => {
22       const response = await axios.request({
23         method: 'post',
24         url: `${BASE_URL}/users`,
25         headers: {},
26         data: {},
27       });
28       validateStatus(() => true,
29       expect([201]).toContain(response.status);
30     });
31   });
32   it('Missing required body - POST /users', async () => {
33     const response = await axios.request({
34       method: 'post',
35       url: `${BASE_URL}/users`,
36       headers: {},
37       data: {},
38       validateStatus: () => true,
39     });
40     expect([400,401]).toContain(response.status);
41   });
42 });
```



Browser tabs: (1) WhatsApp, paylip - 2022 april - tsprakash..., Regarding Relieving letter - Me..., web-app, Ask Gemini

Address bar: localhost:5173/execution

Taskbar: Imported From IE, Learnings, WhatsApp, Welcome to Facebo..., ACT LOGIN Home, Gmail, YouTube, Maps, News, Translate, Adobe Acrobat

Settings
API Connected

updateuser	Header name must be a valid HTTP token (Content-Type)	2 ms	Details
updateuser	Header name must be a valid HTTP token (Content-Type)	2 ms	Details
updateuser	Header name must be a valid HTTP token (Content-Type)	1 ms	Details
updateuser	Header name must be a valid HTTP token (Content-Type)	1 ms	Details
updateuser	Header name must be a valid HTTP token (Content-Type)	2 ms	Details
updateuser	Header name must be a valid HTTP token (Content-Type)	2 ms	Details
updateuser	Header name must be a valid HTTP token (Content-Type)	1 ms	Details
getProducts	Header name must be a valid HTTP token (Content-Type)	2 ms	Details
getProductsId	Header name must be a valid HTTP token (Content-Type)	1 ms	Details
getProductsId	Header name must be a valid HTTP token (Content-Type)	2 ms	Details
createOrder	Header name must be a valid HTTP token (Content-Type)	1 ms	Details
createOrder	Header name must be a valid HTTP token (Content-Type)	2 ms	Details
createOrder	Header name must be a valid HTTP token (Content-Type)	1 ms	Details
getOrderById	Header name must be a valid HTTP token (Content-Type)	3 ms	Details
getOrderById	Header name must be a valid HTTP token (Content-Type)	2 ms	Details
getOrderById	Header name must be a valid HTTP token (Content-Type)	1 ms	Details

Browser tabs: (1) WhatsApp, paylip - 2022 april - tsprakash..., Regarding Relieving letter - Me..., web-app, Online Shopping site in India..., Ask Gemini

Address bar: localhost:5173/execution

Taskbar: Imported From IE, Learnings, WhatsApp, Welcome to Facebo..., ACT LOGIN Home, Gmail, YouTube, Maps, News, Translate, Adobe Acrobat

Swagger AI
Test workspace

Workspace

Execute tests

Search workspace

Execute tests

Choose a contract and environment, then follow the run through to its individual outcomes.

WORKFLOW

Plan a test run

Step 4 of 4

Specification Environment Operations Review

Review and run

Check the run inputs before creating the plan

Specification QA Demo API

Environment QA

Selection All 10 operations

Previous Run and run tests

EXECUTION MONITOR

Run complete

23 Passed 8 Failed 15 Errors 0

Test	Passed	Failed	Error
getHealth	10 ms	Details	
getUsers	10 ms	Details	
createUser	7 ms	Details	
createUser	6 ms	Details	
createUser	4 ms	Details	
getOrderById	10 ms	Details	
getOrderById	7 ms	Details	
getOrderById	11 ms	Details	

Browser tabs: (1) WhatsApp, payslip - 2022 april - tspraka..., Regarding Relieving letter - h..., web-app, Online Shopping site in India, Ask Gemini

Address bar: localhost:5173/execution

Taskbar: Imported From IE, Learnings, WhatsApp, Welcome to Facebo..., ACT LOGIN Home, Gmail, YouTube, Maps, News, Translate, Adobe Acrobat

Execution Log:

Method	Time	Details
getInvoicePdf	10 ms	Details
getInvoicePdf	11 ms	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
updateInvoice	1 ms	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
getProducts	10 ms	Details
getProductsById	8 ms	Details
getProductsById	5 ms	Details
createOrder	2 ms	Details
createOrder	5 ms	Details
createOrder	4 ms	Details
getOrderById	11 ms	Details
getOrderById	10 ms	Details
getOrderById	11 ms	Details

System tray: 32°C Clear, Search, 19:35 18-09-2026

Browser tabs: (1) WhatsApp, payslip - 2022 april - tspraka..., Regarding Relieving letter - h..., web-app, Online Shopping site in India, Ask Gemini

Address bar: localhost:5173/execution

Taskbar: Imported From IE, Learnings, WhatsApp, Welcome to Facebo..., ACT LOGIN Home, Gmail, YouTube, Maps, News, Translate, Adobe Acrobat

Execution Log:

Method	Time	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
updateInvoice	2 ms	Details
updateInvoice	1 ms	Details
updateInvoice	2 ms	Details
getProducts	10 ms	Details
getProductsById	8 ms	Details
getProductsById	5 ms	Details
createOrder	2 ms	Details
createOrder	5 ms	Details
createOrder	4 ms	Details
getOrderById	11 ms	Details
getOrderById	10 ms	Details
getOrderById	11 ms	Details

System tray: 32°C Clear, Search, 19:35 18-09-2026

Swagger AI

WORKSPACE

Overview

Specifications

Environments

Execute tests

Reports

Test generation

localhost:5173/execution

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

TEST EXECUTION

Execute tests

Choose a contract and environment, then follow the run through to its individual outcomes.

GUIDED WORKFLOW

Plan a test run

Step 4 of 4

Specification

Environment

Operations

Review

Review and run

Check the run inputs before creating the plan.

Specification

QA Demo API

Environment

QA

Selection

All 10 operations

Previous

Run and run tests

EXECUTION MONITOR

Run complete

Total

23

Passed

8

Failed

15

Errors

0

All 15

Passed 8

Failed 15

Error 0

getHealth

400 ms

Hide

Request

Response

Copy

{

"status": "up",

"url": "http://localhost:5173/health",

"version": "1.0"

}

getUsers

10 ms

Details

createUser

400 ms

7 ms

Hide

Request

Response

Copy

{

"status": "up",

"url": "http://localhost:5173/users",

"version": "1.0"

}

createUser

400 ms

5 ms

Details

Swagger AI

WORKSPACE

Overview

Specifications

Environments

Execute tests

Reports

Test generation

localhost:5173/reports

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

QUALITY HISTORY

Reports

Compare completed runs and open a full report for any execution.

Search run, spec, or environment

5 reports

414d948e-e037-4a1a-9576-dbc709c838c

8/23

passed

15

errors

9/18/2024, 7:10:29 PM

6c3f8892-c9a8-404b-9cc8-9d2662c7b8c

0/23

passed

23

errors

9/18/2024, 7:04:34 PM

8758677-0a4a-4260-98fa-872385f6a86c

0/23

passed

23

errors

9/18/2024, 7:04:34 PM

4d87f816-f718-4c32-a74a-0b07a8b7f5d

0/23

passed

23

errors

9/18/2024, 7:04:34 PM

4348f8de-e037-4a1a-9576-dbc709c838c

0/23

passed

23

errors

9/18/2024, 7:04:34 PM

RECENT ACTIVITY

Run history

View all

RUN

ENVIRONMENT

RESULT

DURATION

414d948e-e037-4a1a-9576-dbc709c838c

QA

0/23

106 ms

9/18/2024, 7:10:29 PM

6c3f8892-c9a8

Local QA

0/23

45 ms

9/18/2024, 7:04:34 PM

8758677-0a4a

Local QA

0/23

45 ms

9/18/2024, 7:04:34 PM

4d87f816-f718

Local QA

0/23

45 ms

9/18/2024, 7:04:34 PM

Overview

Specifications

Environments

Execute tests

Reports

Test generation

Settings

API connected

Reports

Compare completed runs and open a full report for any execution.

Search run, spec, or environment

5 reports

6c3f8892-c9d8-49d8-9c18-9d2686279d0c

8/23

15

9/18/2024, 7:55:39 PM

6c3f8892-c9d8-49d8-9c18-9d2686279d0c

0/23

23

9/18/2024, 7:56:34 PM

97738d77-c9a4-4280-9d8f-97238d77c9a4

0/23

23

9/18/2024, 7:56:39 PM

4d8778f6-7718-4c33-9f1a-4d8778f67718

0/23

23

9/18/2024, 7:56:39 PM

6c3f8892-c9d8-49d8-9c18-9d2686279d0c

0/23

23

9/18/2024, 7:56:34 PM

RECENT ACTIVITY

Run history

View all

Run	Environment	Result	Duration
6c3f8892-c9d8	QA	0/23	195 ms
6c3f8892-c9d8	Local QA	0/23	49 ms
97738d77-c9a4	Local QA	0/23	49 ms
4d8778f6-7718	Local QA	0/23	81 ms
6c3f8892-c9d8	Local QA	0/23	158 ms

32°C Clear

Search

ENG IN

19:36 18-09-2026