

The image displays the 'Chunking Playground' web application, which is designed for visualizing RAG document segmentation. The interface is divided into several sections:
1. **Header/Navigation**: Includes a top bar with browser tabs (e.g., 'Assignments - June26 ToolDi...', 'GitHub', 'genai-assignments/Phase 2...', 'Chunking Playground - Inter...') and a navigation menu with options like 'Download Study Guide', 'Reset Workspace', and 'Backend Online'.
2. **Left Sidebar**: Contains an 'Upload File' section with a 'Web URL' and 'Sample Web' option, an 'Upload Document' section with a 'Drag & drop files or [browse](#)' button, and a 'Sample Library' section listing documents like 'Insurance Health Policy', 'Employee Handbook', 'Patient Medical Chart', and 'Workers API Gateway'.
3. **Main Content Area**: Titled 'Document Preview', it shows the content of an uploaded document, 'EMPLOYEE LEAVE POLICY AND GUIDELINES'. The text is segmented into numbered sections (1. Purpose and Scope, 2. Annual Paid Time Off (PTO), 3. Sick Leave, 4. Parental Leave) with corresponding descriptions. Below the text, there are filters for 'undefined words', 'undefined characters', 'undefined sentences', 'undefined paragraphs', and 'undefined tokens'.
4. **Right Sidebar**: Contains an 'Analysis' section with metrics: 'TOTAL CHUNKS: 3', 'AVG. CHUNK SIZE: 465 chars', 'EST. TOKENS: 349', and 'TIME ELAPSED: 0.471 ms'. Below this is a 'Teaching Mode' section titled 'LLM-Based Intelligent Chunking', which explains how it leverages LLM (e.g., Llama or Gemma via Groq) to read documents, detect semantic transitions, and split text into ideal, topic-labeled segments. It lists 'Advantages' (excellent understanding of complex formatting, can output a reason and title for each chunk boundary) and 'Disadvantages' (very high API cost and latency, requires handling potential LLM JSON formatting errors). It also mentions 'Why Companies Use It' (intelligently extracts logical sub-topics without hardcoded rules).
5. **Bottom Section**: A 'Chunking Strategy' dropdown menu is visible, showing options like 'Fixed-Size Character Chunking', 'Recursive Character Chunking', 'Document-Structure Aware', 'Semantic Similarity Chunking', 'Query-Aware (Retrieved-Optimized)', 'Metadata-Enhanced', 'LLM-Based Intelligent' (selected), and 'Agentic Workflow (LangGraph)'. Below this are links for 'Chunks View', 'Comparison Dashboard', and 'RAG Simulator'.
6. **Footer**: A 'FIXED-SIZE CHUNKING EDUCATIONAL INSIGHTS' banner is visible at the bottom.
7. **System/Taskbar**: The bottom of the image shows a Windows taskbar with a weather widget (31°C Mostly sunny), a search bar, and various application icons. The system clock shows 12:38 on 28-09-2026.

WhatsApp

Assignments - June26 ToolDi

GitHub

genai-assignments/Phase 2

Chunking Playground - Inter

Ask Gemini

127.0.0.1:8000

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

Chunking Strategy

LLM-Based Intelligent

Target Chunk Size (chars)500

LLM Configuration

Simulate LLM (No Key Required)

Apply Chunking

Ingest into MongoDB

Chunks View

Comparison Dashboard

RAG Simulator

Proceed to Ingest into MongoDB

Grid View

Chunk #1

Document Purpose and Scope

299 chars

Topic: HR / Policy Prescribe

Simulated LLM

EMPLOYEE LEAVE POLICY AND GUIDELINES 1. Purpose and Scope This policy outlines the guidelines and procedures governing various types of leave available to all full-time employees. The company believes that balance between professional and personal life is essential for productivity and well-being.

Chunk #2

Annual Paid Time Off Allocation

383 chars

Topic: HR / PTO Rules

Simulated LLM

2. Annual Paid Time Off (PTO) All full-time employees accumulate PTO at a rate of 1.67 days per month, resulting in a total of 20 days per calendar year. - PTO requests must be submitted at least 5 business days in advance for approval by the department manager. - A maximum of 5 unused PTO days may be carried over to the next calendar year. Any additional unused days will expire.

Chunk #3

Paid Sick Leave Policies

290 chars

Topic: HR / Sick Leave

Simulated LLM

3. Sick Leave Employees receive 10 paid sick days per year on January 1st. Sick leave is intended for personal illness, medical appointments, or caring for immediate family members. - If sick leave exceeds 3 consecutive days, a certified medical note from a qualified physician is required.

Chunk #4

Parental Leave Guidelines

317 chars

Topic: HR / Parental Benefits

Simulated LLM

4. Parental Leave The company provides up to 12 weeks of paid parental leave to eligible employees following the birth, adoption, or foster placement of a child. Employees must have completed at least one year of continuous service to qualify. - Parental leave runs concurrently with FMLA guidelines where applicable.

LLM Configuration

Simulate LLM (No Key Required)

Apply Chunking

Ingest into MongoDB

Chunks View

Comparison Dashboard

RAG Simulator

Proceed to Ingest into MongoDB

Grid View

Chunk #1

Document Purpose and Scope

299 chars

Topic: HR / Policy Prescribe

Simulated LLM

EMPLOYEE LEAVE POLICY AND GUIDELINES 1. Purpose and Scope This policy outlines the guidelines and procedures governing various types of leave available to all full-time employees. The company believes that balance between professional and personal life is essential for productivity and well-being.

BOUNDARY DECISION REASON

[Simulated LLM] Document introduction and policy objectives boundary division.

Chunk #2

Annual Paid Time Off Allocation

383 chars

Topic: HR / PTO Rules

Simulated LLM

2. Annual Paid Time Off (PTO) All full-time employees accumulate PTO at a rate of 1.67 days per month, resulting in a total of 20 days per calendar year. - PTO requests must be submitted at least 5 business days in advance for approval by the department manager. - A maximum of 5 unused PTO days may be carried over to the next calendar year. Any additional unused days will expire.

BOUNDARY DECISION REASON

[Simulated LLM] Transition from introductory scope to annual PTO accrual details.

Chunk #3

Paid Sick Leave Policies

290 chars

Topic: HR / Sick Leave

Simulated LLM

3. Sick Leave Employees receive 10 paid sick days per year on January 1st. Sick leave is intended for personal illness, medical appointments, or caring for immediate family members. - If sick leave exceeds 3 consecutive days, a certified medical note from a qualified physician is required.

BOUNDARY DECISION REASON

[Simulated LLM] Subject matter change separating PTO from sick leave rules and certification.

Chunk #4

Parental Leave Guidelines

317 chars

Topic: HR / Parental Benefits

Simulated LLM

4. Parental Leave The company provides up to 12 weeks of paid parental leave to eligible employees following the birth, adoption, or foster placement of a child. Employees must have completed at least one year of continuous service to qualify. - Parental leave runs concurrently with FMLA guidelines where applicable.

31°C

Mostly sunny

Search

ENG

IN

12:39

28-09-2026

WhatsApp

Assignments - June26 ToolDi

GitHub

genai-assignments/Phase 2

Chunking Playground - Inter

Ask Gemini

127.0.0.1:8000

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

Chunking Strategy

LLM-Based Intelligent

Target Chunk Size (chars)350

LLM Configuration

Simulate LLM (No Key Required)

Server default: groq / llama-3.1-8b-instant No server key - provide one below or keep simulation on

Provider

Use server default

Groq

OpenAI

Together AI

Fireworks AI

Local / Custom (Ollama, vLLM, ...)

Temperature0.1

Extra Params (JSON, optional)

e.g. {"max_tokens": 2048, "top_p": 1}

Apply Chunking

Ingest into MongoDB

This document explains Annual Paid Time Off, Sick Leave, and Parental Leave entitlements for all staff.

EMPLOYEE LEAVE POLICY

1. Annual Leave
Employees are entitled to 20 days of annual leave per calendar year.
Leave must be requested and approved at least 2 weeks in advance.

2. Sick Leave
Paid sick leave is provided up to 10 days per year for illnesses.
A medical certificate is required for absences exceeding 3 consecutive days.

H undefined words A undefined characters 44 undefined sentences 5 undefined paragraphs 324 undefined tokens

Teaching Mode

LLM-Based Intelligent Chunking

Leverages an LLM (e.g., Llama or Gemma via Groq) to read the document, detect semantic transitions, and split the text into ideal, topic-labeled segments.

OverviewApplicationsPracticesQ&A Prep

Advantages

Excellent understanding of complex formatting, lists, and tables.

Can output a reason and title for each chunk boundary.

Disadvantages

Very high API cost and latency.

Requires handling potential LLM JSON formatting errors.

Why Companies Use It

Intelligently extracts logical sub-topics without hardcoded rules.

Handles highly unstructured or irregular business reports with high accuracy.

Provides clear reasoning explanations for segment transitions.

Chunks View

Comparison Dashboard

RAG Simulator

Proceed to Ingest into MongoDB

Grid View

31°C
Mostly sunny

Search

WhatsApp

Assignments - June26

GitHub

genai-assignments/Phase 2

Chunking Playground

API keys - OpenAI API

Ask Gemini

127.0.0.1:8000

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

Chunking Strategy

LLM-Based Intelligent

Target Chunk Size (chars)500

LLM Configuration

Simulate LLM (No Key Required)

Server default: groq / llama-3.1-8b-instant No server key - provide one below or keep simulation on

Provider

OpenAI

API Endpoint (optional override)

Leave blank to use: https://api.groq.com/openai/v1/chat

Model (optional override)

Leave blank to use: llama-3.1-8b-instant

API Key (optional override)

Leave blank to use server-configured key

Temperature0.1

Extra Params (JSON, optional)

e.g. {"max_tokens": 2048, "top_p": 1}

Apply Chunking

Ingest into MongoDB

H 270 words A 1295 characters 44 16 sentences 5 paragraphs 324 tokens

CHUNKING RECOMMENDATION

Document-Structure Aware

High structure detected. Splitting by logical document structures (headings, tables, lists) is recommended to keep topics whole.

SELECTION FLOW

Source: Policy

Score: 50/100 (55%)

Recommend: Doc Structure

Ready for Generation

Chunks View

Comparison Dashboard

RAG Simulator

Proceed to Ingest into MongoDB

Grid View

31°C
Mostly sunny

Search

WhatsApp

Assignments - June26

GitHub

genai-assignments/Phase 2

Chunking Playground

API keys - OpenAI API

Ask Gemini

127.0.0.1:8000

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

2) WhatsApp

Assignments - June26

GitHub

genai-assignments/Pli

Chunking Playground

API keys - OpenAI API

Ask Gemini

127.0.0.1:8000

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

Chunking Strategy

LLM-Based Intelligent

Target Chunk Size (chars)500

LLM Configuration

☒ Simulate LLM (No Key Required)

Apply Chunking

Ingest Into MongoDB

Chunks View

Comparison Dashboard

RAG Simulator

Processed 20 Ingest Into MongoDB

Grid View

Chunk #1

Document Purpose and Scope

EMPLOYEE LEAVE POLICY AND GUIDELINES 1. Purpose and Scope This policy outlines the guidelines and procedures governing various types of leave available to all full-time employees. The company believes that balance between professional and personal life is essential for productivity and well-being.

Topic: HR / Policy Prescribed

Simulated LLM

299 chars

Chunk #2

Annual Paid Time Off Allocation

2. Annual Paid Time Off (PTO) All full-time employees accumulate PTO at a rate of 1.67 days per month, resulting in a total of 20 days per calendar year. - PTO requests must be submitted at least 5 business days in advance for approval by the department manager. - A maximum of 5 unused PTO days may be carried over to the next calendar year. Any additional unused days will expire.

Topic: HR / PTO Rules

Simulated LLM

383 chars

Chunk #3

Paid Sick Leave Policies

3. Sick Leave Employees receive 10 paid sick days per year on January 1st. Sick Leave is intended for personal illness, medical appointments, or caring for immediate family members. - If sick leave exceeds 3 consecutive days, a certified medical note from a qualified physician is required.

Topic: HR / Sick Leave

Simulated LLM

290 chars

Chunk #4

Parental Leave Guidelines

4. Parental Leave The company provides up to 12 weeks of paid parental leave to eligible employees following the birth, adoption, or foster placement of a child. Employees must have completed at least one year of continuous service to qualify. - Parental leave runs concurrently with FMLA guidelines where applicable.

Topic: HR / Parental Benefits

Simulated LLM

317 chars

31°C

Mostly sunny

Search

ENG

IN

13:22

28-09-2026

2) WhatsApp

Assignments - June26

GitHub

genai-assignments/Pli

Chunking Playground

API keys - OpenAI API

Ask Gemini

127.0.0.1:8000

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

Chunking Strategy

LLM-Based Intelligent

Target Chunk Size (chars)500

LLM Configuration

☒ Simulate LLM (No Key Required)

Apply Chunking

Ingest Into MongoDB

Chunks View

Comparison Dashboard

RAG Simulator

Processed 20 Ingest Into MongoDB

Grid View

Chunk #1

Document Purpose and Scope

EMPLOYEE LEAVE POLICY AND GUIDELINES 1. Purpose and Scope This policy outlines the guidelines and procedures governing various types of leave available to all full-time employees. The company believes that balance between professional and personal life is essential for productivity and well-being.

BOUNDARY DECISION REASON

[Simulated LLM] Document introduction and policy objectives boundary division.

Topic: HR / Policy Prescribed

Simulated LLM

299 chars

Chunk #2

Annual Paid Time Off Allocation

2. Annual Paid Time Off (PTO) All full-time employees accumulate PTO at a rate of 1.67 days per month, resulting in a total of 20 days per calendar year. - PTO requests must be submitted at least 5 business days in advance for approval by the department manager. - A maximum of 5 unused PTO days may be carried over to the next calendar year. Any additional unused days will expire.

Topic: HR / PTO Rules

Simulated LLM

383 chars

Chunk #3

Paid Sick Leave Policies

3. Sick Leave Employees receive 10 paid sick days per year on January 1st. Sick Leave is intended for personal illness, medical appointments, or caring for immediate family members. - If sick leave exceeds 3 consecutive days, a certified medical note from a qualified physician is required.

Topic: HR / Sick Leave

Simulated LLM

290 chars

Chunk #4

Parental Leave Guidelines

4. Parental Leave The company provides up to 12 weeks of paid parental leave to eligible employees following the birth, adoption, or foster placement of a child. Employees must have completed at least one year of continuous service to

Topic: HR / Parental Benefits

Simulated LLM

317 chars

31°C

Mostly sunny


Search

ENG

IN

13:22

28-09-2026



31°C Mostly sunny

Search

22° 28-09-2026

127.0.0.1:8000

Imported From IE Learnings WhatsApp Welcome to Facebo... ACT LOGIN Home Gmail YouTube Maps News Translate Adobe Acrobat

largest chunk size (chars) 300

LLM Configuration

☒ Simulate LLM (No Key Required)

Apply Chunking

Import into MongoDB

Provides clear reasoning explanations for segment transitions.

Chunks View Comparison Dashboard RAG Simulator

policy [Refresh Chunks](#)

MEAN COSINE SIM 15%

RETRIEVAL PRECISION 0%

RETRIEVAL RECALL 100%

Chunk #1 [Topic: HR / Policy Preamble](#) 299 chars

EMPLOYEE LEAVE POLICY AND GUIDELINES 1. Purpose and Scope This policy outlines the guidelines and procedures governing various types of leave available to all full-time employees. The company believes that balance between professional and personal life is essential for productivity and well-being.

[Doc Sim: 9.107](#) [Confidence: 34%](#)

Chunk #2 [Topic: HR / PTO Rules](#) 383 chars

2. Annual Paid Time Off (PTO) All full-time employees accumulate PTO at a rate of 1.67 days per month, resulting in a total of 20 days per calendar year. - PTO requests must be submitted at least 5 business days in advance for approval by the department manager. - A maximum of 5 unused PTO days may be carried over to the next calendar year. Any additional unused days will expire.

[Doc Sim: 8.861](#) [Confidence: 35%](#)

Chunk #3 [Topic: HR / Sick Leave](#) 280 chars

3. Sick Leave Employees receive 10 paid sick days per year on January 1st. Sick leave is intended for personal illness, medical appointments, or caring for immediate family members. - If sick leave exceeds 3 consecutive days, a certified medical note from a qualified physician is required.

[Doc Sim: 8.808](#) [Confidence: 35%](#)

31°C Mostly sunny

Search

22° 28-09-2026

Insurance Health Policy
Insurance - 1.5 KB

Employee Handbook
Handbook - 1.1 KB

Patient Medical Chart
Medical - 1.2 KB

Workers API Gateway
Tech Doc - 0.9 KB

Chunking Strategy

LLM-Based Intelligent

Target Chunk Size (chars) 500

LLM Configuration

Simulate LLM (No Key Required)

Apply Chunking

Ingest Into MongoDB

Chunks View

Comparison Dashboard

RAG Simulator

policy

Retrieve Chunks

Employees receive 10 paid sick days per year on January 1st. Sick leave is intended for personal illness, medical appointments, or caring for immediate family members.

- If sick leave exceeds 3 consecutive days, a certified medical note from a qualified physician is required.

4. Parental Leave

The company provides up to 12 weeks of paid parental leave to eligible employees following the birth, adoption, or foster placement of a child. Employees must have completed at least one year of continuous service to qualify.

- Parental leave runs concurrently with FMLA guidelines where applicable.

H 270 words A 1295 characters S 18 sentences P 5 paragraphs T 324 tokens

Structure Confidence: 55%

Title Found

Main Sections Found

Subsections Found

Lists Found

Tables Found

DETECTED HEURISTICS

4 sections detected

1 list detected

CHUNKING RECOMMENDATION

Document-Structure Aware

High structure detected. Splitting logical document structures (Headings, Tables, Lists) is recommended to keep topics whole.

SELECTION FLOW

Source: Policy

Score: 50/90 (55%)

Recommend Doc Structure

Ready for Generation

31°C Mostly sunny

Search

13:23 28-09-2026

Imported From IE

Learnings

WhatsApp

Welcome to Facebo...

ACT LOGIN Home

Gmail

YouTube

Maps

News

Translate

Adobe Acrobat

largest chunk size (chars) 500

LLM Configuration

Simulate LLM (No Key Required)

Apply Chunking

Ingest Into MongoDB

Chunks View

Comparison Dashboard

RAG Simulator

Chunk #1

Logistical Section: # Cloudflare Workers API Gateway

Cloudflare Workers API Gateway Specification

Topic: Document / Cloudflare / Gateway

Simulated LLM

44 chars

Chunk #2

Logistical Section: #1 Executive Overview

1. Executive Overview Cloudflare Workers provides a serverless execution environment that allows developers to run JavaScript, Rust, C, and C++ code at the edge of the Cloudflare network. Running code at the edge minimizes latency by executing code closer to the end user compared to centralized cloud servers.

Topic: Document / Cloud / Edge

Simulated LLM

315 chars

Chunk #3

Logistical Section: #2 API Router Implementation

2. API Router Implementation The edge gateway router matches incoming requests to worker scripts based on defined routes and zone bindings. - **Route Matcher**: Evaluates host, path patterns, and wildcards. - **Fallback Routing**: Automatically redirects request paths to origin servers if a worker fails.

Topic: Document / Router / Worker

Simulated LLM

308 chars

Chunk #4

Logistical Section: #3 Authentication & Access Control

3. Authentication & Access Control Security tokens must be passed via standard Authorization headers: - Header Key: 'Authorization' - Header Value: 'Bearer <secret_jwt_token>' - Failure Action: HTTP 401 Unauthorized returned to client.

Topic: Document / Authentication / Header

Simulated LLM

238 chars

Chunk #5

Logistical Section: #4 Rate Limiting Guidelines

4. Rate Limiting Guidelines All edge endpoints enforce a rate limit quota: - Threshold: Max 10,000 requests per sliding 10-minute window per IP. - Overflow Action: HTTP 429 Too Many Requests response with a Retry-After header.

Topic: Document / Requests / Rate

Simulated LLM

229 chars

31°C Mostly sunny

Search

13:23 28-09-2026

31°C Mostly sunny Search [Taskbar icons: File Explorer, Edge, Chrome, Word, PowerPoint, Outlook, OneDrive, etc.] ENG IN 13:24 28-09-2026

127.0.0.1:8000

Imported From IE | Learnings | WhatsApp | Welcome to Facebo... | ACT LOGIN Home | Gmail | YouTube | Maps | News | Translate | Adobe Acrobat

The AI Inference platform

Chunk #12 [Logtail Section: Run AI inference globally with one](#)

Run AI Inference globally with one API call, build agents, and search across your data - no GPUs to manage, no capacity planning.

[Topic Document / Year / Build](#) [Simulated LLM](#) 129 chrs

Chunk #13 [Logtail Section: npx wrangler ai modelsBrowse av](#)

npx wrangler ai modelsBrowse available models

[Topic Document / ModelAddress / Models](#) [Simulated LLM](#) 45 chrs

Chunk #14 [Logtail Section: Workers AI/ AI Gateway AI Search](#)

Workers AI- AI Gateway- AI Search- Agents- Vectorize- Browser Run

[Topic Document / Vectorize / Workers](#) [Simulated LLM](#) 60 chrs

Chunk #15 [Logtail Section: ### Hide your database feat test](#)

Make your database feel instant, everywhere

[Topic Document / New / Database](#) [Simulated LLM](#) 47 chrs

Chunk #16 [Logtail Section: Serverless SQL, globally distribut](#)

Serverless SQL, globally distributed key-value, and global database acceleration - query directly from Workers with no connection management.

[Topic Document / Database / Values](#) [Simulated LLM](#) 161 chrs

Chunk #17 [Logtail Section: npx wrangler ai create my datab](#)

npx wrangler ai create my-databaseGet started with 01

[Topic Document / Create / Wrangler](#) [Simulated LLM](#) 53 chrs

Chunk #18 [Logtail Section: R2 Pipeline DRY HyperDrive](#)

R2-Pipeline- 01- KV- HyperDrive

[Topic Document / Hyperdrive / Pipelines](#) [Simulated LLM](#) 29 chrs

Chunk #19 [Logtail Section: ### Build media pipelines without](#)

Build media pipelines without infrastructure headaches

[Topic Document / Media / Build](#) [Simulated LLM](#) 58 chrs

Chunk #20 [Logtail Section: Cloudflare Images helps teams bu](#)

CloudFlare Images helps teams build scalable, reliable media pipelines to store, optimize, and deliver images.

[Topic Document / Images / Deliver](#) [Simulated LLM](#) 110 chrs

[Load More Chunks \(20 of 111 shown\)](#)

31°C Mostly sunny

Search

127.0.0.1:8000

Imported From IE | Learnings | WhatsApp | Welcome to Facebo... | ACT LOGIN Home | Gmail | YouTube | Maps | News | Translate | Adobe Acrobat

Images-Stream-RealTime

Chunk #21 [Logtail Section: ## Build with your favorite AI agen](#)

Build with your- favorite AI agent

[Topic Document / Favorite / New](#) [Simulated LLM](#) 36 chrs

Chunk #24 [Logtail Section: Paste into any AI coding agent to i](#)

Paste into any AI coding agent to install CloudFlare agent tooling:

[Topic Document / Agent / Coding](#) [Simulated LLM](#) 67 chrs

Chunk #25 [Logtail Section: Copy prompt/ Prompt copied!](#)

Copy prompt/ Prompt copied!

[Topic Document / Copied / Prompt/ Prompt](#) [Simulated LLM](#) 25 chrs

Chunk #26 [Logtail Section: ### Browse all agent setup guide](#)

Browse all agent setup guides

[Topic Document / Browse / Agent](#) [Simulated LLM](#) 33 chrs

Chunk #27 [Logtail Section: All agents](#)

All agents

[Topic Document / Agents](#) [Simulated LLM](#) 10 chrs

Chunk #28 [Logtail Section: ## What's new](#)

What's new

[Topic Document / What](#) [Simulated LLM](#) 15 chrs

Chunk #29 [Logtail Section: The latest features and improvem](#)

The latest features and improvements shipping across CloudFlare.

[Topic Document / Improvements / Latest](#) [Simulated LLM](#) 64 chrs

Chunk #30 [Logtail Section: View ChangelogSep 25, 2026Browse](#)

View ChangelogSep 25, 2026Browse Run

[Topic Document / View / Changelog](#) [Simulated LLM](#) 37 chrs

Chunk #31 [Logtail Section: ### Subscribe to Browser Run eve](#)

Subscribe to Browser Run crawl events

[Topic Document / Subscribe / Browser](#) [Simulated LLM](#) 41 chrs

Chunk #32 [Logtail Section: Receive crawl lifecycle events the](#)

Receive crawl lifecycle events through CloudFlare Queues.

[Topic Document / Queues / Crawl](#) [Simulated LLM](#) 57 chrs