Register And Remember Id Password :-
http://172.16.1.236:81/rku_placementportal

First of phase 1 is going on :
9am-11.45am o'clock

BREAK - 11.45am to 12.30pm

Phase 2 is coming on :
12.30pm-6pm o'clock

Phase 3 is coming on :
7pm-8:30pm o'clock

Phase 4 is coming on :
10pm-12am o'clock

Github repo link in there So you can changes on:-
https://github.com/PrakashDharaviya/study-hub

2b2d42
8d99ae
Edf2f4

-===
606c38
283618
fefae0

PHASE 1: RESEARCH, SELECTION & ACTION PLAN

Project Archetype: `[Software/Web]`

Study Group & Resource Sharing Hub — A collaborative academic platform enabling students to create and join topic-tagged study groups, share curated resources, and track group activity in a clean, minimalistic interface.

🛠️ Tech Stack (Open-Source Maximizer)

Layer	Technology	Reason
Framework	ASP.NET Core 8.0 MVC	Primary framework, modular, production-grade
Language	C# 12	Native to .NET ecosystem
ORM	Entity Framework Core 8	Code-first migrations, clean data layer
Database	SQL Server LocalDB (dev) → SQL Server Express (prod)	Free, Visual Studio native
Auth	ASP.NET Core Identity	Built-in, zero cost, role-based
UI Library	Bootstrap 5.3 + custom	Modular, utility-friendly

	Sanzo Wada CSS variables	
Icons	Lucide Icons (CDN)	Open-source, clean, minimal
Rich Text	Quill.js (CDN)	Free WYSIWYG for resource descriptions
Search/Filter	EF Core LINQ queries	Server-side, no external dependency
File Storage	Local `/wwwroot/uploads/` → Azure Blob (optional)	Free local dev storage
Version Control	Git + GitHub	Free, industry standard
IDE	Visual Studio 2022 Insider	As specified

⚡ Action Plan (Developer Tooling Direction)

Step 1 — Visual Studio 2022 Insider: You already have this. Ensure the **ASP.NET and web development** workload is installed via the Visual Studio Installer. Enable Git integration from `View → Git Changes`.

Step 2 — GitHub Repository: Create a new repo at `github.com` named `study-hub`. Initialize with a `.gitignore` for `VisualStudio` template. Connect via VS2022's built-in Git panel (`Git → Clone Repository`). Use branching strategy: `main` → `develop` → `feature/[name]`.

Step 3 — SQL Server LocalDB: Comes free with Visual Studio. No setup needed. Connection string targets `(localdb)\\MSSQLLocalDB`. Use **EF Core Migrations** to version your schema — never touch the DB manually.

Step 4 — NuGet Packages (Free): All packages are open-source via NuGet. No paid licenses required. Key packages: `Microsoft.EntityFrameworkCore.SqlServer`, `Microsoft.AspNetCore.Identity.EntityFrameworkCore`, `Microsoft.EntityFrameworkCore.Tools`.

Step 5 — UI via Bootstrap 5.3 + Sanzo Wada Palette: Do NOT use a paid theme. Use Bootstrap 5.3 via CDN + a single `site.css` file where you define Sanzo Wada CSS custom properties (`:root` variables). This keeps the UI modular and overridable per component.

Step 6 — Lucide Icons: Include via CDN in `_Layout.cshtml`. No npm required for this project scale.

Step 7 — Deployment (Optional Free Tier): Use **Azure App Service Free Tier (F1)** with **Azure SQL Free Tier** for hosting. Deploy directly from Visual Studio via `Publish → Azure`.

- https://github.com/JosephHuntley/BulkyBook
- https://github.com/fernandreu/recipe-manager
- https://www.learnhowtoprogram.com/c-and-net/advanced-databases-and-authentication/identity-user-registration-controller
-

REVISE+NEXT

(I got the database, and tables, it's other information below:

```

- Data Source=(localdb)\mssqllocaldb;Initial Catalog=StudyHubDb;Integrated Security=True;Connect Timeout=30;Encrypt=True;Trust Server Certificate=False;Application Intent=ReadWrite;Multi Subnet Failover=False;Command Timeout=30



-- Tables



CREATE TABLE [dbo].[__EFMigrationsHistory] (

    [MigrationId]    NVARCHAR (150) NOT NULL,

    [ProductVersion] NVARCHAR (32)  NOT NULL,

    CONSTRAINT [PK___EFMigrationsHistory] PRIMARY KEY CLUSTERED ([MigrationId] ASC)

);



CREATE TABLE [dbo].[AspNetRoleClaims] (

    [Id]        INT           IDENTITY (1, 1) NOT NULL,
```

```
    [RoleId]     NVARCHAR (450) NOT NULL,

    [ClaimType]  NVARCHAR (MAX) NULL,

    [ClaimValue] NVARCHAR (MAX) NULL,

    CONSTRAINT [PK_AspNetRoleClaims] PRIMARY KEY CLUSTERED ([Id] ASC),

    CONSTRAINT [FK_AspNetRoleClaims_AspNetRoles_RoleId] FOREIGN KEY ([RoleId])
REFERENCES [dbo].[AspNetRoles] ([Id]) ON DELETE CASCADE

);




GO

CREATE NONCLUSTERED INDEX [IX_AspNetRoleClaims_RoleId]

    ON [dbo].[AspNetRoleClaims]([RoleId] ASC);


CREATE TABLE [dbo].[AspNetRoles] (

    [Id]               NVARCHAR (450) NOT NULL,

    [Name]             NVARCHAR (256) NULL,

    [NormalizedName]   NVARCHAR (256) NULL,

    [ConcurrencyStamp] NVARCHAR (MAX) NULL,

    CONSTRAINT [PK_AspNetRoles] PRIMARY KEY CLUSTERED ([Id] ASC)

);




GO

CREATE UNIQUE NONCLUSTERED INDEX [RoleNameIndex]

    ON [dbo].[AspNetRoles]([NormalizedName] ASC) WHERE ([NormalizedName] IS NOT
NULL);
```

```
CREATE TABLE [dbo].[AspNetUserClaims] (

    [Id]        INT            IDENTITY (1, 1) NOT NULL,

    [UserId]     NVARCHAR (450) NOT NULL,

    [ClaimType]  NVARCHAR (MAX) NULL,

    [ClaimValue] NVARCHAR (MAX) NULL,

    CONSTRAINT [PK_AspNetUserClaims] PRIMARY KEY CLUSTERED ([Id] ASC),

    CONSTRAINT [FK_AspNetUserClaims_AspNetUsers_UserId] FOREIGN KEY ([UserId])
REFERENCES [dbo].[AspNetUsers] ([Id]) ON DELETE CASCADE

);




GO

CREATE NONCLUSTERED INDEX [IX_AspNetUserClaims_UserId]

    ON [dbo].[AspNetUserClaims]([UserId] ASC);


CREATE TABLE [dbo].[AspNetUserLogins] (

    [LoginProvider]       NVARCHAR (450) NOT NULL,

    [ProviderKey]         NVARCHAR (450) NOT NULL,

    [ProviderDisplayName] NVARCHAR (MAX) NULL,

    [UserId]              NVARCHAR (450) NOT NULL,

    CONSTRAINT [PK_AspNetUserLogins] PRIMARY KEY CLUSTERED ([LoginProvider]
ASC, [ProviderKey] ASC),

    CONSTRAINT [FK_AspNetUserLogins_AspNetUsers_UserId] FOREIGN KEY ([UserId])
REFERENCES [dbo].[AspNetUsers] ([Id]) ON DELETE CASCADE

);
```

```
GO

CREATE NONCLUSTERED INDEX [IX_AspNetUserLogins_UserId]

    ON [dbo].[AspNetUserLogins]([UserId] ASC);



CREATE TABLE [dbo].[AspNetUserRoles] (

    [UserId] NVARCHAR (450) NOT NULL,

    [RoleId] NVARCHAR (450) NOT NULL,

    CONSTRAINT [PK_AspNetUserRoles] PRIMARY KEY CLUSTERED ([UserId] ASC,
[RoleId] ASC),

    CONSTRAINT [FK_AspNetUserRoles_AspNetRoles_RoleId] FOREIGN KEY ([RoleId])
REFERENCES [dbo].[AspNetRoles] ([Id]) ON DELETE CASCADE,

    CONSTRAINT [FK_AspNetUserRoles_AspNetUsers_UserId] FOREIGN KEY ([UserId])
REFERENCES [dbo].[AspNetUsers] ([Id]) ON DELETE CASCADE

);




GO

CREATE NONCLUSTERED INDEX [IX_AspNetUserRoles_RoleId]

    ON [dbo].[AspNetUserRoles]([RoleId] ASC);



CREATE TABLE [dbo].[AspNetUsers] (

    [Id]                NVARCHAR (450)     NOT NULL,

    [FirstName]         NVARCHAR (MAX)     NOT NULL,

    [LastName]          NVARCHAR (MAX)     NOT NULL,

    [CreatedAt]         DATETIME2 (7)      NOT NULL,

    [UserName]          NVARCHAR (256)     NULL,
```

```
    [NormalizedUserName]   NVARCHAR (256)     NULL,
    [Email]                NVARCHAR (256)     NULL,
    [NormalizedEmail]      NVARCHAR (256)     NULL,
    [EmailConfirmed]       BIT                NOT NULL,
    [PasswordHash]         NVARCHAR (MAX)     NULL,
    [SecurityStamp]        NVARCHAR (MAX)     NULL,
    [ConcurrencyStamp]     NVARCHAR (MAX)     NULL,
    [PhoneNumber]          NVARCHAR (MAX)     NULL,
    [PhoneNumberConfirmed] BIT                NOT NULL,
    [TwoFactorEnabled]     BIT                NOT NULL,
    [LockoutEnd]           DATETIMEOFFSET (7) NULL,
    [LockoutEnabled]       BIT                NOT NULL,
    [AccessFailedCount]    INT                NOT NULL,
    CONSTRAINT [PK_AspNetUsers] PRIMARY KEY CLUSTERED ([Id] ASC)
);



GO
CREATE NONCLUSTERED INDEX [EmailIndex]
    ON [dbo].[AspNetUsers]([NormalizedEmail] ASC);



GO
CREATE UNIQUE NONCLUSTERED INDEX [UserNameIndex]
    ON [dbo].[AspNetUsers]([NormalizedUserName] ASC) WHERE ([NormalizedUserName] IS
NOT NULL);
```

```
CREATE TABLE [dbo].[AspNetUserTokens] (

    [UserId]       NVARCHAR (450) NOT NULL,

    [LoginProvider] NVARCHAR (450) NOT NULL,

    [Name]         NVARCHAR (450) NOT NULL,

    [Value]        NVARCHAR (MAX) NULL,

    CONSTRAINT [PK_AspNetUserTokens] PRIMARY KEY CLUSTERED ([UserId] ASC,
[LoginProvider] ASC, [Name] ASC),

    CONSTRAINT [FK_AspNetUserTokens_AspNetUsers_UserId] FOREIGN KEY ([UserId])
REFERENCES [dbo].[AspNetUsers] ([Id]) ON DELETE CASCADE

);



CREATE TABLE [dbo].[GroupMembers] (

    [Id]           UNIQUEIDENTIFIER NOT NULL,

    [UserId]       NVARCHAR (450)   NOT NULL,

    [StudyGroupId] UNIQUEIDENTIFIER NOT NULL,

    [JoinedAt]     DATETIME2 (7)    NOT NULL,

    [Role]         NVARCHAR (20)    NOT NULL,

    CONSTRAINT [PK_GroupMembers] PRIMARY KEY CLUSTERED ([Id] ASC),

    CONSTRAINT [FK_GroupMembers_AspNetUsers_UserId] FOREIGN KEY ([UserId])
REFERENCES [dbo].[AspNetUsers] ([Id]) ON DELETE CASCADE,

    CONSTRAINT [FK_GroupMembers_StudyGroups_StudyGroupId] FOREIGN KEY
([StudyGroupId]) REFERENCES [dbo].[StudyGroups] ([Id]) ON DELETE CASCADE

);



GO
```

```
CREATE NONCLUSTERED INDEX [IX_GroupMembers_StudyGroupId]

    ON [dbo].[GroupMembers]([StudyGroupId] ASC);




GO

CREATE UNIQUE NONCLUSTERED INDEX [IX_GroupMembers_UserId_StudyGroupId]

    ON [dbo].[GroupMembers]([UserId] ASC, [StudyGroupId] ASC);


CREATE TABLE [dbo].[Resources] (

    [Id]          UNIQUEIDENTIFIER NOT NULL,

    [Title]       NVARCHAR (200)   NOT NULL,

    [Description]  NVARCHAR (1000)  NOT NULL,

    [Type]        NVARCHAR (50)    NOT NULL,

    [UrlOrPath]    NVARCHAR (MAX)   NOT NULL,

    [CreatedAt]    DATETIME2 (7)    NOT NULL,

    [IsPinned]     BIT              NOT NULL,

    [StudyGroupId] UNIQUEIDENTIFIER NOT NULL,

    [UploaderId]   NVARCHAR (450)   NOT NULL,

    CONSTRAINT [PK_Resources] PRIMARY KEY CLUSTERED ([Id] ASC),

    CONSTRAINT [FK_Resources_AspNetUsers_UploaderId] FOREIGN KEY ([UploaderId])
REFERENCES [dbo].[AspNetUsers] ([Id]),

    CONSTRAINT [FK_Resources_StudyGroups_StudyGroupId] FOREIGN KEY
([StudyGroupId]) REFERENCES [dbo].[StudyGroups] ([Id]) ON DELETE CASCADE

);
```

```
GO
CREATE NONCLUSTERED INDEX [IX_Resources_StudyGroupId]
    ON [dbo].[Resources]([StudyGroupId] ASC);



GO
CREATE NONCLUSTERED INDEX [IX_Resources_UploaderId]
    ON [dbo].[Resources]([UploaderId] ASC);

CREATE TABLE [dbo].[StudyGroups] (
    [Id]          UNIQUEIDENTIFIER NOT NULL,
    [Name]        NVARCHAR (100)   NOT NULL,
    [Description] NVARCHAR (500)   NOT NULL,
    [Semester]    NVARCHAR (50)    NOT NULL,
    [TopicTags]   NVARCHAR (200)   NOT NULL,
    [CreatedAt]   DATETIME2 (7)    NOT NULL,
    CONSTRAINT [PK_StudyGroups] PRIMARY KEY CLUSTERED ([Id] ASC)
);



```
)
```
```