

SAFETY DATA SHEET

SAFETY DATA SHEET In accordance with Regulation Annex I to Commission Regulation 453/2010

DATE OF ISSUE 24 February 2014 UPDATED ON 02 Nov 2021

SAFETY DATA SHEET

Bi axially oriented Poly ethylene terephthalate film (BOPET)

1.0 IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

1.1 Product identifier:

REACH Registration Number	Not applicable			
EC# & CAS#	Name of substance	CAS	EC	
	Poly ethylene terephthalate	25038-59-9	Not available	
	diantimony trioxide	1309-64-4	215-175-0	
	orthophosphoric acid	7664-38-2	231-633-2	
	silicon dioxide	7631-86-9	231-545-4	
	aluminium	7429-90-5	231-072-3	
Trade Name:	FLEXPET TM & FLEXMETPROTECT TM			
Chemical Formula	UVCB			

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930, Jebel Ali Free Zone, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



Manufacturing Sites: _

FlexFilms

SAFETY DATA SHEET

Structural Formula			
1.2 Relevant identified uses of the substance or mixture ar	nd uses advised against		
Relevant identified uses:	<u> </u>		
Flexible packaging application.			
Decorative application.			
Industrial application.			
Food packaging.			
Building protection.			
Cosmetic packaging.			
Electrical insulation & other applications			
Uses advised against: No data available.			
1.3 Details of the Supplier of the Safety Data Sheet			
Manufacturer/Supplier	UFLEX LIMITED		
Street address/P.O. Box	A-1,SECTOR-60,NOIDA – 201301		
Country ID/Postcode/Place	(U.P), INDIA		
Telephone number (if possible, indicate telefax) +91 120-3982121, 3982535, 3982658 Fax: +91 120-2580152, 2580511, 2580003			
Email ID	ram.gopal@flexfilm.com		

1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA - 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com

web site: www.flexfilm.com

- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930, Jebel Ali Free Zone, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2), Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- 8) NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



National contact:

Manufacturing Sites: ___

FlexFilms

SAFETY DATA SHEET

Mob No +91-7060002135

	Mob. No. +91-7060002135 Phone +91-120-3982-705
1.4 Emergency telephone number	
Only available during o	office hours. +91 120-3982121, 3982535, 3982658
2.0 HAZARDS IDENTIFICATION	
2.1. Classification of the substance or r	mixture to CLP
2.1.1. Classification according to Regul	lation (EC) No 1272/2008 (CLP/GHS)
Not a dangerous substance according to C This substance is not classified as danger	
2.1.2. Classification according to Direct	tive 67/548/EEC (DSD)
This substance is not classified as danger	ous according to Directive 67/548/EEC.
2.1.3 Additional information: No data av	ailable.
2.2. Label elements (CLP only) Labeling	g according to Regulation (EC) No 1272/2008 (CLP/GHS)
` ',	g according to Regulation (EC) No 1272/2008 (CLP/GHS) o EU Regulation (EC) 1272/2008 (CLP Regulation) and
` ',	
Classification and labeling according to Globally Harmonized System (GHS):	
Classification and labeling according to Globally Harmonized System (GHS): Label elements	
Classification and labeling according to	o EU Regulation (EC) 1272/2008 (CLP Regulation) and
Classification and labeling according to Globally Harmonized System (GHS): Label elements GHS Pictogram	no labelling required (no dangerous properties)
Classification and labeling according to Globally Harmonized System (GHS): Label elements GHS Pictogram Signal Word	no labelling required (no dangerous properties) No signal word
Classification and labeling according to Globally Harmonized System (GHS): Label elements GHS Pictogram Signal Word Hazard Statement	no labelling required (no dangerous properties) No signal word no classification required (no dangerous properties)

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- 8) NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

None	Substance meets the c		
	NEGRIATION ON INC		
	NFORMATION ON ING		
CAS No	EC No	%Purity(w/w)	Remarks
7429-90-5	231-072-3	Deposition of a thin layer up to 300 angaustroms thickness.	None
7631-86-9	231-545-4	Max 0.4 %	None
7664-38-2	231-633-2	0.03%	None
1309-64-4	215-175-0	0.035% (as Antimony)	None
25038-59-9	Not available	99.35 to 99.75 %	None
General notes	No special measu	ures necessary provided product is used correctly.	
General notes Eye contact	No special measures necessary provided product is used correctly. Exposure to hot molten material. In this case: Rinse with plenty of water. Seek immediate special treatment at hospital or medical center in case of irritation caused by vapors or fumes wash with water.		
	and seek medical		
Skin Contact	Exposure to hot molten material. In this case: Rinse with plenty of water. Do NOT remove clothing (ris of sticking to skin) or do not try removing adhering material. Seek medical advice immediately. However, use of protective gloves/clothing is good industrial practic		
Inhalation			
Ingestion	Ingestion is not an physician immedia	expected route of exposure during normal use of the product. If ingestately.	sted, call a
4.2. Most important	symptoms and effects	s, both acute and delayed	
Decomposition produ	icts caused by overheat	ing polyethylene terephthalate may cause skin, eye or respiratory trad	ct irritation.
4.0			
4.3. indication of an	y immediate medical a	ttention and special treatment needed	

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2), Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- 8) NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

5.0 FIRE-FIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media: Water mist only to cool the surface exposed to fire, carbon dioxide, foam, Halon, AFFF(Aqueous film forming foam)

Unsuitable extinguishing media: Do not use water jets for extinguishing fire, since they could help to spread the flames.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon monoxide, carbon dioxide, alcohols, acetaldehydes, organic acids, aluminium fumes, aluminium oxides.

5.3. Advice for fire-fighters

Stop the fire spreading, call the Fire brigade immediately, evacuate non-essential personal. Protective clothing's, goggles and self contained breathing equipment should be made available for fireman.

Other information

Special Remarks on Fire Hazards

Equipment should be thoroughly decontaminated after use. Wear self-contained breathing apparatus and full protective equipments.

6.0 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Protective equipment:

Use personal protective clothing

6.1.2 For emergency responders

Handle the product using protective gloves resistant to the chemicals exposed. Avoid contact with skin and inhalation of its vapours or smoke. Maintain adequate ventilation in the working area after spilling

6.2 Environmental precautions:

No special environmental precautions required.

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

6.3.1 For containment:

Contaminated protective clothing should be segregated in such a manner so that there is no direct personal contact by personnel who handle, dispose, or clean the clothing. Quality assurance to ascertain the completeness of the cleaning procedures should be implemented before the decontaminated protective clothing is returned for reuse by the workers. Contaminated clothing should not be taken home at end of shift, but should remain at employee's place of work for cleaning.

6.3.2 For cleaning up:

Sweep up and recover, or mix material with moist absorbent and shovel into suitable chemical waste container.

6.3.3 Other Information:

No data available.

6.4 Reference to other sections:

None

7.0 HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

- Handle in accordance with good industrial hygiene and safety practices.
- Keep original wrapping on the film until it is used. In case the roll is partially used, the balance roll should be preserved on the standard packing with sticker.
- Film rolls should be moved only with equipment designed for the purpose as film rolls and pallets are heavy. Film edges are sharp and may cause cuts/wounds, handle with most care.

Measures to prevent fire:

- Stop the fire spreading, call the Fire brigade immediately, evacuate non-essential personal. Protective clothing's, goggles and self contained breathing equipment should be made available for fireman.
- Keep away from ignition sources.
- Observe the general rules of industrial fire protection.

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

- Need to be stored in a close warehouse and should not be exposed to direct sunlight or light sources and from humidity. It is recommended to store below 35 °C in dry place.
- Use both the films by FIFO system & it is advised to rotate the film stock.
- Shelf life: 9 months for bare film (FLEXPET[™]) and 6 months for metallized film (FLEXMETPROTECT[™]) from the date of manufacturing

Pac	kac	ina	mate	rials:

Keep packages closed to prevent contamination.

7.3. Specific end use(s)

Same as mentioned in section 1.2

8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No data available.

8.2 Exposure controls

- Use local ventilation to control fumes from hot processing.
- Standard usage condition of material does not generate the dust particles. The following values apply to nuisance dust which may be gormed while cutting, girnding, stamping. Total dust: 10 mg/m3 Respiratory dust: 5 mg/m3

8.2.1. Occupational Exposure controls

No data available.

8.2.2 Personal protection equipment:

Use static controls. Static charges can build up and ignite dust or solvent laden atmospheres. Design precautions into processes that can create dust, such as pneumatic conveying systems, grinding and other physical operations. There is the potential for a dust explosion hazard.

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

8.2.2.1 Eye and face protection:

splash goggles

8.2.2.2 Skin protection:

Wear coverall chemical splash goggles when the possibility exists for eye or face contact from airborne material. If there is potential for contact with hot/molten material, wear heat-resistant impervious clothing and footwear.

Hand protection:

Special protective clothing is not needed for normal use. Gloves are recommended as good industrial practice.

Other skin protection:

If contact with hot molten material is possible, wear heat insulating and chemical proof gloves and clothes and face shield and goggles for eyes

8.2.2.3 Respiratory protection:

Respirators are not needed for normal use. Where airborne concentrations are expected to exceed exposure limits, a NIOSH approved respirator should be selected based on the form and concentration of the contaminant in air and in accordance with OSHA Respiratory Protection Standard CFR 1910.134.

8.2.2.4 Thermal hazards:

No data available.

8.2.3 Environmental exposure controls:

No data available.

Other personal Protection: Slabs of film on the floor can be slippery. Exercise due care in areas where slippage can occur.

9.0 PHYSICAL AND CHEMICAL PROPERTIES

* These are indicative values only and should not be regarded as product specification.

9.1 General Information

on Concra information	
Physical state at 20 °C	Solid
Color	Glossy, Silver Plastic film.
Odor	Odorless
Appearance	Flexible Plastic Film

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

9.2 Important health, safety and env	vironmental information	
pH(1% soln/water)	No data available.	
Molecular Weight	No data available.	
Boiling point/boiling range	No data available.	
Melting point	255-265 °C. (Co polyester layer or coatings can melt at lower temperatures.)	
Density	1.4 gm/cm3	
Flash point	440°C ASTM 09129-68	
Auto ignition point	480° C- ASTM 10929-68	
Combustion	The film burns along with flame. In case of non contact of flame, it will shrink and estinqush of its own. The molten material may drip and ignite fire. Combustion will evolve irritant vapours. At complete combustion the major products formed are Carbon di Oxide, Carbon mono Oxide and water.	
Water solubility:	Practically insoluble.	
n organic solvents at 20°C Insoluble in common organic solvents.		
9.3 Other information		
Std. enthalpy of formation Δ _f H ^o ₂₉₈	No data available.	
Standard molar antropy S ^o ₂₉₈	No data available.	
10. STABILITY AND REACTIVITY		
10.1 Reactivity		
Stable under normal conditions of use	e up to 45°C.	
10.2 Chemical stability		
Stable under normal conditions of use	e up to 45°C.	
10.3 Possibility of hazardous reacti	ons	

10.4 Conditions to avoid

- Strong acid and base may hydrolyze the film. Avoid contact with strong oxidizing agent.
- Do not heat to temperature exceeding 235 deg. C

No hazardous reactions known under normal atmospheric conditions.

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- 8) NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

	_					
ın	5	Incor	nnati	hla	mate	riale
ıv.	.		ııvaı	DIC	mate	ııaıs

Acetaldehyde (CH3CHO) is the dominant, volatile product that is formed during thermal degradation of PET.

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute effects (acute toxicity, irritation and corrosivity) Acute Toxicity

Skin corrosion/irritation: No significant irritation expected in normal conditions of use. The contact with hot molten material may cause severe burns.

Serious eye damage/irritation: No data available.

Respiratory or skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Summary of evaluation of the CMR properties: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as Probable, possible or confirmed human carcinogen by IARC.

Mutagenic Effects: No data available.

Reprotoxic Effects: No data available.

Other Toxic Effects on Humans:

Inhalation: No data available. Eyes: Eye contact is not expected during normal use of product. If heated to higher temperature (>260°C) the product may form vapors or fumes which may cause irritation to eyes. Sharp of the product may form vapors or fumes which may cause irritation to eyes.	Cuior Toxio Enocio on Tiamano.	
	Inhalation:	available.
pieces may cause eye damage.	Eyes:	the product may form vapors or fumes which may cause irritation to eyes. Sharp cut
Ingestion Material is biologically inert and have no risk of ingestion in normal use, in case injected ple seek medical advice.	Ingestion	
Chronic toxicity The product is harmless and biologically inert.	Chronic toxicity	uct is harmless and biologically inert.

NIOSH Immediately Dangerous To Life or Health Concentration (IDLH):

No data available.

Specific target organ toxicity (single exposure)

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930, Jebel Ali Free Zone, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2), Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



Manufacturing Sites: _

FlexFilms

SAFETY DATA SHEET

No data available.			
Specific target organ to	xicity (repeated exposure)		
No data available.			
Aspiration hazard: No da	ata available.		
11.1.188 Acute Toxicity:			
Method:	No data available.		
12. ECOLOGICAL INFOR	RMATION		
12.1 Ecotoxicity			
12.1.1 Acute aquatic tox	cicity (With M factor)		
Method		Results	
No data available.			
12.1.2. Chronic aquatic t	toxicity: freshwater		
No data available.			
12.1.3. Chronic aquatic toxicity: marine waters			
No data available.			
12.1.4. Sediment toxicity	y		
No data available.			
12.1.5. Soil toxicity			
No data available.			
12.1.6. Toxicity to micro-organisms in STP			
No data available.			
12.2 Persistence and de	gradability		
Non biodegradable, non	compostable		
12.3 Bioaccumulative po	otential		
No data available.			
12.4 Mobility in soil			

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930, Jebel Ali Free Zone, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 2608100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- 8) NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

No data available.	
12.5 Results of PBT and vPvB assessment	
No data available.	
12.6 Other adverse effects	
No data available.	
12.7 Additional information	
PURE CULTURE: After a 3-week incubation which tested for detherefore no susceptibility to attack by fungi (1).	gradation by fungi, polyethylene terephthalate showed no growth,
13 DISPOSAL CONSIDERATIONS	
13.1. Waste treatment methods	
13.1.1 Product / Packaging disposal:	
Waste codes / waste designations according to LoW:	
Treatment, storage, transportation, and disposal must be in accoregulations.	rdance with applicable Federal, State/Provincial, and Local
13.1.2 Waste treatment-relevant information:	
or environmental contamination. Recycle any unused portion of	cal product with less inherent propensity for occupational exposure the material for its approved use or return it to the manufacturer or naterial's impact on air quality; potential migration in soil or water; environmental and public health regulations. It is sewers or public waterways
13.1.3 Sewage disposal-relevant information:	
No data available.	
13.1.4 Other disposal recommendations:	
Spill, leak or release Pick up film to avoid a slipping hazard.	
14 TRANSPORT INFORMATION	
14.1. UN number	Not regulated.

Manufacturing Sites: _

14.2. UN proper shipping name

14.3. Transport hazard class (as)

India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA - 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com

Not regulated.

Not regulated.

- UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

14.4. Packing group	Not regulated.
14.5. Environmental hazards	Not regulated.

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations: This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 and CLP regulation. Not a dangerous substance according to GHS as the substance is not intended to be released from article.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by the supplier.(LR)- No

16 OTHER INFORMATION

Technical Advice

Use data given in this Safety Data Sheet and make an inventory list of all chemicals used in the factory.

Create a Register for Workplace Chemicals.

Set priorities concerning the safety in the organization.

Create emergency plans for the assessed hazards.

Organize occupational health care and regular surveys as necessary.

Organize contacts with authorities/laboratories to create a monitoring system for chemical hazards, and to reliably measure and/or estimate occupational exposures to chemicals when needed.

Start collecting case studies of accidents and sickness records in the enterprise to create a basis for priority measures in the control of hazards.

Involve workers in safety organizations, such as the system of Safety Representatives and Committees.

Do regular inspection using checklists made for the particular chemicals and chemical processes in use.

Mark and label all chemicals.

Keep at hand an inventory list of all chemicals handled in the place of work together with a collection of Chemical Safety Data Sheets for these chemicals;

Train workers to read and understand the Chemical Safety Information, including the health hazards and routes of exposure; train them to handle dangerous chemicals and processes with respect.

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2),, Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

Plan, develop and choose the safe worki	ng procedures.	
Reduce the number of people coming int	o contact with dangerous chem	icals.
Reduce the length of time and/or frequer	ncy of exposure of workers to da	angerous chemicals.
Train workers to know and understand th	ne emergency procedures.	
Equip and train workers to use personal hazards by means of other methods.	protective equipment properly a	after everything possible has been done to eliminate
Key literature references and sources	for data	
PubMed Toxicology ECHA OECD HSDB® - Hazardous Substances Data E Registry of Toxic Effects of Chemical Su		
Classification and procedure used to [CLP]:	derive the classification for m	nixtures according to Regulation (EC) 1272/2008
Not a dangerous substance according to	GHS as the substance is not i	ntended to be released from article.
Relevant R-phrases and/or H-stateme	nts (number and full text):	
This substance is not classified as dang	erous according to Directive 67	548/EEC.
Further information:		
Created By:		
ELC GROUP	Contact Person	
momaja s.r.o.	Marco Rubinstein	
Karolinska 650/1 Prague 8 186 00		

Manufacturing Sites:	
•	

Czech Republic Tel. +420 22 491 0000

Fax. +420 22 491 0671

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930,, Jebel Ali Free Zone,, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2), Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA



SAFETY DATA SHEET

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall **UFLEX LIMITED** be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages.

Manufacturing Sites:	

- 1) India: UFLEX LIMITED (Film Business), A-1, Sector-60, NOIDA 201 301, U.P. INDIA., Tel: +91 (120) 4002121, 3982121, Fax: +91 (120) 2580511, 2580003, E-Mail: enquiry@flexfilm.com
- 2) UAE: FLEX MIDDLE EAST FZ.E, P.O. Box 17930, Jebel Ali Free Zone, Dubai, United Arab Emirates, Tel: +971 4 810 2300, Fax: +971 4 883 9683, E-Mail: enquiry@flexfilm.com
- 3) Mexico: FLEX AMERICAS S.A. de C.V., Boulevard de los Rios 5680,, Zona Puerto Industrial Altamira,, Tamaulipas Mexico C.P. 89603, Tel: +52 (833) 260 8100, Fax: +52 (833) 2608111, E-Mail: enquiry@flexfilm.com
- 4) Egypt: FLEX P. FILMS (EGYPT) S.A.E, Plot no. R2 in Engineering Square (e2), Plot no. 3 in North Extension of Industrial Zone,, 6 October City,, Arab Republic of Egypt, Tel: +20238283000, Fax: +202 38283050, E-Mail: enquiry@flexfilm.com
- 5) POLAND: Flex Films Europa Sp. z o.o., 62 300 Wrzesniaul, Gen.Wladyslawa Sikorskiego 48, Poland., Phone: +48506132393 Website: www.flexfilm.com NIP 779-23-87-276 KRS 0000376525
- 6) USA: FLEX FILMS (USA) INC., 1221, North Black Branch Road,, Elizabethtown, KY 42701, Tel: +1 270 982 3456, Fax: +1 270 982 3457, E-Mail: enquiry@flexfilm.com
- RUSSIA: FLEX FILM RUS 142821, Russian Federation, Moscow region, Stupino town district, Shmatovo village, Industrialnaya str., prop. 4, build. 1
- NIGERIA: FLEX FILMS AFRICA PVT. LTD. WORKS- PLOT NO. IJC 354(OG), OGUN STATE LAGOS IBADAN ROAD, NIGERIA