


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Dashboard UT, GEN, TD-SYS Functionality	1 m 48.525 s	1	0	1	0	7	0	1	6
Utility Dashboard Data Validation For First Four Dashboards	2 m 6.531 s	1	0	1	0	4	3	1	0
Utility Dashboard Data Validation	3 m 42.091 s	1	0	1	0	4	3	1	0
Login Functionality for SouthWire Login	2 m 24.688 s	6	0	6	0	18	2	6	10

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Dashboard UT, GEN, TD-SYS Functionality	Data in the dashboard UT, GEN, TD-SYS with multiple filters should match the given data
2	Utility Dashboard Data Validation For First Four Dashboards	Validate Energy Sources dashboard data for selected company group against Excel Data
3	Utility Dashboard Data Validation	Validate utility dashboard data for selected company against Excel Data
4	Login Functionality for SouthWire Login	Successful Login with valid username and password
5		Successful Login with valid username and password
6		Successful Login with valid username and password
7		Successful Login with valid username and password
8		Successful Login with valid username and password
9		Successful Login with valid username and password

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Dashboard UT, GEN, TD-SYS Functionality	1	0	1	0	1 m 48.525 s
2	Utility Dashboard Data Validation For First Four Dashboards	1	0	1	0	2 m 6.531 s
3	Utility Dashboard Data Validation	1	0	1	0	3 m 42.091 s
4	Login Functionality for SouthWire Login	6	0	6	0	2 m 24.688 s


SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dashboard UT, GEN, TD-SYS Functionality	Data in the dashboard UT, GEN, TD-SYS with multiple filters should match the given data	7	0	1	6	1 m 48.519 s
2	Utility Dashboard Data Validation For First Four Dashboards	Validate Energy Sources dashboard data for selected company group against Excel Data	4	3	1	0	2 m 6.530 s
3	Utility Dashboard Data Validation	Validate utility dashboard data for selected company against Excel Data	4	3	1	0	3 m 42.091 s
4	Login Functionality for SouthWire Login	Successful Login with valid username and password	3	0	1	2	2 m 9.215 s
5		Successful Login with valid username and password	3	0	1	2	1 m 43.982 s
6		Successful Login with valid username and password	3	0	1	2	2 m 9.695 s
7		Successful Login with valid username and password	3	0	1	2	2 m 9.402 s
8		Successful Login with valid username and password	3	0	1	2	2 m 11.330 s
9		Successful Login with valid username and password	3	2	1	0	2 m 24.665 s

DETAILED SECTION -- 6 --

#### **Dashboard UT, GEN, TD-SYS Functionality**



### Data in the dashboard UT, GEN, TD-SYS with multiple filters should match the given data



#	Step / Hook Details	Status	Duration
1	Given Entered a valid "southwiremain" "Southwire@123"	FAILED	1 m 28.486 s
	org.openqa.selenium.WebDriverException: target frame detached (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=129.0.6668.100) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.8.0-59-generic', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44b7581bcac02a1d4174f2a7ec08c153, findElement {value=//input[@placeholder='Password'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.100, chrome: {chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmpi.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:34685}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:34685/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 44b7581bcac02a1d4174f2a7ec08c153 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32)		2 3 3 3
	at stepdefinitions.LoginStepDefnitions.entered_a_valid_(LoginStepDefnitions.java:18) at ?.Entered a valid "southwiremain" "Southwire@123"(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/test/resources/featurefiles/04.%20UT,GEN,TD-SYS.feature:4) * Not displayable characters are replaced by '?'.		
2	When Clicked on the sign in button	SKIPPED	0.001 s
3	And Validate the "Utility Spend,Generation Spend,Transmission & Distribution System Spend"	SKIPPED	0.001 s
4	And Validate the "All Utilities" "5 Years" "All Territory" "Select Utility-All Utilities,TOP 10  Utilities@All_AEP_CONED_DOMINION_DTE_DUKE_EXELON_GP_NEXTRA_PG&E_SCE,TOP 10 Southwire  Customer@All_CENTERPOINT_DOMINION_DUKE_EXELON_GP_NEXTERA_PG&E_SCE_SEMPRA_XCEL,TOP 10  NonIOUs@All_AUSTIN_BPA_JEA_LADWP_LCRA_LIPA_PREPA_SMUD_SRP_TVA%Select Years-5 Years,10 Years,15  Years%Select Country-USA,Canada%Select Territory-All Territory,Sales Agent@Carlson Sales_Energy Product  Sales_Harvestock Koenig & Associates Sales_John Carter & Associates_JTH Agencies_Lekson Associates_Lynn  Elliott_Peterson Company_Power Sales Group_Utility Power Solutions_Utility Sales Agents of Oklahoma_Utility Sales Agents of South Texas_Verde Power_Weldy Lamont_Whitehead & Associates_Young & Co,RTO@California Independent System  Operator_Electric Reliability Council of Texas_ISO New England_Midcontinent Independent System Operator_Northwest_PJM Interconnection_Southeast_Southwest_Southwest Power Pool"	SKIPPED	0.001 s
5	And Validate the Report Search Button for utility spend with "Southern Cal Edison_West-California@17.16,Pacific Gas & Electric_West-California@168.05,NextEra Energy_SouthEast-Florida@82.94,Georgia Power_SouthEast-Georgia@19.04,Duke Energy_SouthEast-Florida@16.29,Duke Energy_Midwest-Indiana@18.29,Duke Energy_SouthEast-South Carolina@25.19, Duke Energy_SouthEast-North Carolina@51.14,Duke Energy_SouthEast-Kentucky@54.26,Detroit Edison_Midwest-Michigan@27.73,Dominion Energy_SouthEast-South Carolina@6.86,Dominion Energy_SouthEast-Virginia@39.22,Dominion Energy_SouthEast-North Carolina@43.39,Consolidated Edison_Northeast-New York@0.77,Consolidated Edison_Northeast-New Jersey@1.64,American Electric Power_SouthEast-Arkansas@1.21,American Electric Power_SouthEast-West Virginia@1.75,American Electric Power_Midwest-Indiana@2.44,American Electric Power_SouthEast-Tennessee@2.85,American Electric	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
	Power_SouthEast-Kentucky@3.01,American Electric Power_Midwest-Michigan@3.66,American Electric Power_Midwest-		
	Ohio@4.09,American Electric Power_SouthEast-Virginia@8.61,American Electric Power_Southwest-Oklahoma@9.33,American		
	Electric Power_Southwest-Texas@18.83" "2024-134.88,2025-138.71,2026-162.41,2027-97.33,2028-94.41" "PG&E-168.05,		
	DUKE-165.17,DOMINION-89.47,NEXTERA-82.94,AEP-55.78,DTE-27.73,GP-19.04,SCE-17.16,CONED-2.41"		
6	And Validate the Report Search Button for Generation spend with "American Electric Power_SouthEast-Virginia@1.59,American	SKIPPED	0.001 s
	Electric Power_SouthEast-West Virginia@0.32,American Electric Power_SouthEast-Tennessee@1.27,American Electric		
	Power_SouthEast-Arkansas@0.66,American Electric Power_SouthEast-Kentucky@2.26,American Electric Power_Midwest-		
	Indiana@1.76,American Electric Power_Midwest-Michigan@2.65,American Electric Power_Midwest-Ohio@0.03,American		
	Electric Power_Southwest-Texas@6.66,American Electric Power_Southwest-Oklahoma@7.38,Dominion Energy_SouthEast-		
	Virginia@13.73,Dominion Energy_SouthEast-North Carolina@15.19,Dominion Energy_SouthEast-South Carolina@2.4,Detroit		
	Edison_Midwest-Michigan@9.71,Duke Energy_SouthEast-Kentucky@18.99,Duke Energy_SouthEast-North Carolina@17.9,		
	Duke Energy_SouthEast-South Carolina@8.82,Duke Energy_SouthEast-Florida@5.7,Duke Energy_Midwest-Indiana@6.4,		
	Georgia Power_SouthEast-Georgia@6.66,NextEra Energy_SouthEast-Florida@29.03,Pacific Gas & Electric_West-		
	California@58.82,Southern Cal Edison_West-California@8" "2024-48.35,2025-49.83,2026-58.14,2027-35.36,2028-34.24"		
	"PG&E-58.82,DUKE-57.81,DOMINION-31.31,NEXTERA-29.03,AEP-24.58,DTE-9.71,SCE-8,GP-6.66"		
7	And Validate the Report Search Button for T&D system spend with "American Electric Power_SouthEast-Virginia@3.7,American	SKIPPED	0.001 s
	Electric Power_SouthEast-West Virginia@0.75,American Electric Power_SouthEast-Tennessee@1.23,American Electric		
	Power_SouthEast-Arkansas@0.52,American Electric Power_SouthEast-Kentucky@1.29,American Electric Power_Midwest-		
	Indiana@1.05,American Electric Power_Midwest-Michigan@1.57,American Electric Power_Midwest-Ohio@1.76,American		
	Electric Power_Southwest-Texas@8.1,American Electric Power_Southwest-Oklahoma@4.01,Consolidated Edison_Northeast-		
	New York@0.77,Consolidated Edison_Northeast-New Jersey@1.64,Dominion Energy_SouthEast-Virginia@16.86,Dominion		
	Energy_SouthEast-North Carolina@18.66,Dominion Energy_SouthEast-South Carolina@2.95,Detroit Edison_Midwest-		
	Michigan@11.92,Duke Energy_SouthEast-Kentucky@23.33,Duke Energy_SouthEast-North Carolina@21.99,Duke		
	Energy_SouthEast-South Carolina@10.83,Duke Energy_SouthEast-Florida@7,Duke Energy_Midwest-Indiana@7.87,Georgia		
	Power_SouthEast-Georgia@8.19,NextEra Energy_SouthEast-Florida@35.67,Pacific Gas & Electric_West-California@72.26,		
	Southern Cal Edison_West-California@7.38" "2024-58.26,2025-59.91,2026-70.11,2027-42.13,2028-40.88" "PG&E-72.26,DUKE-		
	71.02,DOMINION-38.47,NEXTERA-35.67,AEP-23.98,DTE-11.92,GP-8.19,SCE-7.38,CONED-2.41"		
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	11.869 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=129.0.6668.100) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.8.0-59-generic', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44b7581bcac02a1d4174f2a7ec08c153, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.100, chrome: {chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:34685}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:34685/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: 44b7581bcac02a1d4174f2a7ec08c153		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)		
	at apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:57)		

### **Utility Dashboard Data Validation For First Four Dashboards**

Scenarios		Steps	
Total - 1		Total - 4	
Pass - 0	1	Pass - 3	4
Fail - 1		Fail - 1	
Skip - 0		Skip - 0	
	Total - 1 Pass - 0 Fail - 1	Total - 1  Pass - 0  Fail - 1.	Total - 1 Pass - 0 Fail - 1  Total - 4 Pass - 3 Fail - 1


#### Validate Energy Sources dashboard data for selected company group against Excel Data




DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
1	Given Entered a valid "vassaradmin" "Vassar@123"	PASSED	14.447 s
2	When Clicked on the sign in button	PASSED	4.781 s
3	And Select "GEN Growth Top 10, Region" and select "TOP 10 Utilities"	PASSED	1 m 10.289 s
4	Then validate the dashboard data against excel data "TOP 10 Utilities" "GEN Growth Top 10, Region"	FAILED	27.579 s
	java.lang.AssertionError: Mismatch found for company: Duke Energy and key: 2025 expected [2.94] but found [65.73] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.fail(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at com.vassarlabs.projectname.page.validate_energy_sources_data.compare_generation_data(validate_energy_sources_data.java:95) at stepdefinitions.validate_energy_sources_data_SD.validateTheDashboardDataAgainstExcelData(validate_energy_sources_data_SD.java:32) at ?.validate the dashboard data against excel data "TOP 10 Utilities" "GEN Growth Top 10, Region"(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/test/resources/featurefiles/02.%20validate_energy_sources_data.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.291 s
	Validate_Energy_Sources_dashboard_data_for_selected_company_group_against_Excel_Data    Company_Group_against_Excel_Data   Company_Group_against_Excel_Data	-	
	The state of the s		

### **Utility Dashboard Data Validation**




Validate utility dashboard data for selected company against Excel Data




#	Step / Hook Details	Status	Duration
1	Given Entered a valid "vassaradmin" "Vassar@123"	PASSED	3.222 s
2	When Clicked on the sign in button	PASSED	1.571 s
3	And Select "TOP 10 Utilities,AEP" from the select Utility dropdown	PASSED	3 m 16.259 s
4	Then Select sections of data tables from various dashboards "UT, GEN, TD-SYS@WC, T-WC, TOH, TUG@D-WC, DOH, MV, 600V@DUG, MV, 600V" and validate the dashboard data with expected values from Excel "TOP 10 Utilities,AEP"	FAILED	13.813 s
	java.lang.AssertionError: Mismatch in spend for year 2025, spend type: Total utility spend expected [7.74] but found [11.91] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEquals(Assert.java:727) at com.vassarlabs.projectname.page.validate_utility_data.validateSpend(validate_utility_data.java:126) at com.vassarlabs.projectname.page.validate_utility_data.validateSection(validate_utility_data.java:97) at com.vassarlabs.projectname.page.validate_utility_data.validate_data_for_sections_in_the_page(validate_utility_data.java:65) at com.vassarlabs.projectname.page.validate_utility_data.save_data_to_map(validate_utility_data.java:53) at stepdefinitions.validate_data_SD. selectSectionsOfDataTablesFromVariousDashboardsDashboardsAndValidateTheDashboardDataWithExpectedValuesFromExcelCompany(validate_data_SD.java:25) at ?.Select sections of data tables from various dashboards "UT, GEN, TD-SYS@WC, T-WC, TOH, TUG@D-WC, DOH, MV, 600V@DUG, MV, 600V" and validate the dashboard data with expected values from Excel "TOP 10 Utilities,AEP"(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/test/resources/featurefiles/01.%20validate_data.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  Validate_utility_dashboard_data_for_selected_company_against_Excel_Data	PASSED	0.305 s
	Company		

DETAILED SECTION -- 12 --

### **Login Functionality for SouthWire Login**






#	Step / Hook Details	Status	Duration
1	Given Entered a valid "user" ""	FAILED	2 m 1.238 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //input[@placeholder='Password'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32) at stepdefinitions.LoginStepDefnitions.entered_a_valid_(LoginStepDefnitions.java:18) at ?.Entered a valid "user" ""(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/test/resources/ featurefiles/03.%20login.feature:4) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//input[@placeholder='Password']"} (Session info: chrome=129.0.6668.100) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/mo-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.8.0-59-generic', java.version: '17.0.15' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [f4001b55ffffdc04aca4958656222e4b, findElement {value=//input[@placeholder='Password'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.100, chrome: {chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43847}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:43847/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, weba	PAILED	2 m 1.238 \$

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: f4001b55ffffdc04aca4958656222e4b		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32)		
	at stepdefinitions.LoginStepDefnitions.entered_a_valid_(LoginStepDefnitions.java:18)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		


DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:569) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutors\text{Worker.run(ThreadPoolExecutor.java:635)} at java.base/java.lang.Thread.run(Thread.java:840) * Not displayable characters are replaced by '?'.		
2	When Clicked on the sign in button	SKIPPED	0.001 s
3	And Validate login "Invalid Username or Password"	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  Successful_Login_with_valid_username_and_password  Connected Enterprise	PASSED	0.195 s



#	Step / Hook Details	Status	Duration
1	Given Entered a valid "user!@#123" "Vassarlabs@123"	FAILED	1 m 22.579 s
	org.openqa.selenium.WebDriverException: target frame detached (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=129.0.6668.100) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.8.0-59-generic', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1a2f398e600be804a7e3e8a6c432d5c5, findElement {value=//input[@placeholder='Password'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.100, chrome: {chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35737}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:35737/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1a2f398e600be804a7e3e8a6c432d5c5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32)		
	at stepdefinitions.LoginStepDefnitions.entered_a_valid_(LoginStepDefnitions.java:18)		
	at ?.Entered a valid "user!@#123" "Vassarlabs@123"(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/test/resources/featurefiles/03.%20login.feature:4)		
	* Not displayable characters are replaced by '?'.		
_			
2	When Clicked on the sign in button	SKIPPED	0.001 s
3	And Validate login "Invalid Username or Password"	SKIPPED	0.001 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	12.497 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=129.0.6668.100) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name:		

#	Step / Hook Details	Status	Duration
	'Linux', os.arch: 'amd64', os.version: '6.8.0-59-generic', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [1a2f398e600be804a7e3e8a6c432d5c5, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	browserVersion: 129.0.6668.100, chrome: {chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmp/.org.chromium.Chromium.		
	}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35737}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:35737/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webautin.extension.credBiob. true, webautin.extension.largeBiob. true, webautin.extension.minFinLength. true, webautin.extension.ph.		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openga.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)		
	at apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:57)		



#	Step / Hook Details	Status	Duration
1	Given Entered a valid "southwiremain" "Southwire@123"	FAILED	2 m 1.367 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //input[@placeholder='Password'] (tried for 10 second(s) with 500 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32)		
	at stepdefinitions.LoginStepDefnitions.entered_a_valid_(LoginStepDefnitions.java:18)		
	at ?.Entered a valid "southwiremain" "Southwire@123"(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/		
	test/resources/featurefiles/03.%20login.feature:4)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//input[@placeholder='Password']"} (Session info: chrome=129.0.6668.100) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1',		
	revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.8.0-59-generic', java.version: '17.0.15' Driver info: org.		
	openqa.selenium.chrome.ChromeDriver Command: [f7a25020c2ca58fcf86550a8adf32cdb, findElement {value=//input[@placeholder='Password'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	129.0.6668.100, chrome: {chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmp/.org.chromium},		
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:33563}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:33563/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: f7a25020c2ca58fcf86550a8adf32cdb		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32)		
	at stepdefinitions.LoginStepDefinitions.entered_a_valid_(LoginStepDefinitions.java:18)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 80)		
	at org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)		
	at java.base/java.lang.Thread.run(Thread.java:840)		
	* Not displayable characters are replaced by '?'.		
2	When Clicked on the sign in button	SKIPPED	0.000 s
3	And Validate login "utilityDashbord"	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.161 s
	Successful_Login_with_valid_username_and_password		

#	Step / Hook Details	Status	Duration
	Connected Enterprise  1		


FAILED DURATION - 2 m 9.402 s	Steps
/12:20:42.057.pm //12:20:52.250.pm /	Total - 3
/ 12:28:42.957 pm // 12:30:52.359 pm /	Pass - 0
Login Functionality for SouthWire Login	50 - Fail 1 Fail 1
	Skip - 2
	0 -1
	1 2 3

#	Step / Hook Details	Status	Duration
1	Given Entered a valid "" ""	FAILED	2 m 1.262 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath:		
	//input[@placeholder='Password'] (tried for 10 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32)		
	at stepdefinitions.LoginStepDefnitions.entered a valid (LoginStepDefnitions.java:18)		
	at ?.Entered a valid "" ""(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/test/resources/featurefiles/		
	03.%20login.feature:4)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//input[@placeholder='Password']"} (Session info: chrome=129.0.6668.100) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1',		
	revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.8.0-59-generic', java.version: '17.0.15' Driver info: org.		
	openqa.selenium.chrome.ChromeDriver Command: [8fbf93d9b19f2154ff762ff9ffb3af14, findElement {value=//input[@placeholder='Password'],		
	using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.100, chrome:		
	{chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmp/.org.chromiumChromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43507}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux,		
	proxy: Proxy(), se:cdp: ws://localhost:43507/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true, strictFileInteractability: false,		
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 8fbf93d9b19f2154ff762ff9ffb3af14		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java. base/jdk. internal. reflect. Delegating Constructor Accessor Impl. new Instance (Delegating Constructor Accessor Impl. java: 45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	$at\ or g. open qa. selenium. remote. service. Driver Command Executor. invoke Execute (Driver Command Executor. java: 216)$		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	$at\ or g. open qa. selenium. remote. Element Location \$Element Finder \$2. find Element (Element Location. java: 165)$		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32)		
	at stepdefinitions.LoginStepDefnitions.entered_a_valid_(LoginStepDefnitions.java:18)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:569) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:840) * Not displayable characters are replaced by '?'.		
2	When Clicked on the sign in button	SKIPPED	0.001 s
3	And Validate login "Invalid Username or Password"	SKIPPED	0.001 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  Successful_Login_with_valid_username_and_password  Connected Enterprise	PASSED	0.172 s




DETAILED SECTION -- 22 --

#	Step / Hook Details	Status	Duration
1	Given Entered a valid "" "password123"	FAILED	2 m 1.223 s
_	Given Entered a valid "" "password123"  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //input[@placeholder='Password'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.timeoutException(WebDriverWait.java:84) at com.vassarlabs.projectname.page.LoginPage.enterPassword(LoginPage.java:32) at stepdefinitions.LoginStepDefinitions.entered_a_valid_(LoginStepDefinitions.java:18) at ?.Entered a valid "" "password123"(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/test/resources/ featurefiles/03.%20login.feature:4) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"/input[@placeholder='Password']"} (Session info: chrome=129.0.6668.100) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.8-0-59-generic', java.version: '17.0.15' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [88e2d6d24c23bfc57914d42d740722fc, findElement {value=/input[@placeholder=Password], using=xpath]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.100, chrome: {chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40687, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:40687/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:cre		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:371) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	$at\ or g. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 80)		
	at org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)		
	at java.base/java.lang.Thread.run(Thread.java:840)		
	* Not displayable characters are replaced by '?'.		
2	When Clicked on the sign in button	SKIPPED	0.000 s
3	And Validate login "Invalid Username or Password"	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.186 s
	Successful_Login_with_valid_username_and_password		

#	Step / Hook Details	Status	Duration
	Connected Enterprise 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		



#	Step / Hook Details	Status	Duration
1	Given Entered a valid "vassaruser" "wrongPassword"	PASSED	4.662 s
2	When Clicked on the sign in button	PASSED	11.774 s
3	And Validate login "Invalid Username or Password"	FAILED	2 m 0.064 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //div[text()='Invalid Username or Password'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.vassarlabs.projectname.page.LoginPage.validateLogin(LoginPage.java:45) at stepdefinitions.LoginStepDefinitions.validate_login_(LoginStepDefinitions.java:29) at ?.Validate login "Invalid Username or Password"(file:///home/saiprakesh/Desktop/SouthWire-BE-Prakash/Automation/SouthwireBE/src/test/resources/featurefiles/03.%20login.feature:6) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//div[text()='Invalid Username or Password']"} (Session info: chrome=129.0.6668.100) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.8.0-59-generic', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [439585ecbb74c96bbb3236897d0766c4, findElement {value=//div[text()='Invalid Username or Password'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.100, chrome: {chromedriverVersion: 129.0.6668.100 (cf58cba358d, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:46535}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:46535/devtoo, se:cdpVersion: 129.0.6668.100, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:c		

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 439585ecbb74c96bbb3236897d0766c4		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.vassarlabs.projectname.page.LoginPage.validateLogin(LoginPage.java:45)		
	at stepdefinitions.LoginStepDefnitions.validate_login_(LoginStepDefnitions.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		

DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)		
	at java.base/java.lang.Thread.run(Thread.java:840)		
	* Not displayable characters are replaced by '?'.		
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.167 s
	Successful_Login_with_valid_username_and_password		
	Connected Enterprise		