

MORE QUERIES FOR EMPLOYEE DATABASE

1. SELECT e.ename AS manager_name


FROM emp e

JOIN emp sub ON e.empno = sub.mgr_no

GROUP BY e.empno, e.ename

ORDER BY COUNT(sub.empno) DESC

LIMIT 1;




2. SELECT e.ename AS manager_name

FROM emp e

JOIN emp sub ON e.empno = sub.mgr_no

GROUP BY e.empno, e.ename, e.sal HAVING e.sal > AVG(sub.sal);



3.SELECT DISTINCT e2.ename AS second_top_manager, d.dname

FROM emp e1

JOIN emp e2 ON e2.mgr_no = e1.empno

JOIN dept d ON e2.deptno = d.deptno

WHERE e1.mgr_no IS NULL;

```
149
150
151 SELECT e.ename AS manager_name
152 FROM emp e
153 JOIN emp sub ON e.empno = sub.mgr_no
154 GROUP BY e.empno, e.ename, e.sal
155 HAVING e.sal > AVG(sub.sal);
156
157 SELECT DISTINCT e2.ename AS second_top_manager, d.dname
158 FROM emp e1
159 JOIN emp e2 ON e2.mgr_no = e1.empno
160 JOIN dept d ON e2.deptno = d.deptno
161 WHERE e1.mgr_no IS NULL;
162
```

second_top_manager	dname
--------------------	-------

Result 22 x

Output

#	Time	Action	Message
1	11:10:46	SELECT e.ename AS manager_name FROM emp e JOIN emp sub ON e.empno = sub.mgr_no GROUP BY e.empno, e.ename ORDER BY COUNT(sub.e...	1 row(s) returned
2	11:12:24	SELECT e.ename AS manager_name FROM emp e JOIN emp sub ON e.empno = sub.mgr_no GROUP BY e.empno, e.ename, e.sal HAVING e.sal > AV...	2 row(s) returned
3	11:16:39	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	0 row(s) returned
4	11:17:07	select * from emp LIMIT 0, 1000	11 row(s) returned
5	11:17:21	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	0 row(s) returned
6	11:20:11	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	0 row(s) returned
7	11:21:29	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	8 row(s) returned
8	11:21:34	SELECT e.ename AS second_top_manager, d.dname FROM emp e1 JOIN emp e2 ON e2.mgr_no = e1.empno JOIN dept d ON e2.deptno = d.deptno WHERE e1.mgr_no IS NULL;	0 row(s) returned

4.SELECT e.ename AS employee_name

FROM emp e

JOIN emp m ON e.mgr_no = m.empno

WHERE e.deptno = m.deptno;

```
162
163
164 SELECT e.*
165 FROM emp e
166 JOIN emp m ON e.mgr_no = m.empno
167 WHERE e.deptno = m.deptno
168 ORDER BY e.ename ASC
169 LIMIT 1 OFFSET 1;
170
171 SELECT e.ename AS employee_name
172 FROM emp e
173 JOIN emp m ON e.mgr_no = m.empno
174 WHERE e.deptno = m.deptno;
175
```

employee_name
Adarsh
Shruthi
Anvitha
SCOTT
TURNER
ADAMS
JAMES
FORD

Result 24 x

Output

#	Time	Action	Message
3	11:16:39	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	0 row(s) returned
4	11:17:07	select * from emp LIMIT 0, 1000	11 row(s) returned
5	11:17:21	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	0 row(s) returned
6	11:20:11	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	0 row(s) returned
7	11:21:29	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	8 row(s) returned
8	11:21:34	SELECT e.ename AS second_top_manager, d.dname FROM emp e1 JOIN emp e2 ON e2.mgr_no = e1.empno JOIN dept d ON e2.deptno = d.deptno WHERE e1.mgr_no IS NULL;	0 row(s) returned
9	11:27:19	SELECT e.ename AS second_top_manager, d.dname FROM emp e1 JOIN emp e2 ON e2.mgr_no = e1.empno JOIN dept d ON e2.deptno = d.deptno WHERE e1.mgr_no IS NULL;	0 row(s) returned
10	11:28:05	SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000	0 row(s) returned

5. SELECT e.*

FROM emp e

JOIN incentives i ON e.empno = i.empno

WHERE MONTH(i.incentive_date) = 1 AND YEAR(i.incentive_date) = 2019

ORDER BY i.incentive_amount DESC

LIMIT 1 OFFSET 1;

The screenshot displays an SQL IDE interface. The left sidebar shows a 'SCHEMAS' tree with various databases like 'bank1', 'bank2', 'bank3', etc. The main editor window contains the following SQL query:

```
162
163
164 * SELECT e.*
165 FROM emp e
166 JOIN incentives i ON e.empno = i.empno
167 WHERE MONTH(i.incentive_date) = 1 AND YEAR(i.incentive_date) = 2019
168 ORDER BY i.incentive_amount DESC
169 LIMIT 1 OFFSET 1;
170
171 * SELECT e.ename AS employee_name
172 FROM emp e
173 JOIN emp m ON e.mgr_no = m.empno
174 WHERE e.deptno = m.deptno;
```

Below the query editor, the 'Result Grid' shows the following columns: empno, ename, mgr_no, hiredate, sal, deptno. The 'Output' pane at the bottom shows the execution log with the following messages:

```
4 11:17:07 select * from emp LIMIT 0, 1000 11 row(s) returned
5 11:17:21 SELECT e.* FROM emp e JOIN ( SELECT empno FROM incentives WHERE MONTH(incentive_date) = 1 AND YEAR(incentive_date) = 2019 OR ... 0 row(s) returned
6 11:20:11 SELECT e.* FROM emp e JOIN ( SELECT empno FROM incentives WHERE MONTH(incentive_date) = 1 AND YEAR(incentive_date) = 2019 OR ... 0 row(s) returned
7 11:21:29 SELECT e.ename AS employee_name FROM emp e JOIN emp m ON e.mgr_no = m.empno WHERE e.deptno = m.deptno LIMIT 0, 1000 8 row(s) returned
8 11:21:34 SELECT e.* FROM emp e JOIN ( SELECT empno FROM incentives WHERE MONTH(incentive_date) = 1 AND YEAR(incentive_date) = 2019 OR ... 0 row(s) returned
9 11:27:19 SELECT DISTINCT e2.ename AS second_top_manager, d.dname FROM emp e1 JOIN emp e2 ON e2.mgr_no = e1.empno JOIN dept d ON e2.deptno ... 0 row(s) returned
10 11:28:05 SELECT e.* FROM emp e JOIN incentives i ON e.empno = i.empno WHERE MONTH(i.incentive_date) = 1 AND YEAR(i.incentive_date) = 2019 ORDE ... 0 row(s) returned
```