

MORE QUERY'S FOR BANK DATABASE

1.Find all the customers who have an account at all the branches located in a specific city (Ex.Delhi).

```
62 • insert into BankCustomer values("Nikil","Akbar_Road","Delhi");
63 • insert into BankCustomer values("Ravi","Prithviraj_Road","Delhi");
64
65 • insert into Depositer values("Avinash",1);
66 • insert into Depositer values("Dinesh",2);
67 • insert into Depositer values("Nikil",4);
68 • insert into Depositer values("Ravi",5);
69 • insert into Depositer values("Avinash",8);
70 • insert into Depositer values("Nikil",9);
71 • insert into Depositer values("Dinesh",10);
72 • insert into Depositer values("Nikil",11);
73
74
75 • insert into Loan values(1,"SBI_Chamrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarmanatar",5000);
80 • select * from branch;
81
```

Result Grid

Branch_name	Branch_city	assets
SBI_Chamrajpet	Bangalore	50000
SBI_Jantarmanatar	Delhi	20000
SBI_ParliamentRoad	Delhi	10000
SBI_ResidencyRoad	Bangalore	10000
SBI_ShivajiRoad	Delhi	20000

2.Find all customers who have a loan at the bank but do not have an account.

```
62 • insert into BankCustomer values("Nikil","Akbar_Road","Delhi");
63 • insert into BankCustomer values("Ravi","Prithviraj_Road","Delhi");
64
65 • insert into Depositer values("Avinash",1);
66 • insert into Depositer values("Dinesh",2);
67 • insert into Depositer values("Nikil",4);
68 • insert into Depositer values("Ravi",5);
69 • insert into Depositer values("Avinash",8);
70 • insert into Depositer values("Nikil",9);
71 • insert into Depositer values("Dinesh",10);
72 • insert into Depositer values("Nikil",11);
73
74
75 • insert into Loan values(1,"SBI_Chamrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarmanatar",5000);
80 • select * from branch;
81 • select * from BankAccount;
```

Result Grid

Accno	Branch_name	Balance
1	SBI_Chamrajpet	2000
2	SBI_ResidencyRoad	5000
4	SBI_ParliamentRoad	9000
5	SBI_Jantarmanatar	8000
8	SBI_ResidencyRoad	4000

BankAccount 16 x

#	Time	Action	Message
1	11:21:37	select * from branch LIMIT 0, 1000	5 row(s) returned
2	11:22:12	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
3	11:22:46	select * from BankAccount LIMIT 0, 1000	8 row(s) returned

3. Find the names of all branches that have greater assets than all branches located in Bangalore.

```
64
65 • insert into Depositer values("Avinash",1);
66 • insert into Depositer values("Dinesh",2);
67 • insert into Depositer values("Nikil",4);
68 • insert into Depositer values("Ravi",5);
69 • insert into Depositer values("Avinash",8);
70 • insert into Depositer values("Nikil",9);
71 • insert into Depositer values("Dinesh",10);
72 • insert into Depositer values("Nikil",11);
73
74
75 • insert into Loan values(1,"SBI_Chamrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarmanter",5000);
80 • select * from branch;
81 • select * from BankAccount;
82 • select * from BankCustomer;
83
```

Result Grid

Customername	Customer_street	CustomerCity
Avinash	Bull_Temple_Road	Bangalore
Dinesh	Barnergatta_Road	Bangalore
Mohan	NationalCollege_Road	Bangalore
Nikil	Alkbar_Road	Delhi
Ravi	Prithviraj_Road	Delhi

ankCustomer 17 x

Output:

#	Time	Action	Message
1	11:21:37	select * from branch LIMIT 0, 1000	5 row(s) returned
2	11:22:12	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
3	11:22:46	select * from BankCustomer LIMIT 0, 1000	8 row(s) returned
4	11:23:20	select * from BankCustomer LIMIT 0, 1000	5 row(s) returned

4. Find all customers who have both an account and a loan at the Bangalore branch.

SQL Editor interface showing a script with 84 lines of SQL code. The script includes insert statements for Depositor and Loan tables, followed by select statements for branch, BankAccount, BankCustomer, and Depositer.

```

65 • insert into Depositer values("Avinash",1);
66 • insert into Depositer values("Dinesh",2);
67 • insert into Depositer values("Nikil",4);
68 • insert into Depositer values("Ravi",5);
69 • insert into Depositer values("Avinash",6);
70 • insert into Depositer values("Nikil",9);
71 • insert into Depositer values("Dinesh",10);
72 • insert into Depositer values("Nikil",11);
73
74
75 • insert into Loan values(1,"SBI_Chamrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarantara",5000);
80 • select * from branch;
81 • select * from BankAccount;
82 • select * from BankCustomer;
83 • select * from Depositer;
84

```

Result Grid shows a table with 2 columns: Customername and Accno.

Customername	Accno
Avinash	1
Dinesh	2
Nikil	4
Ravi	5
Avinash	6

Depositer 18 x

Output

Action Output

#	Time	Action	Message
1	11:21:37	select * from branch LIMIT 0, 1000	5 row(s) returned
2	11:22:12	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
3	11:22:46	select * from BankCustomer LIMIT 0, 1000	8 row(s) returned
4	11:23:20	select * from BankCustomer LIMIT 0, 1000	5 row(s) returned
5	11:23:46	select * from Depositer LIMIT 0, 1000	8 row(s) returned

5. Demonstrate how you delete all account tuples at every branch located in a specific city (Ex. Boma).

SQL Editor interface showing a script with 85 lines of SQL code. The script includes insert statements for Depositer and Loan tables, followed by select statements for branch, BankAccount, BankCustomer, Depositer, and Loan.

```

66 • insert into Depositer values("Dinesh",2);
67 • insert into Depositer values("Nikil",4);
68 • insert into Depositer values("Ravi",5);
69 • insert into Depositer values("Avinash",6);
70 • insert into Depositer values("Nikil",9);
71 • insert into Depositer values("Dinesh",10);
72 • insert into Depositer values("Nikil",11);
73
74
75 • insert into Loan values(1,"SBI_Chamrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarantara",5000);
80 • select * from branch;
81 • select * from BankAccount;
82 • select * from BankCustomer;
83 • select * from Depositer;
84 • select * from Loan;
85

```

Result Grid shows a table with 3 columns: Loan_number, Branch_name, and Amount.

Loan_number	Branch_name	Amount
1	SBI_Chamrajpet	1000
2	SBI_ResidencyRoad	2000
4	SBI_ParliamentRoad	4000
5	SBI_Jantarantara	5000

Loan 19 x

Output

Action Output

#	Time	Action	Message
1	11:21:37	select * from branch LIMIT 0, 1000	5 row(s) returned
2	11:22:12	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
3	11:22:46	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
4	11:23:20	select * from BankCustomer LIMIT 0, 1000	5 row(s) returned
5	11:23:46	select * from Depositer LIMIT 0, 1000	8 row(s) returned
6	11:24:24	select * from Loan LIMIT 0, 1000	4 row(s) returned

6. Update the Balance of all accounts by 5%

The screenshot displays a SQL IDE interface with a script editor at the top and a results pane at the bottom. The script editor contains SQL queries for inserting data into 'Depositer' and 'Loan' tables, followed by a query to calculate assets in lakhs for various branches. The results pane shows the execution of these queries, with messages indicating the number of rows returned for each statement.

```
66 • insert into Depositer values("Dinesh",2);
67 • insert into Depositer values("Nikil",4);
68 • insert into Depositer values("Ravi",5);
69 • insert into Depositer values("Avinash",8);
70 • insert into Depositer values("Nikil",9);
71 • insert into Depositer values("Dinesh",10);
72 • insert into Depositer values("Nikil",11);
73
74
75 • insert into Loan values(1,"SBI_Chamrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarmanatar",5000);
80 • select * from branches;
81 • select * from BankAccount;
82 • select * from BankCustomer;
83 • select * from Depositer;
84 • select * from Loan;
85 • select Branch_name, CONCAT(assets/100000," lakhs')assets_in_lakhs from branch;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents:

Branch_name	assets_in_lakhs
SBI_Chamrajpet	0.5000 lakhs
SBI_Jantarmanatar	0.2000 lakhs
SBI_ParliamentRoad	0.1000 lakhs
SBI_ResidencyRoad	0.1000 lakhs
SBI_ShivajiRoadBombay	0.2000 lakhs

Result 20 x

Output

Action Output

#	Time	Action	Message
1	11:21:37	select * from branch LIMIT 0, 1000	5 row(s) returned
2	11:22:12	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
3	11:22:46	select * from BankCustomer LIMIT 0, 1000	8 row(s) returned
4	11:23:20	select * from BankCustomer LIMIT 0, 1000	5 row(s) returned
5	11:23:46	select * from Depositer LIMIT 0, 1000	8 row(s) returned
6	11:24:24	select * from Loan LIMIT 0, 1000	4 row(s) returned
7	11:25:23	select Branch_name, CONCAT(assets/100000,' lakhs')assets_in_lakhs from branch LIMIT 0, 1000	5 row(s) returned

7. LIST THE ENTIRE LOAN RELATION IN THE DESCENDING ORDER OF AMOUNT.

Limit to 1000 rows

```

68 • insert into Depositer values("Ravi",5);
69 • insert into Depositer values("Nikil",9);
70 • insert into Depositer values("Dinesh",10);
71 • insert into Depositer values("Nikil",11);
72 • insert into Depositer values("Nikil",11);
73
74
75 • insert into Loan values(1,"SBI_Chamrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarmanatar",5000);
80 • select * from branch;
81 • select * from BankAccount;
82 • select * from BankCustomer;
83 • select * from Depositer;
84 • select * from Loan;
85 • select Branch_name, CONCAT(assets/100000,' lakhs')assets_in_lakhs from branch;
86 • select d.Customername from Depositer d, BankAccount b where b.Branch_name="SBI_ResidencyRoad" and d.Accno=b.Accno group by d.Customername having count(d.Accno)>=2;
87

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

Customername

Dinesh

Result 21 x Read O

Output

Action Output

#	Time	Action	Message
1	11:21:37	select * from branch LIMIT 0, 1000	5 row(s) returned
2	11:22:12	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
3	11:22:46	select * from BankCustomer LIMIT 0, 1000	8 row(s) returned
4	11:23:20	select * from BankCustomer LIMIT 0, 1000	5 row(s) returned
5	11:23:46	select * from Depositer LIMIT 0, 1000	8 row(s) returned
6	11:24:24	select * from Loan LIMIT 0, 1000	4 row(s) returned
7	11:25:23	select Branch_name, CONCAT(assets/100000,' lakhs')assets_in_lakhs from branch	5 row(s) returned
8	11:25:59	select d.Customername from Depositer d, BankAccount b where b.Branch_name="SBI_ResidencyRoad" and d.Accno=b.Accno group by d.Customername having count(d.Accno)>=2;	1 row(s) returned

8.FIND ALL CUSTOMERS HAVING A LAON, AN ACCOUNT OR BOTH AT THE BANK

Limit to 1000 rows

```

72 • insert into Depositer values("Nikil",11);
73 • Execute the statement under the keyboard cursor
74
75 • insert into Loan values(1,"SBI_Chamrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarmanatar",5000);
80 • select * from branch;
81 • select * from BankAccount;
82 • select * from BankCustomer;
83 • select * from Depositer;
84 • select * from Loan;
85 • select Branch_name, CONCAT(assets/100000,' lakhs')assets_in_lakhs from branch;
86 • select d.Customername from Depositer d, BankAccount b where b.Branch_name="SBI_ResidencyRoad" and d.Accno=b.Accno group by d.Customername having count(d.Accno)>=2;
87 • create view sum_of_loan
88 as select Branch_name, SUM(Balance)
89 from BankAccount
90 group by Branch_name;
91 • select * from sum_of_loan;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

Branch_name	SUM(Balance)
SBI_Chamrajpet	2000
SBI_Jantarmanatar	10000
SBI_ParliamentRoad	12000
SBI_ResidencyRoad	14000

sum_of_loan 22 x

Output

9.CREATE A VIEW WHICH GIVES EACH BRANCH THE SUM OF THE AMOUNT OF ALL THE LOANS AT THE BRANCH.

Limit to 1000 rows

```

81 • select * from BankAccount;
82 • select * from BankCustomer;
83 • select * from Depositer;
84 • select * from Loan;
85 • select Branch_name, CONCAT(assets/100000,' lakhs')assets_in_lakhs from branch;
86 • select d.Customername from Depositer d, BankAccount b where b.Branch_name='SBI_ResidencyRoad' and d.Accno=b.Accno group by d.Customername having count(d.Accno)>=2;
87 • create view sum_of_loan
88 as select Branch_name, SUM(Balance)
89 from BankAccount
90 group by Branch_name;
91 • select * from sum_of_loan;
92 • select bc.Customername, CONCAT(Balance*1000,' rupees') UPDATED_BALANCE from BankAccount b, BankCustomer bc, Depositer d
93 where bc.Customername=d.Customername and b.Accno=d.Accno and bc.Customercity='Bangalore';
94
95
96
97
98
99
100

```

Result Grid

Customername	UPDATED_BALANCE
Avinash	3000 rupees
Avinash	5000 rupees
Dinesh	6000 rupees
Dinesh	6000 rupees

Result 23 x

Output

Action Output

#	Time	Action	Message
1	11:28:27	select bc.Customername, CONCAT(Balance*1000,' rupees') UPDATED_BALANCE from BankAccount b, BankCustomer bc, Depositer d where bc.Cust...	4 row(s) returned

10.THE ANNUAL INTEREST PAYMENTS ARE MADE AND ALL BRANCHES ARE TO BE INCREASED BY 5%.

Limit to 1000 rows

```

66 • insert into Depositer values("Dinesh",2);
67 • insert into Depositer values("Nikil",4);
68 • insert into Depositer values("Ravi",5);
69 • insert into Depositer values("Avinash",8);
70 • insert into Depositer values("Nikil",9);
71 • insert into Depositer values("Dinesh",10);
72 • insert into Depositer values("Nikil",11);
73
74
75 • insert into Loan values(1,"SBI_Channrajpet",1000);
76 • insert into Loan values(2,"SBI_ResidencyRoad",2000);
77 • insert into Loan values(3,"SBI_ShivajiRoad",3000);
78 • insert into Loan values(4,"SBI_ParliamentRoad",4000);
79 • insert into Loan values(5,"SBI_Jantarmanatar",5000);
80 • select * from branch;
81 • select * from BankAccount;
82 • select * from BankCustomer;
83 • select * from Depositer;
84 • select * from Loan;
85 • select Branch_name, CONCAT(assets/100000,' lakhs')assets_in_lakhs from branch;

```

Result Grid

Branch_name	assets_in_lakhs
SBI_Channrajpet	0.5000 lakhs
SBI_Jantarmanatar	0.2000 lakhs
SBI_ParliamentRoad	0.1000 lakhs
SBI_ResidencyRoad	0.1000 lakhs
SBI_ShivajiRoadBombay	0.2000 lakhs

Result 20 x

Output

Action Output

#	Time	Action	Message
1	11:21:37	select * from branch LIMIT 0, 1000	5 row(s) returned
2	11:22:12	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
3	11:22:46	select * from BankAccount LIMIT 0, 1000	8 row(s) returned
4	11:23:20	select * from BankCustomer LIMIT 0, 1000	5 row(s) returned
5	11:23:46	select * from Depositer LIMIT 0, 1000	8 row(s) returned
6	11:24:24	select * from Loan LIMIT 0, 1000	4 row(s) returned
7	11:25:23	select Branch_name, CONCAT(assets/100000,' lakhs')assets_in_lakhs from branch LIMIT 0, 1000	5 row(s) returned

