

```

create database employee;

use employee;

CREATE TABLE dept (

deptno decimal(2,0) primary key,

dname varchar(14) default NULL,

loc varchar(13) default NULL

);

CREATE TABLE emp (

empno decimal(4,0) primary key,

ename varchar(10) default NULL,

mgr_no decimal(4,0) default NULL,

hiredate date default NULL,

sal decimal(7,2) default NULL,

deptno decimal(2,0) references dept(deptno) on delete cascade on update cascade

);

create table incentives (

empno decimal(4,0) references emp(empno) on delete cascade on update cascade,

incentive_date date,

incentive_amount decimal(10,2),

primary key(empno,incentive_date)

);

Create table project (

pno int primary key,

pname varchar(30) not null,

```

```

ploc varchar(30)

);

Create table assigned_to (

empno decimal(4,0) references emp(empno) on delete cascade on update cascade,

pno int references project(pno) on delete cascade on update cascade,

job_role varchar(30),

primary key(empno,pno)

);

INSERT INTO dept VALUES (10,"ACCOUNTING","MUMBAI");

INSERT INTO dept VALUES (20,'RESEARCH','BENGALURU');

INSERT INTO dept VALUES (30,'SALES','DELHI');

INSERT INTO dept VALUES (40,'OPERATIONS','CHENNAI');


INSERT INTO emp VALUES (7369,'Adarsh',7902,'2012-12-17','80000.00','20');

INSERT INTO emp VALUES (7499,'Shruthi',7698,'2013-02-20','16000.00','30');

INSERT INTO emp VALUES (7521,'Anvitha',7698,'2015-02-22','12500.00','30');

INSERT INTO emp VALUES (7566,'Tanvir',7839,'2008-04-02','29750.00','20');

INSERT INTO emp VALUES (7654,'Ramesh',7698,'2014-09-28','12500.00','30');

INSERT INTO emp VALUES (7698,'Kumar',7839,'2015-05-01','28500.00','30');

INSERT INTO emp VALUES (7782,'CLARK',7839,'2017-06-09','24500.00','10');

INSERT INTO emp VALUES (7788,'SCOTT',7566,'2010-12-09','30000.00','20');

INSERT INTO emp VALUES ('7839','KING',NULL,'2009-11-17','500000.00','10');

INSERT INTO emp VALUES ('7844','TURNER',7698,'2010-09-08','15000.00','30');

INSERT INTO emp VALUES ('7876','ADAMS',7788,'2013-01-12','11000.00','20');

```

```
INSERT INTO emp VALUES ('7900','JAMES',7698,'2017-12-03','9500.00','30');  
INSERT INTO emp VALUES ('7902','FORD','7566','2010-12-03','30000.00','20');
```

```
INSERT INTO incentives VALUES(7499,'2019-02-01',5000.00);  
INSERT INTO incentives VALUES(7521,'2019-03-01',2500.00);  
INSERT INTO incentives VALUES(7566,'2022-02-01',5070.00);  
INSERT INTO incentives VALUES(7654,'2020-02-01',2000.00);  
INSERT INTO incentives VALUES(7654,'2022-04-01',879.00);  
INSERT INTO incentives VALUES(7521,'2019-02-01',8000.00);  
INSERT INTO incentives VALUES(7698,'2019-03-01',500.00);  
INSERT INTO incentives VALUES(7698,'2020-03-01',9000.00);  
INSERT INTO incentives VALUES(7698,'2022-04-01',4500.00);
```

```
INSERT INTO project VALUES(101,'AI Project','BENGALURU');  
INSERT INTO project VALUES(102,'IOT','HYDERABAD');  
INSERT INTO project VALUES(103,'BLOCKCHAIN','BENGALURU');  
INSERT INTO project VALUES(104,'DATA SCIENCE','MYSURU');  
INSERT INTO project VALUES(105,'AUTONOMUS SYSTEMS','PUNE');
```

```
INSERT INTO assigned_to VALUES(7499,101,'Software Engineer');  
INSERT INTO assigned_to VALUES(7521,101,'Software Architect');  
INSERT INTO assigned_to VALUES(7566,101,'Project Manager');  
INSERT INTO assigned_to VALUES(7654,102,'Sales');  
INSERT INTO assigned_to VALUES(7521,102,'Software Engineer');
```

INSERT INTO assigned_to VALUES(7654,103,'Cyber Security');

INSERT INTO assigned_to VALUES(7698,104,'Software Engineer');

INSERT INTO assigned_to VALUES(7900,105,'Software Engineer');

INSERT INTO assigned_to VALUES(7839,104,'General Manager');

Select * from dept;

The screenshot shows a database management tool interface. The left sidebar displays a 'SCHEMAS' tree with various databases like 'insuredatabase', 'employee', and 'microworld'. The main window contains a SQL editor with the following queries:

```
76 • INSERT INTO assigned_to VALUES(7521,101,'Software Architect');
77 • INSERT INTO assigned_to VALUES(7566,101,'Project Manager');
78 • INSERT INTO assigned_to VALUES(7654,103,'Sales');
79 • INSERT INTO assigned_to VALUES(7521,103,'Software Engineer');
80
81 • INSERT INTO assigned_to VALUES(7654,103,'Cyber Security');
82 • INSERT INTO assigned_to VALUES(7698,104,'Software Engineer');
83 • INSERT INTO assigned_to VALUES(7900,105,'Software Engineer');
84 • INSERT INTO assigned_to VALUES(7839,104,'General Manager');
85
86 • Select * from dept;
```

Below the editor, a 'Result Grid' shows the output of the last query:

deptno	dname	loc
10	ACCOUNTING	MUMBAI
20	RESEARCH	BANGALURU
30	SALES	DELHI
40	OPERATIONS	CHENNAI

The bottom section shows the 'Action Output' log:

#	Time	Action	Message
1	10:21:26	create database employee	Error Code: 1007. Can't create database 'employee'. database exists
2	10:21:30	use employee	0 row(s) affected
3	10:21:35	Select * from dept LIMIT 0, 1000	4 row(s) returned

select * from emp;

Navigator

employee

Schemas

Filter objects

employee

80

81 * INSERT INTO assigned_to VALUES(7654,103,'Cyber Security');

82 * INSERT INTO assigned_to VALUES(7656,104,'Software Engineer');

83 * INSERT INTO assigned_to VALUES(7658,105,'Software Engineer');

84 * INSERT INTO assigned_to VALUES(7659,104,'General Manager');

85

86 * Select * from dept;

87

88 * select * from emp;

89 * select * from incentives;

90 * select * from project;

91 * select * from assigned_to;

92

Result Grid

empno	ename	mgr_no	hiredate	sal	deptno
7369	Adarsh	7902	2012-12-17	80000.00	30
7499	Shruthi	7698	2013-02-20	16000.00	30
7521	Anvitha	7698	2013-02-22	12000.00	30
7566	Tanvir	7639	2008-04-02	29750.00	20
7698	Kumar	7639	2015-05-01	28500.00	30
7782	CLARK	7839	2017-06-09	24500.00	10
7788	SCOTT	7566	2010-12-09	30000.00	20
7844	TURNER	7698	2010-09-08	15000.00	30
7876	ADAMS	7788	2013-01-12	11000.00	20
7900	JAMES	7698	2017-12-03	9500.00	30
7902	FORD	7566	2010-12-03	30000.00	20

emp 2

Output

Action Output

#	Time	Action	Message
1	10:21:26	create database employee	Error Code: 1007: Can't create database 'employee': database exists
2	10:21:30	use employee	0 row(s) affected
3	10:21:35	Select * from dept LIMIT 0, 1000	4 row(s) returned
4	10:28:06	select * from emp LIMIT 0, 1000	11 row(s) returned

Activate V

select * from incentives;

Navigator

employee

Schemas

Filter objects

employee

80

81 * INSERT INTO assigned_to VALUES(7654,103,'Cyber Security');

82 * INSERT INTO assigned_to VALUES(7656,104,'Software Engineer');

83 * INSERT INTO assigned_to VALUES(7658,105,'Software Engineer');

84 * INSERT INTO assigned_to VALUES(7659,104,'General Manager');

85

86 * Select * from dept;

87

88 * select * from emp;

89 * select * from incentives;

90 * select * from project;

91 * select * from assigned_to;

92

Result Grid

empno	ename	mgr_no	hiredate	sal	deptno
7369	Adarsh	7902	2012-12-17	80000.00	30
7499	Shruthi	7698	2013-02-20	16000.00	30
7521	Anvitha	7698	2013-02-22	12000.00	30
7566	Tanvir	7639	2008-04-02	29750.00	20
7698	Kumar	7639	2015-05-01	28500.00	30
7782	CLARK	7839	2017-06-09	24500.00	10
7788	SCOTT	7566	2010-12-09	30000.00	20
7844	TURNER	7698	2010-09-08	15000.00	30
7876	ADAMS	7788	2013-01-12	11000.00	20
7900	JAMES	7698	2017-12-03	9500.00	30
7902	FORD	7566	2010-12-03	30000.00	20

emp 3

Output

Action Output

#	Time	Action	Message
1	10:21:26	create database employee	Error Code: 1007: Can't create database 'employee': database exists
2	10:21:30	use employee	0 row(s) affected
3	10:21:35	Select * from dept LIMIT 0, 1000	4 row(s) returned
4	10:28:06	select * from emp LIMIT 0, 1000	11 row(s) returned
5	10:29:29	select * from project;	11 row(s) returned

Activate Window

select * from project;

Result Grid

empno	incentive_date	incentive_amount
7499	2019-02-01	9000.00
7521	2019-02-01	8000.00
7521	2019-03-01	2500.00
7556	2022-02-01	5070.00
7654	2020-02-01	2000.00
7654	2022-04-01	875.00
7698	2019-03-01	900.00
7698	2020-03-01	9000.00
7698	2022-04-01	4500.00

Output

Action Output

Time	Action	Message
10:21:26	create database employee	Error Code: 1007. Can't create database 'employee': database exists
10:21:30	use employee	0 row(s) affected
10:21:35	Select * from dept LIMIT 0. 1000	4 row(s) returned
10:28:06	select * from emp LIMIT 0. 1000	11 row(s) returned
10:29:29	select * from emp LIMIT 0. 1000	11 row(s) returned
10:29:45	select * from incentives LIMIT 0. 1000	9 row(s) returned

select * from assigned_to;

Result Grid

pro	pname	ploc
101	AI Project	BENGALURU
102	IOT	HYDERABAD
103	BLOCKCHAIN	BENGALURU
104	DATA SCIENCE	MYSURU
105	AUTONOMOUS SYSTEMS	PUNE

Output

Action Output

Time	Action	Message
10:21:26	create database employee	Error Code: 1007. Can't create database 'employee': database exists
10:21:30	use employee	0 row(s) affected
10:21:35	Select * from dept LIMIT 0. 1000	4 row(s) returned
10:28:06	select * from emp LIMIT 0. 1000	11 row(s) returned
10:29:29	select * from emp LIMIT 0. 1000	11 row(s) returned
10:29:45	select * from incentives LIMIT 0. 1000	9 row(s) returned
10:30:05	select * from project LIMIT 0. 1000	5 row(s) returned

SELECT m.ename, count(*)


FROM emp e,emp m

WHERE e.mgr_no = m.empno

GROUP BY m.ename

HAVING count(*) =(SELECT MAX(mycount) from (SELECT COUNT(*) mycount FROM emp GROUP

BY mgr_no) a);



SELECT * FROM emp m

WHERE m.empno IN

(SELECT mgr_no FROM emp)

AND m.sal >(SELECT avg(e.sal)

FROM emp e WHERE e.mgr_no = m.empno);

The screenshot shows the SQL Developer interface. The query window contains the following SQL code:

```

93 SELECT e.ename, count(*)
94 FROM emp e, emp m
95 WHERE e.mgr_no = m.empno
96 GROUP BY e.ename
97 HAVING count(*) < (SELECT MAX(mycount)
98 FROM (SELECT COUNT(*) mycount
99 FROM emp
100 GROUP BY mgr_no) a);

```

The Results window shows the following data:

ename	count(*)
Kumar	4

The Output window shows the execution log with the following messages:

```

1 10:21:26 create database employee
2 10:21:30 use employee
3 10:21:35 select * from dept LIMIT 0, 1000
4 10:28:06 select * from emp LIMIT 0, 1000
5 10:29:29 select * from emp LIMIT 0, 1000
6 10:29:45 select * from incentives LIMIT 0, 1000
7 10:30:05 select * from project LIMIT 0, 1000
8 10:30:22 select * from assigned_to LIMIT 0, 1000
9 10:30:42 SELECT m.ename, count(*) FROM emp e, emp m WHERE e.mgr_no = m.empno GROUP BY e.ename HAVING count(*) < (SELECT MAX(mycount)

```

select *
 from emp e, incentives i
 where e.empno=i.empno and 2 = (select count(*)
 from incentives j where i.incentive_amount <= j.incentive_amount);

The screenshot shows the SQL Developer interface. The query window contains the following SQL code:

```

111
112
113 select *
114 from emp e, incentives i
115 where e.empno=i.empno and 2 = ( select count(*)
116 from incentives j
117 where i.incentive_amount <= j.incentive_amount );
118
119
120 select * from emp e
121 where e.deptno = (select e1.deptno
122 from emp e1 where e1.empno=e.mgr_no);
123

```

The Results window shows the following data:

empno	ename	mgr_no	hiredate	sal	deptno
7369	Adesh	7902	2012-12-17	80000.00	20
7469	Shruthi	7698	2013-02-20	16000.00	30
7521	Anvitha	7698	2015-02-22	12500.00	30
7788	SCOTT	7566	2010-12-09	30000.00	20
7844	TURNER	7698	2010-08-08	15000.00	30
7876	ADAMS	7788	2013-01-12	11000.00	20
7900	JAMES	7698	2017-12-03	9500.00	30
7962	FLAND	7566	2010-12-03	30000.00	20
8198	ELISH	8198	2020-12-03	20000.00	20

The Output window shows the execution log with the following messages:

```

4 10:28:06 select * from emp LIMIT 0, 1000
5 10:29:29 select * from emp LIMIT 0, 1000
6 10:29:45 select * from incentives LIMIT 0, 1000
7 10:30:05 select * from project LIMIT 0, 1000
8 10:30:22 select * from assigned_to LIMIT 0, 1000
9 10:30:42 SELECT m.ename, count(*) FROM emp e, emp m WHERE e.mgr_no = m.empno GROUP BY e.ename HAVING count(*) < (SELECT MAX(mycount)
10 10:31:05 SELECT * FROM emp e, emp m WHERE e.mgr_no = m.empno GROUP BY e.ename HAVING count(*) < (SELECT MAX(mycount)
11 10:31:29 select * from emp e, incentives i where e.empno=i.empno and 2 = ( select count(*) from incentives j where i.incentive_amount <= j.incentive_amount ) U
12 10:31:51 SELECT * FROM emp e, emp m WHERE e.mgr_no = m.empno GROUP BY e.ename HAVING count(*) < (SELECT MAX(mycount)

```

SELECT * FROM EMP E

WHERE E.DEPTNO = (SELECT E1.DEPTNO FROM EMP E1 WHERE E1.EMPNO=E.MGR_NO);

The screenshot shows a SQL IDE interface. The top pane displays a SQL query with line numbers 111 to 122. The query is as follows:

```

111
112
113 * select *
114   from emp e,incentives i
115   where e.empno=i.empno and 2 = ( select count(*)
116     from incentives j
117     where j.incentive_amount <= i.incentive_amount );
118
119
120 * SELECT * FROM EMP E
121   WHERE E.DEPTNO = (SELECT E1.DEPTNO
122     FROM EMP E1 WHERE E1.EMPNO=E.MGR_NO);
123
124

```

The bottom pane shows the 'Result Grid' with the following data:

empno	ename	mgr_no	hiredate	sal	deptno
7369	Adarsh	7902	2012-12-17	80000.00	20
7469	Shruthi	7698	2013-02-20	16000.00	30
7521	Anvitha	7698	2015-03-22	12000.00	30
7788	SCOTT	7566	2010-12-09	30000.00	20
7844	TURNER	7698	2010-09-08	15000.00	30
7876	ADAMS	7788	2013-03-12	11000.00	20
7900	JAMES	7698	2017-12-03	9500.00	30
7902	FORD	7566	2010-12-03	30000.00	20

The bottom pane also shows an 'Output' window with the following messages:

```

# Time Action Message
4 10:28:06 select * from emp LIMIT 0, 1000 11 row(s) returned
5 10:29:29 select * from emp LIMIT 0, 1000 11 row(s) returned
6 10:29:45 select * from incentives LIMIT 0, 1000 9 row(s) returned
7 10:30:09 select * from project LIMIT 0, 1000 5 row(s) returned
8 10:30:22 select * from assigned_to LIMIT 0, 1000 10 row(s) returned
9 10:30:42 SELECT m.ename, count(*) FROM emp e,emp m WHERE e.mgr_no = m.empno GROUP BY m.ename HAVING count(*) <= (SELECT MAX(count)) 1 row(s) returned
10 10:31:05 SELECT * FROM emp m WHERE m.empno IN (SELECT mgr_no FROM emp) AND m.sal > (SELECT avg(sal) FROM emp e WHERE 2 = (select count(*) from incentives i where e.empno=i.empno and 2 = (select count(*) from incentives j where j.incentive_amount <= i.incentive_amount ) LIMIT 0, 1000)) 2 row(s) returned
11 10:31:29 select * from emp e,incentives i where e.empno=i.empno and 2 = (select count(*) from incentives j where j.incentive_amount <= i.incentive_amount ) LIMIT 0, 1000 1 row(s) returned
12 10:31:51 SELECT * FROM EMP E WHERE E.DEPTNO = (SELECT E1.DEPTNO FROM EMP E1 WHERE E1.EMPNO=E.MGR_NO) LIMIT 0, 1000 8 row(s) returned

```

select e.empno

from emp e, assigned_to a, project p

where e.empno=a.empno and a.pno=p.pno and

p.ploc in ('Bengaluru','Hyderabad','Mysuru');

The screenshot shows the SQL Developer interface. The left pane displays the 'SCHEMAS' tree with 'employee' selected. The main query window contains the following SQL code:

```

116      from Incentives i
117      where i.incentive_amount <= j.incentive_amount ))
118
119
120 • SELECT * FROM EMP E
121   WHERE E.DEPTNO = (SELECT E1.DEPTNO
122                    FROM EMP E1 WHERE E1.EMPNO=E.EMPNO);
123
124 • select e.empno
125   from emp e, assigned_to a, project p
126   where e.empno=a.empno and a.pno=p.pno and
127        p.ploc in ('Bengaluru','Hyderabad','Mysuru');
128
129

```

The 'Result Grid' shows the following data:

empno
7499
7499
7521
7521
7565
7698

The 'Output' pane shows the execution log with messages indicating the number of rows returned for each step.

select e.empno,e.ename,d.dname,d.loc,a.job_role,p.ploc

from emp e,dept d,assigned_to a,project p where e.deptno=d.deptno

and e.empno=a.empno and a.pno=p.pno and d.loc=p.ploc;

The screenshot shows the SQL Developer interface. The left pane displays the 'SCHEMAS' tree with 'employee' selected. The main query window contains the following SQL code:

```

120 • SELECT * FROM EMP E
121   WHERE E.DEPTNO = (SELECT E1.DEPTNO
122                    FROM EMP E1 WHERE E1.EMPNO=E.EMPNO);
123
124 • select e.empno
125   from emp e, assigned_to a, project p
126   where e.empno=a.empno and a.pno=p.pno and
127        p.ploc in ('Bengaluru','Hyderabad','Mysuru');
128
129 • select e.empno,e.ename,d.dname,d.loc,a.job_role,p.ploc
130   from emp e,dept d,assigned_to a,project p where e.deptno=d.deptno
131   and e.empno=a.empno and a.pno=p.pno and d.loc=p.ploc;
132
133

```

The 'Result Grid' shows the following data:

empno	ename	dname	loc	job_role	ploc
7566	Tanvir	RESEARCH	BENGALURU	Software Architect	BENGALURU
7566	Tanvir	RESEARCH	BENGALURU	Software Engineer	BENGALURU
7788	SCOTT	RESEARCH	BENGALURU	Cyber Security	BENGALURU
7788	SCOTT	RESEARCH	BENGALURU	Project Manager	BENGALURU
7788	SCOTT	RESEARCH	BENGALURU	Software Architect	BENGALURU
7788	SCOTT	RESEARCH	BENGALURU	Software Engineer	BENGALURU
7876	ADAMS	RESEARCH	BENGALURU	Cyber Security	BENGALURU
7876	ADAMS	RESEARCH	BENGALURU	Project Manager	BENGALURU
7876	ADAMS	RESEARCH	BENGALURU	Software Architect	BENGALURU
7876	ADAMS	RESEARCH	BENGALURU	Software Engineer	BENGALURU
7902	FORD	RESEARCH	BENGALURU	Cyber Security	BENGALURU
7902	FORD	RESEARCH	BENGALURU	Project Manager	BENGALURU
7902	FORD	RESEARCH	BENGALURU	Software Architect	BENGALURU

The 'Output' pane shows the execution log with messages indicating the number of rows returned for each step.

SELECT distinct e.ename

FROM emp e,incentives i

WHERE (SELECT max(sal+incentive_amount)

FROM emp,incentives) >= ANY

(SELECT sal

FROM emp e1

where e.deptno=e1.deptno);

The screenshot shows a SQL IDE interface. On the left, a 'SCHEMAS' pane lists various databases including 'bankdatabase', 'bmsoc', 'college', 'courses', 'coursezzz', 'cse', 'disha_bank', 'divi', 'employee', 'exam', 'InsuranceDatabase', 'job', 'kemployee', 'lab', 'lab2', 'labd', 'meenakshi', and 'mrunworld'. The 'employee' schema is selected, showing a list of employees: ADDRSH, SHIRSH, ANVITA, TANVIR, KAMAR, CLARK, SCOTT, TURNER, ADAMS, JAMES, and FORD. The main editor displays a SQL query with line numbers 129 to 140. The query is a complex SELECT statement involving 'emp', 'incentives', and 'employee' tables, using subqueries and aggregate functions. Below the editor, the 'Result Grid' shows the results of the query, with columns for 'ename' and 'deptno'. The 'Output' pane at the bottom shows the execution log, including timestamps, actions, and messages. The log indicates that the query was executed successfully, returning 11 rows. The 'Message' pane shows several error messages, including 'Error Code: 1146, Table 'employee.assigned_to' doesn't exist', 'Error Code: 1054, Unknown column 'p.loc' in 'field list'', and 'Error Code: 1054, Unknown column 'p.loc' in 'where clause''. The 'Activate Windows' watermark is visible in the bottom right corner.

```
129
130
131
132
133
134
135
136
137
138
139
140
```

```
select e.empno,e.ename,d.dname,d.loc,e.job_role,p.ploc
from emp e,dept d,assigned_to a,project p where e.deptno=d.deptno
and e.empno=e.empno and a.pno=p.pno and d.loc=p.ploc;

SELECT distinct e.ename
FROM emp e,incentives i
WHERE (SELECT max(sal+incentive_amount)
FROM emp,incentives) >= ANY
(SELECT sal
FROM emp e1
where e.deptno=e1.deptno);
```

ename	deptno
ADDRSH	1
SHIRSH	1
ANVITA	1
TANVIR	1
KAMAR	1
CLARK	10
SCOTT	10
TURNER	10
ADAMS	20
JAMES	20
FORD	20

Result 13

Output

Action Output

#	Time	Action	Message
11	10:31:29	select " from emp e,incentives i where e.empno=i.empno and 2 = (select count(*) from incentives j where (incentive_amount <= j.incentive_amount) L...	1 row(s) returned
12	10:31:51	SELECT " FROM EMP E WHERE E.DEPTNO = (SELECT E1.DEPTNO FROM EMP E1 WHERE E1.EMPNO=E.EMPNO AND E1.EMPNO<=MAX(E1.EMPNO) LIMIT 0, 1000	8 row(s) returned
13	10:32:16	select e.empno from emp e, assigned_to a, project p where e.empno=e.empno and a.pno=p.pno and p.ploc in ('Bangalore','Hyderabad','Mumbai') LIMIT	6 row(s) returned
14	10:39:40	select e.empno,e.ename,d.dname,d.loc,a.job_role,p.ploc from emp e,dept d,assigned_to a,project p where e.deptno=d.deptno and e.empno=e.empno and	Error Code: 1146, Table 'employee.assigned_to' doesn't exist
15	10:40:11	select e.empno,e.ename,d.dname,d.loc,a.job_role,p.ploc from emp e,dept d,assigned_to a,project p where e.deptno=d.deptno and e.empno=e.empno and	Error Code: 1054, Unknown column 'p.loc' in 'field list'
16	10:40:33	select e.empno,e.ename,d.dname,d.loc,a.job_role,p.ploc from emp e,dept d,assigned_to a,project p where e.deptno=d.deptno and e.empno=e.empno and	Error Code: 1054, Unknown column 'p.loc' in 'where clause'
17	10:40:49	select e.empno,e.ename,d.dname,d.loc,a.job_role,p.ploc from emp e,dept d,assigned_to a,project p where e.deptno=d.deptno and e.empno=e.empno and	20 row(s) returned
18	10:42:50	SELECT distinct e.ename FROM emp e,incentives i WHERE (SELECT max(sal+incentive_amount) FROM emp,incentives) >= ANY (SELECT sal FR	Error Code: 1054, Unknown column 'p' in 'IN/ALL/ANY subquery'
19	10:43:29	SELECT distinct e.ename FROM emp e,incentives i WHERE (SELECT max(sal+incentive_amount) FROM emp,incentives) >= ANY (SELECT sal FR	11 row(s) returned

