

Conducting Forensic Investigations on System Memory (4e)

Digital Forensics, Investigation, and Response, Fourth Edition - Lab 10

Student:

Prakriti Dhungel

Email:

prakriti.dhungel98@gmail.com

Time on Task:

5 hours, 44 minutes

Progress:


100%

Report Generated: Thursday, November 21, 2024 at 5:52 PM

Section 1: Hands-On Demonstration

Part 1: Capture Memory using DumpIt


3. Make a screen capture showing the **DumpIt success notification**.



Part 2: Analyze Memory using E3

Digital Forensics, Investigation, and Response, Fourth Edition - Lab 10

8. **Make a screen capture** showing the **list of processes** in the memory dump.



10. **Record** the start times for the oldest process and the newest process.

Oldest Process Time: 7/12/2021 4:24:49AM Newest Process Time: 7/12/2021 6:42:43AM

15. **Document** your findings for the conhost.exe process. What is it and what is it used for?

conhost.exe is a part of windows interface that provides a smooth user experience when using console apps. Although it is not a virus, malicious actors can install malware that mimics conhost.exe files. It usually runs from the "C:\Windows\System32" directory in windows.


17. **Document** your findings for the hooker.exe process. What is it and what is it used for?

hooker.exe is a Trojan and key logger application. Not a Windows system file. It is also capable of connecting to the Internet, recording keyboard and mouse input, and monitoring applications. If hooker.exe file is located in a subfolder of "C:\Program Files, security rating is 54% dangerous and if located in a subfolder of the user's profile folder, the security rating is 78% dangerous.


Conducting Forensic Investigations on System Memory (4e)

Digital Forensics, Investigation, and Response, Fourth Edition - Lab 10

21. Make a screen capture showing the registry keys opened by the Hooker.exe process.




23. Make a screen capture showing the files opened by the hooker.exe process.



Section 2: Applied Learning

Part 1: Capture Memory using FTK Imager

6. Make a screen capture showing the *Memory capture finished successfully* confirmation.



Part 2: Analyze Memory using Volatility

7. **Document** your findings for the rvkl.exe process. What is it and what is it used for?

rvkl.exe file is a software component of Revealer Keylogger by Logixoft. It is not essential for windows and often causes trouble. The security rating is 90% dangerous. It is able to record keyboard and mouse inputs and monitor applications.

9. **Document** whether any processes are flagged as hidden.

There is no hidden process as plist field all set to true.

Conducting Forensic Investigations on System Memory (4e)

Digital Forensics, Investigation, and Response, Fourth Edition - Lab 10


12. **Document** whether the netscan module displays network usage associated with the Hooker.exe or rvlkl.exe processes.

No, the netscan module did not display the network usage associated with the Hooker.exe or rvlkl.exe processes.

15. **Document** any information you were able to gather about port 56610.

Port 56610 does not have any specific protocol or service assigned to it. According to IANA, that would fall into the category of a dynamic port. This is usually a port that can be used for file sharing peer-to-peer networking.


26. **Make a screen capture** showing the DensityScout results.



Conducting Forensic Investigations on System Memory (4e)


Digital Forensics, Investigation, and Response, Fourth Edition - Lab 10

Make a screen capture showing the output of the yarascan.



Part 3: Identify Privilege Escalation

Make a screen capture showing the output of your privilege comparison.



Conducting Forensic Investigations on System Memory (4e)

Digital Forensics, Investigation, and Response, Fourth Edition - Lab 10
