

zomato

Zomato Data Analysis

Insights on Food Delivery Trends



ZOMATO RESTAURANT DATA ANALYSIS

Excel | Power BI | SQL | Tableau

PRESENTED BY

Prakruthi R

Thaun Priya S K

Harini M

Emlin Freeda P

Subrata Das



Introduction

- Zomato is about analyzing restaurant data from Zomato to understand customer preferences and restaurant performance.
- Using this data, we can study details like restaurant ratings, locations, price range, online delivery, and table booking facilities.
- The main aim of this project is to find useful insights such as which restaurants have high ratings, which locations have more restaurants, and what type of services customers prefer.
- This analysis helps in understanding restaurant trends and supports better business decisions.



Data Cleaning & Preprocessing

Challenges:

- Data contained null values, special characters in the field, currency was not distributed as per the countries.

Steps Taken:

- Removed null values
- Standardized currency & location data
- Categorized price ranges
- Removed Special Characters in the field



Overview

Dataset Overview:

Number of restaurants: 9551

Number of Countries : 15

Number of Cities : 141

Number of Cuisines : 1826

Average Rating of all the restaurant : 2.89





Observations

- **Out of 9551 restaurants**

1.73K(22.57%) restaurants provides Online Delivery whereas 5.92k(77.43%) don't have the online delivery system



- **Out of 9551 restaurants**

1.03K(13.64%) restaurants provides table booking whereas 6.49k(86.36%) don't have the table booking facility




Analysis Form India

- **Out of 8652 restaurants**
1.7K(25.04%) restaurants provides Online Delivery whereas
5.1k(74.96%) don't have the online delivery system
- **Out of 8652 restaurants**
0.98K(14.75%) restaurants provides table booking whereas
5.68k(85.25%) don't have the table booking facility



TOP 5 Count of Restaurants by Cuisine

Count of Restaurants by Cuisine




- North Indian cuisine has the highest number of restaurants, around 930
- North Indian + Chinese is the second highest, around 510
- Chinese cuisine has around 360 restaurants
- Fast Food also has around 350 restaurants
- North Indian + Mughlai has around 330 restaurants.

This means that North Indian cuisine is the most popular cuisine type in the dataset.



Count of Restaurant by Bucket




Average cost for two

- Restaurants with Average cost for 2 between 0-100 bucket are 0.4k
- Highest i.e 500+ average cost there are 3.4k restaurants.
- Most restaurants fall into the **500+ category**, suggesting market concentration at the higher end.
- The middle categories (201-500) have a balanced distribution
- This analysis suggests that a significant portion of restaurants have a **high volume of Price**, possibly due to chain restaurants or high operational scale



Count of Restaurant by Rating



Highest count at Rating 1 (2.1K restaurants)

- A significant number of restaurants received the lowest rating.
- This could indicate dissatisfaction, poor service, or bad food quality for a large segment.

Sharp drop to nearly 0 at Rating 2

- There is almost no representation at a rating of 2.
- This suggests that restaurants either receive very low or moderate-to-good ratings, skipping the middle ground.

Gradual rise in Ratings 3 to 4 (around 0.5K each)

- Ratings 3 and 4 have a similar number of restaurants (~500 each).
- This indicates that a moderate number of restaurants are rated average to slightly above average.


Slight decline toward Rating 5

- Only about 0.1K (100 restaurants) received a perfect 5-star rating.
- This suggests that very few restaurants achieve the highest rating, possibly due to high customer expectations.



Restaurant Distribution by Country

Restaurant Distribution by Country



KPI'S

1.  Online Delivery Rate
2.  Table Booking Rate
3.  Popular Cuisine KPI
4.  Average Cost KPI
5.  Average Rating KPI
6.  Low Rating KPI
7.  Location KPI



ZOMATO RESTAURANTS ANALYSIS DASHBOARD

Total Restaurants
9551

Total Country
15

Total City
141

Total Cuisines
145

Total Votes
1499M

Average Rating
2.89

Year

2010	2011	2012	2013	2014	2015	2016	2017	2018
------	------	------	------	------	------	------	------	------

Quarter

q1	q2	q3	q4
----	----	----	----


Month Full name

April	August	Dece...	Febru...	Janu...	July	June	March	May	Nove...	Octo...	Sept...
-------	--------	---------	----------	---------	------	------	-------	-----	---------	---------	---------

Country

- Australia
- Brazil
- Canada
- India
- Indonesia
- New Zealand
- Philippines
- Qatar
- Singapore

Number of Restaurants by Country and City



Month-wise Restaurant Trends






TABLE BOOKING DISTRIBUTION (%)




City

- Abu Dhabi
- Agra
- Ahmedabad
- Albany
- Allahabad
- Amritsar
- Ankara
- Armidale
- Athens


Count of Restaurants by Rating Range



Quarter-wise Restaurant Distribution



RESTAURANT DISTRIBUTION BY PRICE RANGE





Zomato Restaurant Analytics

Year
All

Clear all slicers

9551

Count of RestaurantID

80

Count of City

2889

Count of Rating


15

Count of Country


Country

- ☐ Canada
- ☐ India
- ☐ Indonesia
- ☐ New Zealand
- ☐ Phillipines
- ☐ Qatar
- ☐ Singapore
- ☐ South Africa
- ☐ Sri Lanka
- ☐ Turkey
- ☐ UAE
- ☐ United King...
- ☐ United States


Restaurant Count by Country



Restaurant Count by Rating Category




Restaurant Count by Has_Table_booking



Restaurant Count by Has_Online_delivery



Restaurant Count by Cuisines



Zomato Restaurant Insights

[Download PPT](#)


Total Restaurant
9,471

Average Rating
2.881

Average Cost for Two
1,209



Count of Restaurants by
Price range

Restaurant Distribution by Country




© 2026 Mapbox © OpenStreetMap


Count of Restaurants by City




Count of Restaurants by Rating




Percentage of Restaurants by Online Delivery Availability




Count of Restaurants by Cuisine



Count of Restaurants by Rating



Percentage of
Restaurants by booking



SQL Queries

```
4  ----- Q1. Build a Country Map Table -----
5  • CREATE TABLE Country_Map (
6      CountryCode INT,
7      CountryName VARCHAR(100)
8  );
9  • INSERT INTO Country_Map VALUES
10 (1,'India'),
11 (14,'Australia'),
12 (30,'Brazil'),
13 (37,'Canada'),
14 (94,'Indonesia'),
15 (148,'New Zealand'),
16 (162,'Philippines'),
17 (166,'Qatar'),
18 (184,'Singapore'),
19 (189,'South Africa'),
20 (191,'Sri Lanka'),
21 (208,'Turkey'),
22 (214,'UAE'),
23 (215,'United Kingdom'),
24 (216,'United States');
25 • select * from Country_Map;
```

Result Grid		Filter Rows:
	CountryCode	CountryName
▶	1	India
	14	Australia
	30	Brazil
	37	Canada
	94	Indonesia
	148	New Zealand
	162	Philippines
	166	Qatar
	184	Singapore
	189	South Africa
	191	Sri Lanka
	208	Turkey
	214	UAE
	215	United Kingdom
	216	United States

- A Country Map table is created with CountryCode and CountryName
- Different countries are inserted with their unique codes
- Each country is linked to a specific numeric ID
- The table stores mapping between country code and country name
- Final output displays all countries with their corresponding codes



----- Q2 Create Calendar Table -----

```
CREATE TABLE Calendar_Table (
    DateKey DATE,
    Year INT,
    MonthNo INT,
    MonthFullName VARCHAR(20),
    Quarter VARCHAR(2),
    YearMonth VARCHAR(10),
    WeekdayNo INT,
    WeekdayName VARCHAR(20),
    FinancialMonth VARCHAR(5),
    FinancialQuarter VARCHAR(3)
);
```

- This table stores detailed date information like year, month, quarter, and weekday
- It helps to analyze restaurant data based on time, like monthly and yearly trends
- It also includes financial month and quarter, which helps in business-related analysis

	DateKey	Year	MonthNo	MonthFullName	Quarter	YearMonth	WeekdayNo	WeekdayName	FinancialMonth	FinancialQuarter
▶	2013-09-21	2013	9	September	Q3	2013-Sep	7	Saturday	FM6	FQ2
	2016-09-10	2016	9	September	Q3	2016-Sep	7	Saturday	FM6	FQ2
	2018-09-25	2018	9	September	Q3	2018-Sep	3	Tuesday	FM6	FQ2
	2018-09-06	2018	9	September	Q3	2018-Sep	5	Thursday	FM6	FQ2
	2013-09-17	2013	9	September	Q3	2013-Sep	3	Tuesday	FM6	FQ2
	2018-09-03	2018	9	September	Q3	2018-Sep	2	Monday	FM6	FQ2
	2011-09-16	2011	9	September	Q3	2011-Sep	6	Friday	FM6	FQ2
	2014-09-21	2014	9	September	Q3	2014-Sep	1	Sunday	FM6	FQ2
	2012-09-09	2012	9	September	Q3	2012-Sep	1	Sunday	FM6	FQ2
	2012-09-24	2012	9	September	Q3	2012-Sep	2	Monday	FM6	FQ2
	2014-09-20	2014	9	September	Q3	2014-Sep	7	Saturday	FM6	FQ2
	2013-08-10	2013	8	August	Q3	2013-Aug	7	Saturday	FM5	FQ2
	2010-08-20	2010	8	August	Q3	2010-Aug	6	Friday	FM5	FQ2
	2017-08-24	2017	8	August	Q3	2017-Aug	5	Thursday	FM5	FQ2
	2013-08-15	2013	8	August	Q3	2013-Aug	5	Thursday	FM5	FQ2
	2010-08-24	2010	8	August	Q3	2010-Aug	3	Tuesday	FM5	FQ2
	2015-08-13	2015	8	August	Q3	2015-Aug	5	Thursday	FM5	FQ2
	2011-08-24	2011	8	August	Q3	2011-Aug	4	Wednesday	FM5	FQ2
	2017-08-21	2017	8	August	Q3	2017-Aug	2	Monday	FM5	FQ2
	2012-08-09	2012	8	August	Q3	2012-Aug	5	Thursday	FM5	FQ2



----- Q3. Number of Restaurants by City and Country -----

```
DESC Restaurants;
SELECT
    c.CountryName,
    r.City,
    COUNT(DISTINCT r.RestaurantID) AS Total_Restaurants
FROM Restaurants r
JOIN Country_Map c
ON r.CountryCode = c.CountryCode
GROUP BY c.CountryName, r.City
ORDER BY Total_Restaurants DESC;
```

----- Q4. Restaurants Opening by Year, Quarter, Month -----

```
SELECT
    YEAR(Datekey_Opening) AS Year,
    CONCAT('Q', QUARTER(Datekey_Opening)) AS Quarter,
    MONTH(Datekey_Opening) AS MonthNo,
    MONTHNAME(Datekey_Opening) AS Month,
    COUNT(*) AS Total_Restaurants
FROM Restaurants
GROUP BY
    Year, Quarter, MonthNo, Month
ORDER BY
    Year, Quarter, MonthNo;
```

- Combines city and country data
- Counts restaurants and shows highest first
- Gets year, quarter, and month from date
- Counts openings and shows in order



----- Q5 Restaurants count by Rating -----

```
SELECT
  CASE
    WHEN Rating IS NULL THEN 'No Rating'
    WHEN Rating = 0 THEN 'Zero Rating'
    ELSE ROUND(Rating,1)
  END AS Rating_Group,
  COUNT(*) AS Total_Restaurants
```

```
FROM Restaurants
GROUP BY Rating_Group
ORDER BY Rating_Group DESC;
```

---- Q6: Bucket Restaurants by Average Price ----

```
SELECT 'Low' AS Price_Bucket, COUNT(*) AS Total_Restaurants
```

```
FROM Restaurants
```

```
WHERE Average_Cost_for_two < 1000
```

```
UNION ALL
```

```
SELECT 'Medium', COUNT(*)
```

```
FROM Restaurants
```

```
WHERE Average_Cost_for_two BETWEEN 1000 AND 3000
```

```
UNION ALL
```

```
SELECT 'High', COUNT(*)
```

```
FROM Restaurants
```

```
WHERE Average_Cost_for_two > 3000;
```

- Groups ratings into categories like No Rating, Zero Rating, and others
- Counts how many restaurants fall into each rating group
- Divides restaurants into Low, Medium, and High price ranges based on cost
- Counts how many restaurants are in each price category



---- Q7. Percentage of Restaurants based on "Has_Table_booking" ----

```
SELECT
    Has_Table_booking,
    COUNT(*) AS Restaurant_Count,
    ROUND(COUNT(*) * 100.0 / (SELECT COUNT(*) FROM Restaurants), 2) AS Percentage
FROM Restaurants
GROUP BY Has_Table_booking;
```

----- Q8. Percentage of Restaurants based on "Has_Online_delivery" -----

```
SELECT
    Has_Online_delivery,
    COUNT(*) AS Restaurant_Count,
    ROUND(COUNT(*) * 100.0 / (SELECT COUNT(*) FROM Restaurants), 2) AS Percentage
FROM Restaurants
GROUP BY Has_Online_delivery;
```

- Groups restaurants by whether they have table booking or not
- Counts them and calculates percentage out of total restaurants
- Groups restaurants by whether they offer online delivery or not
- Counts them and calculates percentage out of total restaurants



----- Q9.Develop Charts based on Cusines, City, Ratings -----

----- 1.Restaurants by Cuisines -----

```
SELECT
    Cuisines,
    COUNT(*) AS Restaurant_Count
FROM Restaurants
GROUP BY Cuisines
ORDER BY Restaurant_Count DESC;
```

----- 2.Restaurants by City -----

```
SELECT
    City,
    COUNT(*) AS Restaurant_Count
FROM Restaurants
GROUP BY City
ORDER BY Restaurant_Count DESC;
```

----- 3. Restaurants by Ratings -----

```
SELECT
    ROUND(Rating,1) AS Rating,
    COUNT(*) AS Restaurant_Count
FROM Restaurants
GROUP BY ROUND(Rating,1)
ORDER BY Rating DESC;
```

- Counts how many restaurants are there for each cuisine, city, and rating
- Groups the data separately by cuisine, city, and rating values
- Sorts results from highest to lowest to easily create charts



Restaurant Performance & Profitability

- ◆ **Identify Underperforming Restaurants:** Compare ratings, reviews, and sales data to detect struggling locations.
- ◆ **Cost & Profit Analysis:** Track expenses, food costs, and delivery charges to optimize pricing strategies.
- ◆ **Most Profitable Cuisines & Dishes:** Identify high-margin cuisines and promote them accordingly.

Business Growth Strategy

- ◆ **Franchise & Expansion Strategy:** Identify high-potential cities/countries for launching new branches.
- ◆ **Strategic Marketing Plan:** Use historical trends to optimize advertising budgets and promotions.
- ◆ **Delivery & Logistics Optimization:** Improve delivery efficiency by analyzing delivery times and costs.



CONCLUSION

- The Zomato restaurant analysis helps us understand how restaurants perform based on factors like location, ratings, cost, and services like online delivery and table booking.
- From the analysis, we can see that restaurants with higher ratings and good services attract more customers. Areas with more restaurants also show higher competition.
- Online delivery has become an important feature, as many customers prefer ordering food from home.
- Overall, this analysis shows that customer preferences, service quality, and pricing strongly impact a restaurant's success. Businesses can use this data to improve their services and make better decisions.



Thank You

