


REST - Get country based on country code

Project Structure:



CountryController.java:

```
package orm_learn.controller;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RestController;
import orm_learn.model.Country;
import orm_learn.service.CountryService;

@RestController
public class CountryController {

    @Autowired
    private CountryService countryService;

    @GetMapping("/countries/{code}")
    public Country getCountry(@PathVariable String code) {
        return countryService.getCountry(code);
    }
}
```

```
}  
}
```

Country.java:

```
package orm_learn.model;  
public class Country {  
    private String code;  
    private String name;  
    public Country() {  
    }  
    public Country(String code, String name) {  
        this.code = code;  
        this.name = name;  
    }  
    public String getCode() {  
        return code;  
    }  
    public void setCode(String code) {  
        this.code = code;  
    }  
    public String getName() {  
        return name;  
    }  
    public void setName(String name) {  
        this.name = name;  
    }  
}
```

OrmLearnApplication.java:

```
package orm_learn;  
  
import org.springframework.boot.SpringApplication;  
import org.springframework.boot.autoconfigure.SpringBootApplication;  
@SpringBootApplication  
public class OrmLearnApplication {  
    public static void main(String[] args) {  
        SpringApplication.run(OrmLearnApplication.class, args);  
    }  
}
```

application.properties:

```
server.port=8083
```

CountryService.java:

```
package orm_learn.service;  
import org.springframework.stereotype.Service;  
import orm_learn.model.Country;  
@Service  
public class CountryService {  
    public Country getCountry(String code) {  
        Country country = null;  
        if(code.equalsIgnoreCase("IN")) {  
            country = new Country();  
        }  
    }  
}
```

```

        country.setCode("IN");
        country.setName("India");
    }
    else if(code.equalsIgnoreCase("US")) {
        country = new Country();
        country.setCode("US");
        country.setName("United States");
    }
    else if(code.equalsIgnoreCase("UK")) {
        country = new Country();
        country.setCode("UK");
        country.setName("United Kingdom");
    }
    return country;
}
}

```

country.xml:

```

<?xml version="1.0" encoding="UTF-8"?>
<countries>
  <country>
    <code>IN</code>
    <name>India</name>
  </country>
  <country>
    <code>US</code>
    <name>United States</name>
  </country>
  <country>
    <code>UK</code>
    <name>United Kingdom</name>
  </country>
</countries>


```

Output:

```

[ INFO] -----
[ INFO] BUILD SUCCESS
[ INFO] -----
[ INFO] Total time:  54.113 s
[ INFO] Finished at: 2026-07-13T16:03:15+05:30
[ INFO] -----

```



```

localhost:8083/countries/in

Pretty-print ☐

{"code": "IN", "name": "India"}

```