


Spring REST using Spring Boot 3 Assignment

Create a Spring Web Project using Maven

Objective

The objective of this assignment is to create a basic Spring Web project using Maven and understand the structure and configuration of a Spring Boot application.

1. Project Creation Using Spring Initializr



The screenshot shows the Spring Initializr web application interface. It is a dark-themed form for creating a new Spring project. The 'Project' section has radio buttons for 'Gradle - Groovy', 'Gradle - Kotlin', 'Maven' (selected), and 'Language' with 'Java' (selected), 'Kotlin', and 'Groovy'. The 'Spring Boot' section has radio buttons for '4.1.1 (SNAPSHOT)', '4.1.0' (selected), '4.0.8 (SNAPSHOT)', '4.0.7', and '3.5.16'. The 'Project Metadata' section has input fields for 'Group' (com.cognizant), 'Artifact' (spring-learn), and 'Package name' (com.cognizant.spring-learn). The 'Packaging' section has radio buttons for 'Jar' (selected) and 'War'. The 'Configuration' section has radio buttons for 'Properties' (selected) and 'YAML'. At the bottom, there are radio buttons for 'Java' with versions '26', '25', '21', and '17' (selected). The 'Dependencies' section on the right has a button 'ADD DEPENDENCIES... CTRL + B' and two dependency cards: 'Spring Boot DevTools' (DEVELOPER TOOLS) and 'Spring Web' (WEB).

2. Build the Project

The project can be built using the Maven command specified in the assignment:

```
mvn clean package -Dhttp.proxyHost=proxy.cognizant.com -  
Dhttp.proxyPort=6050 -Dhttps.proxyHost=proxy.cognizant.com -  
Dhttps.proxyPort=6050 -Dhttp.proxyUser=123456
```

3. SpringLearnApplication.java

```
package com.cognizant.springlearn;
```

```
import org.slf4j.Logger;
```

```
import org.slf4j.LoggerFactory;
```

```
import org.springframework.boot.SpringApplication;
```

```
import org.springframework.boot.autoconfigure.SpringBootApplication;
```

```
@SpringBootApplication
```

```
public class SpringLearnApplication {
```

```
    private static final Logger LOGGER =
```

```
        LoggerFactory.getLogger(SpringLearnApplication.class);
```

```
    public static void main(String[] args) {
```

```
        SpringApplication.run(SpringLearnApplication.class, args);
```

```
        LOGGER.info("Inside main");
```

```
    }
```

```
}
```

4.pom.xml

```
<dependency>
```

```
    <groupId>org.springframework.boot</groupId>
```

```
    <artifactId>spring-boot-starter-web</artifactId>
```

```
</dependency>
```

```
<dependency>
```

```
    <groupId>org.springframework.boot</groupId>
```

```
    <artifactId>spring-boot-devtools</artifactId>
```

```
    <scope>runtime</scope>
```

```
    <optional>true</optional>
```

```
</dependency>
```

<dependency>

 <groupId>org.springframework.boot</groupId>

 <artifactId>spring-boot-starter-test</artifactId>

 <scope>test</scope>

</dependency>