

RNA22 v2 results

Results have been computed and are shown below. If there are no results shown, it means your chosen parameters yielded no results.
Note: The p-value represents the likelihood that the target site loci is random. That is, a lower p-value represents a greater chance that the loci contains a valid MRE

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	180	-6.60	AATGTGTTAACTACTGATTCT : : : : TTGATATGTTAGATGATGGAGT	6.98E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	272	-8.30	ATGATCATAATCAGCCATACCACA : : TTGATATGTTAGATG--ATGGAGT	3E-6
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1171	-13.10	AAGTATGCAAAGCATGC-ATCTCA : : : TTGATATGTT--AGATGATGGAGT	1.33E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1243	-13.10	AAGTATGCAAAGCATGC-ATCTCA : : : TTGATATGTT--AGATGATGGAGT	1.33E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2360	-9.00	TTCTATGAAAGGTT--GGGCTTCG : :: : : : : TTGATAT--GTTAGATGATGGAGT	7.15E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2748	-8.40	TTTAGATTGATTTAAACTTCA : : : TTGATATGTTAGATGATGGAGT	1.8E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3076	-14.60	CTCTGTAGCACCGCTACACCTCG : : TTGATAT-GT--TAGATG-ATGGAGT	1.77E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3378	-6.60	GGGGAACG-CCTGGATCTTT : : : : : TTGATATGTTAGATGATGGAGT	8.09E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3403	-8.40	TCCTGTGGGTTTCGCCACTCT :: : : TTGATATGTTAGA-TGATGGAGT	7.15E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3529	-8.10	TGCT-CACATGTTCTTCTCGCTTA : : : TTGATATGT--TAGA--TGATGGAGT	1.89E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4076	-14.90	TTCTGGACGTCTACTACCACA : TTGATATGTTAGATGATGGAGT	2.08E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4198	-9.00	AGGCAAGCAG--GGCAACTTCA : : : : TTGATATGTTAGATGATGGAGT	1.12E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4815	-14.60	AGCTGAACGACCTG-TGCTTCA : : : : : TTGATATGTTAGATGATGGAGT	7.31E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4838	-10.70	AACGTGTACG-CCGACAGCTTCG : : : : TTG-ATATGTTAGATGATGGAGT	7.31E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5108	-13.10	GCAGGCGTGAACCTGCTACTTCC : : : : TTGATATGTTAGATGATGGAGT	1.62E-2
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5205	-13.40	AACTGCTGCATGCCCTGCCACA : : TTGAT-ATGTTAGATGATGGAGT	7.98E-2
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5794	-5.80	CGCTAT-C-CCCACCAACTTCA : : TTGATATGTTAGATGATGGAGT	1.72E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5903	-12.30	TGCT--CCAACCTGCTGCTGCA : : : TTGATATGTTAGATGATGGAGT	3.47E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6028	-7.92	GACCCCTCCTATCAAGTACTTCG : : : TTG-ATATGTTAGATGATGGAGT	1.86E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6138	-9.50	CACTGGCCGA-CGCCGGCTTCA : : TTGATATGTTAGATGATGGAGT	3.01E-1
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7565	-7.10	CCAGGTAT--GCTCCACCTCC : : TTGATATGTTAGATGATGGAGT	8.61E-3
hsa_let_7a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7585	-8.20	ACCTGCCCACTC-ACCACCTCT : TTGAT-ATGTTAGATGATGGAGT	8.61E-3
hsa_miR_101_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	182	-8.00	TGTGTTAACTACTGATTCTAATTG :: : : : TCGTAGT--CGTGAC-ACTATTGAC	6.98E-1
hsa_miR_101_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3251	-7.50	TACACCG-AACTGAGATACCTA : TCGTAGTCGTGACACTATTGAC	2.61E-1
hsa_miR_101_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4418	-18.20	AGCAGCAGCGGATG-GACAGCTG : : TCGTAGTCGT-GACACTATTGAC	7.75E-2
hsa_miR_101_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6481	-15.00	AGCA--AGCGCCCTGGGAAGCTG : : TCGTAGTCGTG--ACACTATTGAC	1.31E-2
hsa_miR_101_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6730	-8.30	GGC--CGCCACCAAGATGTCTG : : TCGTAGTCGTGACACTATTGAC	3.98E-1
hsa_miR_101_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7293	-10.70	GGCCCTGGTAC--ATCTGGCTG : : : : TCGTAGTCGTGACACTATTGAC	5.62E-1
hsa_miR_101_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7467	-12.60	TGCA-CTACAC-ATGATGACTC : TCGTAGTCGTGACACTATTGAC	3.18E-3
hsa_miR_101_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7497	-13.90	TGCAT--GCACGCAATGCTAGCTG : TCGTAGTCGTG--ACACTATTGAC	4.6E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	258	-12.30	CTCACAGTCTGTTCATGATCATA : :	3E-6

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
				TAGTTCAGGCGA - CACTTGTGC	
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	940	-14.90	TTAATGCGCCGCTACAGGCGCG :: TAGTTCAGGCGA - CACTTGTGC	3.62E-2
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1590	-15.70	GCCGTGTCCGCTGTGACGCGA :: TAGTTCAGGC - GACACTTGTGC	7.72E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1957	-9.00	ATC - TGG - ACG - -AAGAACATC : TAGTTCAGGCGACACTTGTGC	3.92E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2052	-9.30	GGCGATGCTGCTGCCGAATATC : :: :: TAGTTCAGGCGA - C - ACTTGTGC	7.86E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2127	-14.10	GTGGCGGACCGCTATCAGGACATA : : :: TAGTTCAGGCGA - - CACTTGTGC	5.55E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2162	-8.40	CCGTGATATTGCTGAAGAACTTG :: : TAGTTCAGGCGAC - ACTTGTGC	5.55E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2546	-12.80	GTTGGGTCGTTTGTTCATAAACGCG : : ::: :: TAGTTC - - CAGGCGA - CACTTGTGC	8.12E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2584	-10.60	GGGCTGGCACTCTGTCGATACC ::: TAGTTCAGGCGACACTTGTGC	5.2E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2665	-14.30	CCCAAG - TTCG - GGTGAAGGCC :: : TAGTTCAGGCGACACTTGTGC	1.72E-2
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2779	-11.60	TAAAAGGATCT - AGGTGAAGATC : : TAGTTCC - AGGCGACACTTGTGC	6.92E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3000	-9.10	TAAGTGGCTTCAGC - -AGAGCGCA : :: TAGTTCC - AGG - CGACACTTGTGC	1.74E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3338	-15.50	GGCAGGGTCGGAACAGGAGAGCG :: : : TAGTTCAGGC - GACACTTGTGC	7.94E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4203	-8.50	AGCAGGG - CAAGTCAAGAACTG :: : TAGTTCAGGCGA - - CACTTGTGC	1.12E-1
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6489	-11.90	CCCTGGGAAAGCTGCAGGACGTG : ::: TAGTTCAGGCGAC - ACTTGTGC	1.31E-2
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6518	-10.90	CACAATGCCAGGCACTGAACACC TAGTTCAGG - - CGACACTTGTGC	1.31E-2
hsa_miR_124_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7427	-12.60	GACGAGG - ACGATTCTGAGCCCG :: : TAGTTCAGGC - GACACTTGTGC	8.01E-1
hsa_miR_125b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	807	-11.10	CCCCGATTTAGAGCTTGACGGGGA : : AGTGTTCAATC - CCAG - AGTCCCT	7.79E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
hsa_miR_125b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	960	-15.90	GCGTCAGGTGGCACTTTTCGGGA : : : : : : AGT-GTTCA-ATCCCAGAGTCCCT	3.62E-2
hsa_miR_125b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2278	-14.00	TC-TGAG--CGGGACTCTGGG : : : : : : AGTGTTCATCCAGAGTCCCT	5.75E-1
hsa_miR_125b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2567	-15.50	CGCGGGGT-CGGTCCAGGGC : : : : : : AGTGTTCATCCAGAGTCCCT	5.2E-1
hsa_miR_125b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3360	-20.10	GCACGAGGGAGCTTC-CAGGGG : : : : : : AGTGTTCATCCAGAGTCCCT	7.94E-1
hsa_miR_125b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4849	-10.70	CGACAGCTTCGTGATC-CGGGA : : : : : : AGTGTTCATC-CCAGAGTCCCT	7.31E-1
hsa_miR_126_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2061	-12.60	TGCTTGCCGAATATCATGGT : : : : : : GCGCATGGTTTTCATATTAC	7.86E-1
hsa_miR_126_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2150	-10.80	AGCGTTGGCTACCGTGATATTG : : : : : : GCGCA--TGGTTTTCATATTAC	5.55E-1
hsa_miR_126_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3432	-7.70	AGCGT--CGATTTTGTGATG : : : : : : GCGCATGGTTTTCATATTAC	7.15E-1
hsa_miR_126_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7329	-10.00	TGATTGCCA-TCGTGATGGT : : : : : : GCGCATGGTTTTCATATTAC	1.95E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1475	-6.60	AGGATGTTTC--GCATATTGAAC : : : : : : TCC--CTAAGGACCTTTTGACCTG	4.47E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1869	-6.20	CCGGCTACCTG--CCCATCGAC : : : : : : TCCCTAAGGACCTTTTGACCTG	6.98E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2165	-10.10	TGATATTGCTG-AAGAACTGGC : : : : : : TCCCTAAGGACCTTTTGACCTG	5.55E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2269	-11.00	ACGAGTTCCT--CTGAGCGGAC : : : : : : TCCCTAAGGACCTTTTGACCTG	5.75E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2355	-9.20	CCGCCTTCTATG-AAAGTTGGG : : : : : : TCCCTAAGG-ACCTTTTGACCTG	7.15E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3189	-8.90	AGG--CGCAGCGTCGGGCTGAAC : : : : : : TCCCTAAG-GACCTTTTGACCTG	7.89E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3879	-5.20	ATGG-CACC--AAGAGATCGAC : : : : : : TCCCTAAGGACCTTTTGACCTG	5.89E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5387	-10.90	AGAGAT-CCCCAGA-CACTGGAA : : : : : : TCCCTAAGGACCTTTTGACCTG	5.24E-2
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5487	-11.70	TGCTGTACCAGGCGTGAAGTGTAC : : : : : :	7.89E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
				TCCCTAAGGACCC--TTTGTGACCTG	
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6590	-21.20	AACGATATCCTGAGCAGACTGGAC : TCCCTA-AGGACCCCTTTGACCTG	7.41E-2
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6739	-15.20	CAAGATGTCGAGTGTGTGCTGGGC : : TCCCTAAGGAC-C-CTTTTGACCTG	3.98E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7095	-15.30	ACAGCTTCAAAGAGAACTGGAC : TCCCTAAGGACCCCTTTGACCTG	1.14E-1
hsa_miR_145_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7246	-15.60	CCTGATCGACCTGCAAGAACTGGGG : : TCCCTA--AGGACCCCTTTGACCTG	7.15E-1
hsa_miR_15a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	353	-5.50	CATAAA-ATGAATGCAATTGTTG : : : : GTGTTTGGTAATAC-ACGACGAT	3.13E-2
hsa_miR_15a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3113	-15.80	CTGTTACCA--GTG-GCTGCTG : : GTGTTTGGTAATACACGACGAT	1.77E-1
hsa_miR_15a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4467	-9.76	TGCAGCCTAGAACCTTCTGCTG : : : : GTGTTTGGT-AATACACGACGAT	3.52E-2
hsa_miR_15a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5903	-13.00	TGC--TCCA--ACCTGCTGCTG : : GTGTTTGGTAATACACGACGAT	3.47E-1
hsa_miR_15a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7399	-12.80	TTGTAGCTGT-GGCAGTGCTG : : : GTGTTTGGTAATACACGACGAT	6.02E-1
hsa_miR_15a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7624	-7.80	CCCAAGCAGCGACAATGCAGCTC : : GTGTTTG-GT-AATACACGACGAT	8.61E-3
hsa_miR_15b_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	179	-5.10	TAATGTGTTAACTACTGATTCT : : ATCTCGTCGTTT-ATTACTAAGC	6.98E-1
hsa_miR_15b_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2279	-14.60	CTGAGCGGGACTCTGGGGTTCTG : : ATCTCGTCGTTTATTACTAAGC	5.75E-1
hsa_miR_15b_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4848	-9.30	CCGA-CAGC--TTCGTGATCCG : ATCTCGTCGTTTATTACTAAGC	7.31E-1
hsa_miR_15b_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5570	-14.60	ACCGGCAGCAA--TGTGTTTCA : : ATCTCGTCGTTTATTACTAAGC	1.66E-1
hsa_miR_15b_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6191	-7.90	GCCGCCAGGGA--TCTGATTTG : : ATCTCGTCGTTTATTACTAAGC	8.1E-1
hsa_miR_15b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3114	-17.40	TGT-TACCA--GTG-GCTGCTG : : ACATTTGGTACTACACGACGAT	1.77E-1
hsa_miR_15b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5412	-6.40	TGGACATCACCCCTTGACGCTT : ACATTTGGTACTACACGACGAT	7.1E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
hsa_miR_15b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5901	-14.70	AGTGCTCCA--ACCTGCTGCTG : : ACATTGGTACTACACGACGAT	3.47E-1
hsa_miR_15b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6273	-8.60	AGTA-CACAT-CTGCCCTGCTG : ACATTGGTACTACACGACGAT	1.83E-1
hsa_miR_15b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6534	-10.10	TGAACACCCCTGGTCAAGCAGCTG : : ACATTGGTACTA-CACGACGAT	1.31E-2
hsa_miR_15b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7359	-17.30	TGTGTTGCATGACCAGCTGCTG : : ACATTGGTACTACACGACGAT	1.95E-1
hsa_miR_15b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7400	-17.70	TGTAG-CTGTGG-CAGCTGCTG : : : : : ACATTGGTACTACACGACGAT	6.02E-1
hsa_miR_16_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	932	-14.80	CGCCGCGCTTAATGCGCCGCTA : : GCGGTTATAAATGCACGACGAT	3.62E-2
hsa_miR_16_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1559	-12.44	GGCACAACAGACAATCG-GCTGCTC GCG-GTT--ATAAATGCACGACGAT	2.26E-1
hsa_miR_16_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3087	-14.73	CGCTACATACCTCGCTGCTA GCGG-TTATAAATGCACGACGAT	1.77E-1
hsa_miR_16_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3434	-14.50	CGTCGAT--TTTTGTGATGCTC : : : GCGGTTATAAATGCACGACGAT	7.15E-1
hsa_miR_16_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3493	-12.10	GGCC--TTTTACG-GTTCCTG : : GCGGTTATAAATGCACGACGAT	7.86E-1
hsa_miR_16_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3675	-14.60	TGTTCTGTCTCTGGTGCTGCTG : : : GCGGTTATAA-ATGCACGACGAT	4.04E-1
hsa_miR_200a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3017	-10.00	GCGCAGATACCAAACTGTTC : : : TGTAGCAATGGTCTGTCACAAT	1.74E-1
hsa_miR_200a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7344	-9.80	TGGTCACAATCATGCTGTGTTG : : : : TGTAGCAATGGTCTGTCACAAT	1.95E-1
hsa_miR_200a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1483	-8.99	TTC-GCATGATTGAACAAGATG : : AGGTCGTGACAGGCCATTCTAC	4.47E-1
hsa_miR_200a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1935	-16.10	GCCGGCTTGTGATCAGGATG : : : : AGGTCGTGACAGGCCATTCTAC	3.92E-1
hsa_miR_200a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3248	-7.40	ACCTACACCGAAC--TGAGATA : AGGTCGTGACAGGCCATTCTAC	2.61E-1
hsa_miR_200a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6727	-13.60	TCTGGC-C--GCCACCAAGATG AGGTCGTGACAGGCCATTCTAC	3.98E-1
hsa_miR_200b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1935	-14.30	GCCGGCTTGTGATCAGGATG : : : :	3.92E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
				AGGTTACGACGGTCATTCTAC	
hsa_miR_200b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2278	-8.60	TCTGA-GCGGGACTCTGGGGTT :: : AGGTTACGACGGTCATTCTAC	5.75E-1
hsa_miR_200b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5981	-10.20	GACAAGAACACCA-AGAGGTG : : AGGTTACGACGGTCATTCTAC	1.86E-1
hsa_miR_200b_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6727	-13.60	TCT--GGCCGCC-ACCAAGATG : AGGTTACGACGGTCATTCTAC	3.98E-1
hsa_miR_205_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	751	-10.30	CAAGTTT-TTGGGTCGAGGT : :: :: : GTCTGAGGCCACCTTACTTCCT	2.02E-1
hsa_miR_205_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	837	-10.60	GCGAACGTGCGAGAAAGGAAGGG : : GTCTGAGGCCAC-CTT-ACTTCCT	4.74E-1
hsa_miR_205_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2111	-16.00	CTGTGCGCGCTGGGTGTGGCGGA : : : GTCTGAGGCC-ACCT-TACTTCCT	5.55E-1
hsa_miR_205_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4529	-11.30	TGTGCTCTGGATCCTCTGAGCGA : : GTCTGAGGCC-ACCTTACTTCCT	2.41E-1
hsa_miR_205_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6577	-11.00	CAG-CTCTG-TG--CTGAACGA : GTCTGAGGCCACCTTACTTCCT	7.41E-2
hsa_miR_21_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2425	-11.10	GGATCTCAT--GCTGGAGTTC : : TGTCGGGTAGCTGACCACAAC	6.68E-1
hsa_miR_21_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3774	-14.50	ACTACCC--CGACAAGGTGTTTC TGTCGGGTAGCTG-ACCACAAC	4.28E-1
hsa_miR_21_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5173	-22.70	CCAGCCCTACAGAGTGGTGGTG TGTCGGG-TAGCTGACCACAAC	4.54E-1
hsa_miR_21_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1385	-11.70	GCCGCCTCGGCT-CTGAGCTA : : : AGTTGTAGTCAGACTATTCGAT	6.8E-1
hsa_miR_21_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2354	-5.40	GCCGCCTTC--TATGAAAGGTTG : : : AGTTG-TAGTCAGACTATTCGAT	7.15E-1
hsa_miR_21_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2569	-11.10	CGGGGTTCGGTC-CCAGGCTG : :: : AGTTGTAGTCAGACTATTCGAT	5.2E-1
hsa_miR_21_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3140	-7.70	GATAAGTCGTGCTTACCGGTTG : : : : AGTTGTAGT-CAGA-CTATTCGAT	8.09E-1
hsa_miR_21_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6479	-12.90	ACAGCAAGCGCCTGGGAAAGCTG : : : : AGTTGT-AGTCAGACT-ATTCGAT	1.31E-2
hsa_miR_21_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6792	-13.50	AGGGCTACCACCTGATGAGCTT :: : AGTTGTAGTCAGACTATTCGAT	4.74E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
hsa_miR_21_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7705	-10.80	TAAACGAAAGTTTAACTAAGCTA : AGTTGTAGTCAGA-CTATTCGAT	7.41E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	971	-10.40	CACTTTTCGGGAAATGTGCGCG : : : TTGAGTCGAACAGTT-TATGTGC	3.62E-2
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2726	-12.80	GCCTCAGGTTACTCATATATACT : TTGAGTCGAA-CAGTTTATGTGC	1.8E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3274	-7.70	GCGTGAGCTATG-AGAAAGCGCC : : : TTGAGTCGA-ACAGTTTATGTGC	6.92E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3610	-8.50	GACTCA-CTATAAGAAATAA : : TTGAGTCGAACAGTTTATGTGC	2.05E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4137	-10.80	ACAGCAGCGCCAACTGCACC : TTGAGTCG-AACAGTTTATGTGC	1.89E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4226	-5.70	CGC-GAGTTCGTGTTAAGAATC : : : : : TTGAGTCG--AACAG-TTTATGTGC	8.13E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4542	-13.00	CTCTGAGCGAGACAAAGTCACC : : TTGAGTCG-AACAGTTTATGTGC	2.41E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4615	-7.80	GGTGCAGCCACCGAATCCATC : TTGAGTCGAACAGTTTATGTGC	2.41E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5536	-13.90	CGATCAGCT-GACACCTACATG : TTGAGTCGAACAGTTTATGTGC	6.87E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5699	-5.60	CAC-CGGAGAGCCAGAAGCTG : : : : TTGAGTCGAACAGTTTATGTGC	6.3E-2
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5856	-10.70	AGACCAGC--GTGGACTGCACC : : TTGAGTCGAACAGTTTATGTGC	2.97E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6004	-6.40	CGCCCAAGTGAAGCAGATCTACA : : : : TTG-AGTCGAACAGTTTATGTGC	1.86E-1
hsa_miR_223_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7283	-7.30	TACATCAAGTGCCCTGGTACATC : : : TTG-AGT-CGAACAGTTTATGTGC	5.62E-1
hsa_miR_29a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3433	-12.60	GCGTCGATTTT-TGTGATGCTC : : : ATTGGCTAAAGTCTACCACGAT	7.15E-1
hsa_miR_29a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3675	-13.20	TGTTCTGTGTC--CTGGTGCTG : : ATTGGCTAAAGTCTACCACGAT	4.04E-1
hsa_miR_29a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4743	-13.09	TGGCCGA--CTACTCCGTGCTG : : ATTGGCTAAAGTCTACCACGAT	7.82E-1
hsa_miR_29a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5174	-17.09	CAGCCCTACAGAGTGGTGCTG : : :	4.54E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
				ATTGG--CTAAAGTCTACCACGAT	
hsa_miR_29a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5295	-15.50	TGACCGGCACCGG--CGTGCTG : : : : : : ATTGGCTAAAGTCTACCACGAT	6.49E-2
hsa_miR_29a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	266	-10.20	CTGTTCATGA-TCATAATCAGC : : : : GACTTGTGGTTTCTTTAGTCA	3E-6
hsa_miR_29a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1182	-10.00	GCATGCATCTCAATTAGTCAGC : : : : : : GACTTGTGGTTTCTTTAGTCA	1.33E-1
hsa_miR_29a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1254	-9.60	GCATGCATCTCAATTAGTCAGC : : : : : : GACTTGTGGTTTCTTTAGTCA	1.33E-1
hsa_miR_29a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1929	-10.50	ATGGAAGCCGGTCTTGTGATCAGG : : : : : GACTTGTGGT--TTC-TTTAGTCA	3.92E-1
hsa_miR_29a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4713	-14.30	CCTGGAACCGAAGCGGATCAGC : : : : : GACTTGTGGTTTTC-TTTAGTCA	7.82E-1
hsa_miR_29a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6679	-11.70	CGTGAC-CCAGAGCTGATCAGA : : : : : GACTTGTGGTTTTC-TTTAGTCA	3.86E-1
hsa_miR_339_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1596	-14.60	TTCCGGCTGT--CAGCGAGGGG : : : : : : GCACTCGAGGACCTCCTGTCCCT	7.72E-1
hsa_miR_339_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3353	-19.80	GGAGAGCGCAGGGGAGCTTCCAGGGG : : : : GCACTCG-AGG--ACCTC--CTGTCCCT	7.94E-1
hsa_miR_339_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4849	-16.10	CGACAGCTTCGTGA-TCCGGGA : : : : : GCACTCGAGGACCTCCTGTCCCT	7.31E-1
hsa_miR_339_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6178	-13.80	TCTGGGCGACATTG-CCGCCAGGGA : : : : : GCACTCG--AGGACCTCCTGTCCCT	8.15E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	105	-12.50	TCCGCC-GTT-TAACATCGCCC : : : : : TGTTGGTCGATTCTGTGACGGT	3.8E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	187	-7.40	TAAACTA-CTGATTCTAATTGTTT : : : : : TGTTGGTCGATT--CTGTGACGGT	6.98E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	512	-5.40	TGTAAGCGTTAATATTTGTTA : : : : : TGTTGGTCGATTCTGTGACGGT	6.92E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	534	-5.10	AAATTCGCGTTAAATTTTGTTA : : : : : : TGTTGGT-CGATTCTGTGACGGT	6.92E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	930	-15.10	CCCGCCGCGCTTAATGCGCGGCTA : : : : : : TGTTGGT-CGA-TTCTGTGACGGT	3.62E-2
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1267	-9.20	TTAGTCAGC--AACCATAGTCC : : : : TGTTGGTCGATTCTGTGACGGT	1.33E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1983	-14.60	GCG-CCAGC--CGA-ACTGTTCT : : : TGTTGGTCGATTCTGTGACGGT	3.92E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2189	-12.60	CGAATGGGCTGA-CCGCTTCCT : : : : TGTTGGTCGATTCTGTGACGGT	7.92E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2233	-11.90	CCGATTTCGC-AGCGCATCGCCT : : : : : TGTTGGTCGATTCTGTGACGGT	7.68E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2577	-14.90	GGTCCCAGGGCTGGCACTCTGTCG : : : TGTTGGT--CGATTCTGTGACGGT	5.2E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2704	-18.60	CGGGGCGGC--AGGCCCTGCCA :: : : TGTTGGTCGATTCTGTGACGGT	1.8E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2926	-8.60	GCAAAACAAAAAACCCGCTA : : TGTTGGTCGATTCTGTGACGGT	3.57E-2
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3014	-10.20	AGAGCGCAGATACCAAATACTGTTCT : : : TGTTG-GTC--GATTCTGTGACGGT	1.74E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3072	-12.70	AGAACT--CTGTAGCACCCT : : : TGTTGGTCGATTCTGTGACGGT	1.77E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3098	-10.30	CTCGCTCTGCTAA-TC-CTGTTA : : : TGTTGG-TCGATTCTGTGACGGT	1.77E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4362	-17.60	TCACCCGGTTTCAGACACTGCTG : : : TGTTGGTCGA-TTCTGTGACGGT	7.75E-2
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4671	-11.90	TCGACGAGGTG-TTCAATGCCA : TGTTGGTCGATTCTGTGACGGT	5.55E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4943	-19.10	TTCACCGCTGTGTGATTGCCT : : : TGTTGGTCGATTCTGTGACGGT	2.33E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5203	-13.80	CGAACT-GCTGCATGCCCTGCCA : : : TGTTGGTCGAT-TCTG-TGACGGT	7.98E-2
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5322	-15.50	GCAAC--AAGAAGTTCTGCCA : TGTTGGTCGATTCTGTGACGGT	6.49E-2
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5472	-19.30	GCAATCAGGT--GGCAGTGCTG : : : : TGTTGGTCGATTCTGTGACGGT	1.74E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5588	-13.80	CAGACCAG--AGCCGGCTGTCT : : : TGTTGGTCGATTCTGTGACGGT	1.66E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5721	-20.20	CCAGCCAG-AGCATCATTGCCT : : TGTTGGTCGATTCTGTGACGGT	3.31E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6057	-17.00	TCAATTCAGC-CAGATTCTGCCC : :	7.3E-2

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value 📈
				TGTTG--GTCGATTCTGTGACGGT	
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6537	-14.40	ACACCCCTGGTCAAGCAGCTGTCC : : : TGTTGG-TCGATTCTGTGACGGT	1.31E-2
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6702	-12.70	CCGCCGAGATTAGAGCCTCTGCCA : : TGTTGGTC-GATTCTG-TGACGGT	3.98E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7158	-16.40	GCGATATCAGCGGAATCAATGCCA : : : TGTTG--GTCGATTCTGTGACGGT	2.65E-1
hsa_miR_34a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7367	-24.30	ATGACCAGCTGCTGTAAGCTGCCT : : TGTTGGTCGAT-TCTGTGACGGT	1.95E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	277	-9.00	CATAAT-CAGC--CATACCACA : : TTGTTATGTTGAATGATGGAGT	3E-6
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	416	-6.92	AGCAATAGCA-TCACAAATTCA : : TTGTTAT-GTTGAATGATGGAGT	7.19E-2
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1171	-10.50	AAGTATGCAAAGCATGC-ATCTCA : : : TTGTTATGTT--GAATGATGGAGT	1.33E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	1243	-10.50	AAGTATGCAAAGCATGC-ATCTCA : : : TTGTTATGTT--GAATGATGGAGT	1.33E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2585	-7.40	GGC-TGGCACTCTGTCGATACCCCA :: : TTGTTATGT-TGA--ATGATGGAGT	5.2E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2748	-8.30	TTTAGATTGATTAAAATTCA : : : TTGTTATGTTGAATGATGGAGT	1.8E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3079	-11.90	TGTAGCACC6CCTACATACCTCG : : TTGTTATGTTGAATG-ATGGAGT	1.77E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3816	-8.20	CCCAGGACCTGTCTCTGCCTTT : : TTGTTATGTTGAATGATGGAGT	9.72E-2
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4161	-7.50	TCGAGTACGTGCCAGCCTTT : : : : TTGTTATGTTGAATGATGGAGT	7.68E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4199	-10.70	GGCAA-GCAG--GGCAACTTCA :: : : : TTGTTATGTTGAATGATGGAGT	1.12E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4589	-7.80	GGCATCTACCAGACCAACTTCC :: : : TTGT-TATG--TTGAATGATGGAGT	2.41E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4815	-11.30	AGCTGAACGACCTG-TGCTTCA : : : : TTGTTATGTTGAATGATGGAGT	7.31E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4838	-10.30	AACGTGTACG-CCGACAGCTTCG : : : : TTGT-TATGTTGAATGATGGAGT	7.31E-1

miR Name ▲	transcript name ↕	leftmost position of predicted target site ↕	folding energy (in -Kcal/mol) ↕	heteroduplex	p value ↕
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5109	-11.00	CAGGCGTGAAC-TGCTACTTCC : : TTGTTATGTTGAATGATGGAGT	1.62E-2
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5205	-9.40	AACTGCTGCATGCCCTGCCACA : : : : TTG-TTATGTTGAATGATGGAGT	7.98E-2
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5414	-13.70	GACATCACCCCTTGCAAGCTTCG : : : : : TTGTTATGTTGAATGATGGAGT	7.1E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5901	-11.70	AGTGCTCCAACCTGCTGTGCA : : : TTGTTATGTTGAATGATGGAGT	3.47E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6136	-9.80	GACACTGGCCGAC-GCCGGCTTCA : : : : : : TTGT-TATG-TTGAATGATGGAGT	3.01E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6228	-15.90	GAC-TGACA--GTGCTGCCTCC : : : : TTGTTATGTTGAATGATGGAGT	1.78E-2
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7080	-11.90	TGCAGCCCGAGCTGGACAGCTTCA : : : : : : TTGTTATG-TTGA-ATGATGGAGT	1.14E-1
hsa_miR_98_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	7583	-9.20	CCACCTGCCCACTCACCCTCT : TTGTTATG--TTGAATGATGGAGT	8.61E-3
hsa_miR_99a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2357	-15.40	GCCTTCTATGAAAGGTTGGCTTC : : : : : : GTCTGGGTAT-CTTCAGCTCGAAC	7.15E-1
hsa_miR_99a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	2988	-8.40	TTTTTCGAAGGTAAGTGGCTTC : : : : : : GTCTGGGTATCTTCAGCTCGAAC	1.74E-1
hsa_miR_99a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3354	-11.90	GAGAGCGCA-CGAGG--GAGCTTC : GTCTGG-GTATCTTCAGCTCGAAC	7.94E-1
hsa_miR_99a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6731	-12.90	GCCGCCACCAAGTGTCTGAGTGTG : : GTCTGG-GTATCTTCAG-CTCGAAC	3.98E-1
hsa_miR_99a_3p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	6792	-12.54	AGGGCTACCCTGATGAGCTTC : : : : : : GTCTGGGTATCTTCAGCTCGAAC	4.74E-1
hsa_miR_99a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	3139	-15.50	CGATAAGTCGTGCTTACCGGTT : GTGTTCTAGCCTAGA--TGCCCAA	8.09E-1
hsa_miR_99a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	4156	-5.40	CAC--CTTCG-A-GTACGTGTC GTGTTCTAGCCTAGATGCCCAA	7.68E-1
hsa_miR_99a_5p	OR134577.1 Pfizer bivalent expression vector BNT162b2, complete sequence	5564	-5.10	TACTCCACCGCAGCAATGTGT : : GTGTTCTAGCC-TAGATGCCCAA	1.66E-1



