

HTML Form

HTML Form Elements

- `<form>`
 - *form elements*
 - `</form>`

Elemen <input>

Type	Description
<code><input type="text"></code>	Defines a one-line text input field
<code><input type="radio"></code>	Defines a radio button (for selecting one of many choices)
<code><input type="submit"></code>	Defines a submit button (for submitting the form)

Contoh

- `<form>`
First name:`
`
`<input type="text" name="firstname">
`
Last name:`
`
`<input type="text" name="lastname">`
`</form>`
- `<form>`
`<input type="radio" name="gender" value="male" checked> Male
`
`<input type="radio" name="gender" value="female"> Female
`
`<input type="radio" name="gender" value="other"> Other`
`</form>`

- `<form action="/action_page.php">`
First name:`
`
`<input type="text" name="firstname" value="Mickey">
`
Last name:`
`
`<input type="text" name="lastname" value="Mouse">

`
`<input type="submit" value="Submit">`
`</form>`

<select> Element

```
<select name="cars">  
  <option value="volvo">Volvo</option>  
  <option value="saab">Saab</option>  
  <option value="fiat">Fiat</option>  
  <option value="audi">Audi</option>  
</select>
```

```
<select name="cars" size="4" multiple>  
  <option value="volvo">Volvo</option>  
  <option value="saab">Saab</option>  
  <option value="fiat">Fiat</option>  
  <option value="audi">Audi</option>  
</select>
```

<textarea> Element

```
<textarea name="message" rows="10" cols="30">
```

The cat was playing in the garden.

```
</textarea>
```

<button> Element

- `<button type="button" onclick="alert('Hello World!')">Click Me!</button>`

HTML Form Elements

- `<datalist>` Element
- `<output>` Element

HTML <datalist> Element

```
<form action="/action_page.php">  
  <input list="browsers">  
    <datalist id="browsers">  
      <option value="Internet Explorer">  
      <option value="Firefox">  
      <option value="Chrome">  
      <option value="Opera">  
      <option value="Safari">  
    </datalist>  
  </form>
```

HTML <output> Element

```
<form action="/action_page.php"
  oninput="x.value=parseInt(a.value)+parseInt(b.value)">
  0
  <input type="range" id="a" name="a" value="50">
  100 +
  <input type="number" id="b" name="b" value="50">
  =
  <output name="x" for="a b"></output>
  <br><br>
  <input type="submit">
</form>
```

HTML Input Types

- Input Type Text
- Input Type Password
- Input Type Submit
- Input Type Reset
- Input Type Radio
- Input Type Checkbox
- Input Type Button

HTML Input Attributes

- value Attribute
- readonly Attribute
- disabled Attribute
- size Attribute
- maxlength Attribute

Buat Form Pendaftaran

. Input :

NPM

Nama Lengkap

Alamat

Jenis Kelamin

Angkatan (pilihan)

Kelas : A/B

Hobi (lebih dari 1)

Button Submit