

## TAILWIND CSS – MOSTLY USED COMMAND LIST

### LAYOUT & DISPLAY

block, inline, inline-block, flex, grid, hidden

container, mx-auto

### POSITION

relative, absolute, fixed, sticky

### FLEXBOX

flex-row, flex-col

justify-center, justify-between, items-center

gap-2, gap-4, gap-6

### GRID

grid-cols-1, grid-cols-2, grid-cols-3, grid-cols-4

gap-4, gap-6

### WIDTH & HEIGHT

w-full, w-screen, w-auto, w-1/2, w-64

h-full, h-screen, min-h-screen, h-64

### COLORS

bg-white, bg-black, bg-gray-100, bg-blue-600, bg-red-500

text-white, text-black, text-gray-600, text-blue-700

### TEXT & FONT

text-sm, text-base, text-lg, text-xl, text-2xl

font-light, font-normal, font-bold

text-center, text-left, text-right

### SPACING

p-2, p-4, p-6, px-4, py-2

m-2, m-4, mt-4, mb-2, mx-auto

### BORDER & RADIUS

border, border-2, border-gray-200, border-blue-500

rounded, rounded-lg, rounded-full

## SHADOWS

shadow, shadow-md, shadow-lg, shadow-xl

## HOVER & FOCUS

hover:bg-blue-700, hover:text-white

focus:outline-none, active:bg-blue-600

## TRANSITION & ANIMATION

transition, duration-300, ease-in-out

scale-95, scale-105

## RESPONSIVE PREFIXES

sm:, md:, lg:, xl:, 2xl:

Example:

text-sm md:text-lg lg:text-xl

grid-cols-1 md:grid-cols-3

## COMMON UTILITIES

cursor-pointer, select-none

uppercase, lowercase

truncate, whitespace-nowrap

## TAILWIND INSTALL COMMANDS

npm install -D tailwindcss postcss autoprefixer

npx tailwindcss init -p

npx tailwindcss -i ./src/input.css -o ./dist/output.css --watch

## Education Theme Colors

bg-slate-50

text-slate-800

bg-blue-900

border-slate-200