


Step1 : Run the server

Server is present in Project1_Unit5_Server → server package → Server.java




Step 2 : Run Tomcat



Step 3 : In Browser go to:

localhost:8080/Project1_Unit5/GetModelFromClient




Step 4: upload file :

```
Tomcat v7.0 Server at localhost [Apache Tomcat] /Library/Java/JavaVirtualMachines/jdk1.8.0_45.jdk/Contents/Home/bin/java (Jun 30, 2015, 9:06:40 PM)
Jun 30, 2015 9:06:40 PM org.apache.catalina.core.AprLifecycleListener init
INFO: The APR based Apache Tomcat Native library which allows optimal performance in production environments was not found
Jun 30, 2015 9:06:41 PM org.apache.tomcat.util.digester.SetPropertiesRule begin
WARNING: [SetPropertiesRule]{Server/Service/Engine/Host/Context} Setting property 'source' to 'org.eclipse.jst.jee.
Jun 30, 2015 9:06:41 PM org.apache.tomcat.util.digester.SetPropertiesRule begin
WARNING: [SetPropertiesRule]{Server/Service/Engine/Host/Context} Setting property 'source' to 'org.eclipse.jst.jee.
Jun 30, 2015 9:06:41 PM org.apache.tomcat.util.digester.SetPropertiesRule begin
WARNING: [SetPropertiesRule]{Server/Service/Engine/Host/Context} Setting property 'source' to 'org.eclipse.jst.jee.
Jun 30, 2015 9:06:43 PM org.apache.coyote.AbstractProtocol init
INFO: Initializing ProtocolHandler ["http-bio-8080"]
Jun 30, 2015 9:06:43 PM org.apache.coyote.AbstractProtocol init
INFO: Initializing ProtocolHandler ["ajp-bio-8009"]
Jun 30, 2015 9:06:43 PM org.apache.catalina.startup.Catalina load
INFO: Initialization processed in 3121 ms
Jun 30, 2015 9:06:43 PM org.apache.catalina.core.StandardService startInternal
INFO: Starting service Catalina
Jun 30, 2015 9:06:43 PM org.apache.catalina.core.StandardEngine startInternal
INFO: Starting Servlet Engine: Apache Tomcat/7.0.34
Jun 30, 2015 9:06:45 PM org.apache.catalina.util.SessionIdGenerator createSecureRandom
INFO: Creation of SecureRandom instance for session ID generation using [SHA1PRNG] took [213] milliseconds.
Jun 30, 2015 9:06:47 PM org.apache.coyote.AbstractProtocol start
INFO: Starting ProtocolHandler ["http-bio-8080"]
Jun 30, 2015 9:06:47 PM org.apache.coyote.AbstractProtocol start
INFO: Starting ProtocolHandler ["ajp-bio-8009"]
Jun 30, 2015 9:06:47 PM org.apache.catalina.startup.Catalina start
INFO: Server startup in 3987 ms
Do you want to upload a file (y/n)
y
You chose :y
Enter file path :
/Users/pramothinidk/Documents/workspace/Project1_Unit5/Optionset1.properties
serverResponse :Server : automobile created successfully

Available models from server :[ToyotaPrius]
Do you want to upload a file (y/n)
y
You chose :y
Enter file path :
/Users/pramothinidk/Documents/workspace/Project1_Unit5/Optionset2.properties
serverResponse :Server : automobile created successfully
Available models from server :[ToyotaPrius, FordWagon]
Do you want to upload a file (y/n)
y
You chose :y
Enter file path :
/Users/pramothinidk/Documents/workspace/Project1_Unit5/Optionset3.properties
serverResponse :Server : automobile created successfully
Available models from server :[ToyotaPrius, FordWagon, BMWi8]
Do you want to upload a file (y/n)
n
You chose :n
The models in servlet :[ToyotaPrius, FordWagon, BMWi8]
```

Output in Browser after uploading the property files:



select any radio button and click on ok.

Step 5 : Select Options

Basic Car Choice

Make/Model	BMWi8
Color	InfraRed Clearcoat ▾
Transmission	Automatic ▾
Brakes	Standard ▾
Air Bags	present ▾
Monroof	present ▾

ok

select the options from the drop down list and click on ok.

Final screen:

Here is what you selected

Name	Value	Price
Make/Model	BMWi8	18445
Color	InfraRed Clearcoat	0.0
Transmission	Automatic	0.0
Brakes	Standard	0.0
Air Bags	present	350.0
Monroof	present	595.0
Total Cost		19390