

Column Definitions

```
{
  "cycle_number": {
    "conventions": "0...N, 0 : launch cycle (if exists), 1 : first complete cycle",
    "long_name": "Float cycle number"
  },
  "data_mode": {
    "conventions": "R : real time; D : delayed mode; A : real time with adjustment",
    "long_name": "Delayed mode or real time data"
  },
  "direction": {
    "conventions": "A: ascending profiles, D: descending profiles",
    "long_name": "Direction of the station profiles"
  },
  "juld_qc": {
    "conventions": "Argo reference table 2",
    "long_name": "Quality on date and time"
  },
  "pi_name": {
    "long_name": "Name of the principal investigator"
  },
  "platform_type": {
    "conventions": "Argo reference table 23",
    "long_name": "Type of float"
  },
  "position_qc": {
    "conventions": "Argo reference table 2",
    "long_name": "Quality on position (latitude and longitude)"
  },
  "pres": {
    "C_format": "%7.1f",
    "FORTRAN_format": "F7.1",
    "axis": "Z",
    "long_name": "Sea water pressure, equals 0 at sea-level",
    "resolution": 0.1,
    "standard_name": "sea_water_pressure",
    "units": "decibar",
    "valid_max": 12000.0,
    "valid_min": 0.0
  },
  "pres_adjusted": {
    "C_format": "%7.1f",
    "FORTRAN_format": "F7.1",
```

```

    "conventions": "Argo reference table 2",
    "long_name": "Sea water pressure, equals 0 at sea-level",
    "resolution": 0.1,
    "standard_name": "sea_water_pressure",
    "units": "decibar",
    "valid_max": 12000.0,
    "valid_min": 0.0
  },
  "pres_adjusted_error": {
    "C_format": "%7.1f",
    "FORTRAN_format": "F7.1",
    "conventions": "Argo reference table 2",
    "long_name": "Contains the error on the adjusted values as determined by the delayed
mode QC process",
    "resolution": 0.1,
    "standard_name": "PRES_ADJUSTED_ERROR",
    "units": "decibar"
  },
  "pres_adjusted_qc": {
    "conventions": "Argo reference table 2",
    "long_name": "quality flag",
    "standard_name": "PRES_ADJUSTED_QC"
  },
  "profile_pres_qc": {
    "conventions": "Argo reference table 2a",
    "long_name": "Global quality flag of PRES profile"
  },
  "profile_psal_qc": {
    "conventions": "Argo reference table 2a",
    "long_name": "Global quality flag of PSAL profile"
  },
  "profile_temp_qc": {
    "conventions": "Argo reference table 2a",
    "long_name": "Global quality flag of TEMP profile"
  },
  "project_name": {
    "long_name": "Name of the project"
  },
  "psal": {
    "C_format": "%9.3f",
    "FORTRAN_format": "F9.3",
    "long_name": "Practical salinity",
    "resolution": 0.001,
    "standard_name": "sea_water_salinity",

```

```

    "units": "psu",
    "valid_max": 41.0,
    "valid_min": 2.0
  },
  "psal_adjusted": {
    "C_format": "%9.3f",
    "FORTRAN_format": "F9.3",
    "conventions": "Argo reference table 2",
    "long_name": "Practical salinity",
    "resolution": 0.001,
    "standard_name": "sea_water_salinity",
    "units": "psu",
    "valid_max": 41.0,
    "valid_min": 2.0
  },
  "psal_adjusted_error": {
    "C_format": "%9.3f",
    "FORTRAN_format": "F9.3",
    "conventions": "Argo reference table 2",
    "long_name": "Contains the error on the adjusted values as determined by the delayed
mode QC process",
    "resolution": 0.001,
    "standard_name": "PSAL_ADJUSTED_ERROR",
    "units": "psu"
  },
  "psal_adjusted_qc": {
    "conventions": "Argo reference table 2",
    "long_name": "quality flag",
    "standard_name": "PSAL_ADJUSTED_QC"
  },
  "temp": {
    "C_format": "%9.3f",
    "FORTRAN_format": "F9.3",
    "long_name": "Sea temperature in-situ ITS-90 scale",
    "resolution": 0.001,
    "standard_name": "sea_water_temperature",
    "units": "degree_Celsius",
    "valid_max": 40.0,
    "valid_min": -2.5
  },
  "temp_adjusted": {
    "C_format": "%9.3f",
    "FORTRAN_format": "F9.3",
    "conventions": "Argo reference table 2",

```

```

    "long_name": "Sea temperature in-situ ITS-90 scale",
    "resolution": 0.001,
    "standard_name": "sea_water_temperature",
    "units": "degree_Celsius",
    "valid_max": 40.0,
    "valid_min": -2.5
  },
  "temp_adjusted_error": {
    "C_format": "%9.3f",
    "FORTRAN_format": "F9.3",
    "conventions": "Argo reference table 2",
    "long_name": "Contains the error on the adjusted values as determined by the delayed
mode QC process",
    "resolution": 0.001,
    "standard_name": "TEMP_ADJUSTED_ERROR",
    "units": "degree_Celsius"
  },
  "temp_adjusted_qc": {
    "conventions": "Argo reference table 2",
    "long_name": "quality flag",
    "standard_name": "TEMP_ADJUSTED_QC"
  }
}

```

Arabian Sea: latitude between 8 and 25, longitude between 50 and 78.

Bay of Bengal: latitude between 8 and 22, longitude between 80 and 100.

Equatorial Indian Ocean: latitude between -5 and 5, longitude between 40 and 100.

Southern Indian Ocean: latitude between -40 and -5, longitude between 20 and 120.