```
from collections import deque

def bfs(graph, start_vertex):
    visited = set()
    queue = deque([start_vertex])

    while queue:
        current_vertex = queue.popleft()
        if current_vertex not in visited:
            print(current_vertex, end=' ')
            visited.add(current_vertex)


            queue.extend(neighbor for neighbor in graph[current_vertex] if neighbor not in visited)


graph = {
    0: [1, 3],
    1: [0, 2, 3],
    2: [1, 4, 5],
    3: [0, 1, 4],
    4: [2, 3, 5],
    5: [2, 4],
}

start_vertex = 0
print("BFS traversal starting from vertex", start_vertex, ":")
bfs(graph, start_vertex)
```

```
 BFS traversal starting from vertex 0 :
 0 1 3 2 4 5
```

```
def dfs(graph, start):
    visited = set()
    stack = [start]

    while stack:
        current_node = stack.pop()

        if current_node not in visited:
            print(current_node, end=' ')
            visited.add(current_node)

            # Push neighboring nodes onto the stack in reverse order to maintain desired order
            stack.extend(neighbor for neighbor in reversed(graph[current_node]) if neighbor not in visited)

# Example graph represented as an adjacency list
graph = {
    'A': ['B', 'S'],
    'B': ['A'],
    'C': ['D', 'E', 'F','S'],
    'D': ['C'],
    'E': ['H', 'C'],
    'F': ['C','G'],
    'G': ['S','H','F'],
    'H': ['G','E'],
    'S': ['A','C','G'],
}

start_node = 'A'
print("DFS traversal starting from node", start_node)
dfs(graph, start_node)
```

```
 DFS traversal starting from node A
 A B S C D E H G F
```

```
from copy import deepcopy
import numpy as np
import time

def bestsolution(state):
    bestsol = np.array([], int).reshape(-1, 9)
    count = len(state) - 1
    while count != -1:
        bestsol = np.insert(bestsol, 0, state[count]['puzzle'], 0)
        count = (state[count]['parent'])
    return bestsol.reshape(-1, 3, 3)
```

```
    return bestsol.reshape(-1, 3, 3)


# checks for the uniqueness of the iteration(it).
def all(checkarray):
    set=[]
    for it in set:
        for checkarray in it:
            return 1
        else:
            return 0


# number of misplaced tiles
def misplaced_tiles(puzzle,goal):
    mscost = np.sum(puzzle != goal) - 1
    return mscost if mscost > 0 else 0


def coordinates(puzzle):
    pos = np.array(range(9))
    for p, q in enumerate(puzzle):
        pos[q] = p
    return pos


# start of 8 puzzle evaluvation, using Misplaced tiles heuristics
def evaluvate_misplaced(puzzle, goal):
    steps = np.array([('up', [0, 1, 2], -3),('down', [6, 7, 8],  3),('left', [0, 3, 6], -1),('right', [2, 5, 8],  1)],
                dtype =  [('move',  str, 1),('position', list),('head', int)])

    dtstate = [('puzzle',  list),('parent', int),('gn',  int),('hn',  int)]

    costg = coordinates(goal)

    # initializing the parent, gn and hn, where hn is misplaced_tiles  function call
    parent = -1
    gn = 0
    hn = misplaced_tiles(coordinates(puzzle), costg)
    state = np.array([(puzzle, parent, gn, hn)], dtstate)

   #priority queues with position as keys and fn as value.
    dtpriority = [('position', int),('fn', int)]

    priority = np.array([(0, hn)], dtpriority)

    while 1:
        priority = np.sort(priority, kind='mergesort', order=['fn', 'position'])
        position, fn = priority[0]
        # sort priority queue using merge sort,the first element is picked for exploring.
        priority = np.delete(priority, 0, 0)
        puzzle, parent, gn, hn = state[position]
        puzzle = np.array(puzzle)

        blank = int(np.where(puzzle == 0)[0])

        gn = gn + 1
        c = 1
        start_time = time.time()
        for s in steps:
            c = c + 1
            if blank not in s['position']:
                openstates = deepcopy(puzzle)
                openstates[blank], openstates[blank + s['head']] = openstates[blank + s['head']], openstates[blank]

                if ~(np.all(list(state['puzzle']) == openstates, 1)).any():
                    end_time = time.time()
                    if (( end_time - start_time ) > 2):
                        print(" The 8 puzzle is unsolvable \n")
                        break

                    hn = misplaced_tiles(coordinates(openstates), costg)
                    # generate and add new state in the list
                    q = np.array([(openstates, position, gn, hn)], dtstate)
                    state = np.append(state, q, 0)
                    # f(n) is the sum of cost to reach node
                    fn = gn + hn

                    q = np.array([(len(state) - 1, fn)], dtpriority)
```

```
                    priority = np.append(priority, q, 0)

                    if np.array_equal(openstates, goal):
                        print(' The 8 puzzle is solvable \n')
                        return state, len(priority)

        return state, len(priority)


    # initial state
    puzzle = []

    puzzle.append(2)
    puzzle.append(8)
    puzzle.append(3)
    puzzle.append(7)
    puzzle.append(1)
    puzzle.append(4)
    puzzle.append(0)
    puzzle.append(6)
    puzzle.append(5)

    #goal state
    goal = []

    goal.append(1)
    goal.append(2)
    goal.append(3)
    goal.append(8)
    goal.append(0)
    goal.append(4)
    goal.append(7)
    goal.append(6)
    goal.append(5)


    state, visited = evaluvate_misplaced(puzzle, goal)
    bestpath = bestsolution(state)
    print(str(bestpath).replace('[', ' ').replace(']', ''))
    totalmoves = len(bestpath) - 1
    print('\nSteps to reach goal:',totalmoves)
    visit = len(state) - visited
    print('Total nodes visited: ',visit, "\n")
```

```
      The 8 puzzle is solvable

        2 8 3
        7 1 4
        0 6 5

        2 8 3
        0 1 4
        7 6 5

        2 8 3
        1 0 4
        7 6 5

        2 0 3
        1 8 4
        7 6 5

        0 2 3
        1 8 4
        7 6 5

        1 2 3
        0 8 4
        7 6 5

        1 2 3
        8 0 4
        7 6 5

      Steps to reach goal: 6
      Total nodes visited:  11
```