



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

5. Case Study Title: Develop a webpage for an online shopping website using HTML, CSS, and HTML5 tags, and calculate the bill.

6. Case Study Program Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Online Shopping Bill Calculator</title>

<style>
body{
  font-family: Arial, sans-serif;
  background:#f2f2f2;
}

.container{
  width:500px;
  margin:30px auto;
  background:white;
  padding:20px;
  border-radius:10px;
  box-shadow:0 0 10px gray;
}

h2{
  text-align:center;
  color:darkblue;
}

label{
  display:block;
  margin-top:10px;
  font-weight:bold;
}

input,select{
  width:100%;
  padding:8px;
  margin-top:5px;
}
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

```
button{
  width:100%;
  padding:10px;
  margin-top:20px;
  background:green;
  color:white;
  border:none;
  font-size:16px;
  cursor:pointer;
}

button:hover{
  background:darkgreen;
}

#result{
  margin-top:20px;
  padding:15px;
  background:#e8f5e9;
  border-radius:5px;
}
</style>
</head>

<body>

<div class="container">

<h2>Online Shopping Bill Calculator</h2>

<label>Customer Name</label>
<input type="text" id="name">

<label>Mobile Number</label>
<input type="text" id="mobile">

<label>Invoice Number</label>
<input type="text" id="invoice">

<label>Product Name</label>
<input type="text" id="product">

<label>Quantity (Kg)</label>
<input type="number" id="qty">

<label>Rate per Kg (₹)</label>
<input type="number" id="rate">
```



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

```
<label>Discount (%)</label>
<input type="number" id="discount">

<label>GST (%)</label>
<input type="number" id="gst">

<label>Packing Charges (₹)</label>
<input type="number" id="packing">

<label>Payment Mode</label>
<select id="payment">
  <option>Cash</option>
  <option>Card</option>
  <option>UPI</option>
</select>

<label>Membership</label>
<select id="member">
  <option>Yes</option>
  <option>No</option>
</select>

<button onclick="calculateBill()">Generate Bill</button>

<div id="result"></div>

</div>

<script>

function calculateBill(){

  // String Data Types
  var customerName = document.getElementById("name").value;
  var mobile = document.getElementById("mobile").value;
  var invoice = document.getElementById("invoice").value;
  var product = document.getElementById("product").value;

  // Number Data Types
  let qty = Number(document.getElementById("qty").value);
  let rate = Number(document.getElementById("rate").value);
  let discount = Number(document.getElementById("discount").value);
  let gst = Number(document.getElementById("gst").value);
  let packing = Number(document.getElementById("packing").value);

  // Constant
  const payment = document.getElementById("payment").value;
```



Experiment Number : 2

1. Title: Use var, let, const, and demonstrate basic features like template literals and destructuring; build a billing calculator with user input.

2. Software/Tools Required: Visual Studio Code (VS Code), web browser, HTML, JavaScript.

3. Theory: var also known as variable is function-scoped, let is block-scoped, and const is used for fixed values. The prompt() function accepts user input, and Number() converts input into numeric values. The program calculates the total amount, GST, and final bill using arithmetic operations. An object stores all billing details together, while object destructuring extracts required values easily. Template literals (``) are used to display formatted output with variable values using \${}. The document.write() method displays the billing receipt on the webpage.

4. Output:



5. Result/Conclusion: A billing calculator was successfully created using JavaScript. The program accepted user input, calculated the bill with GST, and demonstrated the use of `var`, `let`, `const`, template literals, and object destructuring effectively.