

■ Med Scan Report

AI-Powered Medical Report Analysis

Patient Information

Name	of disease TOTAL LEUCOCYTE COUNT	Age	Not Available
Gender	Not Available	Report Date	Not Available
Lab Name	Not Available	Ref. Number	Not Available

Overall Risk Assessment

■ High Risk

Total: 32	Normal: 25	High: 1	Low: 6	Critical: 2
-----------	------------	---------	--------	-------------

AI Summary

This report contains 32 laboratory parameters. 25 values are within the normal range. However, 7 parameter(s) show abnormalities: Hemoglobin is critical low, Hematocrit is low, Triglycerides is high, SGOT is low, HbA1c is low. Some values are significantly outside normal ranges. Please consult your healthcare provider promptly for proper evaluation.

Key Findings

- CRITICAL: Hemoglobin is 6.2 g/dL (Normal: 12.0 - 17.5 g/dL) — Critical Low
- Hematocrit: 35.9 % — Low
- Triglycerides: 199.0 mg/dL — High
- SGOT: 3.0 U/L — Low
- HbA1c: 3.0 % — Low
- Vitamin D: 25.0 ng/mL — Low
- CRITICAL: Vitamin B12 is 50.0 pg/mL (Normal: 200.0 - 900.0 pg/mL) — Critical Low

Complete Parameter Analysis

#	Test Name	Value	Normal Range	Status
1	Hemoglobin	6.2 g/dL	12.0 - 17.5 g/dL	Critical Low
2	RBC Count	4.07 million/ μ L	4.0 - 5.5 million/ μ L	Normal
3	WBC Count	7.0 $\times 10^3$ / μ L	4.0 - 11.0 $\times 10^3$ / μ L	Normal
4	Hematocrit	35.9 %	36.0 - 54.0 %	Low
5	MCV	88.4 fL	80.0 - 100.0 fL	Normal
6	MCH	29.5 pg	27.0 - 33.0 pg	Normal
7	MCHC	33.3 g/dL	32.0 - 36.0 g/dL	Normal
8	Neutrophils	61.8 %	40.0 - 70.0 %	Normal
9	Lymphocytes	28.8 %	20.0 - 45.0 %	Normal
10	Monocytes	5.6 %	2.0 - 10.0 %	Normal
11	Eosinophils	3.1 %	1.0 - 6.0 %	Normal

#	Test Name	Value	Normal Range	Status
12	Basophils	0.7 %	0.0 - 2.0 %	Normal
13	Total Cholesterol	170.0 mg/dL	0.0 - 200.0 mg/dL	Normal
14	HDL Cholesterol	43.0 mg/dL	40.0 - 60.0 mg/dL	Normal
15	LDL Cholesterol	87.2 mg/dL	0.0 - 100.0 mg/dL	Normal
16	Triglycerides	199.0 mg/dL	0.0 - 150.0 mg/dL	High
17	VLDL Cholesterol	39.8 mg/dL	5.0 - 40.0 mg/dL	Normal
18	Blood Urea	16.0 mg/dL	7.0 - 20.0 mg/dL	Normal
19	Creatinine	0.74 mg/dL	0.6 - 1.2 mg/dL	Normal
20	Uric Acid	5.9 mg/dL	3.5 - 7.2 mg/dL	Normal
21	Calcium	9.9 mg/dL	8.5 - 10.5 mg/dL	Normal
22	SGOT	3.0 U/L	5.0 - 40.0 U/L	Low
23	Alkaline Phosphatase	67.0 U/L	44.0 - 147.0 U/L	Normal
24	Albumin	4.5 g/dL	3.5 - 5.5 g/dL	Normal
25	Globulin	3.0 g/dL	2.0 - 3.5 g/dL	Normal
26	A/G Ratio	1.5	1.0 - 2.1	Normal
27	HbA1c	3.0 %	4.0 - 5.6 %	Low
28	Vitamin D	25.0 ng/mL	30.0 - 100.0 ng/mL	Low
29	Vitamin B12	50.0 pg/mL	200.0 - 900.0 pg/mL	Critical Low
30	Sodium	139.0 mEq/L	136.0 - 145.0 mEq/L	Normal
31	Potassium	4.5 mEq/L	3.5 - 5.1 mEq/L	Normal
32	Chloride	103.0 mEq/L	98.0 - 106.0 mEq/L	Normal

Detailed Explanations

Hemoglobin — Critical Low

Value: 6.2 g/dL | Normal Range: 12.0 - 17.5 g/dL

Your hemoglobin level is below the normal range, which may indicate anemia. Low hemoglobin can reduce oxygen delivery throughout the body and may cause fatigue or weakness.

Possible Causes: Iron deficiency, Vitamin B12 or folate deficiency, Chronic blood loss, Chronic diseases

Health Implications: Fatigue and weakness, Shortness of breath, Dizziness, Pale skin

Hematocrit — Low

Value: 35.9 % | Normal Range: 36.0 - 54.0 %

Your Hematocrit is below the normal reference range. Low values may indicate a deficiency or underlying condition. Please consult your healthcare provider for proper evaluation.

Possible Causes: Nutritional deficiency, Underlying medical condition

Health Implications: May require further investigation, Follow-up recommended

Triglycerides — High

Value: 199.0 mg/dL | Normal Range: 0.0 - 150.0 mg/dL

Your Triglycerides is above the normal reference range. Elevated values may indicate stress on a particular organ or system. Please consult your healthcare provider for proper evaluation.

Possible Causes: Dietary factors, Underlying medical condition

Health Implications: May require lifestyle changes, Follow-up recommended

SGOT — Low

Value: 3.0 U/L | Normal Range: 5.0 - 40.0 U/L

Your SGOT is below the normal reference range. Low values may indicate a deficiency or underlying condition. Please consult your healthcare provider for proper evaluation.

Possible Causes: Nutritional deficiency, Underlying medical condition

Health Implications: May require further investigation, Follow-up recommended

HbA1c — Low

Value: 3.0 % | Normal Range: 4.0 - 5.6 %

Your HbA1c is below the normal reference range. Low values may indicate a deficiency or underlying condition. Please consult your healthcare provider for proper evaluation.

Possible Causes: Nutritional deficiency, Underlying medical condition

Health Implications: May require further investigation, Follow-up recommended

Vitamin D — Low

Value: 25.0 ng/mL | Normal Range: 30.0 - 100.0 ng/mL

Your vitamin D level is below the recommended range. Vitamin D is essential for bone health, immune function, and mood regulation.

Possible Causes: Insufficient sun exposure, Poor dietary intake, Malabsorption, Darker skin pigmentation

Health Implications: Weak bones (osteopenia/osteoporosis), Increased fracture risk, Fatigue, Weakened immunity

Vitamin B12 — Critical Low

Value: 50.0 pg/mL | Normal Range: 200.0 - 900.0 pg/mL

Your vitamin B12 level is below normal. B12 is essential for nerve function, red blood cell formation, and DNA synthesis.

Possible Causes: Vegetarian/vegan diet, Malabsorption (e.g., pernicious anemia), Certain medications, Aging

Health Implications: Fatigue and weakness, Numbness and tingling in hands/feet, Memory problems, Megaloblastic anemia

Recommendations

- 1. Limit intake of saturated and trans fats
- 2. Monitor your blood sugar levels regularly
- 3. Stay well hydrated — drink 8-10 glasses of water daily
- 4. Eat a balanced diet rich in fruits, vegetables, and whole grains
- 5. Exercise regularly — aim for at least 30 minutes of moderate activity daily
- 6. Get adequate sleep — 7-8 hours per night
- 7. Reduce excess salt, sugar, and processed foods
- 8. Avoid smoking and excessive alcohol consumption
- 9. Follow up with your healthcare provider to discuss these results

■■ DISCLAIMER: This analysis is generated by an AI system for informational and educational purposes only. It is NOT a medical diagnosis. The results should not be used as a substitute for professional medical advice, diagnosis, or treatment. Always consult a qualified healthcare provider for proper evaluation and guidance.

Analysis Mode: FALLBACK | Generated: 2026-07-27 17:43:13 | File: Sample-Smart-Report-Clinics.pdf