Prianar Nautiyal BCA - 5'C' 1921118

Ars 2 activity\_main, com

<?.xml version = "1,0" encoding = "utf-8"?.>
< androidx. constrainstlayout. widget. Constraint Layout
xmlns: android = "http://schemas.android.com/aph/res/
android"</pre>

xmlns: aff = "http://schemas.android.com/afk/res-auto"
xmlns: tools = "http://schemas.android.com/tools"

android: layout\_width = "match\_frament"

android: layout - height = "match - frament"

tools: context = ". Main Activity ">/>

Main Activity. Java

package com example actlife;

import androidx. appromptat. app. App Compact Activity;

import android. 08. Bundle;

import android util . Log;

```
Prublic class MainActivity extends App Compact Activity {
frublic static final String status = Main Activity. class.
get Simple Name ();
 @ Overnide
 Porstected void on Create (Bundle saved Instance State) {
 super on Create (saved Instance State);
 set Content View (R. layout, activity-main);
 Log. i Cstatus, mag: "in on Greate method");
 @ Overvide
 protected void on Resume (7 & on Start (7 &
 suffer on Resume (); suffer on Start ();
 Log Log. i (status, msg: "in on Start method");
@ Overnide
protected void on Resume (7 {
super on Resume ();
Log. i-(status, msg: in on Resume method");
```

```
@ Overvide
protected void on Pause (7 5
 super. on Pause ();
 Log. i (status, msg: "in on Pause method");
@ Override
forestected void on Stop (75
 super. on Stop (7;
 Log. i (status, msg: "in on Stop method");
@ Override
protected void on Destroy () {
 super. on Destray ();
Log. i ( status, mag: "in on Destroy method");
3
```