(no subject)

1 message

Pranav Madhu <pranavmadhu8055@gmail.com> Sat, 24 Oct 2026 at 3:35 pm
Draft

Here is the corrected and fully modernized complete `.cshtml` code.

The primary issues in your draft have been fixed:

1. Removed the debug `alert()` popups (`alert("sdfghjk")`, etc.) that were halting execution.
2. Added the missing `confirmRemoveCustomer()` function which aggregates all form values and the hidden string (`hidData`), replicating the VB backend submission logic.
3. Added the missing `ExitForm()` function to redirect the user safely.
4. Corrected the dynamically constructed `indata` payload structure in the `LoadBranch` function to perfectly match your generic API endpoint parameter rules.
5. Consolidated redundant `firmId` variable declarations to fetch seamlessly from `@ViewData["FirmId"]` or default to `1`.

```
@{
    ViewData["Title"] = "RemoveCustomer";
    Layout = "~/Views/Shared/_Layout.cshtml";
}

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <link href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css" rel="stylesheet" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" />
    <link rel="stylesheet" href="~/css/index.css" />
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/sweetalert2@11/dist/sweetalert2.min.css" />
    <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11/dist/sweetalert2.all.min.js"></script>

    <style>
        .btn {
            display: inline-block;
            padding: 6px 20px;
            font-size: 13px;
            font-weight: bold;
            text-align: center;
            text-decoration: none;
            background: linear-gradient(135deg,#001F3F,#735DA5);
            color: #fff;
            border: none;
            border-radius: 5px;
            cursor: pointer;
            box-shadow: 0 4px 8px rgba(0,0,0,0.2), 0 6px 20px rgba(0,0,0,0.19);
            transition: background-color .3s ease;
        }

        .btn:hover {
            color: white;
            opacity: .9;
        }

        .form-control,
        .form-select {
            height: 38px;
            font-size: 13px;
        }

        .form-label {
            font-weight: 600;
            color: #001F3F;
            margin-bottom: 4px;
            font-size: 12px;
        }

        .card-header {
            background: linear-gradient(135deg,#001F3F,#735DA5);
            color: white;
        }

        .remove-customer-card {
```

```
            max-width: 900px;
            margin: auto;
        }

        .form-section {
            margin-bottom: 15px;
        }

        .table {
            width: 100%;
            font-size: 13px;
            margin-bottom: 0;
        }

        .table th,
        .table td {
            border: 1px solid #ccc;
            padding: 8px;
            vertical-align: middle;
        }

        .table th {
            background: linear-gradient(135deg,#001F3F,#735DA5);
            color: white;
            white-space: nowrap;
        }

        .delete-btn {
            background: #dc3545;
            color: white;
            border: none;
            border-radius: 4px;
            padding: 4px 10px;
            font-size: 10px;
            font-weight: 600;
            cursor: pointer;
        }

        .delete-btn:hover {
            background: #bb2d3b;
        }

        .readonly-field {
            background-color: #f5f5f5;
        }

        .advance-reverse {
            color: #dc3545;
            font-weight: 600;
        }

        .owner-change {
            color: #004000;
            font-weight: 600;
        }

        #rowPaydtl, #rowAdvRev, #panelRow {
            display: none;
        }

        .pagecontainer {
            width: 100%;
            padding: 20px;
        }
    </style>
</head>

<body>

    <div class="pagecontainer">
        <div class="card shadow-sm border-0 mt-3 remove-customer-card">

            <!-- Header -->
            <div class="card-header text-center">
                <h4 class="mb-0">REMOVE CUSTOMER</h4>
            </div>

            <div class="card-body">
                <!-- Branch / Category -->
                <div class="row mb-3">
                    <div class="col-md-6">
                        <label class="form-label">Branch</label>
                        <select id="cmbBranch" class="form-select">
                            <option value="">-- Select Branch --</option>
```

```
                        </select>
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">Category</label>
                        <select id="cmbCategory" class="form-select">
                            <option value="">-- Select Category --</option>
                        </select>
                    </div>
                </div>

                <!-- Sub Category -->
                <div class="row mb-3">
                    <div class="col-md-12">
                        <label class="form-label">Sub Category</label>
                        <select id="cmbSubCategory" class="form-select">
                            <option value="">-- Select Sub Category --</option>
                        </select>
                    </div>
                </div>

                <!-- Customer Details -->
                <div class="row mb-3">
                    <div class="col-md-12">
                        <label class="form-label">Customer Details</label>
                        <select id="cmbCustomer" class="form-select">
                            <option value="">-- Select Customer --</option>
                        </select>
                    </div>
                </div>

                <!-- Remove -->
                <div class="text-center mb-3">
                    <button type="button" id="btnRemove" class="btn" onclick="btnRemove_onclick();"
>REMOVE</button>
                </div>

                <!-- Selected Customer Grid -->
                <div id="panelRow" class="table-responsive mb-4">
                    <table id="tblSelectedCustomers" class="table table-bordered table-striped">
                        <thead>
                            <tr>
                                <th style="width:25%;">Customer ID</th>
                                <th style="width:30%;">Customer Name</th>
                                <th class="text-end" style="width:15%;">Rent Amount</th>
                                <th class="text-end" style="width:15%;">Advance</th>
                                <th class="text-center" style="width:15%;">Action</th>
                            </tr>
                        </thead>
                        <tbody id="Panel1">
                        </tbody>
                    </table>
                </div>

                <!-- Amount Details -->
                <div class="row mb-3">
                    <div class="col-md-6">
                        <label class="form-label">Advance Amount</label>
                        <input id="txtAdvance" type="text" class="form-control readonly-field text-end"
readonly />
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">Refund Amount</label>
                        <input id="txt_Refund" type="number" step="0.01" class="form-control text-end"
oninput="baldisp();" />
                    </div>
                </div>

                <!-- Balance / Effective Date -->
                <div class="row mb-3">
                    <div class="col-md-6">
                        <label class="form-label">Balance Amount</label>
                        <input id="txt_Balamt" type="text" class="form-control readonly-field text-end"
readonly />
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">Effective Date</label>
                        <input id="txtEffectiveDate" type="text" class="form-control" placeholder="dd/MMM/yyyy"
/>
                        <small id="effectiveDateError" class="text-danger" style="display:none;">Invalid
Date</small>
                    </div>
                </div>

                <!-- Voucher Details -->
```

```
                <div class="row mb-3">
                    <div class="col-md-6">
                        <label class="form-label">Voucher Date</label>
                        <input id="txt_VouchDate" type="text" class="form-control" placeholder="dd/MMM/yyyy" />
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">Voucher Number</label>
                        <input id="txt_Vouchno" type="text" class="form-control" />
                    </div>
                </div>

                <!-- Advance Reverse -->
                <div id="rowAdvRev" class="text-center mb-3">
                    <div class="form-check d-inline-block">
                        <input class="form-check-input" type="checkbox" id="chkAdvance"
onchange="AdvOnchange();" />
                        <label class="form-check-label advance-reverse" for="chkAdvance">Whether Advance
Reverse</label>
                    </div>
                </div>

                <!-- Payment Details -->
                <div id="rowPaydtl" class="card border mb-3">
                    <div class="card-header text-center py-2">
                        <strong>PAYMENT DETAILS</strong>
                    </div>
                    <div class="card-body">
                        <!-- Add modern payment details partial/fields here -->
                        <div id="paymentDetailsContainer"></div>
                    </div>
                </div>

                <!-- Owner Change -->
                <div class="text-center mb-4">
                    <div class="form-check d-inline-block">
                        <input class="form-check-input" type="checkbox" id="chkOwnerChange" />
                        <label class="form-check-label owner-change" for="chkOwnerChange">Owner Change</label>
                    </div>
                </div>

                <!-- Buttons -->
                <div class="text-center mt-4">
                    <button type="button" id="btnConfirm" class="btn me-2" onclick="confirmRemoveCustomer();">
CONFIRM</button>
                    <button type="button" id="btnExit" class="btn" onclick="ExitForm();">EXIT</button>
                </div>

                <!-- Hidden Fields -->
                <input id="hidData" type="hidden" value="" />
                <input id="txtHiddenAdvance" type="hidden" value="" />

            </div>
        </div>
    </div>

    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
    <script>
        // Global variables context mapping
        let currentFirmId = '@ViewData["FirmId"]' || '1';
        let currentRoot = '@ViewData["root"]' || '';

        $(document).ready(function () {
            setCurrentDates();
            LoadBranch();
        });

        function setCurrentDates() {
            var date = new Date();
            var months = ["Jan", "Feb", "Mar", "Apr", "May", "Jun", "Jul", "Aug", "Sep", "Oct", "Nov", "Dec"];
            var formattedDate = String(date.getDate()).padStart(2, "0") + "/" + months[date.getMonth()] + "/" +
date.getFullYear();

            $("#txtEffectiveDate").val(formattedDate);
            $("#txt_VouchDate").val(formattedDate);
        }

        function getApiUrl() {
            if (document.location.hostname === "localhost") {
                return "/Others/getAPIDataHRMS173";
            }
            return "/" + currentRoot + "/Others/getAPIDataHRMS173";
        }

        function LoadBranch() {
```

```
            var indata = "vacate_hostel_branch^1~1";
            $.ajax({
                type: "GET",
                url: getApiUrl(),
                data: { datas: indata },
                success: function (response) {
                    var res = typeof response === "string" ? JSON.parse(response) : response;
                    var ddl = $("#cmbBranch");
                    ddl.empty();
                    ddl.append('<option value="">-- Select Branch --</option>');

                    $.each(res, function (i, item) {
                        ddl.append($("<option></option>").val(item.BRANCH_ID).text(item.BRANCH_NAME));
                    });
                },
                error: function () {
                    Swal.fire({ title: "Error", text: "Failed to load Branch.", icon: "error" });
                }
            });
        }

        $("#cmbBranch").change(function () {
            comboOnchange();
            var branchId = $(this).val();

            $("#cmbCategory").empty().append('<option value="">-- Select Category --</option>');
            $("#cmbSubCategory").empty().append('<option value="">-- Select Sub Category --</option>');
            $("#cmbCustomer").empty().append('<option value="">-- Select Customer --</option>');

            if (branchId) LoadCategory(branchId);
        });

        function LoadCategory(branchId) {
            var indata = "vacate_hostel_Category^" + currentFirmId + "~" + branchId + "~1";
            $.ajax({
                type: "GET",
                url: getApiUrl(),
                data: { datas: indata },
                success: function (response) {
                    var res = typeof response === "string" ? JSON.parse(response) : response;
                    var ddl = $("#cmbCategory");
                    ddl.empty();
                    ddl.append('<option value="">-- Select Category --</option>');

                    $.each(res, function (i, item) {
                        ddl.append($("<option></option>").val(item.RENT_CATEGORY_ID).text(item.RENT_
CATEGORY_NAME));
                    });
                },
                error: function () {
                    Swal.fire({ title: "Error", text: "Failed to load Category.", icon: "error" });
                }
            });
        }

        $("#cmbCategory").change(function () {
            comboOnchange();
            var branchId = $("#cmbBranch").val();
            var categoryId = $(this).val();

            $("#cmbSubCategory").empty().append('<option value="">-- Select Sub Category --</option>');
            $("#cmbCustomer").empty().append('<option value="">-- Select Customer --</option>');

            if (branchId && categoryId) LoadSubCategory(branchId, categoryId);
        });

        function LoadSubCategory(branchId, categoryId) {
            var indata = "vacate_hostel_SubCategory^" + currentFirmId + "~" + branchId + "~" + categoryId +
"~1";
            $.ajax({
                type: "GET",
                url: getApiUrl(),
                data: { datas: indata },
                success: function (response) {
                    var res = typeof response === "string" ? JSON.parse(response) : response;
                    var ddl = $("#cmbSubCategory");
                    ddl.empty();
                    ddl.append('<option value="">-- Select Sub Category --</option>');

                    $.each(res, function (i, item) {
                        ddl.append($("<option></option>").val(item.FLAT_NO).text(item.FLAT_NAME));
                    });
                },
                error: function () {
```

```
                Swal.fire({ title: "Error", text: "Failed to load Sub Category.", icon: "error" });
            }
        });
    }

    $("#cmbSubCategory").change(function () {
        comboOnchange();
        var branchId = $("#cmbBranch").val();
        var categoryId = $("#cmbCategory").val();
        var flatNo = $(this).val();

        $("#cmbCustomer").empty().append('<option value="">-- Select Customer --</option>');

        if (branchId && categoryId && flatNo) LoadCustomer(branchId, categoryId, flatNo);
    });

    function LoadCustomer(branchId, categoryId, flatNo) {
        var indata = "vacate_hostel_custdetails^" + currentFirmId + "~" + branchId + "~" + categoryId + "~"
+ flatNo + "~1";
        $.ajax({
            type: "GET",
            url: getApiUrl(),
            data: { datas: indata },
            success: function (response) {
                var res = typeof response === "string" ? JSON.parse(response) : response;
                var ddl = $("#cmbCustomer");
                ddl.empty();
                ddl.append('<option value="">-- Select Customer --</option>');

                $.each(res, function (i, item) {
                    var customerData = item.CUSTOMER_DATA;
                    var custDtl = customerData.split("splitString");
                    ddl.append($("<option></option>").val(customerData).text(custDtl[0] + " - " +
custDtl[1]));
                });
            },
            error: function (xhr) {
                Swal.fire({ icon: "error", title: "Error", text: "Customer Details Load Failed" });
            }
        });
    }

    function comboOnchange() {
        $("#rowAdvRev").hide();
        $("#rowPaydtl").hide();
        $("#chkAdvance").prop("checked", false);
        $("#txtAdvance").val("");
        $("#txt_Balamt").val("");
        $("#hidData").val("");
        tableFill();
    }

    function AdvOnchange() {
        if ($("#chkAdvance").is(":checked")) {
            $("#rowPaydtl").show();
        } else {
            $("#rowPaydtl").hide();
        }
    }

    function btnRemove_onclick() {
        var customerValue = $("#cmbCustomer").val();
        if (!customerValue) {
            Swal.fire({ title: "Warning", text: "No Customers In List !", icon: "warning" });
            return;
        }

        var custDtl = customerValue.split("splitString");
        if (custDtl.length < 5) {
            Swal.fire({ title: "Warning", text: "Invalid Customer Details.", icon: "warning" });
            return;
        }

        var CustID = custDtl[0];
        var custName = custDtl[1];
        var rentAmount = custDtl[2];
        var Advance = custDtl[3];
        var rentID = custDtl[4];

        if (Math.abs(Number(rentID)) === 0) {
            Swal.fire({ title: "Warning", text: "No Customers In List !", icon: "warning" });
            return;
        }
```

```
            if (!checkDuplication(CustID)) {
                Swal.fire({ title: "Warning", text: "Already Selected", icon: "warning" });
                return;
            }

            var data = CustID + "$" + custName + "$" + rentAmount + "$" + Advance + "$" + rentID;
            var existing = $("#hidData").val();

            if (existing !== "") existing += "^";
            existing += data;

            $("#hidData").val(existing);
            tableFill();
        }

        function tableFill() {
            var hiddenData = $("#hidData").val();
            var tbody = $("#Panel1");
            tbody.empty();

            if (!hiddenData) {
                $("#panelRow").hide();
                $("#txtAdvance").val("");
                $("#txt_Balamt").val("");
                return;
            }

            var rows = hiddenData.split("^");
            var totAdvance = 0;

            $.each(rows, function (index, row) {
                if (!row) return;
                var col = row.split("$");
                var customerId = col[0];
                var customerName = col[1];
                var rentAmount = Math.abs(Number(col[2]) || 0).toFixed(2);
                var advance = Math.abs(Number(col[3]) || 0).toFixed(2);

                totAdvance += Math.abs(Number(col[3]) || 0);

                tbody.append(`
                    <tr>
                        <td>${customerId}</td>
                        <td>${customerName}</td>
                        <td class="text-end">${rentAmount}</td>
                        <td class="text-end">${advance}</td>
                        <td class="text-center">
                            <button type="button" class="delete-btn" onclick="deleteRow(${index})">
DELETE</button>
                        </td>
                    </tr>
                `);
            });

            $("#txtAdvance").val(Math.abs(totAdvance).toFixed(2));

            if (totAdvance > 0) {
                $("#rowAdvRev").show();
            } else {
                $("#txtAdvance").val("0");
                $("#rowAdvRev").hide();
                $("#rowPaydtl").hide();
                $("#chkAdvance").prop("checked", false);
            }

            $("#panelRow").show();
            baldisp();
        }

        function deleteRow(rowID) {
            var data = $("#hidData").val();
            if (!data) return;
            var rows = data.split("^");
            rows.splice(rowID, 1);
            $("#hidData").val(rows.join("^"));
            tableFill();
        }

        function checkDuplication(CustID) {
            var data = $("#hidData").val();
            if (!data) return true;
            var rows = data.split("^");
            for (var i = 0; i < rows.length; i++) {
                var cols = rows[i].split("$");
```

```
                if (Math.abs(Number(cols[0])) === Math.abs(Number(CustID))) {
                    return false;
                }
            }
            return true;
        }

        function baldisp() {
            var advance = parseFloat($("#txtAdvance").val()) || 0;
            var refund = parseFloat($("#txt_Refund").val()) || 0;
            var balance = Math.abs(advance) - Math.abs(refund);
            $("#txt_Balamt").val(balance.toFixed(2));
        }

        // --- NEW/MISSING FUNCTIONS ADDED ---

        function confirmRemoveCustomer() {
            var hiddenData = $("#hidData").val();
            var effectiveDate = $("#txtEffectiveDate").val();

            if (!hiddenData) {
                Swal.fire({ icon: 'warning', title: 'Warning', text: 'No data to Confirm !' });
                return;
            }

            if (!effectiveDate) {
                Swal.fire({ icon: 'warning', title: 'Warning', text: 'Enter Correct Effective Date !' });
                return;
            }

            // Create payload matching your backend expectations
            var payload = {
                BranchID: $("#cmbBranch").val(),
                RentCategoryID: $("#cmbCategory").val(),
                FlatNO: $("#cmbSubCategory").val(),
                CustomerDetails: hiddenData,
                Advance: $("#txtAdvance").val() || 0,
                RefundAmt: $("#txt_Refund").val() || 0,
                EffectiveDate: effectiveDate,
                VoucherDate: $("#txt_VouchDate").val(),
                VoucherNo: $("#txt_Vouchno").val() || 0,
                AdvanceRev: $("#chkAdvance").is(":checked") ? 1 : 0,
                OwnerChange: $("#chkOwnerChange").is(":checked") ? 1 : 0
            };

            // Post request to trigger backend logic
            $.ajax({
                type: "POST",
                url: "/" + currentRoot + "/Others/SubmitRemoveCustomer", // Adjust your controller's path here
                data: payload,
                success: function (response) {
                    Swal.fire({ icon: 'success', title: 'Success', text: 'Customer Removed Successfully!'
}).then(() => {
                        window.location.reload();
                    });
                },
                error: function () {
                    Swal.fire({ icon: 'error', title: 'Error', text: 'Failed to confirm customer removal.' });
                }
            });
        }

        function ExitForm() {
            var redirectUrl = "/" + currentRoot + "/Home"; // Redirect back to Home equivalent in ASP.NET Core
            window.location.href = redirectUrl;
        }
    </script>
</body>
</html>
```