

a
BikeU
WalkU
BikeG
WalkG
Heart rate (bpm) 0/62 0/54 0/64 6/57
EDA tonic (SCL) 57/59 9/54 0/64 3/57
EDA phasic (SCR) 15/62 0/54 0/64 0/57
Skin temperature (°C) 41/62 43/54 53/64 53/57
HRV SDNN (ms) 0/61 0/50 0/52 0/55
HRV RMSSD (ms) 0/61 0/54 0/61 0/57
HRV LF power (ms²) 0/53 14/40 0/32 0/44
HRV HF power (ms²) 0/53 0/40 0/32 0/44
HRV LF/HF ratio 33/53 34/40 0/32 0/44
HRV LF (nu) 34/53 33/40 0/32 0/44
HRV HF (nu) 34/53 33/40 0/32 0/44
HRV VLF power (ms²) 0/53 0/40 0/32 0/44
HRV total power (ms²) 0/53 0/40 0/32 0/44
Pupil diameter (mm) 0/62 0/54 0/61 35/56
Pupil change rate 1/61 0/54 0/59 1/56
Blink duration (s) 0/62 0/54 0/61 0/56
Fixation duration (s) 0/62 0/54 0/61 0/56
Fixation rate (/s) 0/62 0/54 0/61 0/56
Saccade duration (s) 0/62 0/54 0/61 0/56
Saccade amplitude (°) 0/62 0/54 0/61 0/56
Saccade peak velocity (°/s) 0/62 0/54 0/61 0/56
Gaze velocity (°/s) 0/62 0/54 0/61 0/56
Gaze dispersion 0/62 0/54 0/61 0/56
Gaze distance from centre (px) 0/62 0/54 42/61 1/56
Gaze centrality 0/62 0/54 47/61 1/56
Eyelid aperture (mm) 17/62 0/54 0/61 0/56
100
80
60
40
20
0
% of cells with BH q < 0.05
a: significant cell coefficients / tested cells
(RH1, cell vs first corridor cell of the phase;
BH q within outcome × phase; total 640 of 5605).
Cells: corridor-buffer grid along each route
(BikeU 63, WalkU 55, BikeG 65, WalkG 58).
H5 models use the outcomes on the raw scale
(no ln transform in H5_hotspot_core.R).
b–i: cell coefficient (difference from reference
cell ★, raw units) at the median GPS position
of the cell's 10 s epochs; black ring = q < 0.05.
Skin temperature (°C): RH1 cell coefficients by phase
b
BikeU: 41/62 cells q<0.05
c
WalkU: 43/54 cells q<0.05
d
BikeG: 53/64 cells q<0.05
e
WalkG: 53/57 cells q<0.05
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
Skin temperature (°C)
cell − reference cell
EDA tonic (µS, raw scale): RH1 cell coefficients by phase
f
BikeU: 57/59 cells q<0.05
g
WalkU: 9/54 cells q<0.05
h
BikeG: 0/64 cells q<0.05
i
WalkG: 3/57 cells q<0.05
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
EDA tonic (µS, raw scale)
cell − reference cell
120 of 2112 epochs fall outside every corridor buffer and are not assigned to a cell. Map positions are cell medians of WGS84 GPS (longitude scaled by cos latitude); no basemap.