

SKILL WEEK1

Query1: Create Table

The screenshot shows a SQL query editor with the following code:

```
1 • CREATE DATABASE 2520080061_Pranay;
2 • USE 2520080061_Pranay;
3 • CREATE TABLE student_marks1 (
4     roll_no INT PRIMARY KEY,
5     name VARCHAR(50),
6     subject VARCHAR(50),
7     marks DECIMAL(5,2)
8 );
9
10
```

The output pane shows the execution results:

#	Time	Action	Message
✓ 1	08:27:47	CREATE DATABASE 2520080061_Pranay	1 row(s) affected
✓ 2	08:28:03	USE 2520080061_Pranay	0 row(s) affected
✓ 3	08:28:57	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(...	0 row(s) affected

Query2: Insert Data

The screenshot shows a SQL query editor with the following code:

```
1 • CREATE DATABASE 2520080061_Pranay;
2 • USE 2520080061_Pranay;
3 • CREATE TABLE student_marks1 (
4     roll_no INT PRIMARY KEY,
5     name VARCHAR(50),
6     subject VARCHAR(50),
7     marks DECIMAL(5,2)
8 );
9 • INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES
10 (1, 'Ravi', 'Math', 85.50),
11 (2, 'Sita', 'Math', 92.75),
12 (3, 'Anil', 'Math', 78.40),
13 (4, 'Priya', 'Math', 88.90),
14 (5, 'Vijay', 'Math', 80.25),
15 (6, 'subbusir', 'aws', 98.50),
16 (7, 'dwaraka', 'dbms', 95.75),
17 (8, 'ranjani', 'english', 97.40),
18 (9, 'kavithamam', 'aws1', 99.90),
19 (10, 'seetha', 'azure', 82.25);
20
```

The output pane shows the execution results:

#	Time	Action	Message
✓ 1	08:27:47	CREATE DATABASE 2520080061_Pranay	1 row(s) affected
✓ 2	08:28:03	USE 2520080061_Pranay	0 row(s) affected
✓ 3	08:28:57	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(...	0 row(s) affected
✗ 4	08:30:11	INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 9...	Error Code: 1146. Table '2520080061_Pranay.student_marks' doesn't exist
✓ 5	08:30:23	INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', ...	10 row(s) affected Records

Query3: Simple Select

The screenshot shows a database query editor with a SQL query and its result grid. The query is:

```
SELECT * FROM student_marks1;
```

The result grid displays the following data:

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
3	Anil	Math	78.40
4	Priya	Math	88.90
5	Vijay	Math	80.25
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
10	seetha	azure	82.25

The bottom section shows the output of the query, including the action output and the message:

#	Time	Action	Message
1	08:27:47	CREATE DATABASE 2520080061_Pranay	1 row(s) affected
2	08:28:03	USE 2520080061_Pranay	0 row(s) affected
3	08:28:57	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2))	0 row(s) affected
4	08:30:11	INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (3, 'Anil', 'Math', 78.40), (4, 'Priya', 'Math', 88.90), (5, 'Vijay', 'Math', 80.25), (6, 'subbusir', 'aws', 98.50), (7, 'dwaraka', 'dbms', 95.75), (8, 'ranjani', 'english', 97.40), (9, 'kavithamam', 'aws1', 99.90), (10, 'seetha', 'azure', 82.25)	Error Code: 1146. Table '2520080061_Pranay.student_marks1' doesn't exist

Query4: Aggregate Functions

1. SELECT COUNT(*) AS total_students FROM student_mark1;

```
20 • SELECT * FROM student_marks1;  
21 • SELECT COUNT(*) AS total_students FROM student_marks1;  
22 • SELECT SUM(marks) FROM student_marks1;
```

The screenshot shows the result grid for the query:

total_students
10

The screenshot shows the output of the query, including the action output and the message:

#	Time	Action	Message
4	08:30:11	INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (3, 'Anil', 'Math', 78.40), (4, 'Priya', 'Math', 88.90), (5, 'Vijay', 'Math', 80.25), (6, 'subbusir', 'aws', 98.50), (7, 'dwaraka', 'dbms', 95.75), (8, 'ranjani', 'english', 97.40), (9, 'kavithamam', 'aws1', 99.90), (10, 'seetha', 'azure', 82.25)	Error Code: 1146. Table '2520080061_Pranay.student_marks1' doesn't exist
5	08:30:23	INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (3, 'Anil', 'Math', 78.40), (4, 'Priya', 'Math', 88.90), (5, 'Vijay', 'Math', 80.25), (6, 'subbusir', 'aws', 98.50), (7, 'dwaraka', 'dbms', 95.75), (8, 'ranjani', 'english', 97.40), (9, 'kavithamam', 'aws1', 99.90), (10, 'seetha', 'azure', 82.25)	0 row(s) affected
6	08:31:41	SELECT * FROM student_marks1 LIMIT 0, 2000	20 row(s) affected
7	08:32:44	SELECT COUNT(*) AS total_students FROM student_marks1 LIMIT 0, 2000	1 row(s) affected

2. SELECT SUM(marks) FROM student_marks1;

```
20 • SELECT * FROM student_marks1;
21 • SELECT COUNT(*) AS total_students FROM student_marks1;
22 • SELECT SUM(marks) FROM student_marks1;
```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	SUM(marks)			
▶	899.60			

Result 3 x			
Output			
Action Output			
#	Time	Action	
✓ 5	08:30:23	INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita',	
✓ 6	08:31:41	SELECT * FROM student_marks1 LIMIT 0, 2000	
✓ 7	08:32:44	SELECT COUNT(*) AS total_students FROM student_marks1 LIMIT 0, 2000	
✓ 8	08:33:14	SELECT SUM(marks) FROM student_marks1 LIMIT 0, 2000	

3. SELECT AVG (marks) FROM student_marks1;

23 

SELECT AVG(marks) FROM student_marks1;

100% 

39:23

Result Grid 

 Filter Rows:

 Search

Export: 

	AVG...
	89.9...

4. SELECT MAX (marks) FROM student_marks1;

20 •	SELECT * FROM student_marks1;
21 •	SELECT COUNT(*) AS total_students FROM student_marks1;
22 •	SELECT AVG(marks) FROM student_marks1;
23 •	SELECT MAX(marks) FROM student_marks1;

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	MAX(marks)			
▶	99.90			

Result 4 x			
Output			
Action Output			
#	Time	Action	
✓ 6	08:31:41	SELECT * FROM student_marks1 LIMIT 0, 2000	
✓ 7	08:32:44	SELECT COUNT(*) AS total_students FROM student_marks1 LIMIT 0, 2000	
✓ 8	08:33:14	SELECT SUM(marks) FROM student_marks1 LIMIT 0, 2000	
✓ 9	08:33:42	SELECT MAX(marks) FROM student_marks1 LIMIT 0, 2000	

5. SELECT MIN (marks) FROM student_marks1;

```
20 • SELECT * FROM student_marks1;
21 • SELECT COUNT(*) AS total_students FROM student_marks1;
22 • SELECT AVG(marks) FROM student_marks1;
23 • SELECT MAX(marks) FROM student_marks1;
24 • SELECT MIN(marks) FROM student_marks1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

MIN(marks)
78.40

Result 5 x Read Only

Output

Action Output

#	Time	Action	Message
7	08:32:44	SELECT COUNT(*) AS total_students FROM student_marks1 LIMIT 0, 2000	1 row(s) returned
8	08:33:14	SELECT SUM(marks) FROM student_marks1 LIMIT 0, 2000	1 row(s) returned
9	08:33:42	SELECT MAX(marks) FROM student_marks1 LIMIT 0, 2000	1 row(s) returned
10	08:34:18	SELECT MIN(marks) FROM student_marks1 LIMIT 0, 2000	1 row(s) returned

Query:5 Filtering with WHERE

1.SELECT*FROM student_marks WHERE marks>85;

```
20 • SELECT * FROM student_marks1;
21 • SELECT COUNT(*) AS total_students FROM student_marks1;
22 • SELECT AVG(marks) FROM student_marks1;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
4	Priya	Math	88.90
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
NULL	NULL	NULL	NULL

student_marks1 6 x Apply Revert

Output

Action Output

#	Time	Action	Message
8	08:33:14	SELECT SUM(marks) FROM student_marks1 LIMIT 0, 2000	1 row(s) returned
9	08:33:42	SELECT MAX(marks) FROM student_marks1 LIMIT 0, 2000	1 row(s) returned
10	08:34:18	SELECT MIN(marks) FROM student_marks1 LIMIT 0, 2000	1 row(s) returned
11	08:35:47	SELECT * FROM student_marks1 WHERE marks > 85 LIMIT 0, 2000	7 row(s) returned

2. SELECT*FROM student_marks WHERE marks>=90;

```
25
26 • SELECT * FROM student_marks1 WHERE marks > 85;
27 • SELECT * FROM student_marks1 WHERE marks >= 90;
```

Result Grid

roll_no	name	subject	marks
2	Sita	Math	92.75
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90

student_marks17 x

Output

Action Output

#	Time	Action	Message
9	08:33:42	SELECT MAX(marks) FROM student_marks1 LIMIT 0, 2000	1 row(s) returned
10	08:34:18	SELECT MIN(marks) FROM student_marks1 LIMIT 0, 2000	1 row(s) returned
11	08:35:47	SELECT * FROM student_marks1 WHERE marks > 85 LIMIT 0, 2000	7 row(s) returned
12	08:36:15	SELECT * FROM student_marks1 WHERE marks >= 90 LIMIT 0, 2000	5 row(s) returned

3. SELECT*FROM student_marks WHERE marks<80;

```
27 • SELECT * FROM student_marks1 WHERE marks >= 90;
28 • SELECT * FROM student_marks1 WHERE marks < 80;
```

Result Grid

roll_no	name	subject	marks
3	Anil	Math	78.40
NULL	NULL	NULL	NULL

student_marks18 x

Output

Action Output

#	Time	Action	Message
10	08:34:18	SELECT MIN(marks) FROM student_marks1 LIMIT 0, 2000	1 row
11	08:35:47	SELECT * FROM student_marks1 WHERE marks > 85 LIMIT 0, 2000	7 row
12	08:36:15	SELECT * FROM student_marks1 WHERE marks >= 90 LIMIT 0, 2000	5 row
13	08:36:31	SELECT * FROM student_marks1 WHERE marks < 80 LIMIT 0, 2000	1 row

