## Aduance template

Base class/ super class/ Parent class

11

child class subclass derived class

> Pip install Viago

2) djargo - admin startproject oxis

3) cd axis

4) nython manage.py startapp i> loan 2> Sawing

3) aucourts

5) Setting, PY -> "loan",
"Sawing",
"accounts",

6) New Directory (templates) at virajent level

7> templates -> New Directory i> loan 2> Sawing 3> accounts

8) Setting. PY

(17) => TEMPLATE\_DIR = Path. joinpath (BASE\_DIR, 'lemplates')


(61) => 'DIRS' : [TEMPLATE\_DIR],

9) templates - accounts - New HTML File - 1) brusiness CLIPCICCECTIFFE 3) personal 10) Internet Search - bootstrap Test Side -> Nawbar - drapdown - Egy (ramponents) (if you recort to display the code you i) business, html (8) => Paste need (SS) 2) Internet search bootstrap Zeft side -> download - (DN via js Deliver - copy (His is CSS) [GOPY] (getting - started. dounlod) (7) => Parte 11) axis-loan - views. Py (Need to right logic) (9 => def business-loans (r): return render (r, 'loan/buiness. html') 12) oxis-loan - wrls. Py (18) => from loan import views (2) => path ('loan /', views. brusiness-loan), 3) Location - rython manage. Py runlerner / Zoan Naubar Home Link Dogodoun - Disabled

if you write rade in every page rade will be bulky So we write it in html i) oris - template - HTML Filo - Base > loan - business - copy - Paste to lase. html => remove 7,8,9, all (from buins. html) make it like original only having while < ! DOCTYEP N+ml> chtml larg="en"> < head > L'meta charset = "UTF-8"> < Itle > Title </ttle > </head> <body> < /body> </html> 0 2) oris -largelate - lacen -losse. ntml (46) => { % block baseblock % } (common code of header -0 (17) => { % endblock %} 3) Now we can inheritance this code in business. Home, wartonl, personal. Homel 2) var. Hond (oxis-template - loan - var. Hond) (if base . html is in (2) => { % extends 'base. html' % } folder thes we will write 0 the nath of that folder) C ( we have done this in template & that noth is already configure

(9) => { %. block baseblock %} (1)=> <h1> welcome To (ar Loan da/ </h1> erreceer narree { % end block %} Configure in car. Hone ] oxis - locens - viens . Py (3) => def rwr-loan (2): return render (2, "loan Mar. ntml") i) ouis - loan - wils. Py (New make wil) (23) => path ("rarl", views. bussiness-loan), 4) Location - rython manage. Py runsermer /wr rwelcome To lar Loan Now in Hond rage Naubar Home Link Dropdan Disabled wiloan bussines loon personal loan ) Focation-python mange.py startage home (home page) Register - Setting PY - "home", [at project level] 2) oxis-templates - New Directory-home home - html file - Index (8) => <h1> Home Page </h1> (B) => < tillo > Home </tillo>

```
(1) => {% extends "lase. html "% }
        (5) => { % block laseblock %}
        (1) => { % endblock %}
3) Rusinels logic in vieus py
     home - views .py
     (9=> def index (2):
              return render (2, "home lindex. Home")
4) now make unl. py
    (19) from home import views as VI
    (3) Path (" , v1. index),
 57 Location - manage. Py runseruer
          Home Page
        Now link
   template - lase html
                             _ #"> Axis </a>
      (19) =>
             Now replace Home name to Axis
      (2) =7_- #"> Accounts </a>
             Now replace links to Accounts
      (26) => New replace draupdown to Tye of loan
Type of 20an
```



(1) => def pursonal-loan (r):  (2) => return render (r, "loan / pursonal. html")
2) templates - loan - var . Homel (cony) - (puste to rursianal. Hold - nursianal. Homel
(1) => < h1> welcome to Personal Loun
(we lave just create personal loan)
from main part clicke of b on type of loan and rage will open
3) oxis - vrls.py ("pursonal/", views. personal-loca),
wels. p- 4-ml page sue mode - har, / pursonal, / business
uelecene to
4) templates - lase . Homel
(29) =>
1 · · · · · · · · · · · · · · · · · · ·
(1) => ch1> welcome to busines locus (/41)

0

( you can use readymade template)