Q1. GitHub link

https://github.com/Praneesh-Sharma/KRS-classes/tree/main/Assignment%2001

Output:

Q2. **Div:** The division tag is used to make divisions in a webpage. We can apply different styles to different divisions. This tag has a opening and a closing tags, and it requires a closing tag to function. The div tag is a block tag.

Code snippet:

```html
<div>
    <b>Bold</b><br>
    <i>Italic</i><br>
    <strong>Important</strong><br>
    <strike>Strike</strike><br>
    <u>Underline</u><br>
    <big>Big</big><br>
    <small>Small</small><br>
    Text <mark>HIGHLIGHTED</mark> !<br>
    <del>deleted</del><br>
    <mark>marked</mark><br>
    This is <sub>sub</sub><br>
    This is <sup>sup</sup><br>
</div>

<!-- <pr>use 'ctrl+/' to comment out a tag</pr> -->

<div>
    <img src="\Images\pexels-supreet-8060365.jpg" width="750px">
    <img src="\Images\pexels-supreet-7862142.jpg" width="750px">
</div>
```

Span: The span tag does the same task as a div tag of keeping elements together but works a bit differently. It is an inline tag, which means, it does not require a closing tag.

Code Snippet:

```
Span tag example <span style="color: red">Red</span> and <span style="color: green">Green</span>
```