


CB.SC.U4CYS23036

Praneesh R V

Setup



Router 2

Router1

Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

GigabitEthernet0/0/0

GigabitEthernet0/0/1

Network

Network Address

192.168.10.0

192.168.20.0

192.168.23.0

Router 1

Router0

Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

GigabitEthernet0/0/0

Network

Network Address

192.168.11.0

192.168.20.0

192.168.21.0

Router 3

Router2

Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

GigabitEthernet0/0/0

Network

Network Address

192.168.12.0

192.168.21.0

192.168.22.0

Router 4

Router3

Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

GigabitEthernet0/0/0

Network









Network Address

192.168.13.0

192.168.22.0

192.168.23.0

Message

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Dele
	Successful	PC5	PC7	ICMP		0.000	N	0	(edit)	
	Successful	PC5	PC3	ICMP		0.000	N	1	(edit)	
	Successful	PC4	PC6	ICMP		0.000	N	2	(edit)	
	Successful	PC2	PC6	ICMP		0.000	N	3	(edit)	