## **Multimedia Processing**

#### Assignment - 1

Praneesh R V

CB.SC.U4CYS23036

#### Qn1. Code:

```
## Oning ##
```

## **Output:**

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SQL HISTORY TASK MONITOR COMMENTS

PS D:\Academics> python -u "d:\Academics\Sem4\Multimedia Processing\Assignment1\Qn1.py"
d:\Academics\Sem4\Multimedia Processing\Assignment1\Qn1.py:23: SyntaxWarning: invalid escape sequence '\A'
with open("D:\Academics\Sem4\Multimedia Processing\Assignment1\output.csv", mode="w", newline="") as file:
Enter the no of rows : 10
Enter the no of columns :10
[171, 183, 159, 121, 17, 102, 195, 146, 237, 113]
[218, 71, 200, 71, 8, 139, 186, 42, 202, 240]
[247, 163, 90, 140, 159, 172, 176, 33, 29, 20]
[84, 142, 159, 172, 56, 109, 121, 31, 56, 108]
[67, 48, 142, 58, 18, 7, 171, 111, 126, 171]
[55, 219, 118, 70, 23, 200, 76, 129, 16, 182]
[5, 10, 111, 9, 42, 115, 251, 252, 220, 111]
[250, 239, 70, 147, 245, 82, 52, 31, 0, 95]
[251, 74, 70, 24, 76, 20, 214, 163, 118, 6]
[213, 224, 93, 242, 105, 88, 63, 231, 78, 117]

♣PS D:\Academics>


■
```

# Qn2 - Histogram

```
Qn2.py U X
                            Sem4 > Multimedia Processing > Assignment1 > 🍖 Qn2.py >
                                   import random
                                  import matplotlib.pyplot as plt
                                  r = int(input("Enter the no of rows :"))
                                  c = int(input("Enter the no of columns :"))
                                  1 = []
                                   for i in range(r):
                                       m = []
                                       for j in range(c):
                                           m.append(random.randint(0,255))
                                       1.append(m)
                                  print(" the matrix :\n")
■ output.csv
Qn1.py
                                  for row in 1:
                                       print(row)
Qn2.py
                                  def frequency(r,c,l,n):
                                       f=0
                                       for i in range(r):
                                           for j in range(c):
                                               if l[i][j] == n:
                                                   f = f+1
                                       return f
                                   print("frequency is :")
                                   freq = 0
                                   for i in range(0,256):
                                       freq = frequency(r,c,l,i)
                                       print(f"{i} : {"-"*freq}")
                                  x = []
                                  y = []
                                  for i in range(256):
                                       x.append(i)
                                  for i in range(256):
                                       freq = frequency(r,c,l,i)
                                       y.append(freq)
                                  plt.plot(x,y)
                                  plt.title("HISTOGRAM")
                                  plt.xlabel("X-axis")
                                  plt.ylabel("Y-axis")
                                  plt.legend()
                                  plt.grid(True)
                                  plt.show()
```

```
PS D:\Academics> python -u "d:\Academics\Sem4\Multimedia Processing\Assignment1\Qn2.py"
Enter the no of rows :10
Enter the no of columns :10
the matrix :

[2, 202, 3, 95, 8, 28, 178, 194, 100, 83]
[221, 222, 137, 202, 151, 95, 10, 63, 246, 232]
[168, 194, 7, 131, 98, 178, 248, 237, 220, 129]
[26, 45, 201, 133, 18, 147, 34, 186, 56, 36]
[236, 21, 45, 123, 128, 169, 249, 241, 49, 67]
[126, 227, 153, 248, 130, 94, 23, 15, 156, 247]
[22, 182, 169, 247, 55, 128, 161, 42, 213, 157]
[7, 89, 166, 107, 103, 158, 4, 129, 9, 128]
[78, 70, 202, 219, 180, 248, 223, 76, 253, 187]
[167, 241, 224, 47, 162, 212, 153, 163, 43, 190]
```





## Qn3,

```
🕏 Qn3.py U 🗙 🛮 🕏 Qn2.py
                             Sem4 > Multimedia Processing > Assignment1 > 🥏 Qn3.py >
                                    import random
                                    r = int(input("Enter the no of rows :"))
                                   c = int(input("Enter the no of columns: "))
                                   1 = []
                                    for i in range(r):
                                        m=[]
                                        for j in range(c):
                                            m.append(random.randint(0,255))
                                        1.append(m)
■ output.csv
                                    for row in 1:
                                        print(row)
                                    print("")
Qn2.py
                                    def neighbour(r, c, l, i, j):
                                        n4, nd4, n8 = [], [], []
                                        def is_valid(x, y):
                                            return 0 <= x < r and 0 <= y < c
                                        if is_valid(i-1, j):
                                            n4.append(l[i-1][j])
                                        if is_valid(i+1, j):
                                            n4.append(l[i+1][j])
                                        if is_valid(i, j-1):
                                            n4.append(l[i][j-1])
                                        if is_valid(i, j+1):
                                            \mathsf{n4.append(l[i][j+1])}
                                        if is_valid(i-1, j-1):
                                            nd4.append(l[i-1][j-1])
                                        if is_valid(i-1, j+1):
                                            nd4.append(l[i-1][j+1])
                                        if is_valid(i+1, j-1):
                                            nd4.append(l[i+1][j-1])
                                        if is_valid(i+1, j+1):
                                            nd4.append(l[i+1][j+1])
                                        n8 = n4 + nd4
                                        print(f"n4: {n4}")
                                        print(f"nd4: {nd4}")
                                        print(f"n8: {n8}")
                                    x = int(input("enter the x coordinate :"))
                                    y = int(input("Enter the y coordinate :"))
                                   neighbour(r,c,l,x,y)
```

```
• PS D:\Academics> python -u "d:\Academics\Sem4\Multimedia Processing\Assignment1\Qn3.py"
  Enter the no of rows :10
  Enter the no of columns: 10
  [18, 63, 151, 46, 117, 200, 224, 45, 50, 197]
  [10, 104, 23, 38, 239, 41, 130, 184, 56, 167]
  [64, 242, 68, 34, 38, 89, 175, 73, 53, 150]
  [227, 96, 116, 130, 180, 222, 240, 186, 13, 36]
  [233, 250, 88, 211, 116, 62, 129, 98, 209, 191]
  [156, 182, 208, 72, 42, 201, 37, 217, 96, 66]
[39, 250, 143, 142, 149, 235, 59, 135, 36, 216]
  [176, 90, 106, 82, 240, 221, 236, 251, 206, 25]
  [4, 147, 5, 145, 218, 20, 190, 53, 117, 161]
  [145, 242, 188, 179, 120, 240, 65, 251, 41, 14]
 enter the x coordinate :7
  Enter the y coordinate :4
 n4: [149, 218, 82, 221]
 nd4: [142, 235, 145, 20]
n8: [149, 218, 82, 221, 142, 235, 145, 20]
❖PS D:\Academics>
```

# **Qn4** - Linear Interpolation

```
Multimedia Processing > Assignment1 > ❷ Qn4.py >
                                    import random
                                    1=[]
                                    for i in range(2):
                                        m=[]
                                        for j in range(2):
                                            m.append(random.randint(0,255))
                                        1.append(m)
                                    for row in 1:
                                        print(row)
                                    sc = int(input("how much would you like to scale the matrix : "))
■ output.csv
                                    for i in range(sc):
                                        m1 = []
                                        for j in range(sc):
                                            m1.append(0)
                                        11.append(m1)
                                    11[0][0] = 1[0][0]
                                    11[0][sc-1] = 1[0][1]
bitplaneExtraction.pv
                                    l1[sc-1][0] = l[1][0]
                                    l1[sc-1][sc-1] = l[1][1]
                                    for row in l1:
                                        print(row)
```

```
PS D:\Academics> python -u "d:\Academics\Sem4\Multimedia Processing\Assignment1\Qn4-Linear-interpolation.py"
[31, 53]
[139, 226]
how much would you like to scale the matrix : 10
[31, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[139, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[139, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[139, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]
[140]
PS D:\Academics>
■
```

## Qn5 - bilinear interpolation

```
Qn5.py U X
                                   import random
                                   for i in range(2):
                                       m = []
                                       for j in range(2):
                                           m.append(random.randint(0, 255))
                                       1.append(m)
                                   print("Original 2x2 matrix:")
                                   for row in 1:
                                       print(row)
■ output.csv
                                   sc = int(input("How much would you like to scale the matrix: "))
                                   11 = [[0 for _ in range(sc)] for _ in range(sc)]
                                   11[0][0] = 1[0][0]
                                   11[0][sc-1] = 1[0][1]
                                   l1[sc-1][0] = l[1][0]
Qn5.py
                                   l1[sc-1][sc-1] = l[1][1]
                                   for i in range(sc):
                                       for j in range(sc):
                                           x = i / (sc - 1)

y = j / (sc - 1)
                                           l1[i][j] = int(
                                                l[0][0] * (1 - x) * (1 - y) +
                                                1[0][1] * x * (1 - y) +
                                                l[1][0] * (1 - x) * y +
                                                l[1][1] * x * y
                                   print("Scaled matrix:")
                                   for row in 11:
                                       print(row)
```

```
PS D:\Academics> python -u "d:\Academics\Sem4\Multimedia Processing\Assignment1\Qn4-bilinear interpolation.py"
Original 2x2 matrix:
[240, 121]
[50, 149]
How much would you like to scale the matrix: 10
Scaled matrix:
[240, 218, 197, 176, 155, 134, 113, 92, 71, 50]
[226, 208, 189, 171, 153, 134, 116, 97, 79, 61]
[213, 197, 182, 166, 150, 134, 119, 103, 87, 72]
[200, 187, 174, 161, 148, 135, 122, 109, 96, 83]
[187, 176, 166, 156, 145, 135, 125, 114, 104, 94]
[173, 166, 158, 150, 143, 135, 127, 120, 112, 105]
[160, 155, 150, 145, 140, 135, 130, 125, 120, 116]
[147, 145, 142, 140, 138, 136, 133, 131, 129, 127]
[134, 134, 135, 135, 135, 135, 136, 136, 137, 137, 138]
[121, 124, 127, 130, 133, 136, 139, 142, 145, 149]

PORTS SQL HISTORY TASK MONITOR COMMENTS

COMMENTS

PORTS SQL HISTORY TASK MONITOR COMMENTS

PORTS SQL HISTORY TASK MONITOR COMMENTS

TASK MONITOR COMMENTS

COMMENTS

COMMENTS

COMMENTS

PORTS SQL HISTORY TASK MONITOR COMMENTS

PORTS SQL HISTORY TASK MONITOR COMMENTS

PORTS SQL HISTORY TASK MONITOR COMMENTS

TASK MONITOR COMMENTS

PORTS SQL HISTORY TASK MONITOR COMMENTS

PORTS SQL HISTORY

PORT SQL HISTORY

PORTS SQL HISTORY

PORTS SQL HISTORY

PORTS SQL HI
```

# Qn6 - nearest interpolation

```
₱ Qn6..py U X

                                  import random
                                  for i in range(2):
                                       for j in range(2):
                                           m.append(random.randint(0, 255))
                                       1.append(m)
                                   print("Original matrix:")
■ output.csv
                                   for row in 1:
                                       print(row)
Qn2.py
                                   sc = int(input("How much would you like to scale the matrix: "))
Qn3.py
Qn4.py
Qn5.py
                                   11 = []
                                   for i in range(sc):
Qn6..py
                                       m1 = []
                                       for j in range(sc):
                                           nearest_i = round(i * (1 / (sc - 1)))
                                           nearest_j = round(j * (1 / (sc - 1)))
                                           m1.append(l[nearest_i][nearest_j])
                                       11.append(m1)
                                   print("Scaled matrix:")
                                   for row in 11:
                                       print(row)
```

Qn7 – Bitplane extraction

```
Qn8.py U
                                           ♦ Qn7.py M X
                            Sem4 > Multimedia Processing > Assignment1 > ♥ Qn7.py > ...
                                   import random
                                   1 = []
                                   n = int(input("Enter the dimension of matrix:"))
                                    for i in range(n):
                                        m = []
                                        for j in range(n):
                               8
                                            m.append(random.randint(0,255))
                                        1.append(m)
                                    for row in 1:
■ output.csv
                                        print(row)
                                   b = []
Qn1.py
                                   for i in range(n):
                                        b1 = []
                                        for j in range(n):
Qn4.py
                                            binary = bin(l[i][j])
                              17
                                            b1.append(binary)
Qn7.py
                                        b.append(b1)
                                   e = []
                                   for i in range(n):
                              21
                                        e1 = []
                                        for j in range(n):
                                            lastbit = b[i][j][-1]
                                            e1.append(lastbit)
                              24
                                        e.append(e1)
                                   f = []
                                    for i in range(n):
                              28
                                        f1 = []
                                        for j in range(n):
                                            f1.append(int(e[i][j]))
                                        f.append(f1)
                                   print("Extraction bit:\n")
                                    for row in f:
                                        print(row)
```

```
PS D:\Academics> python -u "d:\Academics\Sem4\Multimedia Processing\Assignment1\Qn7.py"
Enter the dimension of matrix:10
[183, 246, 103, 233, 176, 183, 90, 167, 35, 2]
[233, 77, 123, 200, 215, 63, 69, 73, 166, 110]
[129, 35, 17, 95, 183, 210, 71, 203, 139, 159]
[194, 97, 13, 34, 177, 118, 253, 128, 5, 82]
[199, 238, 131, 124, 240, 192, 165, 214, 80, 213]
[212, 90, 51, 172, 211, 255, 214, 63, 10, 133]

[15, 208, 254, 241, 14, 247, 62, 198, 160, 229]

[35, 79, 26, 141, 70, 180, 227, 62, 118, 147]

[33, 36, 31, 133, 14, 13, 90, 110, 4, 229]

[234, 99, 31, 163, 52, 226, 212, 66, 44, 1]
Extraction bit:
[1, 0, 1, 1, 0, 1, 0, 1, 1, 0]
[1, 1, 1, 0, 1, 1, 1, 1, 0, 0]
[1, 1, 1, 1, 1, 0, 1, 1, 1, 1]
[0, 1, 1, 0, 1, 0, 1, 0, 1, 0]
[1, 0, 1, 0, 0, 0, 1, 0, 0, 1]
[0, 0, 1, 0, 1, 1, 0, 1, 0, 1]
      0, 0, 1, 0, 1, 0, 0, 0, 1]
      1, 0, 1, 0, 0, 1, 0, 0, 1]
[1, 0, 1, 1, 0, 1, 0, 0, 0, 1]
[0, 1, 1, 1, 0, 0, 0, 0, 0, 1]
PS D:\Academics>
PS D:\Academics>
```

Qn 8 – Embedding

```
PS D:\Academics> python -u "d:\Academics\Sem4\Multimedia Processing\Assignment1\Qn8.py"
Enter the height of the matrix: 10
Enter the width of the matrix: 10
Enter the message to embed: Hello World

↑ PS D:\Academics>
```

#### **Embedded Matrix**

# **Original Matrix:**