

Praneesh R V CB.SC.U4CYS23036


Assignment - 7 DHCP and OSPF




Server - 1




Server - 2




Server -3



Server - 4



Area 0 - routers



Router(config)#do show ip route ospf
O 10.0.0.0 [110/128] via 11.0.0.1, 00:08:13, Serial0/1/0
O IA 192.168.1.0 [110/129] via 11.0.0.1, 00:08:13, Serial0/1/0
O 192.168.2.0 [110/65] via 11.0.0.1, 00:08:13, Serial0/1/0
O IA 192.168.4.0 [110/65] via 12.0.0.2, 00:08:23, Serial0/1/1
O IA 192.168.5.0 [110/65] via 13.0.0.2, 00:08:03, Serial0/2/0
O IA 192.168.6.0 [110/65] via 14.0.0.2, 00:08:23, Serial0/2/1

Area 1 - router

```
Router>enable
Router#config terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#do show ip route ospf
O 11.0.0.0 [110/128] via 10.0.0.2, 00:06:12, Serial0/1/0
O 12.0.0.0 [110/192] via 10.0.0.2, 00:06:02, Serial0/1/0
O 13.0.0.0 [110/192] via 10.0.0.2, 00:06:02, Serial0/1/0
O 14.0.0.0 [110/192] via 10.0.0.2, 00:06:02, Serial0/1/0
O 192.168.2.0 [110/65] via 10.0.0.2, 00:06:02, Serial0/1/0
O 192.168.3.0 [110/129] via 10.0.0.2, 00:06:02, Serial0/1/0
O IA 192.168.4.0 [110/193] via 10.0.0.2, 00:06:02, Serial0/1/0
O IA 192.168.5.0 [110/193] via 10.0.0.2, 00:06:02, Serial0/1/0
O IA 192.168.6.0 [110/193] via 10.0.0.2, 00:06:02, Serial0/1/0
```

Area 2 - router

```
Enter configuration commands, one per line. End with CNTL/Z.

Router(config)#do show ip route ospf

O 10.0.0.0 [110/192] via 12.0.0.1, 00:08:35, Serial0/1/0

O 11.0.0.0 [110/128] via 12.0.0.1, 00:08:35, Serial0/1/0

O 13.0.0.0 [110/128] via 12.0.0.1, 00:08:35, Serial0/1/0

O 14.0.0.0 [110/128] via 12.0.0.1, 00:08:35, Serial0/1/0

O IA 192.168.1.0 [110/193] via 12.0.0.1, 00:08:35, Serial0/1/0

O 192.168.2.0 [110/129] via 12.0.0.1, 00:08:35, Serial0/1/0

O 192.168.3.0 [110/65] via 12.0.0.1, 00:08:35, Serial0/1/0

O IA 192.168.5.0 [110/129] via 12.0.0.1, 00:08:35, Serial0/1/0

O IA 192.168.6.0 [110/129] via 12.0.0.1, 00:08:35, Serial0/1/0
```

Area - 3 router

```
Router(config)#do show ip route ospf
O 10.0.0.0 [110/192] via 13.0.0.1, 00:09:20, Serial0/1/0
O 11.0.0.0 [110/128] via 13.0.0.1, 00:09:20, Serial0/1/0
O 12.0.0.0 [110/128] via 13.0.0.1, 00:09:20, Serial0/1/0
O 14.0.0.0 [110/128] via 13.0.0.1, 00:09:20, Serial0/1/0
O IA 192.168.1.0 [110/193] via 13.0.0.1, 00:09:20, Serial0/1/0
O 192.168.2.0 [110/129] via 13.0.0.1, 00:09:20, Serial0/1/0
O 192.168.3.0 [110/65] via 13.0.0.1, 00:09:20, Serial0/1/0
O IA 192.168.4.0 [110/129] via 13.0.0.1, 00:09:20, Serial0/1/0
O IA 192.168.6.0 [110/129] via 13.0.0.1, 00:09:20, Serial0/1/0
```

Area 4 router

Router(config)#do show ip route ospf
O 10.0.0.0 [110/192] via 14.0.0.1, 00:10:07, Serial0/1/0
O 11.0.0.0 [110/128] via 14.0.0.1, 00:10:07, Serial0/1/0
O 12.0.0.0 [110/128] via 14.0.0.1, 00:10:07, Serial0/1/0
O 13.0.0.0 [110/128] via 14.0.0.1, 00:10:07, Serial0/1/0
O IA 192.168.1.0 [110/193] via 14.0.0.1, 00:10:07, Serial0/1/0
O 192.168.2.0 [110/129] via 14.0.0.1, 00:10:07, Serial0/1/0
O 192.168.3.0 [110/65] via 14.0.0.1, 00:10:07, Serial0/1/0
O IA 192.168.4.0 [110/129] via 14.0.0.1, 00:10:07, Serial0/1/0
O IA 192.168.5.0 [110/129] via 14.0.0.1, 00:09:57, Serial0/1/0

Packets

