

Praneesh R V

CB.SC.U4CYS23036

VAPT Assignment – 5

```
Session Actions Edit View Help
(kali@kali)-[~]
$ ping -c 4 192.168.31.132
PING 192.168.31.132 (192.168.31.132) 56(84) bytes of data.
64 bytes from 192.168.31.132: icmp_seq=1 ttl=64 time=0.748 ms
64 bytes from 192.168.31.132: icmp_seq=2 ttl=64 time=0.435 ms
64 bytes from 192.168.31.132: icmp_seq=3 ttl=64 time=0.347 ms
64 bytes from 192.168.31.132: icmp_seq=4 ttl=64 time=0.312 ms

— 192.168.31.132 ping statistics —
4 packets transmitted, 4 received, 0% packet loss, time 3074ms
rtt min/avg/max/mdev = 0.312/0.460/0.748/0.171 ms
```

```
(kali@kali)-[~]
$ nmap -sV 192.168.31.132
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-24 04:10 +0000
Nmap scan report for 192.168.31.132
Host is up (0.0020s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE        VERSION
21/tcp    open  ftp            vsftpd 2.3.4
22/tcp    open  ssh            OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23/tcp    open  telnet         Linux telnetd
25/tcp    open  smtp           Postfix smtpd
53/tcp    open  domain         ISC BIND 9.4.2
80/tcp    open  http           Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111/tcp   open  rpcbind        2 (RPC #100000)
139/tcp   open  netbios-ssn    Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp   open  netbios-ssn    Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
512/tcp   open  exec           netkit-rsh rshd
513/tcp   open  login          OpenBSD or Solaris rlogind
514/tcp   open  tcpwrapped
1099/tcp  open  java-rmi       GNU Classpath grmiregistry
1524/tcp  open  bindshell      Metasploitable root shell
2049/tcp  open  nfs            2-4 (RPC #100003)
2121/tcp  open  ftp            ProFTPD 1.3.1
3306/tcp  open  mysql          MySQL 5.0.51a-3ubuntu5
5432/tcp  open  postgresql     PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp  open  vnc            VNC (protocol 3.3)
6000/tcp  open  X11            (access denied)
6667/tcp  open  irc            UnrealIRCd
8009/tcp  open  ajp13          Apache Jserv (Protocol v1.3)
8180/tcp  open  http           Apache Tomcat/Coyote JSP engine 1.1
MAC Address: 00:0C:29:FA:DD:2A (VMware)
```

```


└─$ nmap -sV --script auth 192.168.31.132
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-24 04:13 +0000
Nmap scan report for 192.168.31.132
Host is up (0.0026s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
21/tcp    open  ftp          vsftpd 2.3.4
|_ftp-anon: Anonymous FTP login allowed (FTP code 230)
22/tcp    open  ssh          OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
| ssh-auth-methods:
|   Supported authentication methods:
|   publickey
|   password
|_ ssh-publickey-acceptance:
|_   Accepted Public Keys: No public keys accepted
23/tcp    open  telnet       Linux telnetd
25/tcp    open  smtp         Postfix smtpd
| smtp-enum-users:
|_   Method RCPT returned a unhandled status code.
53/tcp    open  domain       ISC BIND 9.4.2
80/tcp    open  http         Apache httpd 2.2.8 ((Ubuntu) DAV/2)
|_http-server-header: Apache/2.2.8 (Ubuntu) DAV/2
111/tcp    open  rpcbind      2 (RPC #100000)
| rpcinfo:
|   program version  port/proto  service
|   100000  2             111/tcp     rpcbind
|   100000  2             111/udp     rpcbind
|   100003  2,3,4         2049/tcp    nfs
|   100003  2,3,4         2049/udp    nfs
|   100005  1,2,3         48224/tcp   mountd
|   100005  1,2,3         49069/udp   mountd
|   100021  1,3,4         36257/tcp   nlockmgr
|   100021  1,3,4         48991/udp   nlockmgr
|   100024  1             44652/udp   status
|_  100024  1             52401/tcp   status
139/tcp    open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp    open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
512/tcp    open  exec         netkit-rsh rexecd
513/tcp    open  login?
514/tcp    open  tcpwrapped
1099/tcp   open  java-rmi     GNU Classpath grmiregistry
1524/tcp   open  bindshell    Metasploitable root shell
2049/tcp   open  nfs          2-4 (RPC #100003)
2121/tcp   open  ftp          ProFTPD 1.3.1
3306/tcp   open  mysql        MySQL 5.0.51a-3ubuntu5
| mysql-users:
|   debian-sys-maint
|   guest
|_  root
|_ mysql-empty-password:
|_   root account has empty password
5432/tcp   open  postgresql   PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp   open  vnc          VNC (protocol 3.3)

```

```

└─(kali@kali)-[~]
└─$ ftp 192.168.31.132
Connected to 192.168.31.132.
220 (vsFTPd 2.3.4)
Name (192.168.31.132:kali): anonymous
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp>

```



The Apache Software Foundation 

<http://www.apache.org/>

## Tomcat Web Application Manager

Message: OK


**Manager**

[List Applications](#) [HTML Manager Help](#) [Manager Help](#) [Server Status](#)

**Applications**

| Path               | Display Name                            | Running | Sessions | Commands                   |
|--------------------|-----------------------------------------|---------|----------|----------------------------|
| /                  | Welcome to Tomcat                       | true    | 0        | Start Stop Reload Undeploy |
| /admin             | Tomcat Administration Application       | true    | 1        | Start Stop Reload Undeploy |
| /balancer          | Tomcat Simple Load Balancer Example App | true    | 0        | Start Stop Reload Undeploy |
| /host-manager      | Tomcat Manager Application              | true    | 0        | Start Stop Reload Undeploy |
| /jsp-examples      | JSP 2.0 Examples                        | true    | 3        | Start Stop Reload Undeploy |
| /manager           | Tomcat Manager Application              | true    | 0        | Start Stop Reload Undeploy |
| /servlets-examples | Servlet 2.4 Examples                    | true    | 0        | Start Stop Reload Undeploy |
| /tomcat-docs       | Tomcat Documentation                    | true    | 0        | Start Stop Reload Undeploy |
| /webdav            | Webdav Content Management               | true    | 0        | Start Stop Reload Undeploy |

**Deploy**



```
(kali@kali)-[~]
└─$ hydra -l msfadmin -P wordlist.txt -f -V ftp://192.168.31.132
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-24 04:31:22
[DATA] max 8 tasks per 1 server, overall 8 tasks, 8 login tries (l:1/p:8), ~1 try per task
[DATA] attacking ftp://192.168.31.132:21/
[ATTEMPT] target 192.168.31.132 - login "msfadmin" - pass "password" - 1 of 8 [child 0] (0/0)
[ATTEMPT] target 192.168.31.132 - login "msfadmin" - pass "admin" - 2 of 8 [child 1] (0/0)
[ATTEMPT] target 192.168.31.132 - login "msfadmin" - pass "admin123" - 3 of 8 [child 2] (0/0)
[ATTEMPT] target 192.168.31.132 - login "msfadmin" - pass "user" - 4 of 8 [child 3] (0/0)
[ATTEMPT] target 192.168.31.132 - login "msfadmin" - pass "service" - 5 of 8 [child 4] (0/0)
[ATTEMPT] target 192.168.31.132 - login "msfadmin" - pass "tomcat" - 6 of 8 [child 5] (0/0)
[ATTEMPT] target 192.168.31.132 - login "msfadmin" - pass "msfadmin" - 7 of 8 [child 6] (0/0)
[ATTEMPT] target 192.168.31.132 - login "msfadmin" - pass "welcome" - 8 of 8 [child 7] (0/0)
1 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-07-24 04:31:26
```

```
00:21
(kali@kali)-[~]
└─$ medusa -h 192.168.31.132 -u msfadmin -P wordlist.txt -M ftp
Medusa v2.3 [http://www.fooofus.net] (C) JoMo-Kun / Foofus Networks <jmk@fooofus.net>

2026-07-24 05:07:04 ACCOUNT CHECK: [ftp] Host: 192.168.31.132 (1 of 1, 0 complete) User: msfadmin (1 of 1, 0 complete) Password: password (1 of 8 complete)
2026-07-24 05:07:07 ACCOUNT CHECK: [ftp] Host: 192.168.31.132 (1 of 1, 0 complete) User: msfadmin (1 of 1, 0 complete) Password: admin (2 of 8 complete)
2026-07-24 05:07:10 ACCOUNT CHECK: [ftp] Host: 192.168.31.132 (1 of 1, 0 complete) User: msfadmin (1 of 1, 0 complete) Password: admin123 (3 of 8 complete)
2026-07-24 05:07:13 ACCOUNT CHECK: [ftp] Host: 192.168.31.132 (1 of 1, 0 complete) User: msfadmin (1 of 1, 0 complete) Password: user (4 of 8 complete)
2026-07-24 05:07:16 ACCOUNT CHECK: [ftp] Host: 192.168.31.132 (1 of 1, 0 complete) User: msfadmin (1 of 1, 0 complete) Password: service (5 of 8 complete)
2026-07-24 05:07:19 ACCOUNT CHECK: [ftp] Host: 192.168.31.132 (1 of 1, 0 complete) User: msfadmin (1 of 1, 0 complete) Password: tomcat (6 of 8 complete)
2026-07-24 05:07:19 ACCOUNT CHECK: [ftp] Host: 192.168.31.132 (1 of 1, 0 complete) User: msfadmin (1 of 1, 0 complete) Password: msfadmin (7 of 8 complete)
2026-07-24 05:07:19 ACCOUNT FOUND: [ftp] Host: 192.168.31.132 User: msfadmin Password: msfadmin [SUCCESS]
```

```
(kali@kali)-[~]
└─$ echo -n "Shyam@123" | md5sum | awk '{print $1}' > hash.txt

(kali@kali)-[~]
└─$ cat hash.txt
b2ec2d95c293a49e8b69b60a4ceb9a9f

(kali@kali)-[~]
└─$
```

```
(kali㉿kali)-[~]
$ john --wordlist=wordlist.txt --format=Raw-MD5 hash.txt
Created directory: /home/kali/.john
Using default input encoding: UTF-8
Loaded 1 password hash (Raw-MD5 [MD5 512/512 AVX512BW 16x3])
Warning: no OpenMP support for this hash type, consider --fork=2
Press 'q' or Ctrl-C to abort, almost any other key for status
Warning: Only 8 candidates left, minimum 48 needed for performance.
0g 0:00:00:00 DONE (2026-07-24 04:46) 0g/s 800.0p/s 800.0c/s 800.0C/s passwor
d ..welcome
Session completed.

(kali㉿kali)-[~]
$
```

```
(kali㉿kali)-[~]
$ crunch 4 4 abcdefghijklmnopqrstuvwxyz0123456789 -o output.txt
Crunch will now generate the following amount of data: 8398080 bytes
8 MB
0 GB
0 TB
0 PB
Crunch will now generate the following number of lines: 1679616

crunch: 100% completed generating output

(kali㉿kali)-[~]
$
```

```
(kali㉿kali)-[~]
$ cewl http://testaspnet.vulnweb.com -w crack.txt
CeWL 6.2.1 (More Fixes) Robin Wood (robin@digi.ninja) (https://digi.ninja/)
```