

SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006 (REACH) and (EU) 2020/878. Document SDS-AN-0876 - Revision 5.1 - Date of issue 2026-03-04.

SECTION 1: Identification of the substance/mixture and of the company

Product name	Dulux Weathershield Exterior Acrylic (Water-Based)
Product code	SDS-AN-0876
Product type	Industrial / professional coating
Relevant identified uses	Water-based acrylic emulsion paint for exterior masonry and render.
Supplier	AkzoNobel N.V., Christian Neefestraat 2, 1077 WW Amsterdam, The Netherlands
Emergency telephone	+31 (0)20 502 7555 (24h)

SECTION 2: Hazards identification

Classification (CLP)	Not classified as hazardous (GHS)
Signal word	None (no signal word required)
Hazard statements	Not classified; contains preservatives, may produce an allergic reaction. EUH208.
Precautionary statements	P210 Keep away from heat/sparks. P280 Wear protective gloves/eye protection. P403

SECTION 3: Composition / information on ingredients

Chemical name	CAS No.	Conc.	Classification
Water	7732-18-5	30 - 45%	Not classified
Styrene-acrylic latex	Proprietary	25 - 40%	Not classified
Titanium dioxide (rutile)	13463-67-7	10 - 18%	Carc. 2 (inhalable dust)
1,2-Benzisothiazol-3(2H)-one (BIT)	2634-33-5	< 0.05%	Skin Sens. 1; H317

SECTION 4: First-aid measures

Inhalation: Move to fresh air. If symptoms persist, obtain medical attention. **Skin contact:** Wash with soap and water; remove contaminated clothing. **Eye contact:** Rinse cautiously with water for several minutes. **Ingestion:** Do not induce vomiting; seek medical advice.

SECTION 5: Fire-fighting measures

Flash point	Not applicable (water-based, non-flammable)
Suitable extinguishing media	Foam, CO2, dry powder, water spray. Do not use water jet.
Special hazards	Combustion may release CO, CO2 and nitrogen oxides. Powders may form explosive

SECTION 6: Accidental release measures

Eliminate ignition sources. Use personal protection as in Section 8. Collect mechanically; avoid dust generation. Prevent entry into drains and watercourses.

SECTION 7: Handling and storage

Safe handling	Avoid inhalation of dust/vapour. Ensure adequate ventilation. No smoking.
Storage conditions	Store in original closed container in a dry, well-ventilated area.
Storage temperature	5 to 30 deg C (protect from frost)
Incompatible materials	Strong oxidising agents, strong acids and bases.
Shelf life	24 months from date of manufacture under recommended conditions.

SECTION 8: Exposure controls / personal protection

Occupational exposure limits	Observe local OEL/WEL values for solvents, dusts and TiO ₂ (inhalable).
Engineering controls	Provide local exhaust ventilation; maintain airborne levels below OEL.
Required PPE	Nitrile gloves, safety glasses; respirator not normally required

SECTION 9: Physical and chemical properties

Property	Value
Form	Liquid emulsion
Colour	White / tintable
Odour	Low odour
pH	8.5 - 9.5
Density	1.25 - 1.40 g/cm ³
Solubility (water)	Miscible
VOC content	30 g/L
Flash point	N/A (water-based)

SECTION 10: Stability and reactivity

Stable under normal conditions. Avoid heat, sparks and open flame. Hazardous polymerisation does not occur.

SECTION 11: Toxicological information

May cause irritation of eyes, skin and respiratory tract. Titanium dioxide classified Carc. 2 by inhalation of dust. See Section 3 for sensitisers.

SECTION 12: Ecological information

Do not allow to enter drains, soil or watercourses. Aquatic toxicity depends on components; see Section 3 classifications.

SECTION 13: Disposal considerations

Dispose of contents/container in accordance with local, regional and national regulations. European Waste Catalogue code per use.

SECTION 14: Transport information

Classify for transport (ADR/IMDG/IATA) according to flammability and environmental hazard. Non-flammable water-based products are generally not regulated.

SECTION 15: Regulatory information

Complies with REACH (EC) 1907/2006 and CLP (EC) 1272/2008. VOC content stated in Section 9 per Directive 2004/42/EC.

SECTION 16: Other information

Revision 5.1. This SDS is a SYNTHETIC document created for a Databricks document-intelligence demo and does not describe a real product formulation.