## SECURE CODING LAB 3

S.B.S.Praneeth 19BCN7279

## **Explanation**

We use schtasks to schedule the task.

/create extension is to create task

/change is to modify a task

/delete is used to delete the created task

/st is to give the time of the task

/tn is for the task name

/tr is to run the task

/sc is for the frequency of the task

/d is for the days of the week to run the task

## **Screenshots**

```
icrosoft Windows [Version 10.0.19041.804]
:) 2020 Microsoft Corporation. All rights reserved.
CHTASKS /parameter [arguments]
  craption.

Enables an administrator to create, delete, query, change, run and end scheduled tasks on a local or remote system.
  /Delete
                        Deletes the scheduled task(s).
                        Displays all scheduled tasks.
  /Query
                        Changes the properties of scheduled task.
                        Runs the scheduled task on demand.
                        Stops the currently running scheduled task.
                        Shows the security identifier corresponding to a scheduled task name.
                        Displays this help message.
:\Users\user>schtasks /create /st 14:00 /tn "19bcn7279" /tr "c:runme.bat"
nvalid syntax. Mandatory option 'sc' is missing.
rpe "CREATE /?" for usage.
:\Users\user>schtasks /create /st 14:00 /tn "19bcn7279" /tr "c:runme.bat" /sc daily
UCCESS: The scheduled task "19bcn7117" has successfully been created.
:\Users\user>schtasks /change /tn "19bcn7279" /st 9:00
RROR: Invalid starttime value.
            ser>schtasks /change /tn "19bcn7279" /st 09:00
```