

Code Export

Source Code PDF Report

Generated 2026-05-05 06:16

Root directory C:\Users\LENOVO\Documents\Java_run\Smart_EmployeeManagementSystem\SmartEmployeeManagementSys

Files found 173

Total lines 21,001

Table of Contents

1. Parent: README.md (3 lines)
2. Current: .mvn\wrapper\maven-wrapper.properties (4 lines)
3. Current: pom.xml (138 lines)
4. Current: src\main\java\com\example\EmployeeManagementSystem\code\CodeToPdf.java (348 lines)
5. Current: src\main\java\com\example\EmployeeManagementSystem\config\BasicAuthConfig.java (52 lines)
6. Current: src\main\java\com\example\EmployeeManagementSystem\config\JWTauth\JWTAuthConfig.java (197 lines)
7. Current: src\main\java\com\example\EmployeeManagementSystem\config\LeaveTypeDataInitializer.java (44 lines)
8. Current: src\main\java\com\example\EmployeeManagementSystem\config\Seassion\SessionAuthConfig.java (32 lines)
9. Current: src\main\java\com\example\EmployeeManagementSystem\config\swaggerConfig.java (38 lines)
10. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\AdminController.java (182 lines)
11. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\ApiKeyController.java (37 lines)
12. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\AuthController.java (184 lines)
13. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\DeliveryController.java (33 lines)
14. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\DeviceController.java (71 lines)
15. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\EmployeeController.java (59 lines)
16. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\GlobalExceptionHandler.java (132 lines)
17. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\HolidayController.java (40 lines)
18. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\LeaveDashboardController.java (119 lines)
19. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\LeaveRequestController.java (72 lines)
20. Current: src\main\java\com\example\EmployeeManagementSystem\Controller>LoginController.java (17 lines)
21. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\ManagerController.java (72 lines)
22. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\NotificationController.java (60 lines)
23. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\OauthController.java (52 lines)
24. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\RestaurantController.java (124 lines)
25. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\SchedulerController.java (103 lines)

26. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\ServiceRequestController.java (74 lines)

27. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\SessionAuthController.java (96 lines)

28. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\SubscriptionController.java (73 lines)

29. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\TotpController.java (134 lines)

30. Current: src\main\java\com\example\EmployeeManagementSystem\Controller\VendorController.java (59 lines)

31. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\AccessTokenRequest.java (18 lines)

32. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\ActionDTO.java (34 lines)

33. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\AdminActionDTO.java (34 lines)

34. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\AdminEmployeeDTO.java (61 lines)

35. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\AssignDeviceRequest.java (14 lines)

36. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\AuthRequest.java (28 lines)

37. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\AuthResponse.java (28 lines)

38. Current:
src\main\java\com\example\EmployeeManagementSystem\DTO\DeviceAssignmentResponseDTO.java (91 lines)

39. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\DeviceDTO.java (45 lines)

40. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\DeviceResponseDTO.java (103 lines)

41. Current:
src\main\java\com\example\EmployeeManagementSystem\DTO\EmployeeAttendanceResponseDTO.java (43 lines)

42. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\EmployeeDetails.java (52 lines)

43. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\EmployeeDTO.java (61 lines)

44. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\EmployeeStatusDTO.java (71 lines)

45. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\HolidayDTO.java (50 lines)

46. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\LeaveDashboardResponse.java (122 lines)

47. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\LeaveRequestDTO.java (48 lines)

48. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\LeaveResponseDTO.java (82 lines)

49. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\ManagerDTO.java (43 lines)

50. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\ManagerEmployeeDetailsDTO.java (72 lines)

51. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\ManagerLeaveResponseDTO.java (73 lines)

52. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\MaternityLeaveRequestDTO.java (25 lines)

53. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\PromoteRequest.java (23 lines)

54. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\RepairDTO.java (34 lines)

55. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\RestaurantDTO.java (42 lines)

56. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\RestaurantRequest.java (46 lines)

57. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\ServiceRequestDTO.java (44 lines)

58. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\ServiceRequestResponseDTO.java (116 lines)

59. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\SubscriptionDTO.java (103 lines)

60. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\SubscriptionRequest.java (72 lines)

61. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\VendorDTO.java (26 lines)

62. Current: src\main\java\com\example\EmployeeManagementSystem\DTO\VendorRequest.java (47 lines)

63. Current:
src\main\java\com\example\EmployeeManagementSystem\EmployeeManagementSystemApplication.java (16 lines)

64. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\ApiKey.java (79 lines)

65. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\Delivery.java (93 lines)

66. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\Device.java (107 lines)

67. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\DeviceAssignment.java (68 lines)

68. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\Employee.java (197 lines)

69. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\FixedHoliday.java (61 lines)

70. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\LeaveEntitlement.java (104 lines)

71. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\LeaveRequest.java (105 lines)

72. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\LeaveType.java (49 lines)

73. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\LeaveWarning.java (58 lines)

74. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\Notification.java (42 lines)

75. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\RefreshToken.java (62 lines)

76. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\Restaurant.java (58 lines)

77. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\ServiceRequest.java (141 lines)

78. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\Subscription.java (105 lines)

79. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\Vendor.java (124 lines)

80. Current: src\main\java\com\example\EmployeeManagementSystem\Entity\YearEndCarryForwardLog.java (62 lines)

81. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\AssignmentStatus.java (8 lines)

82. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\DeliveryStatus.java (9 lines)

83. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\DeviceStatus.java (10 lines)

84. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\DeviceType.java (15 lines)

85. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\Gender.java (5 lines)

86. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\LeaveStatus.java (9 lines)

87. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\LeaveType.java (9 lines)

88. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\MealSlot.java (8 lines)

89. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\Permission.java (21 lines)

90. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\Role.java (60 lines)

91. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\ScheduleType.java (7 lines)

92. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\ServiceRequestStatus.java (9 lines)

93. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\ServiceRequestType.java (10 lines)

94. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\Status.java (8 lines)

95. Current: src\main\java\com\example\EmployeeManagementSystem\Enum\SubscriptionStatus.java (8 lines)

96. Current: src\main\java\com\example\EmployeeManagementSystem\Exception\DuplicateRequestException.java (8 lines)

97. Current: src\main\java\com\example\EmployeeManagementSystem\Exception\EmployeeNotFound.java (10 lines)

98. Current: src\main\java\com\example\EmployeeManagementSystem\Exception\InvalidEndDateException.java (8 lines)

99. Current: src\main\java\com\example\EmployeeManagementSystem\Exception\InvalidManagerException.java (8 lines)

100. Current: src\main\java\com\example\EmployeeManagementSystem\Exception\InvalidStartDateException.java (8 lines)

101. Current:
src\main\java\com\example\EmployeeManagementSystem\Exception\LeaveRequestNotFoundException.java (8 lines)

102. Current:
src\main\java\com\example\EmployeeManagementSystem\Exception\OverlappingLeaveException.java (8 lines)

103. Current:
src\main\java\com\example\EmployeeManagementSystem\Exception\RestaurantNotFoundException.java (8 lines)

104. Current: src\main\java\com\example\EmployeeManagementSystem\Exception\SubscriptionAlreadyExists.java (8 lines)

105. Current:
src\main\java\com\example\EmployeeManagementSystem\Exception\UnauthorizedAccessException.java (7 lines)

106. Current: src\main\java\com\example\EmployeeManagementSystem\Exception\VendorNotFoundException.java (7 lines)

107. Current: src\main\java\com\example\EmployeeManagementSystem\Filter\ApiKeyFilter.java (70 lines)

108. Current: src\main\java\com\example\EmployeeManagementSystem\Filter\JwtAuthFilter.java (83 lines)

109. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\ApiKeyRepository.java (34 lines)

110. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\DeliveryRepository.java (23 lines)

111. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\DeviceAssignmentRepo.java (21 lines)

112. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\DeviceRepository.java (13 lines)

113. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\EmployeeRepo.java (26 lines)

114. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\FixedHolidayRepository.java (13 lines)

115. Current:
src\main\java\com\example\EmployeeManagementSystem\Repository\LeaveEntitlementRepository.java (31 lines)

116. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\LeaveRequestRepo.java (117 lines)

117. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\LeaveTypeRepository.java (13 lines)

118. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\LeaveWarningRepository.java (21 lines)

119. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\NotificationRepository.java (12 lines)

120. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\RefreshTokenRepository.java (19 lines)

121. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\RestaurantRepository.java (31 lines)

122. Current:
src\main\java\com\example\EmployeeManagementSystem\Repository\ServiceRequestRepository.java (23 lines)

123. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\SubscriptionRepository.java (32 lines)

124. Current: src\main\java\com\example\EmployeeManagementSystem\Repository\VendorRepo.java (13 lines)

125. Current:
src\main\java\com\example\EmployeeManagementSystem\Repository\YearEndCarryForwardLogRepository.java (18 lines)

126. Current: src\main\java\com\example\EmployeeManagementSystem\Scheduler\DeliveryScheduler.java (30 lines)

127. Current: src\main\java\com\example\EmployeeManagementSystem\Scheduler\LeaveAccrualScheduler.java (60 lines)

128. Current: src\main\java\com\example\EmployeeManagementSystem\Scheduler\LeaveStatusScheduler.java (107 lines)

129. Current:
src\main\java\com\example\EmployeeManagementSystem\security\ApiKeyAuthenticationProvider.java (85 lines)

130. Current: src\main\java\com\example\EmployeeManagementSystem\security\ApiKeyAuthenticationToken.java (84 lines)

131. Current: src\main\java\com\example\EmployeeManagementSystem\Service\ApiKeyService.java (52 lines)

132. Current:
src\main\java\com\example\EmployeeManagementSystem\Service\CarryForwardWarningService.java (126 lines)

133. Current: src\main\java\com\example\EmployeeManagementSystem\Service\CombinedUserDetailService.java (41 lines)

134. Current: src\main\java\com\example\EmployeeManagementSystem\Service\CustomOAuth2UserService.java (87 lines)

135. Current: src\main\java\com\example\EmployeeManagementSystem\Service\DeliveryService.java (178 lines)

136. Current: src\main\java\com\example\EmployeeManagementSystem\Service\DeliveryTimeService.java (74 lines)

137. Current: src\main\java\com\example\EmployeeManagementSystem\Service\DeviceService.java (193 lines)

138. Current: src\main\java\com\example\EmployeeManagementSystem\Service\EmployeeService.java (214 lines)

139. Current: src\main\java\com\example\EmployeeManagementSystem\Service\HolidayService.java (39 lines)

140. Current: src\main\java\com\example\EmployeeManagementSystem\Service\LeaveAccrualService.java (128 lines)

141. Current: src\main\java\com\example\EmployeeManagementSystem\Service\LeaveDashboardService.java (215 lines)

142. Current: src\main\java\com\example\EmployeeManagementSystem\Service\LeaveRequestService.java (525 lines)

143. Current: src\main\java\com\example\EmployeeManagementSystem\Service\ManagerService.java (219 lines)

144. Current: src\main\java\com\example\EmployeeManagementSystem\Service\MaternityLeaveService.java (129 lines)

145. Current: src\main\java\com\example\EmployeeManagementSystem\Service\MealSlotService.java (22 lines)

146. Current: src\main\java\com\example\EmployeeManagementSystem\Service\NotificationService.java (57 lines)

147. Current: src\main\java\com\example\EmployeeManagementSystem\Service\RefreshTokenService.java (41 lines)

148. Current: src\main\java\com\example\EmployeeManagementSystem\Service\RestaurantService.java (162 lines)

149. Current: src\main\java\com\example\EmployeeManagementSystem\Service\ServiceRequestService.java (209 lines)

150. Current: src\main\java\com\example\EmployeeManagementSystem\Service\SickLeaveResetService.java (67 lines)

151. Current: src\main\java\com\example\EmployeeManagementSystem\Service\SubscriptionService.java (228 lines)

152. Current: src\main\java\com\example\EmployeeManagementSystem\Service\TotpService.java (45 lines)

153. Current:
src\main\java\com\example\EmployeeManagementSystem\Service\YearEndCarryForwardService.java (224 lines)

154. Current: src\main\java\com\example\EmployeeManagementSystem\Util\AuthUtil.java (21 lines)

155. Current: src\main\java\com\example\EmployeeManagementSystem\Util\JWTUtil.java (76 lines)

156. Current: src\main\java\com\example\EmployeeManagementSystem\Util\OAuth2SuccessHandler.java (85 lines)

157. Current: src\main\resources\application.yaml (69 lines)

158. Current: src\main\resources\static\dashboard.html (2,061 lines)

159. Current: src\main\resources\static\employee-dashboard.html (1,596 lines)

160. Current: src\main\resources\static\google.html (764 lines)

161. Current: src\main\resources\static\leave_management.html (770 lines)

162. Current: src\main\resources\static\login.html (10 lines)

163. Current: src\main\resources\static\manager-dashboard.html (2,162 lines)

164. Current: src\main\resources\static\pending.html (76 lines)

165. Current: src\main\resources\static\tech-vendor-dashboard.html (991 lines)

166. Current: src\main\resources\static\otp-setup.html (442 lines)

167. Current: src\main\resources\static\vendor-dashboard.html (529 lines)

168. Current: src\main\resources\static\vendor-login.html (396 lines)

169. Current:
src\test\java\com\example\EmployeeManagementSystem\EmployeeManagementSystemApplicationTests.java (14 lines)

170. Current: src\test\java\com\example\EmployeeManagementSystem\service\LeaveAccrualServiceTest.java (112 lines)

171. Current: src\test\java\com\example\EmployeeManagementSystem\service\LeaveRequestServiceTest.java (86 lines)

172. Current: src\test\java\com\example\EmployeeManagementSystem\service\SickLeaveResetServiceTest.java (135 lines)

173. Current:
src\test\java\com\example\EmployeeManagementSystem\service\YearEndCarryForwardServiceTest.java (137 lines)

1 Parent: README.md

3 lines

```
1 # SmartEmployeeManagementSystem
2 A secure and scalable Spring Boot backend for employee management, leave tracking, and meal subscription
  services with JWT, OAuth2, API key authentication, and role-based access control.
3
```

2 Current: .mvn\wrapper\maven-wrapper.properties

4 lines

```
1 wrapperVersion=3.3.4
2 distributionType=only-script
3 distributionUrl=https://repo.maven.apache.org/maven2/org/apache/maven/apache-maven/3.9.14/apache-maven-
3.9.14-bin.zip
4
```

```

1  <?xml version="1.0" encoding="UTF-8"?>
2  <project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
3      xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd">
4      <modelVersion>4.0.0</modelVersion>
5      <parent>
6          <groupId>org.springframework.boot</groupId>
7          <artifactId>spring-boot-starter-parent</artifactId>
8          <version>4.0.5</version>
9          <relativePath/> <!-- lookup parent from repository -->
10     </parent>
11     <groupId>com.example</groupId>
12     <artifactId>EmployeeLeaveManagementSystem</artifactId>
13     <version>0.0.1-SNAPSHOT</version>
14     <name/>
15     <description/>
16     <url/>
17     <licenses>
18         <license/>
19     </licenses>
20     <developers>
21         <developer/>
22     </developers>
23     <scm>
24         <connection/>
25         <developerConnection/>
26         <tag/>
27         <url/>
28     </scm>
29     <properties>
30         <java.version>21</java.version>
31     </properties>
32     <dependencies>
33         <dependency>
34             <groupId>org.springframework.boot</groupId>
35             <artifactId>spring-boot-starter-data-jpa</artifactId>
36         </dependency>
37         <dependency>
38             <groupId>org.springframework.boot</groupId>
39             <artifactId>spring-boot-starter-webmvc</artifactId>
40         </dependency>
41         <dependency>
42             <groupId>org.springdoc</groupId>
43             <artifactId>springdoc-openapi-starter-webmvc-ui</artifactId>
44             <version>3.0.2</version>
45         </dependency>
46         <dependency>
47             <groupId>dev.samstevens.totp</groupId>
48             <artifactId>totp-spring-boot-starter</artifactId>
49             <version>1.7.1</version>
50         </dependency>
51         <dependency>
52             <groupId>org.springframework.session</groupId>
53             <artifactId>spring-session-core</artifactId>
54         </dependency>
55         <!-- TOTP -->
56         <dependency>
57             <groupId>dev.samstevens.totp</groupId>
58             <artifactId>totp-spring-boot-starter</artifactId>
59             <version>1.7.1</version>
60         </dependency>
61         <!-- -->
62         <dependency>
63             <groupId>org.springframework.boot</groupId>
64             <artifactId>spring-boot-devtools</artifactId>
65             <scope>runtime</scope>
66             <optional>true</optional>
67         </dependency>
68         <dependency>
69             <groupId>com.mysql</groupId>
70             <artifactId>mysql-connector-j</artifactId>
71             <scope>runtime</scope>
72     </dependencies>

```

```

73     <dependency>
74         <groupId>org.springframework.boot</groupId>
75         <artifactId>spring-boot-starter-data-jpa-test</artifactId>
76         <scope>test</scope>
77     </dependency>
78     <dependency>
79         <groupId>com.itextpdf</groupId>
80         <artifactId>layout</artifactId>
81         <version>7.2.5</version>
82     </dependency>
83     <dependency>
84         <groupId>org.springframework.boot</groupId>
85         <artifactId>spring-boot-starter-security</artifactId>
86     </dependency>
87
88     <dependency>
89         <groupId>org.springframework.boot</groupId>
90         <artifactId>spring-boot-starter-security-test</artifactId>
91         <scope>test</scope>
92     </dependency>
93     <dependency>
94         <groupId>org.springframework.boot</groupId>
95         <artifactId>spring-boot-starter-webmvc-test</artifactId>
96         <scope>test</scope>
97     </dependency>
98     <dependency>
99         <groupId>io.jsonwebtoken</groupId>
100        <artifactId>jjwt-api</artifactId>
101        <version>0.13.0</version>
102        <scope>compile</scope>
103    </dependency>
104    <dependency>
105        <groupId>io.jsonwebtoken</groupId>
106        <artifactId>jjwt-impl</artifactId>
107        <version>0.13.0</version>
108        <scope>runtime</scope>
109    </dependency>
110    <dependency>
111        <groupId>io.jsonwebtoken</groupId>
112        <artifactId>jjwt-jackson</artifactId>
113        <version>0.13.0</version>
114        <scope>runtime</scope>
115    </dependency>
116    <dependency>
117        <groupId>org.springframework.boot</groupId>
118        <artifactId>spring-boot-starter-security-oauth2-client</artifactId>
119    </dependency>
120
121    <dependency>
122        <groupId>org.springframework.boot</groupId>
123        <artifactId>spring-boot-starter-security-oauth2-client-test</artifactId>
124        <scope>test</scope>
125    </dependency>
126 </dependencies>
127
128 <build>
129     <plugins>
130         <plugin>
131             <groupId>org.springframework.boot</groupId>
132             <artifactId>spring-boot-maven-plugin</artifactId>
133         </plugin>
134     </plugins>
135 </build>
136
137 </project>
138

```

```

1 package com.example.EmployeeManagementSystem.code;
2
3 import com.itextpdf.kernel.colors.ColorConstants;
4 import com.itextpdf.kernel.colors.DeviceRgb;
5 import com.itextpdf.kernel.font.PdfFont;
6 import com.itextpdf.kernel.font.PdfFontFactory;
7 import com.itextpdf.kernel.geom.PageSize;
8 import com.itextpdf.kernel.pdf.PdfDocument;
9 import com.itextpdf.kernel.pdf.PdfWriter;
10 import com.itextpdf.layout.Document;
11 import com.itextpdf.layout.element.AreaBreak;
12 import com.itextpdf.layout.element.Cell;
13 import com.itextpdf.layout.element.Paragraph;
14 import com.itextpdf.layout.element.Table;
15 import com.itextpdf.layout.element.Text;
16 import com.itextpdf.layout.properties.AreaBreakType;
17 import com.itextpdf.layout.properties.UnitValue;
18 import com.itextpdf.io.font.constants.StandardFonts;
19
20 import java.io.File;
21 import java.io.IOException;
22 import java.nio.file.*;
23 import java.nio.file.attribute.BasicFileAttributes;
24 import java.time.LocalDateTime;
25 import java.time.format.DateTimeFormatter;
26 import java.util.*;
27
28 /**
29  * CodeToPdf - Extracts all source code files from the current, parent,
30  * and immediate child directories into a formatted PDF document.
31  *
32  * Dependencies (add to your pom.xml or build.gradle):
33  *   com.itextpdf:itext7-core:7.2.5 (or itext7 bundle)
34  *
35  * Compile:
36  *   javac -cp itext7-core-7.2.5.jar:. CodeToPdf.java
37  *
38  * Run:
39  *   java -cp itext7-core-7.2.5.jar:. CodeToPdf
40  *
41  * Or with Maven:
42  *   mvn compile exec:java -Dexec.mainClass=CodeToPdf
43  */
44 public class CodeToPdf {
45
46     // Configuration
47
48     /** Output PDF filename */
49     private static final String OUTPUT_FILE = "code_export.pdf";
50
51     /** Maximum file size to include (skip very large generated files) */
52     private static final long MAX_FILE_SIZE_BYTES = 500_000; // 500 KB
53
54     /** Source code file extensions to include */
55     private static final Set<String> CODE_EXTENSIONS = new LinkedHashSet<>(Arrays.asList(
56         // JVM languages
57         ".java", ".kt", ".groovy", ".scala", ".clj",
58         // Web
59         ".js", ".ts", ".jsx", ".tsx", ".html", ".css", ".scss", ".less",
60         // Python / Ruby / PHP
61         ".py", ".rb", ".php",
62         // Systems / low-level
63         ".c", ".cpp", ".cc", ".h", ".hpp", ".rs", ".go", ".swift",
64         // Data / config
65         ".xml", ".json", ".yaml", ".yml", ".toml", ".properties", ".env",
66         // Shell / scripts
67         ".sh", ".bash", ".zsh", ".bat", ".ps1",
68         // Build
69         ".gradle", ".cmake", "Makefile", "Dockerfile",
70         // Other
71         ".sql", ".md", ".txt"

```

```

72     });
73
74     /** Directories to skip entirely */
75     private static final Set<String> SKIP_DIRS = new HashSet<>(Arrays.asList(
76         ".git", ".svn", ".hg", "node_modules", "target", "build",
77         "out", ".idea", ".vscode", "__pycache__", ".gradle", "dist", "vendor"
78     ));
79
80     // Colors
81     private static final DeviceRgb COLOR_HEADER_BG = new DeviceRgb(0x18, 0x5F, 0xA5); // blue
82     private static final DeviceRgb COLOR_HEADER_TEXT = new DeviceRgb(0xFF, 0xFF, 0xFF);
83     private static final DeviceRgb COLOR_FILE_TITLE = new DeviceRgb(0x18, 0x5F, 0xA5);
84     private static final DeviceRgb COLOR_CODE_BG = new DeviceRgb(0xF7, 0xF7, 0xF7);
85     private static final DeviceRgb COLOR_LINE_NUM = new DeviceRgb(0x99, 0x99, 0x99);
86     private static final DeviceRgb COLOR_TOC_HEADER = new DeviceRgb(0x18, 0x5F, 0xA5);
87
88     // Font sizes
89     private static final float FONT_TITLE = 20f;
90     private static final float FONT_SECTION = 13f;
91     private static final float FONT_FILE = 11f;
92     private static final float FONT_CODE = 7.5f;
93     private static final float FONT_TOC = 10f;
94
95     // State
96     private final List<FileEntry> fileEntries = new ArrayList<>();
97     private int totalLines = 0;
98
99     //
100
101     public static void main(String[] args) throws Exception {
102         new CodeToPdf().run();
103     }
104
105     private void run() throws Exception {
106         Path currentDir = Paths.get("").toAbsolutePath();
107         Path parentDir = currentDir.getParent();
108
109         System.out.println("=== Code to PDF Extractor ===");
110         System.out.println("Current directory : " + currentDir);
111         System.out.println("Parent directory : " + (parentDir != null ? parentDir : "(none)"));
112         System.out.println();
113
114         // 1. Collect files
115
116         // Parent directory (top-level files only, not recursive)
117         if (parentDir != null && Files.exists(parentDir)) {
118             collectFiles(parentDir, false, "Parent");
119         }
120
121         // Current directory (recursive – includes all child subdirectories)
122         collectFiles(currentDir, true, "Current");
123
124         System.out.printf("%nFound %d code file(s) with %,d total lines.%n",
125             fileEntries.size(), totalLines);
126
127         if (fileEntries.isEmpty()) {
128             System.out.println("No code files found. Exiting.");
129             return;
130         }
131
132         // 2. Generate PDF
133         generatePdf(currentDir);
134
135         System.out.println("PDF saved to: " + Paths.get(OUTPUT_FILE).toAbsolutePath());
136     }
137
138     // File Collection
139
140     private void collectFiles(Path root, boolean recursive, String scope) throws IOException {
141         if (!Files.exists(root)) return;
142
143         Files.walkFileTree(root, new SimpleFileVisitor<>() {
144             @Override
145             public FileVisitResult preVisitDirectory(Path dir, BasicFileAttributes attrs) {
146                 String name = dir.getFileName() == null ? "" : dir.getFileName().toString();
147                 // Never recurse into skip-dirs; always allow the root itself

```

```

148         if (!dir.equals(root) && SKIP_DIRS.contains(name)) {
149             return FileVisitResult.SKIP_SUBTREE;
150         }
151         // If not recursive, skip any subdirectory of root
152         if (!recursive && !dir.equals(root)) {
153             return FileVisitResult.SKIP_SUBTREE;
154         }
155         return FileVisitResult.CONTINUE;
156     }
157
158     @Override
159     public FileVisitResult visitFile(Path file, BasicFileAttributes attrs) throws IOException {
160         if (isCodeFile(file) && attrs.size() <= MAX_FILE_SIZE_BYTES) {
161             String content = Files.readString(file);
162             int lines = content.split("\n", -1).length;
163             String relativePath = scope + ": " + root.relativize(file);
164             fileEntries.add(new FileEntry(relativePath, file, content, lines));
165             totalLines += lines;
166             System.out.println("  " + relativePath + " (" + lines + " lines)");
167         }
168         return FileVisitResult.CONTINUE;
169     }
170 });
171 }
172
173 private boolean isCodeFile(Path file) {
174     String name = file.getFileName().toString();
175     // Check for exact filename match (e.g. "Makefile", "Dockerfile")
176     if (CODE_EXTENSIONS.contains(name)) return true;
177     // Check extension
178     int dot = name.lastIndexOf('.');
179     if (dot >= 0) {
180         return CODE_EXTENSIONS.contains(name.substring(dot));
181     }
182     return false;
183 }
184
185 // PDF Generation
186
187 private void generatePdf(Path currentDir) throws IOException {
188     PdfWriter writer = new PdfWriter(OUTPUT_FILE);
189     PdfDocument pdfDoc = new PdfDocument(writer);
190     Document doc = new Document(pdfDoc, PageSize.A4);
191     doc.setMargins(40, 40, 40, 40);
192
193     PdfFont sansFont = PdfFontFactory.createFont(StandardFonts.HELVETICA);
194     PdfFont boldFont = PdfFontFactory.createFont(StandardFonts.HELVETICA_BOLD);
195     PdfFont monoFont = PdfFontFactory.createFont(StandardFonts.COURIER);
196
197     // Cover page
198     addCoverPage(doc, sansFont, boldFont, currentDir);
199     doc.add(new AreaBreak(AreaBreakType.NEXT_PAGE));
200
201     // Table of contents
202     addTableOfContents(doc, sansFont, boldFont);
203     doc.add(new AreaBreak(AreaBreakType.NEXT_PAGE));
204
205     // Code sections
206     for (int i = 0; i < fileEntries.size(); i++) {
207         FileEntry entry = fileEntries.get(i);
208         addCodeSection(doc, entry, i + 1, sansFont, boldFont, monoFont);
209         if (i < fileEntries.size() - 1) {
210             doc.add(new AreaBreak(AreaBreakType.NEXT_PAGE));
211         }
212     }
213
214     doc.close();
215 }
216
217 private void addCoverPage(Document doc, PdfFont sansFont, PdfFont boldFont, Path dir)
218     throws IOException {
219
220     doc.add(new Paragraph("\n\n\n"));
221
222     // Big title
223     doc.add(new Paragraph("Code Export"))

```

```

224         .setFont(boldFont).setFontSize(FONT_TITLE + 10)
225         .setFillColor(COLOR_FILE_TITLE)
226         .setMarginBottom(6));
227
228     doc.add(new Paragraph("Source Code PDF Report")
229         .setFont(sansFont).setFontSize(FONT_SECTION)
230         .setFillColor(ColorConstants.DARK_GRAY)
231         .setMarginBottom(24));
232
233     // Stats table
234     Table stats = new Table(UnitValue.createPercentArray(new float[]{40, 60}))
235         .setWidth(UnitValue.createPercentValue(80));
236     addStatRow(stats, "Generated",      LocalDateTime.now()
237         .format(DateTimeFormatter.ofPattern("yyyy-MM-dd HH:mm")), sansFont, boldFont);
238     addStatRow(stats, "Root directory", dir.toString(), sansFont, boldFont);
239     addStatRow(stats, "Files found",   String.valueOf(fileEntries.size()), sansFont, boldFont);
240     addStatRow(stats, "Total lines",   String.format("%,d", totalLines), sansFont, boldFont);
241     doc.add(stats);
242 }
243
244 private void addStatRow(Table t, String label, String value,
245     PdfFont sans, PdfFont bold) {
246     t.addCell(new Cell().add(new Paragraph(label)
247         .setFont(bold).setFontSize(10)
248         .setFillColor(ColorConstants.DARK_GRAY))
249         .setBorder(null).setPaddingBottom(6));
250     t.addCell(new Cell().add(new Paragraph(value)
251         .setFont(sans).setFontSize(10))
252         .setBorder(null).setPaddingBottom(6));
253 }
254
255 private void addTableOfContents(Document doc, PdfFont sansFont, PdfFont boldFont)
256     throws IOException {
257     doc.add(new Paragraph("Table of Contents")
258         .setFont(boldFont).setFontSize(FONT_SECTION + 2)
259         .setFillColor(COLOR_TOC_HEADER)
260         .setMarginBottom(12));
261
262     for (int i = 0; i < fileEntries.size(); i++) {
263         FileEntry entry = fileEntries.get(i);
264         String label = String.format("%d.  %s  (%,d lines)",
265             i + 1, entry.relativePath, entry.lineCount);
266         doc.add(new Paragraph(label)
267             .setFont(sansFont).setFontSize(FONT_TOC)
268             .setMarginBottom(3));
269     }
270 }
271
272 private void addCodeSection(Document doc, FileEntry entry, int index,
273     PdfFont sansFont, PdfFont boldFont, PdfFont monoFont)
274     throws IOException {
275
276     // Section header bar
277     Table header = new Table(UnitValue.createPercentArray(new float[]{5, 75, 20}))
278         .setWidth(UnitValue.createPercentValue(100))
279         .setMarginBottom(8);
280
281     header.addCell(new Cell().add(new Paragraph(String.valueOf(index))
282         .setFont(boldFont).setFontSize(FONT_FILE)
283         .setFillColor(COLOR_HEADER_TEXT))
284         .setBackgroundColor(COLOR_HEADER_BG)
285         .setBorder(null).setPadding(6));
286
287     header.addCell(new Cell().add(new Paragraph(entry.relativePath)
288         .setFont(boldFont).setFontSize(FONT_FILE)
289         .setFillColor(COLOR_HEADER_TEXT))
290         .setBackgroundColor(COLOR_HEADER_BG)
291         .setBorder(null).setPadding(6));
292
293     header.addCell(new Cell().add(new Paragraph(entry.lineCount + " lines")
294         .setFont(sansFont).setFontSize(FONT_FILE - 1)
295         .setFillColor(COLOR_HEADER_TEXT))
296         .setBackgroundColor(COLOR_HEADER_BG)
297         .setBorder(null).setPadding(6));
298
299     doc.add(header);

```



```

300
301 // Code block with line numbers
302 String[] lines = entry.content.split("\n", -1);
303 int padWidth = String.valueOf(lines.length).length();
304
305 for (int ln = 0; ln < lines.length; ln++) {
306     String lineNum = String.format("%" + padWidth + "d", ln + 1);
307     String codeLine = lines[ln]
308         .replace("\t", "    ") // expand tabs
309         .replace("\r", "");    // strip CR
310
311     // Truncate very long lines
312     if (codeLine.length() > 200) {
313         codeLine = codeLine.substring(0, 197) + "...";
314     }
315
316     Text numText = new Text(lineNum + " ").setFont(monoFont)
317         .setFontSize(FONT_CODE).setFontColor(COLOR_LINE_NUM);
318     Text codeText = new Text(codeLine).setFont(monoFont)
319         .setFontSize(FONT_CODE).setFontColor(ColorConstants.BLACK);
320
321     Paragraph p = new Paragraph().add(numText).add(codeText)
322         .setBackgroundColor(ln % 2 == 0 ? COLOR_CODE_BG : ColorConstants.WHITE)
323         .setMargin(0).setPaddingLeft(4).setPaddingRight(4)
324         .setMultipliedLeading(1.3f)
325         .setFixedLeading(FONT_CODE + 2.5f);
326
327     doc.add(p);
328 }
329 }
330
331 // Data class
332
333 private static class FileEntry {
334     final String relativePath;
335     final Path absolutePath;
336     final String content;
337     final int lineCount;
338
339     FileEntry(String relativePath, Path absolutePath, String content, int lineCount) {
340         this.relativePath = relativePath;
341         this.absolutePath = absolutePath;
342         this.content = content;
343         this.lineCount = lineCount;
344     }
345 }
346 }
347
348

```

```

1 //package com.example.EmployeeManagementSystem.config;
2 //
3 //import org.springframework.beans.factory.annotation.Qualifier;
4 //import org.springframework.context.annotation.Bean;
5 //import org.springframework.context.annotation.Configuration;
6 //import org.springframework.core.annotation.Order;
7 //import org.springframework.http.HttpMethod;
8 //import org.springframework.security.authentication.AuthenticationManager;
9 //import org.springframework.security.authentication.ProviderManager;
10 //import org.springframework.security.authentication.dao.DaoAuthenticationProvider;
11 //import org.springframework.security.config.Customizer;
12 //import org.springframework.security.config.annotation.method.configuration.EnableMethodSecurity;
13 //import org.springframework.security.config.annotation.web.builders.HttpSecurity;
14 //import org.springframework.security.core.userdetails.UserDetailsService;
15 //import org.springframework.security.crypto.bcrypt.BCryptPasswordEncoder;
16 //import org.springframework.security.crypto.password.PasswordEncoder;
17 //import org.springframework.security.web.SecurityFilterChain;
18 //
19 //
20 //@Configuration
21 //@EnableMethodSecurity
22 //public class BasicAuthConfig {
23 //    @Bean
24 //    @Order(3)
25 //    public SecurityFilterChain basicAuth(HttpSecurity security){
26 //        security
27 //            .csrf(csrf-> csrf.disable())
28 //            .authorizeHttpRequests(
29 //                auth->auth
30 //                    .requestMatchers("/employee/register","/employee/register/manager").permitAll()
31 //                    .requestMatchers(HttpMethod.POST,"/vendors").permitAll()
32 //                    .anyRequest().authenticated()
33 //            )
34 //            .httpBasic(Customizer.withDefaults());
35 //        return security.build();
36 //    }
37 //
38 //    @Bean
39 //    public PasswordEncoder passwordEncoder(){
40 //        return new BCryptPasswordEncoder();
41 //    }
42 //
43 //    @Bean
44 //    public AuthenticationManager authenticationManager(@Qualifier("combinedUserDetailService")
45 //        UserDetailsService userDetailsService,
46 //        PasswordEncoder passwordEncoder){
47 //        DaoAuthenticationProvider employeeAuthenticationProvider=new
48 //        DaoAuthenticationProvider(userDetailsService);
49 //        employeeAuthenticationProvider.setPasswordEncoder(passwordEncoder);
50 //        return new ProviderManager(employeeAuthenticationProvider);
51 //    }
52 //}

```

```

1 // src/main/java/com/example/EmployeeManagementSystem/config/JWTAuth/JWTAuthConfig.java
2 package com.example.EmployeeManagementSystem.config.JWTAuth;
3
4 import com.example.EmployeeManagementSystem.Filter.ApiKeyFilter;
5 import com.example.EmployeeManagementSystem.Filter.JwtAuthFilter;
6 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
7 import com.example.EmployeeManagementSystem.Repository.RefreshTokenRepository;
8 import com.example.EmployeeManagementSystem.Repository VendorRepo;
9 import com.example.EmployeeManagementSystem.Service.CustomOAuth2UserService;
10 import com.example.EmployeeManagementSystem.Service.RefreshTokenService;
11 import com.example.EmployeeManagementSystem.Util.JWTUtil;
12 import com.example.EmployeeManagementSystem.Util.OAuth2SuccessHandler;
13 import com.example.EmployeeManagementSystem.security.ApiKeyAuthenticationProvider;
14 import org.springframework.beans.factory.annotation.Qualifier;
15 import org.springframework.context.annotation.Bean;
16 import org.springframework.context.annotation.Configuration;
17 import org.springframework.context.annotation.Primary;
18 import org.springframework.http.HttpMethod;
19 import org.springframework.security.authentication.AuthenticationManager;
20 import org.springframework.security.authentication.ProviderManager;
21 import org.springframework.security.authentication.dao.DaoAuthenticationProvider;
22 import org.springframework.security.config.annotation.method.configuration.EnableMethodSecurity;
23 import org.springframework.security.config.annotation.web.builders.HttpSecurity;
24 import org.springframework.security.config.annotation.web.configuration.EnableWebSecurity;
25 import org.springframework.security.config.http.SessionCreationPolicy;
26 import org.springframework.security.core.userdetails.UserDetailsService;
27 import org.springframework.security.crypto.bcrypt.BCryptPasswordEncoder;
28 import org.springframework.security.crypto.password.PasswordEncoder;
29 import org.springframework.security.web.SecurityFilterChain;
30 import org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter;
31 import org.springframework.security.web.context.DelegatingSecurityContextRepository;
32 import org.springframework.security.web.context.HttpSessionSecurityContextRepository;
33 import org.springframework.security.web.context.RequestAttributeSecurityContextRepository;
34 import org.springframework.web.client.RestTemplate;
35 import org.springframework.web.cors.CorsConfiguration;
36 import org.springframework.web.cors.CorsConfigurationSource;
37 import org.springframework.web.cors.UrlBasedCorsConfigurationSource;
38
39 import java.util.List;
40
41 @Configuration
42 @EnableWebSecurity
43 @EnableMethodSecurity
44 public class JWTAuthConfig {
45
46     private final JwtAuthFilter jwtAuthFilter;
47     private final ApiKeyAuthenticationProvider apiKeyAuthProvider;
48     private final EmployeeRepo employeeRepo;
49     private final VendorRepo vendorRepo;
50     private final RefreshTokenService refreshTokenService;
51     private final RefreshTokenRepository refreshTokenRepository;
52     private final JWTUtil jwtUtil;
53
54     public JWTAuthConfig(JwtAuthFilter jwtAuthFilter,
55                         ApiKeyAuthenticationProvider apiKeyAuthProvider,
56                         EmployeeRepo employeeRepo,
57                         VendorRepo vendorRepo,
58                         RefreshTokenService refreshTokenService,
59                         RefreshTokenRepository refreshTokenRepository,
60                         JWTUtil jwtUtil) {
61         this.jwtAuthFilter = jwtAuthFilter;
62         this.apiKeyAuthProvider = apiKeyAuthProvider;
63         this.employeeRepo = employeeRepo;
64         this.vendorRepo = vendorRepo;
65         this.refreshTokenService = refreshTokenService;
66         this.refreshTokenRepository = refreshTokenRepository;
67         this.jwtUtil = jwtUtil;
68     }
69
70     @Bean
71     public RestTemplate getRestTemplate() {

```

```

72     return new RestTemplate();
73 }
74
75 @Bean
76 public ApiKeyFilter apiKeyFilter(
77     @Qualifier("apiKeyAuthenticationManager") AuthenticationManager apiKeyAuthManager) {
78     return new ApiKeyFilter(apiKeyAuthManager);
79 }
80
81 @Bean
82 public PasswordEncoder passwordEncoder() {
83     return new BCryptPasswordEncoder();
84 }
85
86 @Bean
87 public AuthenticationManager authenticationManager(
88     @Qualifier("combinedUserDetailsService") UserDetailsService userDetailsService,
89     PasswordEncoder passwordEncoder) {
90     DaoAuthenticationProvider provider = new DaoAuthenticationProvider(userDetailsService);
91     provider.setPasswordEncoder(passwordEncoder);
92     return new ProviderManager(provider);
93 }
94
95 @Bean
96 public CustomOAuth2UserService customOAuth2UserService() {
97     return new CustomOAuth2UserService(employeeRepo, vendorRepo, passwordEncoder());
98 }
99
100 @Bean
101 public OAuth2SuccessHandler oAuth2SuccessHandler() {
102     return new OAuth2SuccessHandler(jwtUtil, employeeRepo, vendorRepo,
103         refreshTokenService, refreshTokenRepository);
104 }
105
106 @Bean
107 @Qualifier("apiKeyAuthenticationManager")
108 public AuthenticationManager apiKeyAuthenticationManager() {
109     return new ProviderManager(apiKeyAuthProvider);
110 }
111
112 @Bean
113 public SecurityFilterChain securityFilterChain(HttpSecurity http, ApiKeyFilter apiKeyFilter) throws
Exception {
114     http
115         .csrf(csrf -> csrf.disable())
116         .cors(cors -> cors.configurationSource(corsConfigurationSource()))
117         .securityContext(ctx -> ctx
118             .securityContextRepository(new DelegatingSecurityContextRepository(
119                 new HttpSessionSecurityContextRepository(),
120                 new RequestAttributeSecurityContextRepository()
121             ))
122         )
123         .sessionManagement(session -> session
124             .sessionCreationPolicy(SessionCreationPolicy.IF_REQUIRED)
125             .maximumSessions(1)
126             .maxSessionsPreventsLogin(false)
127         )
128         .authorizeHttpRequests(auth -> auth
129             // Auth endpoints
130             .requestMatchers("/Authenticate",
131                 "/Authenticate/totp", "/Authenticate/refresh").permitAll()
132             .requestMatchers("/session/login", "/session/logout").permitAll()
133             // OAuth2 endpoints
134             .requestMatchers("/oauth2/**", "/login/oauth2/**").permitAll()
135             .requestMatchers("/auth/google/init").permitAll()
136             // API docs
137             .requestMatchers("/swagger-ui/**", "/v3/api-docs/**").permitAll()
138             // Shared login page
139             .requestMatchers("/login.html", "/google.html").permitAll()
140             .requestMatchers("/error").permitAll()
141             // Dashboards – served as static HTML, actual data is protected by JWT
142             .requestMatchers("/login.html",

```

```

146         "/google.html",
147         "/vendor-login.html",
148         "/vendor-dashboard.html",
149         "/tech-vendor-dashboard.html",
150         "/employee-dashboard.html",
151         "/manager-dashboard.html",
152         "/dashboard.html",
153         "/pending.html",
154         "/leave_management.html",
155         "/totp-setup.html").permitAll()
156
157         // Vendor pages
158         .requestMatchers("/vendor-login.html").permitAll()
159         .requestMatchers("/vendor-dashboard.html").permitAll()
160
161         // API key generation requires authentication
162         .requestMatchers("/api-keys/generate").authenticated()
163         .requestMatchers("/manager/createAdmin").permitAll()
164         // totp
165         .requestMatchers("/totp/**").authenticated()
166         // notification
167         .requestMatchers(HttpMethod.GET, "/notifications").authenticated()
168         .requestMatchers(HttpMethod.GET, "/notifications/unread-count").authenticated()
169         .requestMatchers(HttpMethod.POST, "/notifications/mark-read").authenticated()
170         // Everything else requires a valid token
171         .anyRequest().authenticated()
172     )
173     .oauth2Login(oauth -> oauth
174         .userInfoEndpoint(userInfo -> userInfo
175             .userService(customOAuth2UserService()))
176         )
177     .successHandler(oAuth2SuccessHandler())
178 )
179 .addFilterBefore(jwtAuthFilter, UsernamePasswordAuthenticationFilter.class)
180 .addFilterBefore(apiKeyFilter, UsernamePasswordAuthenticationFilter.class);
181
182     return http.build();
183 }
184 @Bean
185 public CorsConfigurationSource corsConfigurationSource() {
186     CorsConfiguration config = new CorsConfiguration();
187     config.setAllowedOrigins(List.of("http://192.168.1.3:8080"));
188     config.setAllowedMethods(List.of("GET", "POST", "PUT", "DELETE", "OPTIONS"));
189     config.setAllowedHeaders(List.of("*"));
190     config.setAllowCredentials(true);
191
192     UrlBasedCorsConfigurationSource source = new UrlBasedCorsConfigurationSource();
193     source.registerCorsConfiguration("/**", config);
194     return source;
195 }
196 }
197

```

```
1 package com.example.EmployeeManagementSystem.config;
2
3 import com.example.EmployeeManagementSystem.Entity.LeaveType;
4 import com.example.EmployeeManagementSystem.Enum.Gender;
5 import com.example.EmployeeManagementSystem.Repository.LeaveTypeRepository;
6 import org.springframework.boot.CommandLineRunner;
7 import org.springframework.stereotype.Component;
8
9 @Component
10 public class LeaveTypeDataInitializer implements CommandLineRunner {
11
12     private final LeaveTypeRepository leaveTypeRepository;
13
14     public LeaveTypeDataInitializer(LeaveTypeRepository leaveTypeRepository) {
15         this.leaveTypeRepository = leaveTypeRepository;
16     }
17
18     @Override
19     public void run(String... args) {
20         ensureLeaveType("SICK", false, true, 0, false, null);
21         ensureLeaveType("CASUAL", true, false, 30, false, null);
22         ensureLeaveType("MATERNITY", false, false, 0, true, Gender.F);
23         ensureLeaveType("UNPAID", false, false, 0, false, null);
24     }
25
26     private void ensureLeaveType(String name,
27                                boolean carriesForward,
28                                boolean monthlyReset,
29                                int maxCarryForward,
30                                boolean genderRestricted,
31                                Gender genderRestriction) {
32         leaveTypeRepository.findByName(name).orElseGet(() -> {
33             LeaveType leaveType = new LeaveType();
34             leaveType.setName(name);
35             leaveType.setCarriesForward(carriesForward);
36             leaveType.setMonthlyReset(monthlyReset);
37             leaveType.setMaxCarryForward(maxCarryForward);
38             leaveType.setGenderRestricted(genderRestricted);
39             leaveType.setGenderRestriction(genderRestriction);
40             return leaveTypeRepository.save(leaveType);
41         });
42     }
43 }
44
```

8 Current:

src\main\java\com\example\EmployeeManagementSystem\config\Session\SessionAuthConfig.java

```
1 //package com.example.EmployeeManagementSystem.config.Session;
2 //
3 //import org.springframework.context.annotation.Bean;
4 //import org.springframework.context.annotation.Configuration;
5 //import org.springframework.core.annotation.Order;
6 //import org.springframework.security.config.annotation.web.builders.HttpSecurity;
7 //import org.springframework.security.web.SecurityFilterChain;
8 //import org.springframework.security.web.context.HttpSessionSecurityContextRepository;
9 //
10 //@Configuration
11 //public class SessionAuthConfig {
12 //
13 //    @Bean
14 //    @Order(1)
15 //    public SecurityFilterChain sessionFilterChain(HttpSecurity http) throws Exception {
16 //        http
17 //            .securityMatcher("/session/**", "/web/**")
18 //            .csrf(csrf -> csrf.disable())
19 //            .authorizeHttpRequests(auth -> auth
20 //                .requestMatchers("/session/login", "/session/logout").permitAll()
21 //                .anyRequest().authenticated()
22 //            )
23 //            .sessionManagement(session -> session
24 //                .maximumSessions(1) // one session per user
25 //                .maxSessionsPreventsLogin(false) // new login kicks old session
26 //            )
27 //            .securityContext(ctx -> ctx
28 //                .securityContextRepository(new HttpSessionSecurityContextRepository())
29 //            );
30 //        return http.build();
31 //    }
32 //}
```

```
1 package com.example.EmployeeManagementSystem.config;
2
3 import io.swagger.v3.oas.models.Components;
4 import io.swagger.v3.oas.models.OpenAPI;
5 import io.swagger.v3.oas.models.security.SecurityRequirement;
6 import io.swagger.v3.oas.models.security.SecurityScheme;
7 import org.springframework.context.annotation.Bean;
8 import org.springframework.context.annotation.Configuration;
9
10 @Configuration
11 public class swaggerConfig {
12     @Bean
13     public OpenAPI openAPI() {
14         return new OpenAPI()
15             .components(new Components()
16                 .addSecuritySchemes("bearerAuth",
17                     new SecurityScheme()
18                         .type(SecurityScheme.Type.HTTP)
19                         .scheme("bearer")
20                         .bearerFormat("JWT")
21                 )
22             )
23             .addSecurityItem(new SecurityRequirement().addList("bearerAuth"));
24     }
25     // @Bean
26     // public OpenAPI openAPI() {
27     //     return new OpenAPI()
28     //         .components(new Components()
29     //             .addSecuritySchemes("basicAuth",
30     //                 new SecurityScheme()
31     //                     .type(SecurityScheme.Type.HTTP)
32     //                     .scheme("basic")
33     //             )
34     //         )
35     //         .addSecurityItem(new SecurityRequirement().addList("basicAuth"));
36     // }
37 }
38
```



```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.*;
4 import com.example.EmployeeManagementSystem.Entity.Employee;
5 import com.example.EmployeeManagementSystem.Service.*;
6 import org.springframework.format.annotation.DateTimeFormat;
7 import org.springframework.http.HttpStatus;
8 import org.springframework.http.ResponseEntity;
9 import org.springframework.security.access.prepost.PreAuthorize;
10 import org.springframework.web.bind.annotation.*;
11
12 import java.time.LocalDate;
13 import java.util.List;
14
15 @RestController
16 @RequestMapping("/admin")
17 @PreAuthorize("hasRole('ADMIN')")
18 public class AdminController {
19
20     private final EmployeeService employeeService;
21     private final DeliveryService.VendorService vendorService;
22     private final LeaveRequestService leaveRequestService;
23     private final RestaurantService restaurantService;
24     private final SubscriptionService subscriptionService;
25     private final LeaveAccrualService accrualService;
26     private final SickLeaveResetService resetService;
27
28     public AdminController(
29         EmployeeService employeeService,
30         DeliveryService.VendorService vendorService,
31         LeaveRequestService leaveRequestService,
32         RestaurantService restaurantService,
33         SubscriptionService subscriptionService,
34         LeaveAccrualService accrualService, SickLeaveResetService resetService) {
35         this.employeeService = employeeService;
36         this.vendorService = vendorService;
37         this.leaveRequestService = leaveRequestService;
38         this.restaurantService = restaurantService;
39         this.subscriptionService = subscriptionService;
40         this.accrualService = accrualService;
41         this.resetService = resetService;
42     }
43
44     //
45     // EMPLOYEE BRANCH
46     //
47
48     /** List every employee in the system. */
49     @GetMapping("/employees")
50     public ResponseEntity<?> getAllEmployees() {
51         return ResponseEntity.ok(employeeService.getAllEmployees());
52     }
53
54     /** Create a regular employee. */
55     @PostMapping("/employees")
56     public ResponseEntity<Employee> createEmployee(@RequestBody AdminEmployeeDTO dto) {
57         return ResponseEntity.status(HttpStatus.CREATED)
58             .body(employeeService.createEmployee(dto));
59     }
60
61     @PreAuthorize("hasRole('ADMIN')")
62     @GetMapping("/managers")
63     public ResponseEntity<List<ManagerDTO>> getAllManagers(){
64         return employeeService.getAllManagers();
65     }
66
67
68     /** Promote / create a manager. */
69     @PostMapping("/employees/manager")
70     public ResponseEntity<Employee> createManager(@RequestBody EmployeeDTO dto) {
71         return ResponseEntity.status(HttpStatus.CREATED)

```

```

72         .body(employeeService.createManager(dto));
73     }
74
75     /** Update any employee record. */
76     @PutMapping("/employees/{id}")
77     public ResponseEntity<Employee> updateEmployee(
78         @PathVariable long id,
79         @RequestBody EmployeeDTO dto) {
80         return ResponseEntity.ok(employeeService.updateEmployee(id, dto));
81     }
82
83     /** Hard-delete an employee. */
84     @DeleteMapping("/employees/{id}")
85     public ResponseEntity<String> deleteEmployee(@PathVariable long id) {
86         employeeService.deleteEmployee(id);
87         return ResponseEntity.ok("Employee with id: " + id + " has been deleted.");
88     }
89
90     /** Soft-deactivate an employee (sets status to INACTIVE). */
91     @PutMapping("/employees/{id}/inactive")
92     public ResponseEntity<String> deactivateEmployee(@PathVariable long id) {
93         return employeeService.inactivateUser(id);
94     }
95
96     //
97     // VENDOR BRANCH (only admin can register vendors)
98     //
99
100    /** List every vendor. */
101    @GetMapping("/vendors")
102    public ResponseEntity<List<VendorDTO>> getAllVendors() {
103        return ResponseEntity.ok(vendorService.getAllVendors());
104    }
105
106    @PostMapping("/vendors")
107    public ResponseEntity<VendorDTO> registerVendor(@RequestBody VendorRequest request) {
108        return ResponseEntity.status(HttpStatus.CREATED)
109            .body(vendorService.registerVendor(request));
110    }
111
112    /** Remove a vendor by ID. */
113    @DeleteMapping("/vendors/{vendorId}")
114    public ResponseEntity<String> deleteVendor(@PathVariable Long vendorId) {
115        vendorService.deleteVendorById(vendorId);
116        return ResponseEntity.ok("Vendor with id: " + vendorId + " has been removed.");
117    }
118
119    //
120    // LEAVE MANAGEMENT BRANCH
121    //
122
123    /** Fetch all pending leave requests across the organisation. */
124    @GetMapping("/leaves/pending")
125    public ResponseEntity<?> getPendingLeaves() {
126        return ResponseEntity.ok(leaveRequestService.getPendingLeaves());
127    }
128
129    /** Approve a leave request. */
130    @PutMapping("/leaves/{id}/approve")
131    public ResponseEntity<?> approveLeave(@PathVariable Long id) {
132        return ResponseEntity.ok(leaveRequestService.approveLeave(id));
133    }
134
135    /** Reject a leave request. */
136    @PutMapping("/leaves/{id}/reject")
137    public ResponseEntity<?> rejectLeave(@PathVariable Long id) {
138        return ResponseEntity.ok(leaveRequestService.rejectLeave(id));
139    }
140
141    //
142    // RESTAURANT MANAGEMENT BRANCH
143    //
144
145    /** View all restaurants. */
146    @GetMapping("/restaurants")
147    public ResponseEntity<?> getAllRestaurants() {

```

```

148         return ResponseEntity.ok(restaurantService.getAllActiveRestaurants());
149     }
150
151     //
152     // SUBSCRIPTION MANAGEMENT BRANCH
153     //
154
155     /** View all active subscriptions. */
156     @GetMapping("/subscriptions")
157     public ResponseEntity<?> getAllSubscriptions() {
158         return ResponseEntity.ok(subscriptionService.getAllSubscriptions());
159     }
160
161     @PostMapping("/leave/accrue")
162     @PreAuthorize("hasRole('ADMIN')")
163     public ResponseEntity<String> triggerAccrual(
164         @RequestParam(required = false)
165         @DateTimeFormat(iso = DateTimeFormat.ISO.DATE) LocalDate date
166     ) {
167         LocalDate accrualDate = (date != null) ? date : LocalDate.now();
168         accrualService.runMonthlyAccrual(accrualDate);
169         return ResponseEntity.ok("Accrual complete for " + accrualDate);
170     }
171
172     @PostMapping("/reset-sick")
173     @PreAuthorize("hasRole('ADMIN')")
174     public ResponseEntity<String> triggerSickReset(
175         @RequestParam(required = false)
176         @DateTimeFormat(iso = DateTimeFormat.ISO.DATE) LocalDate date
177     ) {
178         LocalDate resetDate = (date != null) ? date : LocalDate.now();
179         resetService.runMonthlyReset(resetDate);
180         return ResponseEntity.ok("Sick leave reset complete for " + resetDate);
181     }
182 }

```

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.Entity.ApiKey;
4 import com.example.EmployeeManagementSystem.Service.ApiKeyService;
5 import org.springframework.beans.factory.annotation.Autowired;
6 import org.springframework.http.ResponseEntity;
7 import org.springframework.security.access.prepost.PreAuthorize;
8 import org.springframework.web.bind.annotation.*;
9
10 @RestController
11 @RequestMapping("/api-keys")
12 public class ApiKeyController {
13
14     @Autowired
15     private ApiKeyService apiKeyService;
16
17     // Admin generates a key for a vendor
18     @PostMapping("/vendor/{vendorId}/generate")
19     @PreAuthorize("hasRole('ADMIN')")
20     public ResponseEntity<ApiKey> generateVendorKey(
21         @PathVariable Long vendorId,
22         @RequestParam String name,
23         @RequestParam(defaultValue = "VENDOR_WRITE") String permissions,
24         @RequestParam(defaultValue = "365") int validDays) {
25         return ResponseEntity.ok(
26             apiKeyService.generateForVendor(vendorId, name, permissions, validDays));
27     }
28
29     // Revoke
30     @DeleteMapping("/{keyId}")
31     @PreAuthorize("hasRole('ADMIN')")
32     public ResponseEntity<String> revokeKey(@PathVariable Long keyId) {
33         apiKeyService.revokeKey(keyId);
34         return ResponseEntity.ok("Key revoked");
35     }
36 }
37
```

```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.AccessTokenRequest;
4 import com.example.EmployeeManagementSystem.DTO.AuthRequest;
5 import com.example.EmployeeManagementSystem.DTO.AuthResponse;
6 import com.example.EmployeeManagementSystem.Entity.Employee;
7 import com.example.EmployeeManagementSystem.Entity.RefreshToken;
8 import com.example.EmployeeManagementSystem.Entity.Vendor;
9 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
10 import com.example.EmployeeManagementSystem.Repository.RefreshTokenRepository;
11 import com.example.EmployeeManagementSystem.Service.RefreshTokenService;
12 import com.example.EmployeeManagementSystem.Service.TotpService;
13 import com.example.EmployeeManagementSystem.Util.JWTUtil;
14 import org.springframework.http.ResponseEntity;
15 import org.springframework.security.authentication.AuthenticationManager;
16 import org.springframework.security.authentication.UsernamePasswordAuthenticationToken;
17 import org.springframework.security.core.Authentication;
18 import org.springframework.security.core.userdetails.UserDetails;
19 import org.springframework.web.bind.annotation.*;
20
21 import java.time.Instant;
22 import java.util.Map;
23 import java.util.UUID;
24 import java.util.concurrent.ConcurrentHashMap;
25
26 @RestController
27 @RequestMapping("/Authenticate")
28 public class AuthController {
29
30     private final AuthenticationManager authenticationManager;
31     private final JWTUtil jwtUtil;
32     private final RefreshTokenService refreshTokenService;
33     private final RefreshTokenRepository refreshTokenRepository;
34     private final TotpService totpService;
35     private final EmployeeRepo employeeRepo;
36
37     // Temporary store for pre-auth tokens (username -> pre-auth token)
38     // In production, use Redis or DB-backed store with TTL
39     private static final ConcurrentHashMap<String, PreAuthEntry> PRE_AUTH_STORE = new ConcurrentHashMap<>();
40
41     private record PreAuthEntry(String username, String role, long expiresAt) {}
42
43     public AuthController(AuthenticationManager authenticationManager,
44                           JWTUtil jwtUtil,
45                           RefreshTokenService refreshTokenService,
46                           RefreshTokenRepository refreshTokenRepository,
47                           TotpService totpService,
48                           EmployeeRepo employeeRepo) {
49         this.authenticationManager = authenticationManager;
50         this.jwtUtil = jwtUtil;
51         this.refreshTokenService = refreshTokenService;
52         this.refreshTokenRepository = refreshTokenRepository;
53         this.totpService = totpService;
54         this.employeeRepo = employeeRepo;
55     }
56
57     /**
58      * Step 1 of login. If TOTP is enabled, returns a pre-auth token instead of a JWT.
59      * The client must then call /Authenticate/totp with that pre-auth token + 6-digit code.
60      */
61     @PostMapping
62     public ResponseEntity<?> authenticateToken(@RequestBody AuthRequest authRequest) {
63         try {
64             Authentication auth = authenticationManager.authenticate(
65                 new UsernamePasswordAuthenticationToken(
66                     authRequest.getUsername(),
67                     authRequest.getPassword()
68                 )
69             );
70
71             UserDetails user = (UserDetails) auth.getPrincipal();

```

```

72
73     String role = user.getAuthorities().stream()
74         .map(a -> a.getAuthority())
75         .filter(a -> a.startsWith("ROLE_"))
76         .findFirst()
77         .map(a -> a.substring("ROLE_".length()))
78         .orElseThrow(() -> new RuntimeException("Role not found"));
79
80     // Handle Vendor login – no TOTP, issue tokens directly
81     if (user instanceof Vendor vendor) {
82         return ResponseEntity.ok(issueTokens(vendor, role));
83     }
84
85     // Handle Employee login
86     Employee employee = employeeRepo.findByEmail(authRequest.getUsername())
87         .orElseThrow(() -> new RuntimeException("Employee not found"));
88
89     if (employee.isTotpEnabled()) {
90         String preAuthToken = UUID.randomUUID().toString();
91         PRE_AUTH_STORE.put(preAuthToken, new PreAuthEntry(
92             employee.getEmail(),
93             role,
94             System.currentTimeMillis() + 5 * 60 * 1000L
95         ));
96         return ResponseEntity.ok(Map.of(
97             "requiresTotp", true,
98             "preAuthToken", preAuthToken
99         ));
100     }
101
102     return ResponseEntity.ok(issueTokens(user, role));
103
104 } catch (Exception e) {
105     throw new RuntimeException(e);
106 }
107 }
108
109 /**
110  * Step 2 of login when TOTP is enabled.
111  * Submit the pre-auth token + 6-digit TOTP code to get the real JWT.
112  */
113 @PostMapping("/totp")
114 public ResponseEntity<?> completeTotpLogin(@RequestBody Map<String, String> body) {
115     String preAuthToken = body.get("preAuthToken");
116     String code = body.get("code");
117
118     if (preAuthToken == null || code == null) {
119         return ResponseEntity.badRequest().body(Map.of("error", "preAuthToken and code are required"));
120     }
121
122     PreAuthEntry entry = PRE_AUTH_STORE.get(preAuthToken);
123     if (entry == null || entry.expiresAt() < System.currentTimeMillis()) {
124         PRE_AUTH_STORE.remove(preAuthToken);
125         return ResponseEntity.status(401).body(Map.of("error", "Pre-auth token expired or invalid.
Please login again."));
126     }
127
128     Employee employee = employeeRepo.findByEmail(entry.username())
129         .orElseThrow(() -> new RuntimeException("Employee not found"));
130
131     if (!totpService.verifyCode(employee.getTotpSecret(), code)) {
132         return ResponseEntity.status(401).body(Map.of("error", "Invalid TOTP code"));
133     }
134
135     // TOTP verified – consume the pre-auth token and issue JWT
136     PRE_AUTH_STORE.remove(preAuthToken);
137     return ResponseEntity.ok(issueTokens(employee, entry.role()));
138 }
139
140 /**
141  * Refresh token endpoint – unchanged from original.
142  */
143 @PostMapping("/refresh")
144 public AuthResponse refresh(@RequestBody AccessTokenRequest request) {
145     RefreshToken storedToken = refreshTokenRepository.findByToken(request.getRefreshToken())
146         .orElseThrow(() -> new RuntimeException("Invalid refresh token"));

```

```

147
148     if (storedToken.getExpiryTime().isBefore(Instant.now())) {
149         refreshTokenRepository.delete(storedToken);
150         throw new RuntimeException("Refresh token expired");
151     }
152
153     String username;
154     String role;
155     if (storedToken.getEmployee() != null) {
156         username = storedToken.getEmployee().getUsername();
157         role = storedToken.getEmployee().getRole().name();
158     } else if (storedToken.getVendor() != null) {
159         username = storedToken.getVendor().getUsername();
160         role = storedToken.getVendor().getRole().name();
161     } else {
162         throw new RuntimeException("Refresh token has no associated user");
163     }
164
165     String newAccessToken = jwtUtil.generateToken(username, role);
166     return new AuthResponse(newAccessToken, storedToken.getToken());
167 }
168
169 // ---- helper ----
170
171 private AuthResponse issueTokens(UserDetails user, String role) {
172     String accessToken = jwtUtil.generateToken(user.getUsername(), role);
173     RefreshToken refreshToken;
174     if (user instanceof Employee employee) {
175         refreshToken = refreshTokenService.createForEmployee(employee);
176     } else if (user instanceof Vendor vendor) {
177         refreshToken = refreshTokenService.createForVendor(vendor);
178     } else {
179         throw new RuntimeException("Unknown user type");
180     }
181     refreshTokenRepository.save(refreshToken);
182     return new AuthResponse(accessToken, refreshToken.getToken());
183 }
184 }

```

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.Entity.Delivery;
4 import com.example.EmployeeManagementSystem.Enum.DeliveryStatus;
5 import com.example.EmployeeManagementSystem.Service.DeliveryService;
6 import org.springframework.http.ResponseEntity;
7 import org.springframework.web.bind.annotation.*;
8
9 import java.util.List;
10
11 @RestController
12 @RequestMapping("/delivery")
13 public class DeliveryController {
14     private final DeliveryService deliveryService;
15
16     public DeliveryController(DeliveryService deliveryService) {
17         this.deliveryService = deliveryService;
18     }
19
20     @PutMapping("/{id}/status")
21     public ResponseEntity<Delivery> updateDeliveryStatus(
22         @PathVariable Long id,
23         @RequestParam DeliveryStatus status) {
24         return ResponseEntity.ok(deliveryService.updateDeliveryStatus(id, status));
25     }
26
27     @GetMapping("/subscription/{subscriptionId}")
28     public ResponseEntity<List<Delivery>> getDeliveriesBySubscription(
29         @PathVariable Long subscriptionId) {
30         return ResponseEntity.ok(deliveryService.getDeliveriesBySubscription(subscriptionId));
31     }
32 }
33
```



```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.AssignDeviceRequest;
4 import com.example.EmployeeManagementSystem.DTO.DeviceAssignmentResponseDTO;
5 import com.example.EmployeeManagementSystem.DTO.DeviceDTO;
6 import com.example.EmployeeManagementSystem.DTO.DeviceResponseDTO;
7 import com.example.EmployeeManagementSystem.Entity.Device;
8 import com.example.EmployeeManagementSystem.Entity.DeviceAssignment;
9 import com.example.EmployeeManagementSystem.Service.DeviceService;
10 import org.springframework.http.HttpStatus;
11 import org.springframework.http.ResponseEntity;
12 import org.springframework.security.access.prepost.PreAuthorize;
13 import org.springframework.security.core.Authentication;
14 import org.springframework.web.bind.annotation.*;
15
16 import java.util.List;
17
18 @RestController
19 @RequestMapping("/devices")
20 public class DeviceController {
21     private final DeviceService deviceService;
22
23     public DeviceController(DeviceService deviceService) {
24         this.deviceService = deviceService;
25     }
26
27     @PostMapping
28     @PreAuthorize("hasRole('TECH_VENDOR')")
29     public ResponseEntity<Device> addDevice(@RequestBody DeviceDTO deviceDTO,
30                                             Authentication authentication) {
31         return ResponseEntity.status(HttpStatus.CREATED)
32             .body(deviceService.addDevice(deviceDTO, authentication));
33     }
34
35     @GetMapping("/vendor/me")
36     @PreAuthorize("hasRole('TECH_VENDOR')")
37     public ResponseEntity<List<DeviceResponseDTO>> getMyVendorDevices(Authentication authentication) {
38         return ResponseEntity.ok(deviceService.getDevicesForLoggedInVendor(authentication));
39     }
40
41     @GetMapping("/my")
42     @PreAuthorize("hasAnyRole('EMPLOYEE', 'MANAGER', 'ADMIN')")
43     public ResponseEntity<List<DeviceResponseDTO>> getMyAssignedDevices(Authentication authentication) {
44         return ResponseEntity.ok(deviceService.getDevicesForLoggedInEmployee(authentication));
45     }
46
47     @GetMapping("/unassigned")
48     @PreAuthorize("hasRole('ADMIN')")
49     public ResponseEntity<List<DeviceResponseDTO>> getUnassignedDevices() {
50         return ResponseEntity.ok(deviceService.getUnassignedDevices());
51     }
52
53     @PostMapping("/{deviceId}/assign")
54     @PreAuthorize("hasRole('ADMIN')")
55     public ResponseEntity<String> assignDevice(@PathVariable Long deviceId,
56                                              @RequestBody AssignDeviceRequest request) {
57         DeviceAssignment assignment = deviceService.assignDevice(deviceId, request);
58         return ResponseEntity.status(HttpStatus.CREATED)
59             .body("Device " + assignment.getDevice().getId()
60                 + " assigned to employee " + assignment.getAssignedTo().getEmployeeId());
61     }
62
63     @GetMapping("/assignments")
64     @PreAuthorize("hasRole('TECH_VENDOR')")
65     public List<DeviceAssignmentResponseDTO> getDeviceAssignmentOfVendor(Authentication authentication){
66         return deviceService.getDeviceAssignmentOfVendor(authentication);
67     }
68 }
69
70 }
71

```

```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.EmployeeAttendanceResponseDTO;
4 import com.example.EmployeeManagementSystem.DTO.EmployeeDTO;
5 import com.example.EmployeeManagementSystem.Entity.Employee;
6 import com.example.EmployeeManagementSystem.Service.EmployeeService;
7 import org.springframework.http.HttpStatus;
8 import org.springframework.http.ResponseEntity;
9 import org.springframework.security.access.prepost.PreAuthorize;
10 import org.springframework.security.core.Authentication;
11 import org.springframework.web.bind.annotation.*;
12 @RestController
13 @RequestMapping("/employee")
14 public class EmployeeController {
15     private final EmployeeService employeeService;
16
17     public EmployeeController(EmployeeService employeeService) {
18         this.employeeService = employeeService;
19     }
20
21     @GetMapping
22     @PreAuthorize("hasAnyRole('MANAGER', 'ADMIN', 'EMPLOYEE', 'VENDOR')")
23     public ResponseEntity<?> getAllEmployees(){
24         return ResponseEntity.ok(employeeService.getAllEmployees());
25     }
26
27     @GetMapping("/me")
28     @PreAuthorize("hasAnyRole('ADMIN', 'MANAGER', 'EMPLOYEE')")
29     public ResponseEntity<Employee> myAccount(Authentication authentication){
30         return ResponseEntity.ok(employeeService.getAccount(authentication));
31     }
32
33     @GetMapping("/attendance")
34     @PreAuthorize("hasAnyRole('ADMIN', 'MANAGER', 'EMPLOYEE', 'VENDOR')")
35     public ResponseEntity<EmployeeAttendanceResponseDTO> getAttendanceOverview() {
36         return ResponseEntity.ok(employeeService.getEmployeeAttendanceOverview());
37     }
38
39     @PutMapping("/{id}")
40     @PreAuthorize("hasRole('ADMIN')")
41     public ResponseEntity<Employee> updateEmployee(@PathVariable long id, @RequestBody EmployeeDTO
employeeDTO){
42         return ResponseEntity.ok(employeeService.updateEmployee(id, employeeDTO));
43     }
44
45     @DeleteMapping("/{id}")
46     @PreAuthorize("hasAnyRole('ADMIN', 'MANAGER')")
47     public ResponseEntity<?> deleteEmployee(@PathVariable long id){
48         employeeService.deleteEmployee(id);
49         return ResponseEntity.ok("Employee with id: "+id+" is deleted");
50     }
51
52     //should be done by manager
53     @PutMapping("/inactive")
54     @PreAuthorize("hasAnyRole('MANAGER', 'ADMIN')")
55     public ResponseEntity<String> inactivateEmployee(@RequestParam long employeeId) {
56         return employeeService.inactivateUser(employeeId);
57     }
58 }
59

```

16 Current:

src\main\java\com\example\EmployeeManagementSystem\Controller\GlobalExceptionHandler.java

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.Exception.*;
4 import org.springframework.dao.DataIntegrityViolationException;
5 import org.springframework.http.HttpStatus;
6 import org.springframework.http.ResponseEntity;
7 import org.springframework.web.bind.annotation.ExceptionHandler;
8 import org.springframework.web.bind.annotation.RestControllerAdvice;
9 import org.springframework.web.context.request.WebRequest;
10 import org.springframework.security.access.AccessDeniedException;
11
12 import java.time.Instant;
13 import java.time.LocalDateTime;
14 import java.util.LinkedHashMap;
15 import java.util.Map;
16
17 @RestControllerAdvice
18 public class GlobalExceptionHandler {
19
20     private Map<String, Object> buildError(HttpStatus status, String message, WebRequest request) {
21         Map<String, Object> body = new LinkedHashMap<>();
22         body.put("timestamp", Instant.now());
23         body.put("status", status.value());
24         body.put("error", status.getReasonPhrase());
25         body.put("message", message);
26         body.put("path", request.getDescription(false).replace("uri=", ""));
27         return body;
28     }
29
30     @ExceptionHandler(EmployeeNotFoundException.class)
31     public ResponseEntity<Map<String, Object>> handleEmployeeNotFound(
32         EmployeeNotFoundException ex, WebRequest request) {
33         return new ResponseEntity<>(buildError(HttpStatus.NOT_FOUND, ex.getMessage(), request),
34             HttpStatus.NOT_FOUND);
35     }
36
37     @ExceptionHandler(InvalidStartDateException.class)
38     public ResponseEntity<Map<String, Object>> handleInvalidStartDate(
39         InvalidStartDateException ex, WebRequest request) {
40         return new ResponseEntity<>(buildError(HttpStatus.BAD_REQUEST, ex.getMessage(), request),
41             HttpStatus.BAD_REQUEST);
42     }
43
44     @ExceptionHandler(InvalidEndDateException.class)
45     public ResponseEntity<Map<String, Object>> handleInvalidEndDate(
46         InvalidEndDateException ex, WebRequest request) {
47         return new ResponseEntity<>(buildError(HttpStatus.BAD_REQUEST, ex.getMessage(), request),
48             HttpStatus.BAD_REQUEST);
49     }
50
51     @ExceptionHandler(OverlappingLeaveException.class)
52     public ResponseEntity<Map<String, Object>> handleOverlappingLeave(
53         OverlappingLeaveException ex, WebRequest request) {
54         return new ResponseEntity<>(buildError(HttpStatus.BAD_REQUEST, ex.getMessage(), request),
55             HttpStatus.BAD_REQUEST);
56     }
57
58     @ExceptionHandler(DuplicateRequestException.class)
59     public ResponseEntity<Map<String, Object>> handleDuplicateRequest(
60         DuplicateRequestException ex, WebRequest request) {
61         return new ResponseEntity<>(buildError(HttpStatus.BAD_REQUEST, ex.getMessage(), request),
62             HttpStatus.BAD_REQUEST);
63     }
64
65     @ExceptionHandler(LeaveRequestNotFoundException.class)
66     public ResponseEntity<Map<String, Object>> handleLeaveNotFound(
67         LeaveRequestNotFoundException ex, WebRequest request) {
68         return new ResponseEntity<>(buildError(HttpStatus.NOT_FOUND, ex.getMessage(), request),
69             HttpStatus.NOT_FOUND);
70     }
71 }
```

```

72     @ExceptionHandler(InvalidManagerException.class)
73     public ResponseEntity<Map<String, Object>> handleInvalidManager(
74         InvalidManagerException ex, WebRequest request) {
75         return new ResponseEntity<>(buildError(HttpStatus.FORBIDDEN, ex.getMessage(), request),
76             HttpStatus.FORBIDDEN);
77     }
78
79     @ExceptionHandler(SubscriptionAlreadyExists.class)
80     public ResponseEntity<Map<String, Object>> handleSubscriptionExists(
81         SubscriptionAlreadyExists ex, WebRequest request) {
82         return new ResponseEntity<>(buildError(HttpStatus.CONFLICT, ex.getMessage(), request),
83             HttpStatus.CONFLICT);
84     }
85
86
87     @ExceptionHandler(VendorNotFoundException.class)
88     public ResponseEntity<Map<String, Object>> handleVendorNotFound(
89         VendorNotFoundException ex, WebRequest request) {
90         return new ResponseEntity<>(buildError(HttpStatus.NOT_FOUND, ex.getMessage(), request),
91             HttpStatus.NOT_FOUND);
92     }
93
94     @ExceptionHandler(RestaurantNotFoundException.class)
95     public ResponseEntity<Map<String, Object>> handleRestaurantNotFound(
96         RestaurantNotFoundException ex, WebRequest request) {
97         return new ResponseEntity<>(buildError(HttpStatus.NOT_FOUND, ex.getMessage(), request),
98             HttpStatus.NOT_FOUND);
99     }
100
101     @ExceptionHandler(UnauthorizedAccessException.class)
102     public ResponseEntity<Map<String, Object>> handleUnauthorized(
103         UnauthorizedAccessException ex, WebRequest request) {
104         return new ResponseEntity<>(buildError(HttpStatus.FORBIDDEN, ex.getMessage(), request),
105             HttpStatus.FORBIDDEN);
106     }
107
108     @ExceptionHandler(IllegalArgumentException.class)
109     public ResponseEntity<Map<String, Object>> handleIllegalArgument(
110         IllegalArgumentException ex, WebRequest request) {
111         return new ResponseEntity<>(buildError(HttpStatus.BAD_REQUEST, ex.getMessage(), request),
112             HttpStatus.BAD_REQUEST);
113     }
114
115     @ExceptionHandler(DataIntegrityViolationException.class)
116     public ResponseEntity<Map<String, Object>> handleDataIntegrity(
117         DataIntegrityViolationException ex, WebRequest request) {
118         return new ResponseEntity<>(
119             buildError(HttpStatus.CONFLICT, "Cannot delete: related records exist", request),
120             HttpStatus.CONFLICT);
121     }
122
123     @ExceptionHandler(AccessDeniedException.class)
124     public ResponseEntity<Map<String, Object>> handleAccessDenied(AccessDeniedException ex) {
125         return ResponseEntity.status(HttpStatus.FORBIDDEN).body(Map.of(
126             "error", "Access denied",
127             "message", ex.getMessage(),
128             "timestamp", LocalDateTime.now().toString()
129         ));
130     }
131
132 }

```

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.HolidayDTO;
4 import com.example.EmployeeManagementSystem.Service.HolidayService;
5 import org.springframework.http.ResponseEntity;
6 import org.springframework.security.access.prepost.PreAuthorize;
7 import org.springframework.web.bind.annotation.*;
8
9 import java.time.LocalDate;
10
11 @RestController
12 @RequestMapping("/holidays")
13 public class HolidayController {
14     private final HolidayService holidayService;
15
16     public HolidayController(HolidayService holidayService) {
17         this.holidayService = holidayService;
18     }
19
20     @PostMapping
21     @PreAuthorize("hasRole('ADMIN')")
22     public ResponseEntity<?> addHoliday(@RequestBody HolidayDTO dto) {
23         return ResponseEntity.ok(holidayService.addHoliday(dto));
24     }
25
26     @GetMapping
27     public ResponseEntity<?> getHolidays(
28         @RequestParam(defaultValue = "0") int year
29     ) {
30         int targetYear = (year == 0) ? LocalDate.now().getYear() : year;
31         return ResponseEntity.ok(holidayService.getHolidaysByYear(targetYear));
32     }
33
34     @DeleteMapping("/{id}")
35     @PreAuthorize("hasRole('ADMIN')")
36     public ResponseEntity<?> deleteHoliday(@PathVariable Long id) {
37         holidayService.deleteHoliday(id);
38         return ResponseEntity.ok("Holiday deleted");
39     }
40 }
```

18 Current:

src\main\java\com\example\EmployeeManagementSystem\Controller\LeaveDashboardController.java

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.LeaveDashboardResponse;
4 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
5 import com.example.EmployeeManagementSystem.Service.LeaveDashboardService;
6 import org.springframework.http.ResponseEntity;
7 import org.springframework.security.core.Authentication;
8 import org.springframework.security.core.userdetails.UserDetails;
9 import org.springframework.security.oauth2.core.user.OAuth2User;
10 import org.springframework.web.server.ResponseStatusException;
11 import org.springframework.web.bind.annotation.*;
12
13 import java.util.List;
14
15 import static org.springframework.http.HttpStatus.UNAUTHORIZED;
16
17 @RestController
18 @RequestMapping("/api")
19 public class LeaveDashboardController {
20
21     private final LeaveDashboardService dashboardService;
22     private final EmployeeRepo employeeRepository;
23
24     public LeaveDashboardController(LeaveDashboardService dashboardService,
25                                     EmployeeRepo employeeRepository) {
26         this.dashboardService = dashboardService;
27         this.employeeRepository = employeeRepository;
28     }
29
30     // GET own dashboard (any authenticated employee)
31     // GET /api/employees/me/leave-dashboard
32     @GetMapping("/employees/me/leave-dashboard")
33     public ResponseEntity<LeaveDashboardResponse> getMyDashboard(
34         Authentication authentication) {
35
36         Long callerId = resolveEmployeeId(authentication);
37         return ResponseEntity.ok(
38             dashboardService.getDashboard(callerId, callerId, resolveRole(authentication)));
39     }
40
41     // GET any employee's dashboard (manager/admin only)
42     // GET /api/employees/5/leave-dashboard
43     @GetMapping("/employees/{id}/leave-dashboard")
44     public ResponseEntity<LeaveDashboardResponse> getEmployeeDashboard(
45         @PathVariable Long id,
46         Authentication authentication) {
47
48         Long callerId = resolveEmployeeId(authentication);
49         String callerRole = resolveRole(authentication);
50         return ResponseEntity.ok(
51             dashboardService.getDashboard(id, callerId, callerRole));
52     }
53
54     // GET team dashboard (manager/admin only)
55     // GET /api/employees/me/team-dashboard
56     @GetMapping("/employees/me/team-dashboard")
57     public ResponseEntity<List<LeaveDashboardResponse>> getTeamDashboard(
58         Authentication authentication) {
59
60         Long callerId = resolveEmployeeId(authentication);
61         String callerRole = resolveRole(authentication);
62         return ResponseEntity.ok(
63             dashboardService.getTeamDashboard(callerId, callerRole));
64     }
65
66     // PATCH mark warning read
67     // PATCH /api/warnings/42/read
68     @PatchMapping("/warnings/{warningId}/read")
69     public ResponseEntity<Void> markWarningRead(
70         @PathVariable Long warningId,
71         Authentication authentication) {
```

```

72
73     Long callerId = resolveEmployeeId(authentication);
74     String callerRole = resolveRole(authentication);
75     dashboardService.markWarningRead(warningId, callerId, callerRole);
76     return ResponseEntity.noContent().build();
77 }
78
79 // Supports both JWT/session UserDetails and Google OAuth2 principals.
80 private Long resolveEmployeeId(Authentication authentication) {
81     String email = resolveEmail(authentication);
82     return employeeRepository
83         .findByEmail(email)
84         .orElseThrow(() -> new IllegalStateException("Authenticated user not found"))
85         .getEmployeeId();
86 }
87
88 private String resolveRole(Authentication authentication) {
89     if (authentication == null || !authentication.isAuthenticated()) {
90         throw new ResponseStatusException(UNAUTHORIZED, "Authentication required");
91     }
92     return authentication.getAuthorities().stream()
93         .map(a -> a.getAuthority())
94         .filter(authority -> authority.startsWith("ROLE_"))
95         .findFirst()
96         .map(authority -> authority.replace("ROLE_", ""))
97         .orElse("EMPLOYEE");
98 }
99
100 private String resolveEmail(Authentication authentication) {
101     if (authentication == null || !authentication.isAuthenticated()) {
102         throw new ResponseStatusException(UNAUTHORIZED, "Authentication required");
103     }
104
105     Object principal = authentication.getPrincipal();
106     if (principal instanceof UserDetails userDetails) {
107         return userDetails.getUsername();
108     }
109     if (principal instanceof OAuth2User oAuth2User) {
110         String email = oAuth2User.getAttribute("email");
111         if (email != null && !email.isBlank()) {
112             return email;
113         }
114     }
115
116     throw new ResponseStatusException(UNAUTHORIZED, "Authenticated email not found");
117 }
118 }
119

```

19 Current:

src\main\java\com\example\EmployeeManagementSystem\Controller\LeaveRequestController.java

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.ActionDTO;
4 import com.example.EmployeeManagementSystem.DTO.LeaveRequestDTO;
5 import com.example.EmployeeManagementSystem.DTO.LeaveResponseDTO;
6 import com.example.EmployeeManagementSystem.DTO.MaternityLeaveRequestDTO;
7 import com.example.EmployeeManagementSystem.Service.LeaveRequestService;
8 import com.example.EmployeeManagementSystem.Service.MaternityLeaveService;
9 import org.springframework.http.ResponseEntity;
10 import org.springframework.security.access.prepost.PreAuthorize;
11 import org.springframework.security.core.Authentication;
12 import org.springframework.web.bind.annotation.*;
13
14 import java.util.List;
15
16 @RestController
17 @RequestMapping("leave_requests")
18 public class LeaveRequestController {
19     private final LeaveRequestService leaveRequestService;
20     private final MaternityLeaveService maternityLeaveService;
21
22     public LeaveRequestController(LeaveRequestService leaveRequestService, MaternityLeaveService
23 maternityLeaveService) {
24         this.leaveRequestService = leaveRequestService;
25         this.maternityLeaveService = maternityLeaveService;
26     }
27
28     @GetMapping
29     @PreAuthorize("hasAnyRole('ADMIN','MANAGER')")
30     public ResponseEntity<List<LeaveResponseDTO>> getAllLeaveRequest() {
31         return ResponseEntity.ok(leaveRequestService.getAllTheLeaveRequest());
32     }
33
34     @PostMapping
35     @PreAuthorize("hasAnyRole('ADMIN','MANAGER','EMPLOYEE')")
36     public ResponseEntity<?> addLeaveRequest(Authentication authentication,@RequestBody LeaveRequestDTO
37 dto){
38         return leaveRequestService.createRequest(authentication,dto);
39     }
40
41     @GetMapping("/pending")
42     @PreAuthorize("hasAnyRole('ADMIN','MANAGER')")
43     public ResponseEntity<List<LeaveResponseDTO>> getAllTheLeaveRequests() {
44         return ResponseEntity.ok(leaveRequestService.getAllThePendingLeaveRequests());
45     }
46
47     @PutMapping("/approval")
48     @PreAuthorize("hasAnyRole('ADMIN','MANAGER')")
49     public ResponseEntity<?> updateLeaveRequestStatus(@RequestBody ActionDTO actionDTO,Authentication
50 authentication){
51         return leaveRequestService.updateLeaveRequestStatus(actionDTO,authentication);
52     }
53
54     @PutMapping("/cancel/{leaveId}")
55     @PreAuthorize("hasAuthority('LEAVE_CANCEL')")
56     public ResponseEntity<?> cancelLeaveRequest(Authentication authentication,@PathVariable long leaveId){
57         return leaveRequestService.cancelLeaveRequest(authentication, leaveId);
58     }
59
60     @GetMapping("/employee")
61     @PreAuthorize("hasAnyRole('ADMIN','MANAGER','EMPLOYEE')")
62     public ResponseEntity<?> getEmployeeLeaves(Authentication authentication) {
63         return leaveRequestService.getLeaveRequestsByEmployee(authentication);
64     }
65
66     @PostMapping("/maternity/apply")
67     @PreAuthorize("hasAnyRole('ADMIN','MANAGER','EMPLOYEE')")
68     public ResponseEntity<?> applyMaternityLeave(
69         Authentication authentication,
70         @RequestBody MaternityLeaveRequestDTO dto) {
71         return maternityLeaveService.applyMaternityLeave(authentication, dto);
72     }
73 }
```



```
69 }
```

```
70
```

```
71 }
```

```
72
```

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import org.springframework.http.ResponseEntity;
4 import org.springframework.web.bind.annotation.GetMapping;
5 import org.springframework.web.bind.annotation.RestController;
6
7 import java.util.Map;
8
9 @RestController
10 public class LoginController {
11
12     @GetMapping("/login")
13     public ResponseEntity<?> login() {
14         return ResponseEntity.ok().body(Map.of("message", "Please use POST to /api/auth/login with
credentials"));
15     }
16 }
17
```

```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.*;
4 import com.example.EmployeeManagementSystem.Entity.Employee;
5 import com.example.EmployeeManagementSystem.Service.ManagerService;
6 import org.springframework.http.ResponseEntity;
7 import org.springframework.security.access.prepost.PreAuthorize;
8 import org.springframework.security.core.Authentication;
9 import org.springframework.web.bind.annotation.*;
10
11 import java.util.List;
12
13 @RestController
14 @RequestMapping("/manager")
15 public class ManagerController {
16     private final ManagerService managerService;
17
18     public ManagerController(ManagerService managerService) {
19         this.managerService = managerService;
20     }
21
22     @PostMapping("/createAdmin")
23     public Employee createAdmin(@RequestBody EmployeeDetails employeeDetails){
24         return managerService.createAdmin(employeeDetails);
25     }
26
27     @PostMapping("/employees")
28     @PreAuthorize("hasAnyRole('MANAGER')")
29     public Employee createEmployee(@RequestBody EmployeeDetails employeeDetails, Authentication
authentication){
30         return managerService.createEmp(employeeDetails, authentication);
31     }
32
33     @GetMapping("/employees")
34     @PreAuthorize("hasRole('MANAGER')")
35     public List<Employee> getAllEmployeeByManager(Authentication authentication){
36         return managerService.getAllEmployeeByManager(authentication);
37     }
38
39     @GetMapping("/requests")
40     @PreAuthorize("hasRole('MANAGER')")
41     public List<ManagerLeaveResponseDTO> getAllLeaveRequestByManager(Authentication authentication){
42         return managerService.getAllLeaveRequestByManager(authentication);
43     }
44
45     @GetMapping("/Users")
46     @PreAuthorize("hasAnyRole('MANAGER', 'ADMIN')")
47     public List<EmployeeDTO> getUsers(){
48         return managerService.getUsers();
49     }
50
51     @PutMapping("/promote")
52     @PreAuthorize("hasRole('MANAGER')")
53     public ResponseEntity<?> promoteUser(Authentication authentication, @RequestBody PromoteRequest
promoteRequest){
54         return managerService.promoteUser(authentication, promoteRequest);
55     }
56
57     @GetMapping("/pending")
58     @PreAuthorize("hasAnyRole('MANAGER')")
59     public ResponseEntity<List<LeaveResponseDTO>> getAllTheLeaveRequests(Authentication authentication) {
60         return ResponseEntity.ok(managerService.getAllThePendingLeaveRequests(authentication));
61     }
62
63     @GetMapping("/employees/search")
64     @PreAuthorize("hasAnyRole('MANAGER')")
65     public ResponseEntity<ManagerEmployeeDetailsDTO> getEmployeeDetails( @RequestParam String name){
66         return ResponseEntity.ok(managerService.getEmployeeDetailsByName(name));
67     }
68
69

```

70

71 }

72

```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.Notification;
5 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
6 import com.example.EmployeeManagementSystem.Service.NotificationService;
7 import org.springframework.http.ResponseEntity;
8 import org.springframework.security.core.Authentication;
9 import org.springframework.security.oauth2.core.user.OAuth2User;
10 import org.springframework.security.oauth2.client.authentication.OAuth2AuthenticationToken;
11 import org.springframework.web.bind.annotation.*;
12 import java.util.List;
13 import java.util.Map;
14
15 @RestController
16 @RequestMapping("/notifications")
17 public class NotificationController {
18
19     private final NotificationService notificationService;
20     private final EmployeeRepo employeeRepo;
21
22     public NotificationController(NotificationService notificationService,
23                                 EmployeeRepo employeeRepo) {
24         this.notificationService = notificationService;
25         this.employeeRepo = employeeRepo;
26     }
27
28     /** GET /notifications – all notifications for logged-in user */
29     @GetMapping
30     public ResponseEntity<List<Notification>> getAll(Authentication authentication) {
31         Employee employee = getEmployee(authentication);
32         return ResponseEntity.ok(notificationService.getForEmployee(employee));
33     }
34
35     /** GET /notifications/unread-count – for the badge number */
36     @GetMapping("/unread-count")
37     public ResponseEntity<?> unreadCount(Authentication authentication) {
38         Employee employee = getEmployee(authentication);
39         return ResponseEntity.ok(Map.of("count",
40                                         notificationService.getUnreadCount(employee)));
41     }
42
43     /** POST /notifications/mark-read – mark all as read when bell is opened */
44     @PostMapping("/mark-read")
45     public ResponseEntity<?> markRead(Authentication authentication) {
46         Employee employee = getEmployee(authentication);
47         notificationService.markAllRead(employee);
48         return ResponseEntity.ok(Map.of("message", "All notifications marked as read"));
49     }
50
51     private Employee getEmployee(Authentication authentication) {
52         final String email = (authentication instanceof OAuth2AuthenticationToken oauth)
53             ? oauth.getPrincipal().<String>getAttribute("email")
54             : authentication.getName(); // JWT path – getName() returns email
55
56         return employeeRepo.findByEmail(email)
57             .orElseThrow(() -> new RuntimeException("Employee not found: " + email));
58     }
59 }
60

```

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.AuthResponse;
4 import com.example.EmployeeManagementSystem.Entity.Employee;
5 import com.example.EmployeeManagementSystem.Entity.RefreshToken;
6 import com.example.EmployeeManagementSystem.Entity.Vendor;
7 import com.example.EmployeeManagementSystem.Enum.Role;
8 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
9 import com.example.EmployeeManagementSystem.Repository.RefreshTokenRepository;
10 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
11 import com.example.EmployeeManagementSystem.Service.CombinedUserDetailsService;
12 import com.example.EmployeeManagementSystem.Service.RefreshTokenService;
13 import com.example.EmployeeManagementSystem.Util.JWTUtil;
14 import jakarta.servlet.http.HttpServletRequest;
15 import jakarta.servlet.http.HttpServletResponse;
16 import jakarta.servlet.http.HttpSession;
17 import org.springframework.beans.factory.annotation.Autowired;
18 import org.springframework.beans.factory.annotation.Value;
19 import org.springframework.http.*;
20 import org.springframework.security.core.userdetails.UserDetails;
21 import org.springframework.security.core.userdetails.UsernameNotFoundException;
22 import org.springframework.security.crypto.password.PasswordEncoder;
23 import org.springframework.util.LinkedMultiValueMap;
24 import org.springframework.util.MultiValueMap;
25 import org.springframework.web.bind.annotation.GetMapping;
26 import org.springframework.web.bind.annotation.RequestMapping;
27 import org.springframework.web.bind.annotation.RequestParam;
28 import org.springframework.web.bind.annotation.RestController;
29 import org.springframework.web.client.RestTemplate;
30
31 import java.io.IOException;
32 import java.util.Collections;
33 import java.util.Map;
34 import java.util.Optional;
35 import java.util.UUID;
36
37 @RestController
38 @RequestMapping("/auth/google")
39 public class OAuthController {
40
41     @GetMapping("/init")
42     public void initOAuth(@RequestParam(defaultValue = "EMPLOYEE") String role,
43                          @RequestParam(defaultValue = "Asia/Kolkata") String timezone,
44                          HttpServletRequest request,
45                          HttpServletResponse response) throws IOException {
46
47         // Now hand off to Spring's built-in OAuth2 flow
48         System.out.println("Now hand off to Spring's built-in OAuth2 flow");
49         response.sendRedirect("/oauth2/authorization/google");
50     }
51 }
52
```

```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.RestaurantDTO;
4 import com.example.EmployeeManagementSystem.DTO.RestaurantRequest;
5 import com.example.EmployeeManagementSystem.Enum.MealSlot;
6 import com.example.EmployeeManagementSystem.Service.RestaurantService;
7 import org.springframework.http.HttpStatus;
8 import org.springframework.http.ResponseEntity;
9 import org.springframework.security.access.prepost.PreAuthorize;
10 import org.springframework.security.core.Authentication;
11 import org.springframework.web.bind.annotation.*;
12
13 import java.util.List;
14 import java.util.stream.Collectors;
15
16 /**
17  * Restaurant management endpoints.
18  *
19  * VENDOR-ONLY (write operations)
20  * POST /restaurants - Create a restaurant (vendor supplies vendorId in body)
21  * PUT /restaurants/{id} - Update restaurant details (vendor ownership verified)
22  * PUT /restaurants/{id}/deactivate - Soft-delete a restaurant (vendor ownership verified)
23  * GET /restaurants/vendor/{vendorId} - List MY restaurants (vendor views their own)
24  *
25  * EMPLOYEE / MANAGER (read-only browse)
26  * GET /restaurants - Browse all active restaurants
27  * GET /restaurants/{id} - Get a specific restaurant
28  * GET /restaurants/by-slot?slot=LUNCH - Find restaurants that serve a given meal slot
29  *
30  * Employees use the browse endpoints to pick a restaurant when creating a subscription.
31  * Employees and managers cannot create, update, or deactivate restaurants.
32  */
33 @RestController
34 @RequestMapping("/restaurants")
35 public class RestaurantController {
36
37     private final RestaurantService restaurantService;
38
39     public RestaurantController(RestaurantService restaurantService) {
40         this.restaurantService = restaurantService;
41     }
42
43     // VENDOR-ONLY write operations
44
45     /**
46      * Create a new restaurant.
47      * Request body must include vendorId – the service validates the vendor exists.
48      */
49     @PostMapping
50     @PreAuthorize("hasRole('FOOD_VENDOR')")
51     public ResponseEntity<RestaurantDTO> createRestaurant(@RequestBody RestaurantRequest
52 request, Authentication authentication) {
53         return ResponseEntity.status(HttpStatus.CREATED)
54             .body(restaurantService.createRestaurant(request, authentication));
55     }
56
57     /**
58      * Update a restaurant's name, address, description, or supported meal slots.
59      * vendorId in the request body is used to verify ownership before any change is made.
60      */
61     @PutMapping("/{id}")
62     @PreAuthorize("hasRole('FOOD_VENDOR')")
63     public ResponseEntity<RestaurantDTO> updateRestaurant(@PathVariable Long id,
64 @RequestBody RestaurantRequest request,
65 Authentication authentication) {
66         return ResponseEntity.ok(restaurantService.updateRestaurant(id, request, authentication));
67     }
68
69     /**
70      * Soft-deactivate a restaurant. Active subscriptions remain in the DB but
71      * new deliveries will stop since the restaurant is inactive.

```

```

71     * Pass vendorId as a query param so ownership can be verified.
72     */
73     @PutMapping("/{id}/deactivate")
74     @PreAuthorize("hasRole('FOOD_VENDOR')")
75     public ResponseEntity<String> deactivateRestaurant(@PathVariable Long id,
76                                                         Authentication authentication) {
77         restaurantService.deactivateRestaurant(id, authentication);
78         return ResponseEntity.ok("Restaurant " + id + " has been deactivated.");
79     }
80
81     /**
82     * List all active restaurants owned by a specific vendor.
83     * Only the vendor themselves should call this to see their portfolio.
84     */
85     @GetMapping("/vendor")
86     @PreAuthorize("hasRole('FOOD_VENDOR')")
87     public ResponseEntity<List<RestaurantDTO>> getRestaurantsByVendor(Authentication authentication) {
88         return ResponseEntity.ok(restaurantService.getRestaurantsByVendor(authentication));
89     }
90
91     // EMPLOYEE / MANAGER read-only browse
92
93     /**
94     * Browse all active restaurants.
95     * Employees use this to discover available restaurants before subscribing.
96     */
97     @GetMapping
98     @PreAuthorize("hasAnyRole('ADMIN') or hasAuthority('RESTAURANTS_READ')")
99     public ResponseEntity<List<RestaurantDTO>> getAllActiveRestaurants() {
100         return ResponseEntity.ok(restaurantService.getAllActiveRestaurants());
101     }
102
103     /**
104     * Get a specific restaurant by id.
105     */
106     @GetMapping("/{id}")
107     @PreAuthorize("hasAnyRole('ADMIN') or hasAuthority('RESTAURANTS_READ')")
108     public ResponseEntity<RestaurantDTO> getRestaurant(@PathVariable Long id) {
109         return ResponseEntity.ok(restaurantService.getRestaurant(id));
110     }
111
112     /**
113     * Find all active restaurants that serve a specific meal slot.
114     * Example: GET /restaurants/by-slot?slot=LUNCH
115     * Employees call this when building their subscription to see valid options for each slot.
116     */
117     @GetMapping("/by-slot")
118     @PreAuthorize("hasAnyRole('ADMIN', 'VENDOR', 'EMPLOYEE', 'MANAGER')")
119     public ResponseEntity<List<RestaurantDTO>> getRestaurantsByMealSlot(@RequestParam MealSlot slot) {
120         return ResponseEntity.ok(restaurantService.getRestaurantsByMealSlot(slot));
121     }
122
123 }
124

```



```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.Scheduler.LeaveStatusScheduler;
4 import com.example.EmployeeManagementSystem.Service.LeaveAccrualService;
5 import com.example.EmployeeManagementSystem.Service.SickLeaveResetService;
6 import org.slf4j.Logger;
7 import org.slf4j.LoggerFactory;
8 import org.springframework.http.ResponseEntity;
9 import org.springframework.security.access.prepost.PreAuthorize;
10 import org.springframework.web.bind.annotation.*;
11
12 import java.time.LocalDate;
13 import java.time.YearMonth;
14 import java.util.Map;
15
16 /**
17  * Controller for Scheduler Operations
18  */
19 @RestController
20 @RequestMapping("/scheduler")
21 public class SchedulerController {
22
23     private static final Logger log = LoggerFactory.getLogger(SchedulerController.class);
24
25     private final LeaveStatusScheduler leaveStatusScheduler;
26     private final SickLeaveResetService sickLeaveResetService; // FIX: was missing
27     private final LeaveAccrualService leaveAccrualService; // FIX: was missing
28
29     public SchedulerController(LeaveStatusScheduler leaveStatusScheduler,
30                               SickLeaveResetService sickLeaveResetService,
31                               LeaveAccrualService leaveAccrualService) {
32         this.leaveStatusScheduler = leaveStatusScheduler;
33         this.sickLeaveResetService = sickLeaveResetService;
34         this.leaveAccrualService = leaveAccrualService;
35     }
36
37     /**
38      * Manual trigger for leave status scheduler
39      */
40     @PostMapping("/run")
41     @PreAuthorize("hasRole('ADMIN') or hasAuthority('SCHEDULER_TRIGGER')")
42     public ResponseEntity<?> runScheduler() {
43         try {
44             leaveStatusScheduler.runManually();
45             return ResponseEntity.ok(Map.of(
46                 "status", "success",
47                 "message", "Leave status scheduler executed successfully"
48             ));
49         } catch (Exception e) {
50             log.error("Leave status scheduler failed", e);
51             return ResponseEntity.internalServerError().body(Map.of(
52                 "status", "error",
53                 "message", e.getMessage()
54             ));
55         }
56     }
57
58     /**
59      * FIX: Manual trigger for sick leave reset (missing from original).
60      * Useful for recovery and testing without waiting for the end-of-month cron.
61      */
62     @PostMapping("/sick-leave-reset")
63     @PreAuthorize("hasRole('ADMIN')")
64     public ResponseEntity<?> runSickLeaveReset() {
65         try {
66             LocalDate lastDayOfMonth = YearMonth.now().atEndOfMonth();
67             sickLeaveResetService.runMonthlyReset(lastDayOfMonth);
68             return ResponseEntity.ok(Map.of(
69                 "status", "success",
70                 "message", "Sick leave reset executed for " + lastDayOfMonth
71             ));

```

```

72         } catch (Exception e) {
73             log.error("Sick leave reset failed", e);
74             return ResponseEntity.internalServerError().body(Map.of(
75                 "status", "error",
76                 "message", e.getMessage()
77             ));
78         }
79     }
80
81     /**
82      * FIX: Manual trigger for monthly leave accrual (missing from original).
83      * Useful for onboarding new employees or recovering from a missed cron run.
84      */
85     @PostMapping("/accrue")
86     @PreAuthorize("hasRole('ADMIN')")
87     public ResponseEntity<?> runMonthlyAccrual() {
88         try {
89             LocalDate today = LocalDate.now();
90             leaveAccrualService.runMonthlyAccrual(today);
91             return ResponseEntity.ok(Map.of(
92                 "status", "success",
93                 "message", "Monthly leave accrual executed for " + today
94             ));
95         } catch (Exception e) {
96             log.error("Monthly accrual failed", e);
97             return ResponseEntity.internalServerError().body(Map.of(
98                 "status", "error",
99                 "message", e.getMessage()
100             ));
101         }
102     }
103 }

```

26 Current:

src\main\java\com\example\EmployeeManagementSystem\Controller\ServiceRequestController.java

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.AdminActionDTO;
4 import com.example.EmployeeManagementSystem.DTO.RepairDTO;
5 import com.example.EmployeeManagementSystem.DTO.ServiceRequestDTO;
6 import com.example.EmployeeManagementSystem.DTO.ServiceRequestResponseDTO;
7 import com.example.EmployeeManagementSystem.Entity.ServiceRequest;
8 import com.example.EmployeeManagementSystem.Service.ServiceRequestService;
9 import org.springframework.http.HttpStatus;
10 import org.springframework.http.ResponseEntity;
11 import org.springframework.security.access.prepost.PreAuthorize;
12 import org.springframework.security.core.Authentication;
13 import org.springframework.web.bind.annotation.GetMapping;
14 import org.springframework.web.bind.annotation.PostMapping;
15 import org.springframework.web.bind.annotation.PutMapping;
16 import org.springframework.web.bind.annotation.RequestBody;
17 import org.springframework.web.bind.annotation.RequestMapping;
18 import org.springframework.web.bind.annotation.RestController;
19
20 import java.util.List;
21
22 @RestController
23 @RequestMapping("/service-requests")
24 public class ServiceRequestController {
25     private final ServiceRequestService serviceRequestService;
26
27     public ServiceRequestController(ServiceRequestService serviceRequestService) {
28         this.serviceRequestService = serviceRequestService;
29     }
30
31     @PostMapping
32     @PreAuthorize("hasAnyRole('EMPLOYEE', 'MANAGER', 'ADMIN')")
33     public ResponseEntity<ServiceRequest> createServiceRequest(
34         @RequestBody ServiceRequestDTO serviceRequestDTO,
35         Authentication authentication) {
36         return ResponseEntity.status(HttpStatus.CREATED)
37             .body(serviceRequestService.createServiceRequest(serviceRequestDTO, authentication));
38     }
39
40     @GetMapping("/my")
41     @PreAuthorize("hasAnyRole('EMPLOYEE', 'MANAGER', 'ADMIN')")
42     public ResponseEntity<List<ServiceRequestResponseDTO>> getMyServiceRequests(Authentication
43 authentication) {
44         return ResponseEntity.ok(serviceRequestService.getMyServiceRequests(authentication));
45     }
46
47     @GetMapping("/open")
48     @PreAuthorize("hasRole('ADMIN')")
49     public ResponseEntity<List<ServiceRequestResponseDTO>> getAllOpenServiceRequests() {
50         return ResponseEntity.ok(serviceRequestService.getAllOpenServiceRequests());
51     }
52
53     @PutMapping("/admin")
54     @PreAuthorize("hasRole('ADMIN')")
55     public ResponseEntity<ServiceRequestResponseDTO> updateServiceRequestByAdmin(
56         Authentication authentication,
57         @RequestBody AdminActionDTO actionDTO) {
58         return ResponseEntity.ok(serviceRequestService.updateServiceRequestByAdmin(authentication,
59 actionDTO));
60     }
61
62     @GetMapping("/vendor/me")
63     @PreAuthorize("hasRole('TECH_VENDOR')")
64     public ResponseEntity<List<ServiceRequestResponseDTO>> getAllServiceRequestByVendor(Authentication
65 authentication) {
66         return ResponseEntity.ok(serviceRequestService.getAllServiceRequestByVendor(authentication));
67     }
68
69     @PutMapping("/vendor")
70     @PreAuthorize("hasRole('TECH_VENDOR')")
71     public ResponseEntity<ServiceRequestResponseDTO> updateServiceRequestByVendor(
```

```
69         Authentication authentication,
70         @RequestBody RepairDTO repairDTO) {
71         return ResponseEntity.ok(serviceRequestService.updateServiceRequestByVendor(authentication,
72         repairDTO));
73     }
74 }
```

[illegible]

```
70         // Invalidate Spring Security context
71         SecurityContextHolder.clearContext();
72
73         // Invalidate HTTP session (kills OAuth2 session too)
74         session.invalidate();
75
76         // Clear the session cookie
77         Cookie cookie = new Cookie("JSESSIONID", null);
78         cookie.setMaxAge(0);
79         cookie.setPath("/");
80         response.addCookie(cookie);
81
82         return ResponseEntity.ok("Logged out");
83     }
84
85     @GetMapping("/me")
86     public ResponseEntity<?> me(Authentication authentication) {
87         if (authentication == null || !authentication.isAuthenticated()) {
88             return ResponseEntity.status(401).body(Map.of("error", "Not logged in"));
89         }
90         return ResponseEntity.ok(Map.of(
91             "username", authentication.getName(),
92             "roles", authentication.getAuthorities().toString(),
93             "authenticated", true
94         ));
95     }
96 }
```

```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.SubscriptionDTO;
4 import com.example.EmployeeManagementSystem.DTO.SubscriptionRequest;
5 import com.example.EmployeeManagementSystem.Entity.Subscription;
6 import com.example.EmployeeManagementSystem.Service.SubscriptionService;
7 import org.springframework.http.HttpStatus;
8 import org.springframework.http.ResponseEntity;
9 import org.springframework.security.access.prepost.PreAuthorize;
10 import org.springframework.security.core.Authentication;
11 import org.springframework.web.bind.annotation.*;
12
13 import java.util.List;
14
15 @RestController
16 @RequestMapping("/subscription")
17 public class SubscriptionController {
18     private final SubscriptionService subscriptionService;
19
20     public SubscriptionController(SubscriptionService subscriptionService) {
21         this.subscriptionService = subscriptionService;
22     }
23
24     //Authentication makes sure that whoever is logged can add subscription and cannot add other
25     //subscription
26     @PostMapping
27     @PreAuthorize("hasAnyRole('EMPLOYEE','MANAGER','ADMIN','VENDOR')")
28     public ResponseEntity<?> addSubscription(@RequestBody SubscriptionRequest request, Authentication
29     authentication) {
30         subscriptionService.addSubscription(request, authentication);
31         return ResponseEntity.status(HttpStatus.CREATED)
32             .body("Added new subscription for user: " + authentication.getName());
33     }
34
35     @GetMapping
36     @PreAuthorize("hasAuthority('SUBSCRIPTION_READ')")
37     public List<SubscriptionDTO> getAllSubscriptions() {
38         return subscriptionService.getAllSubscriptions();
39     }
40
41     @PutMapping("/{id}")
42     @PreAuthorize("hasAnyRole('EMPLOYEE','MANAGER')")
43     public ResponseEntity<Subscription> updateSubscription(
44         @PathVariable Long id,
45         @RequestBody SubscriptionRequest request) {
46         return ResponseEntity.ok(subscriptionService.updateSubscription(id, request));
47     }
48
49     @PutMapping("/{id}/pause")
50     @PreAuthorize("hasAnyRole('EMPLOYEE','MANAGER')")
51     public ResponseEntity<Subscription> pauseSubscription(@PathVariable Long id) {
52         return ResponseEntity.ok(subscriptionService.pauseSubscription(id));
53     }
54
55     @PutMapping("/{id}/resume")
56     @PreAuthorize("hasAnyRole('EMPLOYEE','MANAGER')")
57     public ResponseEntity<Subscription> resumeSubscription(@PathVariable Long id) {
58         return ResponseEntity.ok(subscriptionService.resumeSubscription(id));
59     }
60
61     @PutMapping("/{id}/expire")
62     @PreAuthorize("hasAnyRole('EMPLOYEE','MANAGER')")
63     public ResponseEntity<Subscription> expireSubscription(@PathVariable Long id) {
64         return ResponseEntity.ok(subscriptionService.expireSubscription(id));
65     }
66
67     @GetMapping("/user")
68     @PreAuthorize("hasAuthority('SUBSCRIPTION_READ')")
69     public ResponseEntity<List<SubscriptionDTO>> getSubscriptionOfUser(Authentication authentication){
70         return ResponseEntity.ok(subscriptionService.getSubscriptionOfUser(authentication));
71     }

```

```
70     }
```

```
71
```

```
72 }
```

```
73
```



```

1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
5 import com.example.EmployeeManagementSystem.Service.TotpService;
6 import org.springframework.http.ResponseEntity;
7 import org.springframework.security.core.Authentication;
8 import org.springframework.web.bind.annotation.*;
9
10 import java.util.Map;
11
12 @RestController
13 @RequestMapping("/totp")
14 public class TotpController {
15
16     private final TotpService totpService;
17     private final EmployeeRepo employeeRepo;
18
19     public TotpController(TotpService totpService, EmployeeRepo employeeRepo) {
20         this.totpService = totpService;
21         this.employeeRepo = employeeRepo;
22     }
23
24     /**
25      * GET /totp/status
26      * Returns whether TOTP is currently enabled for the logged-in employee.
27      * Used by the frontend to show the correct UI state on load.
28      */
29     @GetMapping("/status")
30     public ResponseEntity<?> status(Authentication authentication) {
31         Employee employee = getEmployee(authentication);
32         return ResponseEntity.ok(Map.of(
33             "totpEnabled", employee.isTotpEnabled()
34         ));
35     }
36
37     /**
38      * POST /totp/setup
39      * Step 1 – Generate a new TOTP secret and return the QR code URI.
40      * Employee scans the QR with Google Authenticator / Authy.
41      * TOTP is NOT enabled yet until /totp/verify-setup succeeds.
42      */
43     @PostMapping("/setup")
44     public ResponseEntity<?> setup(Authentication authentication) {
45         Employee employee = getEmployee(authentication);
46
47         String secret = totpService.generateSecret();
48         employee.setTotpSecret(secret);
49         employee.setTotpEnabled(false); // not active until confirmed
50         employeeRepo.save(employee);
51
52         String qrUri = totpService.getQrCodeUri(secret, employee.getName());
53
54         return ResponseEntity.ok(Map.of(
55             "secret", secret, // backup code for manual entry
56             "qrCodeUri", qrUri // embed in QR image on frontend
57         ));
58     }
59
60     /**
61      * POST /totp/verify-setup
62      * Step 2 – Employee scans QR and types their first code to confirm setup.
63      * Only after this succeeds is totpEnabled set to true.
64      * Body: { "code": "123456" }
65      */
66     @PostMapping("/verify-setup")
67     public ResponseEntity<?> verifySetup(@RequestBody Map<String, String> body,
68                                         Authentication authentication) {
69         Employee employee = getEmployee(authentication);
70
71         if (employee.getTotpSecret() == null) {

```

```

72         return ResponseEntity.badRequest().body(Map.of(
73             "error", "No TOTP secret found. Call /totp/setup first.");
74     }
75
76     String code = body.get("code");
77     if (code == null || code.isBlank()) {
78         return ResponseEntity.badRequest().body(Map.of("error", "code is required"));
79     }
80
81     if (!totpService.verifyCode(employee.getTotpSecret(), code)) {
82         return ResponseEntity.badRequest().body(Map.of("error", "Invalid code. Try again.));
83     }
84
85     employee.setTotpEnabled(true);
86     employeeRepo.save(employee);
87
88     return ResponseEntity.ok(Map.of("message", "TOTP 2FA enabled successfully"));
89 }
90
91 /**
92  * POST /totp/validate
93  * Step 3 – On every login when totpEnabled=true, call this after password auth.
94  * In the new flow this is handled by /Authenticate/totp using a pre-auth token.
95  * This endpoint is kept for compatibility / manual use.
96  * Body: { "code": "123456" }
97  */
98 @PostMapping("/validate")
99 public ResponseEntity<?> validate(@RequestBody Map<String, String> body,
100     Authentication authentication) {
101     Employee employee = getEmployee(authentication);
102
103     if (!employee.isTotpEnabled()) {
104         return ResponseEntity.ok(Map.of("message", "TOTP not enabled for this user"));
105     }
106
107     String code = body.get("code");
108     if (!totpService.verifyCode(employee.getTotpSecret(), code)) {
109         return ResponseEntity.status(401).body(Map.of("error", "Invalid TOTP code"));
110     }
111
112     return ResponseEntity.ok(Map.of("message", "TOTP verified", "authenticated", true));
113 }
114
115 /**
116  * DELETE /totp/disable
117  * Disable TOTP for the logged-in employee.
118  */
119 @DeleteMapping("/disable")
120 public ResponseEntity<?> disable(Authentication authentication) {
121     Employee employee = getEmployee(authentication);
122     employee.setTotpSecret(null);
123     employee.setTotpEnabled(false);
124     employeeRepo.save(employee);
125     return ResponseEntity.ok(Map.of("message", "TOTP disabled"));
126 }
127
128 // ---- helper ----
129
130 private Employee getEmployee(Authentication authentication) {
131     return employeeRepo.findByEmail(authentication.getName())
132         .orElseThrow(() -> new RuntimeException("Employee not found"));
133 }
134 }

```

```
1 package com.example.EmployeeManagementSystem.Controller;
2
3 import com.example.EmployeeManagementSystem.DTO.VendorDTO;
4 import com.example.EmployeeManagementSystem.DTO.VendorRequest;
5 import com.example.EmployeeManagementSystem.Service.DeliveryService;
6 import org.springframework.http.HttpStatus;
7 import org.springframework.http.ResponseEntity;
8 import org.springframework.security.access.prepost.PreAuthorize;
9 import org.springframework.security.core.Authentication;
10 import org.springframework.web.bind.annotation.*;
11
12 import java.util.List;
13
14 @RestController
15 @RequestMapping("/vendors")
16 public class VendorController {
17
18     private final DeliveryService.VendorService vendorService;
19
20     public VendorController(DeliveryService.VendorService vendorService) {
21         this.vendorService = vendorService;
22     }
23
24     @PostMapping("/register")
25     @PreAuthorize("hasRole('ADMIN')")
26     public ResponseEntity<VendorDTO> registerVendor(@RequestBody VendorRequest request) {
27         return ResponseEntity.status(HttpStatus.CREATED)
28             .body(vendorService.registerVendor(request));
29     }
30
31     @GetMapping
32     @PreAuthorize("hasAnyRole('FOOD_VENDOR', 'ADMIN', 'TECH_VENDOR')")
33     public ResponseEntity<List<VendorDTO>> getAllVendors() {
34         return ResponseEntity.ok(vendorService.getAllVendors());
35     }
36
37     @GetMapping("/me")
38     @PreAuthorize("hasAuthority('VENDOR_WRITE')")
39     public ResponseEntity<VendorDTO> getVendor(Authentication authentication) {
40         return ResponseEntity.ok(vendorService.getVendor(authentication));
41     }
42
43
44     @PutMapping("/update")
45     @PreAuthorize("hasAuthority('VENDOR_WRITE')")
46     public ResponseEntity<VendorDTO> updateVendor(
47         @RequestBody VendorRequest request,
48         Authentication authentication) {
49         return ResponseEntity.ok(vendorService.updateVendor(request, authentication));
50     }
51
52     @DeleteMapping
53     @PreAuthorize("hasRole('ADMIN')")
54     public ResponseEntity<String> deleteVendor(Authentication authentication) {
55         vendorService.deleteVendor(authentication);
56         return ResponseEntity.ok(
57             "Vendor account for " + authentication.getName() + " has been closed.");
58     }
59 }
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 public class AccessTokenRequest {
4     private String refreshToken;
5
6     public AccessTokenRequest(String refreshToken) {
7         this.refreshToken = refreshToken;
8     }
9
10    public void setRefreshToken(String refreshToken) {
11        this.refreshToken = refreshToken;
12    }
13
14    public String getRefreshToken() {
15        return refreshToken;
16    }
17 }
18
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3
4 public class ActionDTO {
5     private long leaveRequestId;
6     private String action;
7     private String remarks;
8
9     public long getLeaveRequestId() {
10         return leaveRequestId;
11     }
12
13     public void setLeaveRequestId(long leaveRequestId) {
14         this.leaveRequestId = leaveRequestId;
15     }
16
17
18     public String getAction() {
19         return action;
20     }
21
22     public void setAction(String action) {
23         this.action = action;
24     }
25
26     public String getRemarks() {
27         return remarks;
28     }
29
30     public void setRemarks(String remarks) {
31         this.remarks = remarks;
32     }
33 }
34
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.ServiceRequestStatus;
4
5 public class AdminActionDTO {
6     private Long serviceRequestId;
7     private ServiceRequestStatus status;
8     private String adminRemarks;
9
10    public Long getServiceRequestId() {
11        return serviceRequestId;
12    }
13
14    public void setServiceRequestId(Long serviceRequestId) {
15        this.serviceRequestId = serviceRequestId;
16    }
17
18    public String getAdminRemarks() {
19        return adminRemarks;
20    }
21
22    public void setAdminRemarks(String adminRemarks) {
23        this.adminRemarks = adminRemarks;
24    }
25
26    public ServiceRequestStatus getStatus() {
27        return status;
28    }
29
30    public void setStatus(ServiceRequestStatus status) {
31        this.status = status;
32    }
33 }
34
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.Gender;
4
5 public class AdminEmployeeDTO {
6     private String name;
7     private String email;
8     private String password;
9     private Gender gender;
10    private String timezone;
11    private long managerId;
12
13    public String getName() {
14        return name;
15    }
16
17    public String getPassword() {
18        return password;
19    }
20
21    public String getEmail() {
22        return email;
23    }
24
25    public String getTimezone() {
26        return timezone;
27    }
28
29    public Gender getGender() {
30        return gender;
31    }
32
33    public long getManagerId() {
34        return managerId;
35    }
36
37    public void setEmail(String email) {
38        this.email = email;
39    }
40
41    public void setPassword(String password) {
42        this.password = password;
43    }
44
45    public void setManagerId(long managerId) {
46        this.managerId = managerId;
47    }
48
49    public void setTimezone(String timezone) {
50        this.timezone = timezone;
51    }
52
53    public void setGender(Gender gender) {
54        this.gender = gender;
55    }
56
57    public void setName(String name) {
58        this.name = name;
59    }
60 }
61
```

```
1 package com.example.EmployeeManagementSystem.DTO;  
2  
3 public class AssignDeviceRequest {  
4     private Long employeeId;  
5  
6     public Long getEmployeeId() {  
7         return employeeId;  
8     }  
9  
10    public void setEmployeeId(Long employeeId) {  
11        this.employeeId = employeeId;  
12    }  
13 }  
14
```



```
1 package com.example.EmployeeManagementSystem.DTO;
2
3
4 import com.fasterxml.jackson.annotation.JsonProperty;
5
6 public class AuthRequest {
7     @JsonProperty("username")
8     private String Username;
9     @JsonProperty("password")
10    private String Password;
11
12    public String getPassword() {
13        return Password;
14    }
15
16    public void setPassword(String password) {
17        Password = password;
18    }
19
20    public String getUsername() {
21        return Username;
22    }
23
24    public void setUsername(String username) {
25        Username = username;
26    }
27 }
28
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 public class AuthResponse {
4     private String accessToken;
5     private String refreshToken;
6
7     public AuthResponse(String accessToken, String token) {
8         this.accessToken=accessToken;
9         this.refreshToken=token;
10    }
11
12    public String getAccessToken() {
13        return accessToken;
14    }
15
16    public void setAccessToken(String accessToken) {
17        this.accessToken = accessToken;
18    }
19
20    public String getRefreshToken() {
21        return refreshToken;
22    }
23
24    public void setRefreshToken(String refreshToken) {
25        this.refreshToken = refreshToken;
26    }
27 }
28
```

38 Current:

src\main\java\com\example\EmployeeManagementSystem\DTO\DeviceAssignmentResponseDTO.java

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.AssignmentStatus;
4 import com.example.EmployeeManagementSystem.Enum.DeviceType;
5
6 import java.time.LocalDate;
7
8 public class DeviceAssignmentResponseDTO {
9     private Long id;
10    private Long deviceId;
11    private String deviceName;
12    private String deviceBrand;
13    private DeviceType deviceType;
14    private Long employeeId;
15    private String employeeName;
16    private AssignmentStatus status;
17    private LocalDate assignedDate;
18
19    public Long getId() {
20        return id;
21    }
22
23    public void setId(Long id) {
24        this.id = id;
25    }
26
27    public String getDeviceName() {
28        return deviceName;
29    }
30
31    public void setDeviceName(String deviceName) {
32        this.deviceName = deviceName;
33    }
34
35    public Long getDeviceId() {
36        return deviceId;
37    }
38
39    public void setDeviceId(Long deviceId) {
40        this.deviceId = deviceId;
41    }
42
43    public DeviceType getDeviceType() {
44        return deviceType;
45    }
46
47    public void setDeviceType(DeviceType deviceType) {
48        this.deviceType = deviceType;
49    }
50
51    public String getDeviceBrand() {
52        return deviceBrand;
53    }
54
55    public void setDeviceBrand(String deviceBrand) {
56        this.deviceBrand = deviceBrand;
57    }
58
59    public String getEmployeeName() {
60        return employeeName;
61    }
62
63    public void setEmployeeName(String employeeName) {
64        this.employeeName = employeeName;
65    }
66
67    public Long getEmployeeId() {
68        return employeeId;
69    }
70
71    public void setEmployeeId(Long employeeId) {
```

```
72         this.employeeId = employeeId;
73     }
74
75     public AssignmentStatus getStatus() {
76         return status;
77     }
78
79     public void setStatus(AssignmentStatus status) {
80         this.status = status;
81     }
82
83     public LocalDate getAssignedDate() {
84         return assignedDate;
85     }
86
87     public void setAssignedDate(LocalDate assignedDate) {
88         this.assignedDate = assignedDate;
89     }
90 }
91
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.DeviceType;
4
5 import java.time.LocalDate;
6
7 public class DeviceDTO {
8     private String deviceName;        // e.g. "Dell XPS 15"
9     private String brand;
10    private DeviceType deviceType;
11    private LocalDate warrantyExpiryDate;
12
13    public String getDeviceName() {
14        return deviceName;
15    }
16
17    public void setDeviceName(String deviceName) {
18        this.deviceName = deviceName;
19    }
20
21    public String getBrand() {
22        return brand;
23    }
24
25    public void setBrand(String brand) {
26        this.brand = brand;
27    }
28
29    public DeviceType getDeviceType() {
30        return deviceType;
31    }
32
33    public void setDeviceType(DeviceType deviceType) {
34        this.deviceType = deviceType;
35    }
36
37    public LocalDate getWarrantyExpiryDate() {
38        return warrantyExpiryDate;
39    }
40
41    public void setWarrantyExpiryDate(LocalDate warrantyExpiryDate) {
42        this.warrantyExpiryDate = warrantyExpiryDate;
43    }
44 }
45
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.Vendor;
5 import com.example.EmployeeManagementSystem.Enum.DeviceStatus;
6 import com.example.EmployeeManagementSystem.Enum.DeviceType;
7
8 import java.time.LocalDate;
9
10 public class DeviceResponseDTO {
11     private Long id;
12     private String deviceName;
13     private String brand;
14     private DeviceType deviceType;
15     private DeviceStatus deviceStatus;
16     private String vendorName;
17     private long assignedEmployeeId;
18     private String assignedEmployeeName;
19     private LocalDate assignedDate;
20
21     private LocalDate warrantyExpiryDate;
22
23     public Long getId() {
24         return id;
25     }
26
27     public void setId(Long id) {
28         this.id = id;
29     }
30
31     public String getDeviceName() {
32         return deviceName;
33     }
34
35     public void setDeviceName(String deviceName) {
36         this.deviceName = deviceName;
37     }
38
39     public String getBrand() {
40         return brand;
41     }
42
43     public void setBrand(String brand) {
44         this.brand = brand;
45     }
46
47     public DeviceType getDeviceType() {
48         return deviceType;
49     }
50
51     public void setDeviceType(DeviceType deviceType) {
52         this.deviceType = deviceType;
53     }
54
55     public DeviceStatus getDeviceStatus() {
56         return deviceStatus;
57     }
58
59     public void setDeviceStatus(DeviceStatus deviceStatus) {
60         this.deviceStatus = deviceStatus;
61     }
62
63     public String getVendorName() {
64         return vendorName;
65     }
66
67     public void setVendorName(String vendorName) {
68         this.vendorName = vendorName;
69     }
70
71     public long getAssignedEmployeeId() {
```

```
72         return assignedEmployeeId;
73     }
74
75     public void setAssignedEmployeeId(long assignedEmployeeId) {
76         this.assignedEmployeeId = assignedEmployeeId;
77     }
78
79     public String getAssignedEmployeeName() {
80         return assignedEmployeeName;
81     }
82
83     public void setAssignedEmployeeName(String assignedEmployeeName) {
84         this.assignedEmployeeName = assignedEmployeeName;
85     }
86
87     public LocalDate getAssignedDate() {
88         return assignedDate;
89     }
90
91     public void setAssignedDate(LocalDate assignedDate) {
92         this.assignedDate = assignedDate;
93     }
94
95     public LocalDate getWarrantyExpiryDate() {
96         return warrantyExpiryDate;
97     }
98
99     public void setWarrantyExpiryDate(LocalDate warrantyExpiryDate) {
100         this.warrantyExpiryDate = warrantyExpiryDate;
101     }
102 }
103
```

41 Current:

src\main\java\com\example\EmployeeManagementSystem\DTO\EmployeeAttendanceResponseDTO.

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import java.util.List;
4
5 public class EmployeeAttendanceResponseDTO {
6     private long workingCount;
7     private long onLeaveCount;
8     private List<EmployeeStatusDTO> workingEmployees;
9     private List<EmployeeStatusDTO> onLeaveEmployees;
10
11     public long getWorkingCount() {
12         return workingCount;
13     }
14
15     public void setWorkingCount(long workingCount) {
16         this.workingCount = workingCount;
17     }
18
19     public long getOnLeaveCount() {
20         return onLeaveCount;
21     }
22
23     public void setOnLeaveCount(long onLeaveCount) {
24         this.onLeaveCount = onLeaveCount;
25     }
26
27     public List<EmployeeStatusDTO> getWorkingEmployees() {
28         return workingEmployees;
29     }
30
31     public void setWorkingEmployees(List<EmployeeStatusDTO> workingEmployees) {
32         this.workingEmployees = workingEmployees;
33     }
34
35     public List<EmployeeStatusDTO> getOnLeaveEmployees() {
36         return onLeaveEmployees;
37     }
38
39     public void setOnLeaveEmployees(List<EmployeeStatusDTO> onLeaveEmployees) {
40         this.onLeaveEmployees = onLeaveEmployees;
41     }
42 }
43
```



```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.Gender;
4
5 public class EmployeeDetails {
6     private String name;
7     private String email;
8     private String password;
9     private String timezone;
10    private Gender gender;
11
12    public String getName() {
13        return name;
14    }
15
16    public void setName(String name) {
17        this.name = name;
18    }
19
20    public String getPassword() {
21        return password;
22    }
23
24    public void setPassword(String password) {
25        this.password = password;
26    }
27
28    public String getEmail() {
29        return email;
30    }
31
32    public void setEmail(String email) {
33        this.email = email;
34    }
35
36    public String getTimezone() {
37        return timezone;
38    }
39
40    public void setTimezone(String timezone) {
41        this.timezone = timezone;
42    }
43
44    public Gender getGender() {
45        return gender;
46    }
47
48    public void setGender(Gender gender) {
49        this.gender = gender;
50    }
51 }
52
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3
4 import com.example.EmployeeManagementSystem.Enum.Gender;
5
6 public class EmployeeDTO {
7     private String name;
8     private String email;
9     private String dept;
10    private String password;
11    private Gender gender;
12    private String timezone;
13
14    public String getTimezone() {
15        return timezone;
16    }
17
18    public void setTimezone(String timezone) {
19        this.timezone = timezone;
20    }
21
22    public String getName() {
23        return name;
24    }
25
26    public void setName(String name) {
27        this.name = name;
28    }
29
30    public String getEmail() {
31        return email;
32    }
33
34    public void setEmail(String email) {
35        this.email = email;
36    }
37
38    public String getDept() {
39        return dept;
40    }
41
42    public void setDept(String dept) {
43        this.dept = dept;
44    }
45
46    public String getPassword() {
47        return password;
48    }
49
50    public void setPassword(String password) {
51        this.password = password;
52    }
53
54    public Gender getGender() {
55        return gender;
56    }
57
58    public void setGender(Gender gender) {
59        this.gender = gender;
60    }
61 }
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.Role;
4 import com.example.EmployeeManagementSystem.Enum.Status;
5
6 public class EmployeeStatusDTO {
7     private long employeeId;
8     private String name;
9     private String email;
10    private String dept;
11    private Role role;
12    private Status status;
13    private String timezone;
14
15    public long getEmployeeId() {
16        return employeeId;
17    }
18
19    public void setEmployeeId(long employeeId) {
20        this.employeeId = employeeId;
21    }
22
23    public String getName() {
24        return name;
25    }
26
27    public void setName(String name) {
28        this.name = name;
29    }
30
31    public String getEmail() {
32        return email;
33    }
34
35    public void setEmail(String email) {
36        this.email = email;
37    }
38
39    public String getDept() {
40        return dept;
41    }
42
43    public void setDept(String dept) {
44        this.dept = dept;
45    }
46
47    public Role getRole() {
48        return role;
49    }
50
51    public void setRole(Role role) {
52        this.role = role;
53    }
54
55    public Status getStatus() {
56        return status;
57    }
58
59    public void setStatus(Status status) {
60        this.status = status;
61    }
62
63    public String getTimezone() {
64        return timezone;
65    }
66
67    public void setTimezone(String timezone) {
68        this.timezone = timezone;
69    }
70 }
71
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 public class HolidayDTO {
4     private Long id;
5     private String name;
6     private String date;
7     private String description;
8     private int year;
9
10    public Long getId() {
11        return id;
12    }
13
14    public void setId(Long id) {
15        this.id = id;
16    }
17
18    public String getName() {
19        return name;
20    }
21
22    public void setName(String name) {
23        this.name = name;
24    }
25
26    public String getDate() {
27        return date;
28    }
29
30    public void setDate(String date) {
31        this.date = date;
32    }
33
34    public String getDescription() {
35        return description;
36    }
37
38    public void setDescription(String description) {
39        this.description = description;
40    }
41
42    public int getYear() {
43        return year;
44    }
45
46    public void setYear(int year) {
47        this.year = year;
48    }
49 }
50
```

```

1 package com.example.EmployeeManagementSystem.DTO;
2
3 import java.math.BigDecimal;
4 import java.util.List;
5 import java.util.Map;
6
7 public class LeaveDashboardResponse {
8
9     private Long    employeeId;
10    private String  employeeName;
11    private int     year;
12
13    // Individual leave balances
14    private LeaveBalanceDto sick;
15    private LeaveBalanceDto casual;
16    private LeaveBalanceDto maternity; // null for non-female employees
17
18    // Carry-forward meter (casual + maternity combined)
19    private CarryForwardMeterDto carryForwardMeter;
20
21    // Generic balances keyed by leave type name, e.g. SICK, CASUAL, MATERNITY.
22    private Map<String, LeaveBalanceDto> leaveBalances;
23
24    // Active warnings (unread)
25    private List<WarningDto> warnings;
26
27    // nested DTOs
28
29    public static class LeaveBalanceDto {
30        private String    leaveType;
31        private BigDecimal opening;
32        private BigDecimal accrued;
33        private BigDecimal used;
34        private BigDecimal available;
35        private boolean    carriesForward;
36
37        public LeaveBalanceDto(String leaveType, BigDecimal opening,
38                                BigDecimal accrued, BigDecimal used,
39                                BigDecimal available, boolean carriesForward) {
40            this.leaveType    = leaveType;
41            this.opening      = opening;
42            this.accrued      = accrued;
43            this.used         = used;
44            this.available    = available;
45            this.carriesForward = carriesForward;
46        }
47
48        public String    getLeaveType()    { return leaveType; }
49        public BigDecimal getOpening()    { return opening; }
50        public BigDecimal getAccrued()    { return accrued; }
51        public BigDecimal getUsed()       { return used; }
52        public BigDecimal getAvailable()  { return available; }
53        public boolean    isCarriesForward() { return carriesForward; }
54    }
55
56    public static class CarryForwardMeterDto {
57        private BigDecimal current; // e.g. 28.00
58        private int        cap;    // always 30
59        private String     label;   // "28/30"
60        private String     status;  // SAFE | WARNING | CRITICAL | CAPPED
61
62        public CarryForwardMeterDto(BigDecimal current, int cap) {
63            this.current = current;
64            this.cap     = cap;
65            this.label   = current.toPlainString() + "/" + cap;
66            this.status  = resolveStatus(current, cap);
67        }
68
69        private String resolveStatus(BigDecimal current, int cap) {
70            int cmp = current.compareTo(BigDecimal.valueOf(cap));
71            if (cmp >= 0) return "CAPPED";

```

```

72         if (current.compareTo(BigDecimal.valueOf(cap - 1)) >= 0) return "CRITICAL";
73         if (current.compareTo(BigDecimal.valueOf(cap - 2)) >= 0) return "WARNING";
74         return "SAFE";
75     }
76
77     public BigDecimal getCurrent() { return current; }
78     public int         getCap()      { return cap; }
79     public String      getLabel()    { return label; }
80     public String      getStatus()   { return status; }
81 }
82
83 public static class WarningDto {
84     private Long id;
85     private String type;
86     private String message;
87     private String date;
88
89     public WarningDto(Long id, String type, String message, String date) {
90         this.id = id; this.type = type;
91         this.message = message; this.date = date;
92     }
93
94     public Long getId()      { return id; }
95     public String getType()  { return type; }
96     public String getMessage() { return message; }
97     public String getDate()  { return date; }
98 }
99
100 // root getters & setters
101
102 public Long         getEmployeeId()      { return employeeId; }
103 public String       getEmployeeName()    { return employeeName; }
104 public int          getYear()             { return year; }
105 public LeaveBalanceDto getSick()          { return sick; }
106 public LeaveBalanceDto getCasual()        { return casual; }
107 public LeaveBalanceDto getMaternity()     { return maternity; }
108 public CarryForwardMeterDto getCarryForwardMeter() { return carryForwardMeter; }
109 public Map<String, LeaveBalanceDto> getLeaveBalances() { return leaveBalances; }
110 public List<WarningDto> getWarnings()      { return warnings; }
111
112 public void setEmployeeId(Long id)        { this.employeeId = id; }
113 public void setEmployeeName(String n)     { this.employeeName = n; }
114 public void setYear(int y)                { this.year = y; }
115 public void setSick(LeaveBalanceDto b)     { this.sick = b; }
116 public void setCasual(LeaveBalanceDto b)   { this.casual = b; }
117 public void setMaternity(LeaveBalanceDto b) { this.maternity = b; }
118 public void setCarryForwardMeter(CarryForwardMeterDto m) { this.carryForwardMeter = m; }
119 public void setLeaveBalances(Map<String, LeaveBalanceDto> b) { this.leaveBalances = b; }
120 public void setWarnings(List<WarningDto> w) { this.warnings = w; }
121 }
122

```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.LeaveType;
4
5 import java.time.LocalDate;
6
7 // DTO used when employee applies for leave.
8 // Contains only input fields required from employee.
9 public class LeaveRequestDTO {
10     private LeaveType leaveType;
11     private LocalDate startDate;
12     private LocalDate endDate;
13     private String reason;
14
15
16     public LeaveType getLeaveType() {
17         return leaveType;
18     }
19
20     public void setLeaveType(LeaveType leaveType) {
21         this.leaveType = leaveType;
22     }
23
24     public LocalDate getStartDate() {
25         return startDate;
26     }
27
28     public void setStartDate(LocalDate startDate) {
29         this.startDate = startDate;
30     }
31
32     public LocalDate getEndDate() {
33         return endDate;
34     }
35
36     public void setEndDate(LocalDate endDate) {
37         this.endDate = endDate;
38     }
39
40     public String getReason() {
41         return reason;
42     }
43
44     public void setReason(String reason) {
45         this.reason = reason;
46     }
47 }
48
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.LeaveStatus;
4 import com.example.EmployeeManagementSystem.Enum.LeaveType;
5
6 import java.time.LocalDate;
7
8 public class LeaveResponseDTO {
9     private long leaveRequestId;
10    private String employeeName;
11    private LeaveType leaveType;
12    private LocalDate startDate;
13    private LocalDate endDate;
14    private long numberOfDays;
15    private String reason;
16    private LeaveStatus status;
17
18    public long getLeaveRequestId() {
19        return leaveRequestId;
20    }
21
22    public void setLeaveRequestId(long leaveRequestId) {
23        this.leaveRequestId = leaveRequestId;
24    }
25
26    public String getEmployeeName() {
27        return employeeName;
28    }
29
30    public void setEmployeeName(String employeeName) {
31        this.employeeName = employeeName;
32    }
33
34    public LocalDate getStartDate() {
35        return startDate;
36    }
37
38    public void setStartDate(LocalDate startDate) {
39        this.startDate = startDate;
40    }
41
42    public LeaveType getLeaveType() {
43        return leaveType;
44    }
45
46    public void setLeaveType(LeaveType leaveType) {
47        this.leaveType = leaveType;
48    }
49
50    public LocalDate getEndDate() {
51        return endDate;
52    }
53
54    public void setEndDate(LocalDate endDate) {
55        this.endDate = endDate;
56    }
57
58    public long getNumberOfDays() {
59        return numberOfDays;
60    }
61
62    public void setNumberOfDays(long numberOfDays) {
63        this.numberOfDays = numberOfDays;
64    }
65
66    public String getReason() {
67        return reason;
68    }
69
70    public void setReason(String reason) {
71        this.reason = reason;
```



```
72     }
73
74     public LeaveStatus getStatus() {
75         return status;
76     }
77
78     public void setStatus(L leaveStatus status) {
79         this.status = status;
80     }
81 }
82
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import org.bouncycastle.crypto.signers.ISOTrailers;
4
5 public class ManagerDTO {
6     private long managerId;
7     private String name;
8     private String email;
9     private String dept;
10
11     public long getManagerId() {
12         return managerId;
13     }
14
15     public void setManagerId(long managerId) {
16         this.managerId = managerId;
17     }
18
19     public String getName() {
20         return name;
21     }
22
23     public void setName(String name) {
24         this.name = name;
25     }
26
27     public String getEmail() {
28         return email;
29     }
30
31     public void setEmail(String email) {
32         this.email = email;
33     }
34
35     public String getDept() {
36         return dept;
37     }
38
39     public void setDept(String dept) {
40         this.dept = dept;
41     }
42 }
43
```

50 Current:

src\main\java\com\example\EmployeeManagementSystem\DTO\ManagerEmployeeDetailsDTO.java

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.Status;
4
5 import java.util.List;
6
7 public class ManagerEmployeeDetailsDTO {
8     private Long employeeId;
9     private String name;
10    private String email;
11    private String dept;
12    private Status status;
13    private String attendance;
14    private List<DeviceResponseDTO> devices;
15
16    public Long getEmployeeId() {
17        return employeeId;
18    }
19
20    public void setEmployeeId(Long employeeId) {
21        this.employeeId = employeeId;
22    }
23
24    public String getName() {
25        return name;
26    }
27
28    public void setName(String name) {
29        this.name = name;
30    }
31
32    public String getEmail() {
33        return email;
34    }
35
36    public void setEmail(String email) {
37        this.email = email;
38    }
39
40    public String getDept() {
41        return dept;
42    }
43
44    public void setDept(String dept) {
45        this.dept = dept;
46    }
47
48    public Status getStatus() {
49        return status;
50    }
51
52    public void setStatus(Status status) {
53        this.status = status;
54    }
55
56    public String getAttendance() {
57        return attendance;
58    }
59
60    public void setAttendance(String attendance) {
61        this.attendance = attendance;
62    }
63
64    public List<DeviceResponseDTO> getDevices() {
65        return devices;
66    }
67
68    public void setDevices(List<DeviceResponseDTO> devices) {
69        this.devices = devices;
70    }
71 }
```


51 Current:

src\main\java\com\example\EmployeeManagementSystem\DTO\ManagerLeaveResponseDTO.java

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.LeaveStatus;
4 import com.example.EmployeeManagementSystem.Enum.LeaveType;
5
6 import java.time.LocalDate;
7
8 public class ManagerLeaveResponseDTO {
9     private String employeeName;
10    private LeaveType leaveType;
11    private LocalDate startDate;
12    private LocalDate endDate;
13    private long numberOfDays;
14    private String reason;
15    private LeaveStatus status;
16
17    public String getEmployeeName() {
18        return employeeName;
19    }
20
21    public void setEmployeeName(String employeeName) {
22        this.employeeName = employeeName;
23    }
24
25    public LeaveType getLeaveType() {
26        return leaveType;
27    }
28
29    public void setLeaveType(LeaveType leaveType) {
30        this.leaveType = leaveType;
31    }
32
33    public LocalDate getStartDate() {
34        return startDate;
35    }
36
37    public void setStartDate(LocalDate startDate) {
38        this.startDate = startDate;
39    }
40
41    public LocalDate getEndDate() {
42        return endDate;
43    }
44
45    public void setEndDate(LocalDate endDate) {
46        this.endDate = endDate;
47    }
48
49    public long getNumberOfDays() {
50        return numberOfDays;
51    }
52
53    public void setNumberOfDays(long numberOfDays) {
54        this.numberOfDays = numberOfDays;
55    }
56
57    public String getReason() {
58        return reason;
59    }
60
61    public void setReason(String reason) {
62        this.reason = reason;
63    }
64
65    public LeaveStatus getStatus() {
66        return status;
67    }
68
69    public void setStatus(LeaveStatus status) {
70        this.status = status;
71    }
}
```



```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import java.time.LocalDate;
4
5 public class MaternityLeaveRequestDTO {
6     private LocalDate startDate; // only start date – end is always fixed
7     private String reason;
8
9     public LocalDate getStartDate() {
10         return startDate;
11     }
12
13     public void setStartDate(LocalDate startDate) {
14         this.startDate = startDate;
15     }
16
17     public String getReason() {
18         return reason;
19     }
20
21     public void setReason(String reason) {
22         this.reason = reason;
23     }
24 }
25
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 public class PromoteRequest {
4     private String email;
5     private String password;
6
7     public String getEmail() {
8         return email;
9     }
10
11     public void setEmail(String email) {
12         this.email = email;
13     }
14
15     public String getPassword() {
16         return password;
17     }
18
19     public void setPassword(String password) {
20         this.password = password;
21     }
22 }
23
```



```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.ServiceRequestStatus;
4
5 public class RepairDTO {
6     private Long requestId;
7     private String resolution;
8     private ServiceRequestStatus status;
9
10    public Long getRequestId() {
11        return requestId;
12    }
13
14    public void setRequestId(Long requestId) {
15        this.requestId = requestId;
16    }
17
18    public String getResolution() {
19        return resolution;
20    }
21
22    public void setResolution(String resolution) {
23        this.resolution = resolution;
24    }
25
26    public ServiceRequestStatus getStatus() {
27        return status;
28    }
29
30    public void setStatus(ServiceRequestStatus status) {
31        this.status = status;
32    }
33 }
34
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.MealSlot;
4
5 import java.util.Set;
6
7 public class RestaurantDTO {
8     private Long id;
9     private String name;
10    private String address;
11    private String description;
12    private Set<MealSlot> supportedMealSlots;
13    private boolean active;
14    private Long vendorId;
15    private String vendorName;
16
17    public Long getId() { return id; }
18    public void setId(Long id) { this.id = id; }
19
20    public String getName() { return name; }
21    public void setName(String name) { this.name = name; }
22
23    public String getAddress() { return address; }
24    public void setAddress(String address) { this.address = address; }
25
26    public String getDescription() { return description; }
27    public void setDescription(String description) { this.description = description; }
28
29    public Set<MealSlot> getSupportedMealSlots() { return supportedMealSlots; }
30    public void setSupportedMealSlots(Set<MealSlot> supportedMealSlots) {
31        this.supportedMealSlots = supportedMealSlots;
32    }
33
34    public boolean isActive() { return active; }
35    public void setActive(boolean active) { this.active = active; }
36
37    public Long getVendorId() { return vendorId; }
38    public void setVendorId(Long vendorId) { this.vendorId = vendorId; }
39
40    public String getVendorName() { return vendorName; }
41    public void setVendorName(String vendorName) { this.vendorName = vendorName; }
42 }
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.MealSlot;
4 import jakarta.validation.constraints.NotBlank;
5 import jakarta.validation.constraints.NotEmpty;
6 import jakarta.validation.constraints.NotNull;
7
8 import java.util.Set;
9
10 public class RestaurantRequest {
11
12     @NotBlank
13     private String name;
14
15     @NotBlank
16     private String address;
17
18     private String description;
19
20     /**
21      * Which meal slots this restaurant serves.
22      * Must be at least one of: BREAKFAST, LUNCH, DINNER.
23      */
24     @NotNull
25     @NotEmpty
26     private Set<MealSlot> supportedMealSlots;
27
28     /**
29      * The vendor ID of the owner making this request.
30      * Used to verify ownership on updates/deletes.
31      */
32
33     public String getName() { return name; }
34     public void setName(String name) { this.name = name; }
35
36     public String getAddress() { return address; }
37     public void setAddress(String address) { this.address = address; }
38
39     public String getDescription() { return description; }
40     public void setDescription(String description) { this.description = description; }
41
42     public Set<MealSlot> getSupportedMealSlots() { return supportedMealSlots; }
43     public void setSupportedMealSlots(Set<MealSlot> supportedMealSlots) {
44         this.supportedMealSlots = supportedMealSlots;
45     }
46 }
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.ServiceRequestType;
4
5 public class ServiceRequestDTO {
6
7     private Long deviceId;
8     private ServiceRequestType requestType;
9     private String issueDescription;
10    private boolean urgent;
11
12    public Long getDeviceId() {
13        return deviceId;
14    }
15
16    public void setDeviceId(Long deviceId) {
17        this.deviceId = deviceId;
18    }
19
20    public ServiceRequestType getRequestType() {
21        return requestType;
22    }
23
24    public void setRequestType(ServiceRequestType requestType) {
25        this.requestType = requestType;
26    }
27
28    public String getIssueDescription() {
29        return issueDescription;
30    }
31
32    public void setIssueDescription(String issueDescription) {
33        this.issueDescription = issueDescription;
34    }
35
36    public boolean isUrgent() {
37        return urgent;
38    }
39
40    public void setUrgent(boolean urgent) {
41        this.urgent = urgent;
42    }
43 }
44
```

58 Current:**src\main\java\com\example\EmployeeManagementSystem\DTO\ServiceRequestResponseDTO.java**

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import java.time.LocalDateTime;
4
5 public class ServiceRequestResponseDTO
6 {
7     private Long id;
8     private String requestType;
9     private String status;
10    private String issueDescription;
11    private String adminRemarks;
12    private String resolution;
13    private boolean urgent;
14    private LocalDateTime raisedAt;
15    private LocalDateTime resolvedAt;
16    private String deviceName;
17    private String raisedByName;
18    private String reviewedByName;
19
20    public String getDeviceName() {
21        return deviceName;
22    }
23
24    public void setDeviceName(String deviceName) {
25        this.deviceName = deviceName;
26    }
27
28    public String getReviewedByName() {
29        return reviewedByName;
30    }
31
32    public void setReviewedByName(String reviewedByName) {
33        this.reviewedByName = reviewedByName;
34    }
35
36    public LocalDateTime getResolvedAt() {
37        return resolvedAt;
38    }
39
40    public void setResolvedAt(LocalDateTime resolvedAt) {
41        this.resolvedAt = resolvedAt;
42    }
43
44    public LocalDateTime getRaisedAt() {
45        return raisedAt;
46    }
47
48    public void setRaisedAt(LocalDateTime raisedAt) {
49        this.raisedAt = raisedAt;
50    }
51
52    public boolean isUrgent() {
53        return urgent;
54    }
55
56    public void setUrgent(boolean urgent) {
57        this.urgent = urgent;
58    }
59
60    public String getResolution() {
61        return resolution;
62    }
63
64    public void setResolution(String resolution) {
65        this.resolution = resolution;
66    }
67
68    public Long getId() {
69        return id;
70    }
71}
```

```
72     public void setId(Long id) {
73         this.id = id;
74     }
75
76     public String getRequestType() {
77         return requestType;
78     }
79
80     public void setRequestType(String requestType) {
81         this.requestType = requestType;
82     }
83
84     public String getStatus() {
85         return status;
86     }
87
88     public void setStatus(String status) {
89         this.status = status;
90     }
91
92     public String getAdminRemarks() {
93         return adminRemarks;
94     }
95
96     public void setAdminRemarks(String adminRemarks) {
97         this.adminRemarks = adminRemarks;
98     }
99
100    public String getIssueDescription() {
101        return issueDescription;
102    }
103
104    public void setIssueDescription(String issueDescription) {
105        this.issueDescription = issueDescription;
106    }
107
108    public String getRaisedByName() {
109        return raisedByName;
110    }
111
112    public void setRaisedByName(String raisedByName) {
113        this.raisedByName = raisedByName;
114    }
115 }
116
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.MealSlot;
4 import com.example.EmployeeManagementSystem.Enum.ScheduleType;
5 import com.example.EmployeeManagementSystem.Enum.SubscriptionStatus;
6
7 import java.time.DayOfWeek;
8 import java.time.ZonedDateTime;
9
10 public class SubscriptionDTO {
11     private long subscriptionId;
12     private long userId;
13     private MealSlot mealSlot;
14     private ScheduleType scheduleType;
15     private DayOfWeek dayOfWeek;
16     private SubscriptionStatus status;
17     private ZonedDateTime nextDeliveryTime;
18
19     private Long restaurantId;
20     private String restaurantName;
21     private String restaurantAddress;
22
23     public void setRestaurantId(Long restaurantId) {
24         this.restaurantId = restaurantId;
25     }
26
27     public void setRestaurantName(String restaurantName) {
28         this.restaurantName = restaurantName;
29     }
30
31     public void setRestaurantAddress(String restaurantAddress) {
32         this.restaurantAddress = restaurantAddress;
33     }
34
35     public Long getRestaurantId() {
36         return restaurantId;
37     }
38
39     public String getRestaurantName() {
40         return restaurantName;
41     }
42
43     public String getRestaurantAddress() {
44         return restaurantAddress;
45     }
46
47     public long getSubscriptionId() {
48         return subscriptionId;
49     }
50
51     public void setSubscriptionId(long subscriptionId) {
52         this.subscriptionId = subscriptionId;
53     }
54
55     public long getUserId() {
56         return userId;
57     }
58
59     public void setUserId(long userId) {
60         this.userId = userId;
61     }
62
63     public MealSlot getMealSlot() {
64         return mealSlot;
65     }
66
67     public void setMealSlot(MealSlot mealSlot) {
68         this.mealSlot = mealSlot;
69     }
70
71     public ScheduleType getScheduleType() {
```

```
72         return scheduleType;
73     }
74
75     public void setScheduleType(ScheduleType scheduleType) {
76         this.scheduleType = scheduleType;
77     }
78
79     public DayOfWeek getDayOfWeek() {
80         return dayOfWeek;
81     }
82
83     public void setDayOfWeek(DayOfWeek dayOfWeek) {
84         this.dayOfWeek = dayOfWeek;
85     }
86
87     public SubscriptionStatus getStatus() {
88         return status;
89     }
90
91     public void setStatus(SubscriptionStatus status) {
92         this.status = status;
93     }
94
95     public ZonedDateTime getNextDeliveryTime() {
96         return nextDeliveryTime;
97     }
98
99     public void setNextDeliveryTime(ZonedDateTime nextDeliveryTime) {
100         this.nextDeliveryTime = nextDeliveryTime;
101     }
102 }
103
```



```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.MealSlot;
4 import com.example.EmployeeManagementSystem.Enum.ScheduleType;
5 import jakarta.validation.constraints.NotEmpty;
6 import jakarta.validation.constraints.NotNull;
7
8 import java.time.DayOfWeek;
9 import java.util.List;
10
11 public class SubscriptionRequest {
12     private ScheduleType scheduleType;
13     private DayOfWeek dayOfWeek;
14     @NotNull
15     @NotEmpty
16     private List<MealSlot> mealSlots;
17     @NotNull
18     private List<SlotOrder> slotOrders;
19     public static class SlotOrder {
20         @NotNull
21         private MealSlot mealSlot;
22
23         @NotNull
24         private Long restaurantId;
25
26         public MealSlot getMealSlot() {
27             return mealSlot;
28         }
29
30         public void setMealSlot(MealSlot mealSlot) {
31             this.mealSlot = mealSlot;
32         }
33
34         public Long getRestaurantId() {
35             return restaurantId;
36         }
37
38         public void setRestaurantId(Long restaurantId) {
39             this.restaurantId = restaurantId;
40         }
41     }
42
43     public ScheduleType getScheduleType() {
44         return scheduleType;
45     }
46
47     public void setScheduleType(ScheduleType scheduleType) {
48         this.scheduleType = scheduleType;
49     }
50
51     public List<MealSlot> getMealSlots() {
52         return mealSlots;
53     }
54
55     public void setMealSlots(List<MealSlot> mealSlots) {
56         this.mealSlots = mealSlots;
57     }
58
59     public DayOfWeek getDayOfWeek() {
60         return dayOfWeek;
61     }
62
63     public void setDayOfWeek(DayOfWeek dayOfWeek) {
64         this.dayOfWeek = dayOfWeek;
65     }
66
67
68
69     public List<SlotOrder> getSlotOrders() { return slotOrders; }
70     public void setSlotOrders(List<SlotOrder> slotOrders) { this.slotOrders = slotOrders; }
71 }
```



```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import java.time.LocalDate;
4
5 public class VendorDTO {
6     private Long id;
7     private String name;
8     private String email;
9     private String phone;
10    private LocalDate registeredAt;
11
12    public Long getId() { return id; }
13    public void setId(Long id) { this.id = id; }
14
15    public String getName() { return name; }
16    public void setName(String name) { this.name = name; }
17
18    public String getEmail() { return email; }
19    public void setEmail(String email) { this.email = email; }
20
21    public String getPhone() { return phone; }
22    public void setPhone(String phone) { this.phone = phone; }
23
24    public LocalDate getRegisteredAt() { return registeredAt; }
25    public void setRegisteredAt(LocalDate registeredAt) { this.registeredAt = registeredAt; }
26 }
```

```
1 package com.example.EmployeeManagementSystem.DTO;
2
3 import com.example.EmployeeManagementSystem.Enum.Role;
4 import jakarta.validation.constraints.Email;
5 import jakarta.validation.constraints.NotBlank;
6
7 public class VendorRequest {
8
9     @NotBlank
10     private String name;
11
12     @Email
13     @NotBlank
14     private String email;
15
16     @NotBlank
17     private String phone;
18
19     private String password;
20
21     private Role role;
22
23     public String getName() { return name; }
24     public void setName(String name) { this.name = name; }
25
26     public String getEmail() { return email; }
27     public void setEmail(String email) { this.email = email; }
28
29     public String getPhone() { return phone; }
30     public void setPhone(String phone) { this.phone = phone; }
31
32     public String getPassword() {
33         return password;
34     }
35
36     public void setPassword(String password) {
37         this.password = password;
38     }
39
40     public Role getRole() {
41         return role;
42     }
43
44     public void setRole(Role role) {
45         this.role = role;
46     }
47 }
```

63 Current:

src\main\java\com\example\EmployeeManagementSystem\EmployeeManagementSystemApplication

```
1 package com.example.EmployeeManagementSystem;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5 import org.springframework.scheduling.annotation.EnableScheduling;
6
7 @SpringBootApplication
8 @EnableScheduling
9 public class EmployeeManagementSystemApplication {
10
11     public static void main(String[] args) {
12         SpringApplication.run(EmployeeManagementSystemApplication.class, args);
13     }
14
15 }
16
```

```

1 // src/main/java/com/example/EmployeeManagementSystem/Entity/ApiKey.java
2 package com.example.EmployeeManagementSystem.Entity;
3
4 import jakarta.persistence.*;
5 import java.time.Instant;
6 import java.util.UUID;
7
8 @Entity
9 @Table(name = "api_keys")
10 public class ApiKey {
11
12     @Id
13     @GeneratedValue(strategy = GenerationType.IDENTITY)
14     private Long id;
15
16     @Column(nullable = false, unique = true)
17     private String apiKey;
18
19     @Column(nullable = false)
20     private String keyName;
21
22     @ManyToOne
23     @JoinColumn(name = "employee_id")
24     private Employee employee;
25
26     @ManyToOne
27     @JoinColumn(name = "vendor_id")
28     private Vendor vendor;
29
30     @Column(nullable = false)
31     private String permissions; // Comma-separated permissions
32
33     @Column(nullable = false)
34     private Instant createdAt;
35
36     private Instant expiresAt;
37
38     private Instant lastUsedAt;
39
40     @Column(nullable = false)
41     private boolean active = true;
42
43     @PrePersist
44     public void prePersist() {
45         this.apiKey = "ems_" + UUID.randomUUID().toString().replace("-", "");
46         this.createdAt = Instant.now();
47     }
48
49     // Getters and setters
50     public Long getId() { return id; }
51     public void setId(Long id) { this.id = id; }
52
53     public String getApiKey() { return apiKey; }
54     public void setApiKey(String apiKey) { this.apiKey = apiKey; }
55
56     public String getKeyName() { return keyName; }
57     public void setKeyName(String keyName) { this.keyName = keyName; }
58
59     public Employee getEmployee() { return employee; }
60     public void setEmployee(Employee employee) { this.employee = employee; }
61
62     public Vendor getVendor() { return vendor; }
63     public void setVendor(Vendor vendor) { this.vendor = vendor; }
64
65     public String getPermissions() { return permissions; }
66     public void setPermissions(String permissions) { this.permissions = permissions; }
67
68     public Instant getCreatedAt() { return createdAt; }
69     public void setCreatedAt(Instant createdAt) { this.createdAt = createdAt; }
70
71     public Instant getExpiresAt() { return expiresAt; }

```

```
72     public void setExpiresAt(Instant expiresAt) { this.expiresAt = expiresAt; }
73
74     public Instant getLastUsedAt() { return lastUsedAt; }
75     public void setLastUsedAt(Instant lastUsedAt) { this.lastUsedAt = lastUsedAt; }
76
77     public boolean isActive() { return active; }
78     public void setActive(boolean active) { this.active = active; }
79 }
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.DeliveryStatus;
4 import com.example.EmployeeManagementSystem.Enum.MealSlot;
5 import jakarta.persistence.*;
6
7 import java.time.Instant;
8
9 @Entity
10 @Table(name = "delivery", uniqueConstraints = { @UniqueConstraint(name = "uq_subscription_scheduled_time",
11     columnNames = {"subscription_id", "scheduledDeliveryTime"})})
12 public class Delivery {
13     @Id
14     @GeneratedValue(strategy = GenerationType.IDENTITY)
15     private Long id;
16
17     @ManyToOne
18     @JoinColumn(name = "subscription_id")
19     private Subscription subscription;
20     private MealSlot mealSlot;
21     private Instant scheduledDeliveryTime;
22     private Instant actualDeliveryTime;
23
24     @Enumerated(EnumType.STRING)
25     private DeliveryStatus status;
26
27     private Instant createdAt;
28
29     @PrePersist
30     public void prePersist() {
31         createdAt = Instant.now();
32         if (status == null) {
33             status = DeliveryStatus.SCHEDULED;
34         }
35     }
36
37     public MealSlot getMealSlot() {
38         return mealSlot;
39     }
40
41     public void setMealSlot(MealSlot mealSlot) {
42         this.mealSlot = mealSlot;
43     }
44
45     public Subscription getSubscription() {
46         return subscription;
47     }
48
49     public void setSubscription(Subscription subscription) {
50         this.subscription = subscription;
51     }
52
53     public Long getId() {
54         return id;
55     }
56
57     public void setId(Long id) {
58         this.id = id;
59     }
60
61     public Instant getScheduledDeliveryTime() {
62         return scheduledDeliveryTime;
63     }
64
65     public void setScheduledDeliveryTime(Instant scheduledDeliveryTime) {
66         this.scheduledDeliveryTime = scheduledDeliveryTime;
67     }
68
69     public Instant getActualDeliveryTime() {
70         return actualDeliveryTime;
71     }
```



```
72
73     public void setActualDeliveryTime(Instant actualDeliveryTime) {
74         this.actualDeliveryTime = actualDeliveryTime;
75     }
76
77     public DeliveryStatus getStatus() {
78         return status;
79     }
80
81     public void setStatus(DeliveryStatus status) {
82         this.status = status;
83     }
84
85     public Instant getCreatedAt() {
86         return createdAt;
87     }
88
89     public void setCreatedAt(Instant createdAt) {
90         this.createdAt = createdAt;
91     }
92 }
93
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3
4 import com.example.EmployeeManagementSystem.Enum.DeviceStatus;
5 import com.example.EmployeeManagementSystem.Enum.DeviceType;
6 import jakarta.persistence.*;
7
8 import java.time.LocalDate;
9 import java.time.LocalDateTime;
10
11 @Entity
12 public class Device {
13     @Id
14     @GeneratedValue(strategy = GenerationType.AUTO)
15     private Long id;
16
17     private String deviceName;        // e.g. "Dell XPS 15"
18     private String brand;
19
20     @ManyToOne
21     @JoinColumn(name = "vendor_id")
22     private Vendor techVendor;
23
24     @OneToOne(mappedBy = "device")
25     private DeviceAssignment currentAssignment;
26
27     private DeviceStatus deviceStatus;
28
29     private DeviceType deviceType;
30
31     private LocalDateTime createdAt;
32
33     private LocalDate warrantyExpiryDate;
34
35     public Long getId() {
36         return id;
37     }
38
39     public void setId(Long id) {
40         this.id = id;
41     }
42
43     public String getDeviceName() {
44         return deviceName;
45     }
46
47     public void setDeviceName(String deviceName) {
48         this.deviceName = deviceName;
49     }
50
51     public String getBrand() {
52         return brand;
53     }
54
55     public void setBrand(String brand) {
56         this.brand = brand;
57     }
58
59     public Vendor getTechVendor() {
60         return techVendor;
61     }
62
63     public void setTechVendor(Vendor techVendor) {
64         this.techVendor = techVendor;
65     }
66
67     public DeviceType getDeviceType() {
68         return deviceType;
69     }
70
71     public void setDeviceType(DeviceType deviceType) {
```

```
72         this.deviceType = deviceType;
73     }
74
75     public LocalDateTime getCreatedAt() {
76         return createdAt;
77     }
78
79     public void setCreatedAt(LocalDateTime createdAt) {
80         this.createdAt = createdAt;
81     }
82
83     public DeviceStatus getDeviceStatus() {
84         return deviceStatus;
85     }
86
87     public void setDeviceStatus(DeviceStatus deviceStatus) {
88         this.deviceStatus = deviceStatus;
89     }
90
91     public DeviceAssignment getCurrentAssignment() {
92         return currentAssignment;
93     }
94
95     public void setCurrentAssignment(DeviceAssignment currentAssignment) {
96         this.currentAssignment = currentAssignment;
97     }
98
99     public LocalDate getWarrantyExpiryDate() {
100         return warrantyExpiryDate;
101     }
102
103     public void setWarrantyExpiryDate(LocalDate warrantyExpiryDate) {
104         this.warrantyExpiryDate = warrantyExpiryDate;
105     }
106 }
107
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.AssignmentStatus;
4 import jakarta.persistence.*;
5
6 import java.time.LocalDate;
7
8 @Entity
9 public class DeviceAssignment {
10
11     @Id
12     @GeneratedValue(strategy = GenerationType.IDENTITY)
13     private Long id;
14
15     @OneToOne
16     @JoinColumn(name = "device_id")
17     private Device device;
18
19     @ManyToOne
20     @JoinColumn(name = "employee_id")
21     private Employee assignedTo;
22
23     @Enumerated(EnumType.STRING)
24     private AssignmentStatus status;
25
26     private LocalDate assignedDate;
27
28     public Long getId() {
29         return id;
30     }
31
32     public void setId(Long id) {
33         this.id = id;
34     }
35
36     public Device getDevice() {
37         return device;
38     }
39
40     public void setDevice(Device device) {
41         this.device = device;
42     }
43
44     public Employee getAssignedTo() {
45         return assignedTo;
46     }
47
48     public void setAssignedTo(Employee assignedTo) {
49         this.assignedTo = assignedTo;
50     }
51
52     public LocalDate getAssignedDate() {
53         return assignedDate;
54     }
55
56     public void setAssignedDate(LocalDate assignedDate) {
57         this.assignedDate = assignedDate;
58     }
59
60     public AssignmentStatus getStatus() {
61         return status;
62     }
63
64     public void setStatus(AssignmentStatus status) {
65         this.status = status;
66     }
67 }
68
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.Gender;
4 import com.example.EmployeeManagementSystem.Enum.Role;
5 import com.example.EmployeeManagementSystem.Enum.Status;
6 import com.fasterxml.jackson.annotation.JsonIgnore;
7 import jakarta.persistence.*;
8 import org.springframework.security.core.GrantedAuthority;
9 import org.springframework.security.core.authority.SimpleGrantedAuthority;
10 import org.springframework.security.core.userdetails.UserDetails;
11
12 import java.time.LocalDate;
13 import java.util.Collection;
14 import java.util.HashSet;
15 import java.util.List;
16 import java.util.Set;
17 import java.util.stream.Collectors;
18
19 @Entity
20 public class Employee implements UserDetails {
21     @Id
22     @GeneratedValue(strategy = GenerationType.IDENTITY)
23     private long employeeId;
24     @Column(nullable = true, unique = false)
25     private String name;
26     @Column(unique = true, nullable = false)
27     private String email;
28     @Column(nullable = true)
29     private String dept;
30     @Enumerated(EnumType.STRING)
31     private Status status;
32     private String password;
33
34     // Self-referential – replaces `String manager`
35     @ManyToOne(fetch = FetchType.LAZY)
36     @JoinColumn(name = "manager_id", nullable = true)
37     @JsonIgnore // prevent infinite recursion in serialization
38     private Employee manager;
39
40
41     private LocalDate joined_at;
42     @Enumerated(EnumType.STRING)
43     private Role role;
44     @Column(nullable = true)
45     private String totpSecret;
46     private boolean totpEnabled = false;
47     /** IANA timezone id, e.g. "Asia/Kolkata", "America/New_York". Defaults to UTC. */
48     @Column(nullable = false)
49     private String timezone = "UTC";
50     @Enumerated(EnumType.STRING)
51     @Column(nullable = true)
52     private Gender gender;
53
54     public String getTimezone() {
55         return timezone;
56     }
57
58     public void setTimezone(String timezone) {
59         this.timezone = timezone;
60     }
61
62     public Role getRole() {
63         return role;
64     }
65
66     public void setRole(Role role) {
67         this.role = role;
68     }
69
70     public long getEmployeeId() {
71         return employeeId;
```

```

72     }
73
74     public void setEmployeeId(long employeeId) {
75         this.employeeId = employeeId;
76     }
77
78     public String getName() {
79         return name;
80     }
81
82     public void setName(String name) {
83         this.name = name;
84     }
85
86     public String getEmail() {
87         return email;
88     }
89
90     public void setEmail(String email) {
91         this.email = email;
92     }
93
94     public String getDept() {
95         return dept;
96     }
97
98     public void setDept(String dept) {
99         this.dept = dept;
100    }
101
102    public Status getStatus() {
103        return status;
104    }
105
106    public void setStatus(Status status) {
107        this.status = status;
108    }
109
110    public LocalDate getJoined_at() {
111        return joined_at;
112    }
113
114    public void setJoined_at(LocalDate joined_at) {
115        this.joined_at = joined_at;
116    }
117
118    public Gender getGender() { return gender; }
119    public void setGender(Gender gender) { this.gender = gender; }
120
121    @PrePersist
122    public void initialSetup() {
123        this.status = Status.ACTIVE;
124        this.joined_at = LocalDate.now();
125        if (this.timezone == null || this.timezone.isBlank()) {
126            this.timezone = "UTC";
127        }
128    }
129
130    @Override
131    public Collection<? extends GrantedAuthority> getAuthorities() {
132        Set<SimpleGrantedAuthority> authorities=new HashSet<>();
133        authorities.add(new SimpleGrantedAuthority("ROLE_"+role.name()));
134        authorities.addAll(role.getPermissions().stream()
135            .map(permissions -> new SimpleGrantedAuthority(permissions.name()))
136            .collect(Collectors.toSet()));
137        return authorities;
138    }
139
140    public String getPassword() {
141        return password;
142    }
143
144    @Override
145    public String getUsername() {
146        return email;
147    }

```

```
148
149     @Override
150     public boolean isAccountNonExpired() {
151         return UserDetails.super.isAccountNonExpired();
152     }
153
154     @Override
155     public boolean isAccountNonLocked() {
156         return UserDetails.super.isAccountNonLocked();
157     }
158
159     @Override
160     public boolean isCredentialsNonExpired() {
161         return UserDetails.super.isCredentialsNonExpired();
162     }
163
164     @Override
165     public boolean isEnabled() {
166         return UserDetails.super.isEnabled();
167     }
168
169     public void setPassword(String password) {
170         this.password = password;
171     }
172
173     public String getTotpSecret() {
174         return totpSecret;
175     }
176
177     public boolean isTotpEnabled() {
178         return totpEnabled;
179     }
180
181     public void setTotpSecret(String totpSecret) {
182         this.totpSecret = totpSecret;
183     }
184
185     public void setTotpEnabled(boolean totpEnabled) {
186         this.totpEnabled = totpEnabled;
187     }
188
189     public Employee getManager() {
190         return manager;
191     }
192
193     public void setManager(Employee manager) {
194         this.manager = manager;
195     }
196
197 }
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import jakarta.persistence.*;
4
5 import java.time.LocalDate;
6
7 @Entity
8 public class FixedHoliday {
9
10
11     @Id
12     @GeneratedValue(strategy = GenerationType.IDENTITY)
13     private Long id;
14
15     private String name;           // "Diwali", "Christmas"
16     private LocalDate date;       // 2026-10-20
17     private String description;   // optional note
18     private int year;
19
20
21     public Long getId() {
22         return id;
23     }
24
25     public void setId(Long id) {
26         this.id = id;
27     }
28
29     public String getName() {
30         return name;
31     }
32
33     public void setName(String name) {
34         this.name = name;
35     }
36
37     public LocalDate getDate() {
38         return date;
39     }
40
41     public void setDate(LocalDate date) {
42         this.date = date;
43     }
44
45     public int getYear() {
46         return year;
47     }
48
49     public void setYear(int year) {
50         this.year = year;
51     }
52
53     public String getDescription() {
54         return description;
55     }
56
57     public void setDescription(String description) {
58         this.description = description;
59     }
60 }
61
```



```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import jakarta.persistence.*;
4
5 import java.math.BigDecimal;
6
7 @Entity
8 @Table(name = "leave_entitlement", uniqueConstraints = @UniqueConstraint(columnNames = {"employee_id",
9 "leave_type_id", "year"}))
10 public class LeaveEntitlement {
11     @Id
12     @GeneratedValue(strategy = GenerationType.IDENTITY)
13     private Long id;
14
15     @ManyToOne(fetch = FetchType.LAZY, optional = false)
16     @JoinColumn(name = "employee_id", nullable = false)
17     private Employee employee;
18
19     @ManyToOne(fetch = FetchType.LAZY, optional = false)
20     @JoinColumn(name = "leave_type_id", nullable = false)
21     private LeaveType leaveType;
22
23     @Column(nullable = false)
24     private Integer year;
25
26     @Column(nullable = false, precision = 5, scale = 2)
27     private BigDecimal openingBalance = BigDecimal.ZERO;
28
29     @Column(nullable = false, precision = 5, scale = 2)
30     private BigDecimal accruedThisYear = BigDecimal.ZERO;
31
32     @Column(nullable = false, precision = 5, scale = 2)
33     private BigDecimal usedThisYear = BigDecimal.ZERO;
34
35     @Column(nullable = false, precision = 5, scale = 2)
36     private BigDecimal closingBalance = BigDecimal.ZERO;
37
38     // Convenience: current available = opening + accrued - used
39     @Transient
40     public BigDecimal getAvailableBalance() {
41         return openingBalance.add(accruedThisYear).subtract(usedThisYear);
42     }
43
44     // --- getters & setters ---
45     public Long getId() {
46         return id;
47     }
48
49     public Employee getEmployee() {
50         return employee;
51     }
52
53     public LeaveType getLeaveType() {
54         return leaveType;
55     }
56
57     public Integer getYear() {
58         return year;
59     }
60
61     public BigDecimal getOpeningBalance() {
62         return openingBalance;
63     }
64
65     public BigDecimal getAccruedThisYear() {
66         return accruedThisYear;
67     }
68
69     public BigDecimal getUsedThisYear() {
70         return usedThisYear;
```

```
71     }
72
73     public BigDecimal getClosingBalance() {
74         return closingBalance;
75     }
76
77     public void setEmployee(Employee e) {
78         this.employee = e;
79     }
80
81     public void setLeaveType(LeaveType lt) {
82         this.leaveType = lt;
83     }
84
85     public void setYear(Integer y) {
86         this.year = y;
87     }
88
89     public void setOpeningBalance(BigDecimal b) {
90         this.openingBalance = b;
91     }
92
93     public void setAccruedThisYear(BigDecimal a) {
94         this.accruedThisYear = a;
95     }
96
97     public void setUsedThisYear(BigDecimal u) {
98         this.usedThisYear = u;
99     }
100
101     public void setClosingBalance(BigDecimal c) {
102         this.closingBalance = c;
103     }
104 }
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.LeaveStatus;
4 import com.example.EmployeeManagementSystem.Enum.LeaveType;
5 import jakarta.persistence.*;
6
7 import java.time.LocalDate;
8
9 @Entity
10 public class LeaveRequest {
11     @Id
12     @GeneratedValue(strategy = GenerationType.IDENTITY)
13     private long id;
14     @Enumerated(EnumType.STRING)
15     private LeaveType leaveType;
16     private LocalDate startDate;
17     private LocalDate endDate;
18     private String reason;
19     @Enumerated(EnumType.STRING)
20     private LeaveStatus status;
21     private String Manager;
22     private String remarks;
23     @ManyToOne
24     @JoinColumn(name = "employee_id")
25     private Employee employee;
26
27
28     public long getId() {
29         return id;
30     }
31
32     public void setId(long id) {
33         this.id = id;
34     }
35
36     public LeaveType getLeaveType() {
37         return leaveType;
38     }
39
40     public void setLeaveType(LeaveType leaveType) {
41         this.leaveType = leaveType;
42     }
43
44     public LocalDate getStartDate() {
45         return startDate;
46     }
47
48     public void setStartDate(LocalDate startDate) {
49         this.startDate = startDate;
50     }
51
52     public LocalDate getEndDate() {
53         return endDate;
54     }
55
56     public void setEndDate(LocalDate endDate) {
57         this.endDate = endDate;
58     }
59
60     public LeaveStatus getStatus() {
61         return status;
62     }
63
64     public void setStatus(LeaveStatus status) {
65         this.status = status;
66     }
67
68     public String getManager() {
69         return Manager;
70     }
71 }
```

```
72     public void setManager(String manager) {
73         Manager = manager;
74     }
75
76     public String getRemarks() {
77         return remarks;
78     }
79
80     public void setRemarks(String remarks) {
81         this.remarks = remarks;
82     }
83
84     public Employee getEmployee() {
85         return employee;
86     }
87
88     public void setEmployee(Employee employee) {
89         this.employee = employee;
90     }
91
92     public String getReason() {
93         return reason;
94     }
95
96     public void setReason(String reason) {
97         this.reason = reason;
98     }
99
100     @PrePersist
101     public void init(){
102         this.status=LeaveStatus.PENDING;
103     }
104 }
105
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.Gender;
4 import jakarta.persistence.*;
5
6 @Entity
7 @Table(name = "leave_type")
8 public class LeaveType {
9
10     @Id
11     @GeneratedValue(strategy = GenerationType.IDENTITY)
12     private Integer id;
13
14     @Column(nullable = false, unique = true, length = 50)
15     private String name;           // SICK, CASUAL, MATERNITY
16
17     @Column(nullable = false)
18     private boolean carriesForward;
19
20     @Column(nullable = false)
21     private boolean monthlyReset;   // true = sick leave wipes at month end
22
23     @Column(nullable = false)
24     private int maxCarryForward;    // 30 for carry-forwardable types
25
26     @Column(nullable = false)
27     private boolean genderRestricted;
28
29     @Enumerated(EnumType.STRING)
30     @Column(nullable = true)
31     private Gender genderRestriction; // null = open to all
32
33     // --- getters & setters ---
34     public Integer getId() { return id; }
35     public String getName() { return name; }
36     public boolean isCarriesForward() { return carriesForward; }
37     public boolean isMonthlyReset() { return monthlyReset; }
38     public int getMaxCarryForward() { return maxCarryForward; }
39     public boolean isGenderRestricted() { return genderRestricted; }
40     public Gender getGenderRestriction() { return genderRestriction; }
41
42     public void setId(Integer id) { this.id = id; }
43     public void setName(String name) { this.name = name; }
44     public void setCarriesForward(boolean cf) { this.carriesForward = cf; }
45     public void setMonthlyReset(boolean mr) { this.monthlyReset = mr; }
46     public void setMaxCarryForward(int max) { this.maxCarryForward = max; }
47     public void setGenderRestricted(boolean gr) { this.genderRestricted = gr; }
48     public void setGenderRestriction(Gender g) { this.genderRestriction = g; }
49 }
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3
4 import jakarta.persistence.*;
5 import java.math.BigDecimal;
6 import java.time.LocalDate;
7
8 @Entity
9 @Table(name = "leave_warning")
10 public class LeaveWarning {
11
12     public enum WarningType {
13         APPROACHING_28, // 2 months before cap
14         APPROACHING_29, // 1 month before cap
15         CAP_REACHED,    // exactly at 30
16         DAY_WASTED      // already at 30, day lost
17     }
18
19     @Id
20     @GeneratedValue(strategy = GenerationType.IDENTITY)
21     private Long id;
22
23     @ManyToOne(fetch = FetchType.LAZY, optional = false)
24     @JoinColumn(name = "employee_id", nullable = false)
25     private Employee employee;
26
27     @Enumerated(EnumType.STRING)
28     @Column(nullable = false, length = 30)
29     private WarningType warningType;
30
31     @Column(nullable = false, columnDefinition = "TEXT")
32     private String message;
33
34     @Column(nullable = false, precision = 5, scale = 2)
35     private BigDecimal carryForwardBalance;
36
37     @Column(nullable = false)
38     private LocalDate warningDate;
39
40     @Column(nullable = false)
41     private boolean isRead = false;
42
43     // --- getters & setters ---
44     public Long getId() { return id; }
45     public Employee getEmployee() { return employee; }
46     public WarningType getWarningType() { return warningType; }
47     public String getMessage() { return message; }
48     public BigDecimal getCarryForwardBalance() { return carryForwardBalance; }
49     public LocalDate getWarningDate() { return warningDate; }
50     public boolean isRead() { return isRead; }
51
52     public void setEmployee(Employee e) { this.employee = e; }
53     public void setWarningType(WarningType wt) { this.warningType = wt; }
54     public void setMessage(String m) { this.message = m; }
55     public void setCarryForwardBalance(BigDecimal b) { this.carryForwardBalance = b; }
56     public void setWarningDate(LocalDate d) { this.warningDate = d; }
57     public void setRead(boolean r) { this.isRead = r; }
58 }
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import jakarta.persistence.*;
4 import java.time.LocalDateTime;
5
6 @Entity
7 @Table(name = "notification")
8 public class Notification {
9
10     @Id
11     @GeneratedValue(strategy = GenerationType.IDENTITY)
12     private Long id;
13
14     @ManyToOne(fetch = FetchType.LAZY)
15     @JoinColumn(name = "employee_id", nullable = false)
16     private Employee recipient;
17
18     @Column(nullable = false)
19     private String message;
20
21     @Column(nullable = false)
22     private String type; // LEAVE_APPROVED, LEAVE_REJECTED, LEAVE_REQUEST, HOLIDAY_ADDED
23
24     @Column(nullable = false)
25     private boolean isRead = false;
26
27     @Column(nullable = false)
28     private LocalDateTime createdAt = LocalDateTime.now();
29
30     // getters and setters
31     public Long getId() { return id; }
32     public Employee getRecipient() { return recipient; }
33     public void setRecipient(Employee recipient) { this.recipient = recipient; }
34     public String getMessage() { return message; }
35     public void setMessage(String message) { this.message = message; }
36     public String getType() { return type; }
37     public void setType(String type) { this.type = type; }
38     public boolean isRead() { return isRead; }
39     public void setRead(boolean read) { isRead = read; }
40     public LocalDateTime getCreatedAt() { return createdAt; }
41 }
42
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import jakarta.persistence.*;
4
5 import java.time.Instant;
6 @Entity
7 public class RefreshToken {
8     @Id
9     @GeneratedValue(strategy = GenerationType.IDENTITY)
10    private Long id;
11
12    @Column(nullable = false, unique = true)
13    private String token;
14
15    @Column(nullable = false)
16    private Instant expiryTime;
17
18    @ManyToOne
19    @JoinColumn(name = "employee_id")
20    private Employee employee;
21
22    @ManyToOne
23    @JoinColumn(name = "vendor_id")
24    private Vendor vendor;
25
26    public Long getId() {
27        return id;
28    }
29
30    public String getToken() {
31        return token;
32    }
33
34    public void setToken(String token) {
35        this.token = token;
36    }
37
38    public Instant getExpiryTime() {
39        return expiryTime;
40    }
41
42    public void setExpiryTime(Instant expiryTime) {
43        this.expiryTime = expiryTime;
44    }
45
46    public Employee getEmployee() {
47        return employee;
48    }
49
50    public void setEmployee(Employee employee) {
51        this.employee = employee;
52    }
53
54    public Vendor getVendor() {
55        return vendor;
56    }
57
58    public void setVendor(Vendor vendor) {
59        this.vendor = vendor;
60    }
61 }
62
```



```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.MealSlot;
4 import jakarta.persistence.*;
5 import java.util.Set;
6
7
8 @Entity
9 public class Restaurant {
10
11     @Id
12     @GeneratedValue(strategy = GenerationType.IDENTITY)
13     private Long id;
14
15     @Column(nullable = false)
16     private String name;
17
18     @Column(nullable = false)
19     private String address;
20
21     private String description;
22
23     @ElementCollection(targetClass = MealSlot.class, fetch = FetchType.EAGER)
24     @CollectionTable(name = "restaurant_meal_slots",
25         joinColumns = @JoinColumn(name = "restaurant_id"))
26     @Enumerated(EnumType.STRING)
27     @Column(name = "meal_slot")
28     private Set<MealSlot> supportedMealSlots;
29
30     private boolean active = true;
31
32     @ManyToOne(fetch = FetchType.LAZY)
33     @JoinColumn(name = "vendor_id", nullable = false)
34     private Vendor vendor;
35
36     public Long getId() { return id; }
37     public void setId(Long id) { this.id = id; }
38
39     public String getName() { return name; }
40     public void setName(String name) { this.name = name; }
41
42     public String getAddress() { return address; }
43     public void setAddress(String address) { this.address = address; }
44
45     public String getDescription() { return description; }
46     public void setDescription(String description) { this.description = description; }
47
48     public Set<MealSlot> getSupportedMealSlots() { return supportedMealSlots; }
49     public void setSupportedMealSlots(Set<MealSlot> supportedMealSlots) {
50         this.supportedMealSlots = supportedMealSlots;
51     }
52
53     public boolean isActive() { return active; }
54     public void setActive(boolean active) { this.active = active; }
55
56     public Vendor getVendor() { return vendor; }
57     public void setVendor(Vendor vendor) { this.vendor = vendor; }
58 }
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.ServiceRequestStatus;
4 import com.example.EmployeeManagementSystem.Enum.ServiceRequestType;
5 import jakarta.persistence.*;
6
7 import java.time.LocalDateTime;
8
9 @Entity
10 public class ServiceRequest {
11     @Id
12     @GeneratedValue(strategy = GenerationType.IDENTITY)
13     private Long id;
14
15     @ManyToOne
16     @JoinColumn(name = "device_id")
17     private Device device;
18
19     @ManyToOne
20     @JoinColumn(name = "raised_by")
21     private Employee raisedBy; // employee reporting issue
22
23     @ManyToOne
24     @JoinColumn(name = "reviewed_by")
25     private Employee reviewedBy; // admin who reviewed
26
27     @Enumerated(EnumType.STRING)
28     private ServiceRequestType requestType;
29
30     @Enumerated(EnumType.STRING)
31     private ServiceRequestStatus status;
32
33     private String issueDescription; // "screen cracked", "won't boot"
34     private String adminRemarks; // admin notes on decision
35     private String resolution; // what was done finally
36
37     private boolean urgent; // employee can flag as urgent
38
39     private LocalDateTime raisedAt;
40     private LocalDateTime resolvedAt;
41
42     @PrePersist
43     void onCreate() { this.raisedAt = LocalDateTime.now(); }
44
45     public Employee getRaisedBy() {
46         return raisedBy;
47     }
48
49     public void setRaisedBy(Employee raisedBy) {
50         this.raisedBy = raisedBy;
51     }
52
53     public Device getDevice() {
54         return device;
55     }
56
57     public void setDevice(Device device) {
58         this.device = device;
59     }
60
61     public Long getId() {
62         return id;
63     }
64
65     public void setId(Long id) {
66         this.id = id;
67     }
68
69     public Employee getReviewedBy() {
70         return reviewedBy;
71     }
```

```
72
73     public void setReviewedBy(Employee reviewedBy) {
74         this.reviewedBy = reviewedBy;
75     }
76
77     public ServiceRequestStatus getStatus() {
78         return status;
79     }
80
81     public void setStatus(ServiceRequestStatus status) {
82         this.status = status;
83     }
84
85     public ServiceRequestType getRequestType() {
86         return requestType;
87     }
88
89     public void setRequestType(ServiceRequestType requestType) {
90         this.requestType = requestType;
91     }
92
93     public String getIssueDescription() {
94         return issueDescription;
95     }
96
97     public void setIssueDescription(String issueDescription) {
98         this.issueDescription = issueDescription;
99     }
100
101     public String getAdminRemarks() {
102         return adminRemarks;
103     }
104
105     public void setAdminRemarks(String adminRemarks) {
106         this.adminRemarks = adminRemarks;
107     }
108
109     public String getResolution() {
110         return resolution;
111     }
112
113     public void setResolution(String resolution) {
114         this.resolution = resolution;
115     }
116
117     public boolean isUrgent() {
118         return urgent;
119     }
120
121     public void setUrgent(boolean urgent) {
122         this.urgent = urgent;
123     }
124
125     public LocalDateTime getRaisedAt() {
126         return raisedAt;
127     }
128
129     public void setRaisedAt(LocalDateTime raisedAt) {
130         this.raisedAt = raisedAt;
131     }
132
133     public LocalDateTime getResolvedAt() {
134         return resolvedAt;
135     }
136
137     public void setResolvedAt(LocalDateTime resolvedAt) {
138         this.resolvedAt = resolvedAt;
139     }
140 }
141
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.MealSlot;
4 import com.example.EmployeeManagementSystem.Enum.ScheduleType;
5 import com.example.EmployeeManagementSystem.Enum.SubscriptionStatus;
6 import jakarta.persistence.*;
7
8 import java.time.DayOfWeek;
9 import java.time.Instant;
10 import java.time.LocalDate;
11 import java.time.LocalTime;
12 @Entity
13 public class Subscription {
14     @Id
15     @GeneratedValue(strategy = GenerationType.IDENTITY)
16     private long id;
17     @Enumerated(EnumType.STRING)
18     private MealSlot slot;
19     private ScheduleType scheduleType;
20     private DayOfWeek dayOfWeek;
21     @Enumerated(EnumType.STRING)
22     private SubscriptionStatus status;
23     private Instant nextDeliveryTime;
24     private LocalTime created_at;
25
26     @ManyToOne
27     @JoinColumn(name="employee_id")
28     private Employee employee;
29
30     @ManyToOne(fetch = FetchType.EAGER)
31     @JoinColumn(name = "restaurant_id", nullable = false)
32     private Restaurant restaurant;
33
34     @PrePersist
35     public void init(){
36         this.created_at=LocalTime.now();
37     }
38
39     public long getId() {
40         return id;
41     }
42
43     public void setId(long id) {
44         this.id = id;
45     }
46
47     public MealSlot getSlot() {
48         return slot;
49     }
50
51     public void setSlot(MealSlot slot) {
52         this.slot = slot;
53     }
54
55     public ScheduleType getScheduleType() {
56         return scheduleType;
57     }
58
59     public void setScheduleType(ScheduleType scheduleType) {
60         this.scheduleType = scheduleType;
61     }
62
63     public DayOfWeek getDayOfWeek() {
64         return dayOfWeek;
65     }
66
67     public void setDayOfWeek(DayOfWeek dayOfWeek) {
68         this.dayOfWeek = dayOfWeek;
69     }
70
71     public SubscriptionStatus getStatus() {
```

```
72         return status;
73     }
74
75     public void setStatus(SubscriptionStatus status) {
76         this.status = status;
77     }
78
79     public LocalTime getCreated_at() {
80         return created_at;
81     }
82
83     public void setCreated_at(LocalTime created_at) {
84         this.created_at = created_at;
85     }
86
87     public Instant getNextDeliveryTime() {
88         return nextDeliveryTime;
89     }
90
91     public void setNextDeliveryTime(Instant nextDeliveryTime) {
92         this.nextDeliveryTime = nextDeliveryTime;
93     }
94
95     public Employee getEmployee() {
96         return employee;
97     }
98
99     public void setEmployee(Employee employee) {
100         this.employee = employee;
101     }
102     public Restaurant getRestaurant() { return restaurant; }
103     public void setRestaurant(Restaurant restaurant) { this.restaurant = restaurant; }
104 }
105
```

```
1 package com.example.EmployeeManagementSystem.Entity;
2
3 import com.example.EmployeeManagementSystem.Enum.Role;
4 import jakarta.persistence.*;
5 import jakarta.xml.bind.annotation.XmlAttribute;
6 import org.jspecify.annotations.Nullable;
7 import org.springframework.security.core.GrantedAuthority;
8 import org.springframework.security.core.authority.SimpleGrantedAuthority;
9 import org.springframework.security.core.userdetails.UserDetails;
10
11 import java.time.LocalDate;
12 import java.util.Collection;
13 import java.util.HashSet;
14 import java.util.List;
15 import java.util.Set;
16 import java.util.stream.Collectors;
17
18 /**
19  * Represents a restaurant vendor/owner.
20  * Vendors can register and manage their restaurants.
21  * They cannot access employee, leave, or subscription APIs.
22  */
23 @Entity
24 @Table(name = "vendor")
25 public class Vendor implements UserDetails {
26
27     @Id
28     @GeneratedValue(strategy = GenerationType.IDENTITY)
29     private Long id;
30
31     @Column(nullable = false)
32     private String name;
33
34     @Column(unique = true, nullable = false)
35     private String email;
36
37     @Column(nullable = false)
38     private String phone;
39
40     @Column(nullable = false)
41     private String password;
42
43     @Enumerated(EnumType.STRING)
44     private Role role;
45
46     private LocalDate registeredAt;
47
48     @PrePersist
49     public void init() {
50         if (this.registeredAt == null) {
51             this.registeredAt = LocalDate.now();
52         }
53     }
54
55     public Long getId() { return id; }
56     public void setId(Long id) { this.id = id; }
57
58     public String getName() { return name; }
59     public void setName(String name) { this.name = name; }
60
61     public String getEmail() { return email; }
62     public void setEmail(String email) { this.email = email; }
63
64     public String getPhone() { return phone; }
65     public void setPhone(String phone) { this.phone = phone; }
66
67     public LocalDate getRegisteredAt() { return registeredAt; }
68     public void setRegisteredAt(LocalDate registeredAt) { this.registeredAt = registeredAt; }
69
70
71     @Override
```

```
72     public Collection<? extends GrantedAuthority> getAuthorities() {
73         Role effectiveRole = role;
74         Set<SimpleGrantedAuthority> authorities=new HashSet<>();
75         authorities.add(new SimpleGrantedAuthority("ROLE_"+effectiveRole.name()));
76         authorities.addAll(effectiveRole.getPermissions().stream()
77             .map(permissions -> new SimpleGrantedAuthority(permissions.name()))
78             .collect(Collectors.toSet()));
79         return authorities;
80     }
81
82     @Override
83     public @Nullable String getPassword() {
84         return password;
85     }
86
87     @Override
88     public String getUsername() {
89         return email;
90     }
91
92     @Override
93     public boolean isAccountNonExpired() {
94         return UserDetails.super.isAccountNonExpired();
95     }
96
97     @Override
98     public boolean isAccountNonLocked() {
99         return UserDetails.super.isAccountNonLocked();
100    }
101
102    @Override
103    public boolean isCredentialsNonExpired() {
104        return UserDetails.super.isCredentialsNonExpired();
105    }
106
107    @Override
108    public boolean isEnabled() {
109        return UserDetails.super.isEnabled();
110    }
111
112    public void setPassword(String password) {
113        this.password = password;
114    }
115
116    public Role getRole() {
117        return role;
118    }
119
120    public void setRole(Role role) {
121        this.role = role;
122    }
123 }
124
```

```

1 package com.example.EmployeeManagementSystem.Entity;
2
3
4 import jakarta.persistence.*;
5 import java.math.BigDecimal;
6 import java.time.LocalDateTime;
7
8 @Entity
9 @Table(name = "year_end_carry_forward_log")
10 public class YearEndCarryForwardLog {
11
12     @Id
13     @GeneratedValue(strategy = GenerationType.IDENTITY)
14     private Long id;
15
16     @ManyToOne(fetch = FetchType.LAZY, optional = false)
17     @JoinColumn(name = "employee_id", nullable = false)
18     private Employee employee;
19
20     @Column(nullable = false)
21     private Integer processedYear;
22
23     @ManyToOne(fetch = FetchType.LAZY, optional = false)
24     @JoinColumn(name = "leave_type_id", nullable = false)
25     private LeaveType leaveType;
26
27     @Column(nullable = false, precision = 5, scale = 2)
28     private BigDecimal closingBalance; // raw closing before cap
29
30     @Column(nullable = false, precision = 5, scale = 2)
31     private BigDecimal cappedBalance; // after global 30-day cap applied
32
33     @Column(nullable = false, precision = 5, scale = 2)
34     private BigDecimal daysWasted = BigDecimal.ZERO;
35
36     @Column(nullable = false, precision = 5, scale = 2)
37     private BigDecimal openingNextYear; // written into next year's entitlement
38
39     @Column(nullable = false)
40     private LocalDateTime processedAt = LocalDateTime.now();
41
42     // --- getters & setters ---
43     public Long getId() { return id; }
44     public Employee getEmployee() { return employee; }
45     public Integer getProcessedYear() { return processedYear; }
46     public LeaveType getLeaveType() { return leaveType; }
47     public BigDecimal getClosingBalance() { return closingBalance; }
48     public BigDecimal getCappedBalance() { return cappedBalance; }
49     public BigDecimal getDaysWasted() { return daysWasted; }
50     public BigDecimal getOpeningNextYear() { return openingNextYear; }
51     public LocalDateTime getProcessedAt() { return processedAt; }
52
53     public void setEmployee(Employee e) { this.employee = e; }
54     public void setProcessedYear(Integer y) { this.processedYear = y; }
55     public void setLeaveType(LeaveType lt) { this.leaveType = lt; }
56     public void setClosingBalance(BigDecimal b) { this.closingBalance = b; }
57     public void setCappedBalance(BigDecimal b) { this.cappedBalance = b; }
58     public void setDaysWasted(BigDecimal d) { this.daysWasted = d; }
59     public void setOpeningNextYear(BigDecimal b) { this.openingNextYear = b; }
60     public void setProcessedAt(LocalDateTime dt) { this.processedAt = dt; }
61 }
62

```


81 Current:

src\main\java\com\example\EmployeeManagementSystem\Enum\AssignmentStatus.java

8
lines

```
1 package com.example.EmployeeManagementSystem.Enum;
```

```
2
```

```
3 public enum AssignmentStatus {
```

```
4     ACTIVE,
```

```
5     RETURNED,
```

```
6     REVOKED
```

```
7 }
```

```
8
```

82

Current:

9

src\main\java\com\example\EmployeeManagementSystem\Enum\DeliveryStatus.java

lines

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum DeliveryStatus {  
4     SCHEDULED,  
5     IN_PROGRESS,  
6     DELIVERED,  
7     MISSED  
8 }  
9
```

83

Current:

10

src\main\java\com\example\EmployeeManagementSystem\Enum\DeviceStatus.java

lines

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum DeviceStatus {  
4     AVAILABLE,  
5     ASSIGNED,  
6     UNDER_REPAIR,  
7     CONDEMNED,  
8     RETURNED_TO_VENDOR  
9 }  
10
```

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum DeviceType {  
4     LAPTOP,  
5     DESKTOP,  
6     PHONE,  
7     TABLET,  
8     MONITOR,  
9     KEYBOARD,  
10    MOUSE,  
11    HEADSET,  
12    OTHER  
13  
14 }  
15
```

85

Current:

src\main\java\com\example\EmployeeManagementSystem\Enum\Gender.java

5

lines

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum Gender {  
4     M, F, O  
5 }
```

86

Current:

9

src\main\java\com\example\EmployeeManagementSystem\Enum\LeaveStatus.java

lines

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum LeaveStatus {  
4     PENDING,  
5     APPROVED,  
6     REJECTED,  
7     CANCELLED  
8 }  
9
```

87

Current:

9

src\main\java\com\example\EmployeeManagementSystem\Enum\LeaveType.java

lines

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum LeaveType {  
4     SICK,  
5     CASUAL,  
6     MATERNITY,  
7     UNPAID  
8 }  
9
```

88

Current:

8

src\main\java\com\example\EmployeeManagementSystem\Enum\MealSlot.java

lines

```
1 package com.example.EmployeeManagementSystem.Enum;
```

```
2
```

```
3 public enum MealSlot {
```

```
4     BREAKFAST,
```

```
5     LUNCH,
```

```
6     DINNER
```

```
7 }
```

```
8
```



```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 import java.util.Set;  
4  
5 public enum Permission {  
6     LEAVE_READ,  
7     LEAVE_WRITE,  
8     LEAVE_UPDATE,  
9     LEAVE_CANCEL,  
10    SUBSCRIPTION_WRITE,  
11    SUBSCRIPTION_READ,  
12    SUBSCRIPTION_UPDATE,  
13    VENDOR_UPDATE,  
14    VENDOR_DELETE,  
15    RESTAURANTS_ADD,  
16    RESTAURANTS_READ,  
17    RESTAURANTS_DELETE,  
18    PROFILE_READ,  
19    VENDOR_WRITE;  
20 }  
21
```

```
1 package com.example.EmployeeManagementSystem.Enum;
2
3 import java.util.Collection;
4 import java.util.Set;
5
6 import static com.example.EmployeeManagementSystem.Enum.Permission.*;
7
8
9 public enum Role {
10     EMPLOYEE(Set.of(LEAVE_WRITE,
11         LEAVE_CANCEL,
12         SUBSCRIPTION_WRITE,
13         SUBSCRIPTION_UPDATE,
14         RESTAURANTS_READ,
15         SUBSCRIPTION_READ,
16         PROFILE_READ)),
17     MANAGER(Set.of(LEAVE_UPDATE,
18         LEAVE_WRITE,
19         SUBSCRIPTION_WRITE,
20         RESTAURANTS_READ,
21         SUBSCRIPTION_UPDATE,
22         LEAVE_READ,
23         SUBSCRIPTION_READ,
24         PROFILE_READ)),
25     FOOD_VENDOR(Set.of(
26         VENDOR_WRITE,
27         VENDOR_DELETE,
28         RESTAURANTS_ADD,
29         RESTAURANTS_DELETE,
30         RESTAURANTS_READ,
31         PROFILE_READ
32     )),
33     ADMIN(Set.of(
34         LEAVE_READ,
35         LEAVE_WRITE,
36         LEAVE_UPDATE,
37         LEAVE_CANCEL,
38         RESTAURANTS_READ,
39         SUBSCRIPTION_READ,
40         SUBSCRIPTION_WRITE,
41         SUBSCRIPTION_UPDATE,
42         VENDOR_WRITE,
43         VENDOR_UPDATE,
44         VENDOR_DELETE,
45         PROFILE_READ
46     )),
47     TECH_VENDOR(Set.of(VENDOR_WRITE)),
48     USER(Set.of(PROFILE_READ));
49     private final Set<Permission> permissions;
50
51     Role(Set<Permission> permissions) {
52         this.permissions = permissions;
53     }
54
55     public Set<Permission> getPermissions() {
56         return permissions;
57     }
58 }
59
60
```

91

Current:

7

src\main\java\com\example\EmployeeManagementSystem\Enum\ScheduleType.java

lines

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum ScheduleType {  
4     DAILY,  
5     WEEKLY  
6 }  
7
```

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum ServiceRequestStatus {  
4     OPEN,  
5     SENT_FOR_REPAIR,  
6     REPAIR_DONE,  
7     REJECTED  
8 }  
9
```

93 Current:

src\main\java\com\example\EmployeeManagementSystem\Enum\ServiceRequestType.java

10
lines

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum ServiceRequestType {  
4     REPAIR,  
5     REPLACEMENT,  
6     UPGRADE,  
7     MAINTENANCE,  
8     RETURN  
9 }  
10
```

```
1 package com.example.EmployeeManagementSystem.Enum;  
2  
3 public enum Status {  
4     ACTIVE,  
5     INACTIVE,  
6     ON_LEAVE  
7 }  
8
```

95 Current:

src\main\java\com\example\EmployeeManagementSystem\Enum\SubscriptionStatus.java

8

lines

```
1 package com.example.EmployeeManagementSystem.Enum;
```

```
2
```

```
3 public enum SubscriptionStatus {
```

```
4     ACTIVE,
```

```
5     PAUSED,
```

```
6     EXPIRED
```

```
7 }
```

```
8
```

96 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\DuplicateRequestException.java

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class DuplicateRequestException extends RuntimeException {
4     public DuplicateRequestException(String message) {
5         super(message);
6     }
7 }
8
```



```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 import org.springframework.security.core.userdetails.UsernameNotFoundException;
4
5 public class EmployeeNotFound extends UsernameNotFoundException {
6     public EmployeeNotFound(String message) {
7         super(message);
8     }
9 }
10
```

98 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\InvalidEndDateException.java

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class InvalidEndDateException extends RuntimeException{
4     public InvalidEndDateException(String message) {
5         super(message);
6     }
7 }
8
```

99 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\InvalidManagerException.java

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class InvalidManagerException extends RuntimeException{
4     public InvalidManagerException(String message) {
5         super(message);
6     }
7 }
8
```

100 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\InvalidStartDateException.java

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class InvalidStartDateException extends RuntimeException{
4     public InvalidStartDateException(String message) {
5         super(message);
6     }
7 }
8
```

101 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\LeaveRequestNotFoundExcep

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class LeaveRequestNotFoundException extends RuntimeException{
4     public LeaveRequestNotFoundException(String message) {
5         super(message);
6     }
7 }
8
```

102 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\OverlappingLeaveException.j

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class OverlappingLeaveException extends RuntimeException{
4     public OverlappingLeaveException(String message) {
5         super(message);
6     }
7 }
8
```

103 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\RestaurantNotFoundException

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class RestaurantNotFoundException extends RuntimeException {
4     public RestaurantNotFoundException(String message) {
5         super(message);
6     }
7 }
8
```

104 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\SubscriptionAlreadyExists.java

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class SubscriptionAlreadyExists extends RuntimeException{
4     public SubscriptionAlreadyExists(String message) {
5         super(message);
6     }
7 }
8
```


105 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\UnauthorizedAccessException

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class UnauthorizedAccessException extends RuntimeException {
4     public UnauthorizedAccessException(String message) {
5         super(message);
6     }
7 }
```

106 Current:

src\main\java\com\example\EmployeeManagementSystem\Exception\VendorNotFoundException.java

```
1 package com.example.EmployeeManagementSystem.Exception;
2
3 public class VendorNotFoundException extends RuntimeException {
4     public VendorNotFoundException(String message) {
5         super(message);
6     }
7 }
```

```

1 // src/main/java/com/example/EmployeeManagementSystem/Filter/ApiKeyFilter.java
2 package com.example.EmployeeManagementSystem.Filter;
3
4 import com.example.EmployeeManagementSystem.security.ApiKeyAuthenticationToken;
5 import jakarta.servlet.FilterChain;
6 import jakarta.servlet.ServletException;
7 import jakarta.servlet.http.HttpServletRequest;
8 import jakarta.servlet.http.HttpServletResponse;
9 import org.springframework.beans.factory.annotation.Autowired;
10 import org.springframework.beans.factory.annotation.Qualifier;
11 import org.springframework.security.authentication.AuthenticationManager;
12 import org.springframework.security.core.Authentication;
13 import org.springframework.security.core.context.SecurityContextHolder;
14 import org.springframework.stereotype.Component;
15 import org.springframework.web.filter.OncePerRequestFilter;
16
17 import java.io.IOException;
18 public class ApiKeyFilter extends OncePerRequestFilter {
19
20     private static final String API_KEY_HEADER = "X-API-Key";
21     private final AuthenticationManager authenticationManager;
22
23     public ApiKeyFilter(AuthenticationManager authenticationManager) {
24         this.authenticationManager = authenticationManager;
25     }
26     // @Autowired
27     // @Qualifier("apiKeyAuthenticationManager") // or just use ProviderManager directly
28     // private AuthenticationManager authenticationManager;
29
30     @Override
31     protected void doFilterInternal(HttpServletRequest request,
32                                     HttpServletResponse response,
33                                     FilterChain filterChain) throws ServletException, IOException {
34
35         String apiKey = request.getHeader(API_KEY_HEADER);
36
37         if (apiKey != null && !apiKey.isEmpty()) {
38             try {
39                 // Create the unauthenticated token
40                 ApiKeyAuthenticationToken authRequest = new ApiKeyAuthenticationToken(apiKey);
41                 // Run it through the provider – this hits the DB, checks expiry, loads roles
42                 Authentication authenticated = authenticationManager.authenticate(authRequest);
43                 // Only set it if validation passed
44                 SecurityContextHolder.getContext().setAuthentication(authenticated);
45             } catch (RuntimeException e) {
46                 // Invalid/expired key – clear context and return 401
47                 SecurityContextHolder.clearContext();
48                 response.setStatus(HttpServletResponse.SC_UNAUTHORIZED);
49                 response.setContentType("application/json");
50                 response.getWriter().write("{\"error\": \"" + e.getMessage() + "\"}");
51                 return;
52             }
53         }
54
55         filterChain.doFilter(request, response);
56     }
57
58     @Override
59     protected boolean shouldNotFilter(HttpServletRequest request) {
60         String path = request.getRequestURI();
61         return path.startsWith("/Authenticate") ||
62             path.startsWith("/session/login") ||
63             path.startsWith("/session/logout") ||
64             path.startsWith("/oauth2") ||
65             path.startsWith("/login/oauth2") ||
66             path.startsWith("/swagger-ui") ||
67             path.startsWith("/v3/api-docs") ||
68             path.startsWith("/api-keys/generate"); // Allow API key generation without API key
69     }
70 }

```

```
1 package com.example.EmployeeManagementSystem.Filter;
2
3 import com.example.EmployeeManagementSystem.Util.JWTUtil;
4 import io.jsonwebtoken.ExpiredJwtException;
5 import io.jsonwebtoken.MalformedJwtException;
6 import io.jsonwebtoken.UnsupportedJwtException;
7 import jakarta.servlet.FilterChain;
8 import jakarta.servlet.ServletException;
9 import jakarta.servlet.http.HttpServletRequest;
10 import jakarta.servlet.http.HttpServletResponse;
11 import org.springframework.beans.factory.annotation.Autowired;
12 import org.springframework.beans.factory.annotation.Qualifier;
13 import org.springframework.security.authentication.UsernamePasswordAuthenticationToken;
14 import org.springframework.security.core.context.SecurityContextHolder;
15 import org.springframework.security.core.userdetails.UserDetails;
16 import org.springframework.security.core.userdetails.UserDetailsService;
17 import org.springframework.stereotype.Component;
18 import org.springframework.web.filter.OncePerRequestFilter;
19
20 import java.io.IOException;
21
22 @Component
23 public class JwtAuthFilter extends OncePerRequestFilter {
24
25     @Autowired
26     @Qualifier("combinedUserDetailsService")
27     private UserDetailsService customUserDetailsService;
28
29     @Autowired
30     private JWTUtil jwtUtil;
31
32     @Override
33     protected void doFilterInternal(HttpServletRequest request,
34                                     HttpServletResponse response,
35                                     FilterChain filterChain) throws ServletException, IOException {
36         String token = null;
37         String username = null;
38
39         String authHeader = request.getHeader("Authorization");
40
41         if (authHeader != null && authHeader.startsWith("Bearer ")) {
42             token = authHeader.substring(7).trim();
43
44             // Reject obviously invalid values before hitting JWT
45             if (token.isEmpty() || token.equals("null") || token.equals("undefined")) {
46                 filterChain.doFilter(request, response);
47                 return;
48             }
49
50             try {
51                 username = jwtUtil.extractUsernameFromToken(token);
52             } catch (ExpiredJwtException e) {
53                 response.setStatus(HttpServletResponse.SC_UNAUTHORIZED);
54                 response.setContentType("application/json");
55                 response.getWriter().write("{\""
56                     {
57                         "error": "TOKEN_EXPIRED",
58                         "message": "JWT expired. Please login again to get a new token."
59                     }
60                     "\"");
61                 return;
62             } catch (MalformedJwtException | UnsupportedJwtException | IllegalArgumentException e) {
63                 // Token is garbage (e.g. "null" string, garbled value) –
64                 // don't crash. OAuth2 session auth will still work fine.
65                 logger.debug("JwtAuthFilter: skipping malformed token – " + e.getMessage());
66                 filterChain.doFilter(request, response);
67                 return;
68             }
69         }
70
71         if (username != null && SecurityContextHolder.getContext().getAuthentication() == null) {
```

```
72         UserDetails userDetails = customUserDetailService.loadUserByUsername(username);
73         if (userDetails != null && jwtUtil.validateToken(username, userDetails, token)) {
74             UsernamePasswordAuthenticationToken authenticationToken =
75                 new UsernamePasswordAuthenticationToken(
76                     userDetails, null, userDetails.getAuthorities());
77             SecurityContextHolder.getContext().setAuthentication(authenticationToken);
78         }
79     }
80
81     filterChain.doFilter(request, response);
82 }
83 }
```

```
1 // src/main/java/com/example/EmployeeManagementSystem/Repository/ApiKeyRepository.java
2 package com.example.EmployeeManagementSystem.Repository;
3
4 import com.example.EmployeeManagementSystem.Entity.ApiKey;
5 import org.springframework.data.jpa.repository.JpaRepository;
6 import org.springframework.data.jpa.repository.Modifying;
7 import org.springframework.data.jpa.repository.Query;
8 import org.springframework.data.repository.query.Param;
9 import org.springframework.transaction.annotation.Transactional;
10
11 import java.time.Instant;
12 import java.util.List;
13 import java.util.Optional;
14
15 public interface ApiKeyRepository extends JpaRepository<ApiKey, Long> {
16
17     Optional<ApiKey> findByApiKeyAndActiveTrue(String apiKey);
18
19
20     List<ApiKey> findByEmployee_EmployeeIdAndActiveTrue(Long employeeId);
21
22
23     List<ApiKey> findByVendor_IdAndActiveTrue(Long vendorId);
24
25     @Modifying
26     @Transactional
27     @Query("UPDATE ApiKey a SET a.lastUsedAt = :now WHERE a.apiKey = :apiKey")
28     void updateLastUsed(@Param("apiKey") String apiKey, @Param("now") Instant now);
29
30     @Modifying
31     @Transactional
32     @Query("UPDATE ApiKey a SET a.active = false WHERE a.expiresAt < :now AND a.active = true")
33     int expireOldKeys(@Param("now") Instant now);
34 }
```

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Delivery;
4 import com.example.EmployeeManagementSystem.Entity.Subscription;
5 import com.example.EmployeeManagementSystem.Enum.DeliveryStatus;
6 import org.springframework.data.jpa.repository.JpaRepository;
7 import org.springframework.data.jpa.repository.Query;
8 import org.springframework.data.repository.query.Param;
9
10 import java.time.Instant;
11 import java.util.List;
12
13 public interface DeliveryRepository extends JpaRepository<Delivery, Long> {
14     List<Delivery> findByStatusAndScheduledDeliveryTimeLessThanEqual(
15         DeliveryStatus status, Instant time);
16
17     @Query("SELECT d FROM Delivery d WHERE d.subscription = :subscription " +
18         "AND d.status != :status ORDER BY d.scheduledDeliveryTime DESC")
19     List<Delivery> findRecentDeliveriesBySubscription(
20         @Param("subscription") Subscription subscription,
21         @Param("status") DeliveryStatus status);
22 }
23
```

111 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\DeviceAssignmentRepo.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.DeviceAssignment;
4 import com.example.EmployeeManagementSystem.Enum.AssignmentStatus;
5 import org.springframework.data.jpa.repository.JpaRepository;
6 import org.springframework.data.jpa.repository.Query;
7 import org.springframework.data.repository.query.Param;
8
9 import java.util.List;
10 import java.util.Optional;
11
12 public interface DeviceAssignmentRepo extends JpaRepository<DeviceAssignment, Long> {
13     Optional<DeviceAssignment> findByDeviceIdAndStatus(Long deviceId, AssignmentStatus status);
14     List<DeviceAssignment> findByAssignedToEmployeeIdAndStatus(Long employeeId, AssignmentStatus status);
15
16     @Query(value = "SELECT da.* FROM device_assignment da JOIN device d ON da.device_id = d.id WHERE d.vendor_id = :vendorId", nativeQuery = true)
17     List<DeviceAssignment> getAllAssignmentsByVendorId(@Param("vendorId") long vendorId);
18
19
20 }
21
```



```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Device;
4 import com.example.EmployeeManagementSystem.Enum.DeviceStatus;
5 import org.springframework.data.jpa.repository.JpaRepository;
6
7 import java.util.List;
8
9 public interface DeviceRepository extends JpaRepository<Device, Long> {
10     List<Device> findByTechVendorId(Long vendorId);
11     List<Device> findByDeviceStatus(DeviceStatus deviceStatus);
12 }
13
```

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Enum.Role;
5 import com.example.EmployeeManagementSystem.Enum.Status;
6 import org.springframework.data.jpa.repository.JpaRepository;
7 import org.springframework.data.jpa.repository.Query;
8 import org.springframework.data.repository.query.Param;
9 import org.springframework.stereotype.Repository;
10
11 import java.util.List;
12 import java.util.Optional;
13
14 @Repository
15 public interface EmployeeRepo extends JpaRepository<Employee, Long> {
16     Optional<Employee> findByEmail(String email);
17     Optional<Employee> findByName(String name);
18     long countByRole(Role role);
19
20     List<Employee> findByManager(Employee manager);
21     List<Employee> findByStatus(Status status);
22     List<Employee> findByRole(Role role);
23     @Query("SELECT e FROM Employee e WHERE e.manager.employeeId = :managerId")
24     List<Employee> findByManagerEmployeeId(@Param("managerId") Long managerId);
25 }
26
```

114 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\FixedHolidayRepository.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.FixedHoliday;
4 import org.springframework.data.jpa.repository.JpaRepository;
5
6 import java.time.LocalDate;
7 import java.util.List;
8
9 public interface FixedHolidayRepository extends JpaRepository<FixedHoliday, Long> {
10     List<FixedHoliday> findByYear(int year);
11     List<FixedHoliday> findByDateBetween(LocalDate start, LocalDate end);
12 }
13
```

115 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\LeaveEntitlementRepository.

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
4 import org.springframework.data.jpa.repository.JpaRepository;
5 import org.springframework.data.jpa.repository.Query;
6 import org.springframework.data.repository.query.Param;
7
8 import java.math.BigDecimal;
9 import java.util.List;
10 import java.util.Optional;
11
12 public interface LeaveEntitlementRepository extends JpaRepository<LeaveEntitlement, Long> {
13
14     Optional<LeaveEntitlement> findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
15         Long employeeId, Integer leaveTypeId, Integer year);
16
17     List<LeaveEntitlement> findByEmployeeEmployeeIdAndYear(Long employeeId, Integer year);
18
19     @Query("""
20         SELECT COALESCE(SUM(e.closingBalance), 0)
21         FROM LeaveEntitlement e
22         WHERE e.employee.employeeId = :empId
23             AND e.leaveType.carriesForward = true
24             AND e.year IN :years
25         """)
26     BigDecimal sumCarryForwardBalances(
27         @Param("empId") Long employeeId,
28         @Param("years") List<Integer> years);
29
30     List<LeaveEntitlement> findByLeaveTypeIdAndYear(Integer leaveTypeId, Integer year);
31 }
```

```

1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.LeaveRequest;
5 import com.example.EmployeeManagementSystem.Enum.LeaveStatus;
6 import com.example.EmployeeManagementSystem.Enum.LeaveType;
7 import org.springframework.data.jpa.repository.JpaRepository;
8 import org.springframework.data.jpa.repository.Query;
9 import org.springframework.data.repository.query.Param;
10
11 import java.time.LocalDate;
12 import java.util.List;
13
14 public interface LeaveRequestRepo extends JpaRepository<LeaveRequest, Long> {
15
16     List<LeaveRequest> findByStatus(LeaveStatus status);
17
18     /**
19      * Find leave requests by start date and status
20      * Used by scheduler to find leaves starting today
21      */
22     List<LeaveRequest> findByStartDateAndStatus(LocalDate startDate, LeaveStatus status);
23
24     // Fix the checkDuplicate query (fix parameter names)
25     @Query(value = "SELECT COUNT(*) " +
26         "FROM leave_request l " +
27         "WHERE l.employee_id = :employeeId " +
28         "AND l.start_date = :startDate " +
29         "AND l.end_date = :endDate " +
30         "AND l.status=:status",nativeQuery = true)
31     long checkDuplicate(@Param("employeeId") long employeeId,
32         @Param("startDate") LocalDate startDate,
33         @Param("endDate") LocalDate endDate,
34         @Param("status") String status);
35
36     // Fix overlapping leave query (was commented in your code)
37     @Query(value = "select COUNT(*) " +
38         "from leave_request l " +
39         "where l.employee_id=:employeeId " +
40         "AND l.status IN ('APPROVED','PENDING') " +
41         "AND l.start_date <= :endDate " +
42         "AND l.end_date >= :startDate",nativeQuery = true)
43     long countOverlappingLeave(
44         @Param("employeeId") long employeeId,
45         @Param("startDate") LocalDate startDate,
46         @Param("endDate") LocalDate endDate
47     );
48
49     // Add missing methods
50     List<LeaveRequest> findByEmployeeOrderByStartDateDesc(Employee employee);
51
52
53     List<LeaveRequest> findByEndDateAndStatus(LocalDate endDate, LeaveStatus status);
54
55     // Add for leave duration validation
56     @Query("SELECT COALESCE(SUM(DATEDIFF(l.endDate, l.startDate) + 1), 0) " +
57         "FROM LeaveRequest l WHERE l.employee = :employee " +
58         "AND l.leaveType = :leaveType " +
59         "AND YEAR(l.startDate) = :year " +
60         "AND l.status IN ('APPROVED', 'PENDING'))")
61     long countDaysByEmployeeAndLeaveTypeAndYear(@Param("employee") Employee employee,
62         @Param("leaveType") LeaveType leaveType,
63         @Param("year") int year);
64
65     @Query("SELECT lr FROM LeaveRequest lr JOIN FETCH lr.employee WHERE lr.status = :status")
66     List<LeaveRequest> findApprovedLeavesWithEmployee(LeaveStatus status);
67
68
69     List<LeaveRequest> findByEmployee_Manager(Employee manager);
70
71     List<LeaveRequest> findByStatusAndEmployee_Manager(LeaveStatus status, Employee manager);

```

```

72
73     @Query("""
74     SELECT COALESCE(SUM(DATEDIFF(lr.endDate, lr.startDate) + 1), 0)
75     FROM LeaveRequest lr
76     WHERE lr.employee = :employee
77           AND lr.leaveType = com.example.EmployeeManagementSystem.Enum.LeaveType.SICK
78           AND lr.status = com.example.EmployeeManagementSystem.Enum.LeaveStatus.APPROVED
79           AND YEAR(lr.startDate) = :year
80           AND MONTH(lr.startDate) = :month
81     """)
82     long countApprovedSickDaysInMonth(
83         @Param("employee") Employee employee,
84         @Param("year") int year,
85         @Param("month") int month);
86
87     @Query("""
88     SELECT COALESCE(SUM(DATEDIFF(lr.endDate, lr.startDate) + 1), 0)
89     FROM LeaveRequest lr
90     WHERE lr.employee = :employee
91           AND lr.leaveType = com.example.EmployeeManagementSystem.Enum.LeaveType.CASUAL
92           AND lr.status IN (
93               com.example.EmployeeManagementSystem.Enum.LeaveStatus.APPROVED,
94               com.example.EmployeeManagementSystem.Enum.LeaveStatus.PENDING
95           )
96           AND YEAR(lr.startDate) = :year
97           AND MONTH(lr.startDate) = :month
98     """)
99     long countCasualDaysInMonth(
100         @Param("employee") Employee employee,
101         @Param("year") int year,
102         @Param("month") int month
103     );
104
105     @Query("SELECT COUNT(l) > 0 FROM LeaveRequest l " +
106           "WHERE l.employee = :employee " +
107           "AND l.leaveType = :leaveType " +
108           "AND YEAR(l.startDate) = :year " +
109           "AND l.status NOT IN (:statuses)")
110     boolean existsMaternityLeaveForYear(
111         @Param("employee") Employee employee,
112         @Param("leaveType") LeaveType leaveType,
113         @Param("year") int year,
114         @Param("statuses") List<LeaveStatus> statuses
115     );
116 }
117

```

117 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\LeaveTypeRepository.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
4 import com.example.EmployeeManagementSystem.Entity.LeaveType;
5 import org.springframework.data.jpa.repository.JpaRepository;
6
7 import java.util.List;
8 import java.util.Optional;
9
10 public interface LeaveTypeRepository extends JpaRepository<LeaveType, Integer> {
11     Optional<LeaveType> findByName(String name);
12     List<LeaveType> findByMonthlyResetTrue();
13 }
```

118 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\LeaveWarningRepository.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.LeaveWarning;
4 import org.springframework.data.jpa.repository.JpaRepository;
5
6 import java.time.LocalDate;
7 import java.util.List;
8
9 public interface LeaveWarningRepository extends JpaRepository<LeaveWarning, Long> {
10
11     // All unread warnings for an employee – shown on dashboard
12     List<LeaveWarning> findByEmployeeEmployeeIdAndIsReadFalseOrderByWarningDateDesc(Long employeeId);
13
14     // All warnings for an employee (read + unread) – for history view
15     List<LeaveWarning> findByEmployeeEmployeeIdOrderByWarningDateDesc(Long employeeId);
16
17     // Prevent duplicate warnings for same type on same date
18     boolean existsByEmployeeEmployeeIdAndWarningTypeAndWarningDate(
19         Long employeeId, LeaveWarning.WarningType warningType, LocalDate date
20     );
21 }
```


119 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\NotificationRepository.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Notification;
4 import com.example.EmployeeManagementSystem.Entity.Employee;
5 import org.springframework.data.jpa.repository.JpaRepository;
6 import java.util.List;
7
8 public interface NotificationRepository extends JpaRepository<Notification, Long> {
9     List<Notification> findByRecipientOrderByCreatedAtDesc(Employee recipient);
10    long countByRecipientAndIsReadFalse(Employee recipient);
11 }
12
```

120 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\RefreshTokenRepository.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.RefreshToken;
5 import com.example.EmployeeManagementSystem.Entity.Vendor;
6 import org.springframework.data.jpa.repository.JpaRepository;
7
8 import java.util.Optional;
9
10 public interface RefreshTokenRepository extends JpaRepository<RefreshToken, Long> {
11
12     Optional<RefreshToken> findByToken(String token);
13
14     // Needed so EmployeeService can clean up tokens before deleting an employee
15     void deleteByEmployee(Employee employee);
16
17     // Needed so VendorService can clean up tokens before deleting a vendor
18     void deleteByVendor(Vendor vendor);
19 }
```

121 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\RestaurantRepository.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Restaurant;
4 import com.example.EmployeeManagementSystem.Enum.MealSlot;
5 import org.springframework.data.jpa.repository.JpaRepository;
6 import org.springframework.data.jpa.repository.Query;
7 import org.springframework.data.repository.query.Param;
8 import org.springframework.stereotype.Repository;
9
10 import java.util.List;
11
12 @Repository
13 public interface RestaurantRepository extends JpaRepository<Restaurant, Long> {
14
15     /** All active restaurants owned by a vendor. */
16     List<Restaurant> findByVendor_EmailAndActiveTrue(String email);
17
18     /** All active restaurants (for employees browsing available options). */
19     List<Restaurant> findByActiveTrue();
20
21     /**
22      * Active restaurants that support a given meal slot.
23      * Employees use this to discover which restaurants they can subscribe to for a given slot.
24      */
25     @Query("SELECT r FROM Restaurant r JOIN r.supportedMealSlots s " +
26           "WHERE r.active = true AND s = :mealSlot")
27     List<Restaurant> findActiveByMealSlot(@Param("mealSlot") MealSlot mealSlot);
28
29     /** Check if a restaurant belongs to a vendor (ownership guard). */
30     boolean existsByIdAndVendor_Email(Long restaurantId, String email);
31 }
```

122 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\ServiceRequestRepository.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3
4 import com.example.EmployeeManagementSystem.Entity.ServiceRequest;
5 import com.example.EmployeeManagementSystem.Entity.Employee;
6 import com.example.EmployeeManagementSystem.Entity.Vendor;
7 import com.example.EmployeeManagementSystem.Enum.ServiceRequestStatus;
8 import jdk.dynalink.linker.LinkerServices;
9 import org.springframework.data.jpa.repository.JpaRepository;
10
11 import java.util.List;
12
13 public interface ServiceRequestRepository extends JpaRepository<ServiceRequest, Long> {
14
15     List<ServiceRequest> findByStatus(ServiceRequestStatus status);
16     List<ServiceRequest> findByRaisedByOrderByRaisedAtDesc(Employee employee);
17     List<ServiceRequest> findByDeviceTechVendorAndStatus(
18         Vendor vendor,
19         ServiceRequestStatus status
20     );
21
22 }
23
```

123 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\SubscriptionRepository.java

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Subscription;
4 import org.springframework.data.jpa.repository.JpaRepository;
5 import org.springframework.data.jpa.repository.Query;
6 import org.springframework.data.repository.query.Param;
7 import org.springframework.stereotype.Repository;
8
9 import java.time.Instant;
10 import java.util.List;
11
12 @Repository
13 public interface SubscriptionRepository extends JpaRepository<Subscription, Long> {
14     @Query(value = "select count(*) from subscription s where s.employee_id=:employeeId and s.slot=:slot and s.status=:status", nativeQuery = true)
15     int checkSubscriptionExists(
16         @Param("employeeId") long employeeId,
17         @Param("slot") String slot,
18         @Param("status") String status
19     );
20
21     List<Subscription> findByEmployee_employeeId(long id);
22
23     @Query(value = "SELECT * FROM subscription s WHERE s.status = :status AND s.next_delivery_time IS NOT NULL AND s.next_delivery_time <= :currentTime", nativeQuery = true)
24     List<Subscription> findDueSubscriptions(
25         @Param("status") String status,
26         @Param("currentTime") Instant currentTime // was LocalDateTime
27     );
28
29     List<Subscription> findByEmployee_name(String name);
30     List<Subscription> findByEmployee_Email(String email);
31 }
32
```

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3 import com.example.EmployeeManagementSystem.Entity.Vendor;
4 import org.springframework.data.jpa.repository.JpaRepository;
5 import org.springframework.stereotype.Repository;
6
7 import java.util.Optional;
8
9 @Repository
10 public interface VendorRepo extends JpaRepository<Vendor, Long> {
11     Optional<Vendor> findByEmail(String email);
12     boolean existsByEmail(String email);
13 }
```

125 Current:

src\main\java\com\example\EmployeeManagementSystem\Repository\YearEndCarryForwardLogRe

```
1 package com.example.EmployeeManagementSystem.Repository;
2
3
4 import com.example.EmployeeManagementSystem.Entity.YearEndCarryForwardLog;
5 import org.springframework.data.jpa.repository.JpaRepository;
6
7 import java.util.List;
8
9 public interface YearEndCarryForwardLogRepository
10     extends JpaRepository<YearEndCarryForwardLog, Long> {
11
12     List<YearEndCarryForwardLog> findByEmployeeEmployeeIdAndProcessedYear(
13         Long employeeId, Integer year
14     );
15
16     // Check if year-end has already been run for this year (idempotency guard)
17     boolean existsByProcessedYear(Integer year);
18 }
```

```
1 package com.example.EmployeeManagementSystem.Scheduler;
2
3 import com.example.EmployeeManagementSystem.Service.DeliveryService;
4 import org.slf4j.Logger;
5 import org.slf4j.LoggerFactory;
6 import org.springframework.scheduling.annotation.Scheduled;
7 import org.springframework.stereotype.Component;
8
9 @Component
10 public class DeliveryScheduler {
11     private static final Logger logger = LoggerFactory.getLogger(DeliveryScheduler.class);
12     private final DeliveryService deliveryService;
13
14     public DeliveryScheduler(DeliveryService deliveryService) {
15         this.deliveryService = deliveryService;
16     }
17
18     // Runs every hour
19     @Scheduled(cron = "0 0 * * * *")
20     public void processDeliveries() {
21         logger.info("Starting delivery processing scheduler...");
22         try {
23             deliveryService.processDueDeliveries();
24             logger.info("Delivery processing completed successfully");
25         } catch (Exception e) {
26             logger.error("Error processing deliveries: ", e);
27         }
28     }
29 }
30
```



```

1 package com.example.EmployeeManagementSystem.Scheduler;
2
3 import com.example.EmployeeManagementSystem.Service.CarryForwardWarningService;
4 import com.example.EmployeeManagementSystem.Service.LeaveAccrualService;
5 import com.example.EmployeeManagementSystem.Service.SickLeaveResetService;
6 import com.example.EmployeeManagementSystem.Service.YearEndCarryForwardService;
7 import org.slf4j.Logger;
8 import org.slf4j.LoggerFactory;
9 import org.springframework.scheduling.annotation.Scheduled;
10 import org.springframework.stereotype.Component;
11
12 import java.time.LocalDate;
13 import java.time.YearMonth;
14
15 @Component
16 public class LeaveAccrualScheduler {
17
18     private static final Logger log = LoggerFactory.getLogger(LeaveAccrualScheduler.class);
19
20     private final LeaveAccrualService accrualService;
21     private final SickLeaveResetService resetService;
22     private final CarryForwardWarningService warningService;
23     private final YearEndCarryForwardService yearEndService;
24
25     public LeaveAccrualScheduler(LeaveAccrualService accrualService,
26                                 SickLeaveResetService resetService,
27                                 CarryForwardWarningService warningService,
28                                 YearEndCarryForwardService yearEndService) {
29         this.accrualService = accrualService;
30         this.resetService = resetService;
31         this.warningService = warningService;
32         this.yearEndService = yearEndService;
33     }
34
35     // 1st of month at 00:05 – accrue 1 day for all eligible employees, then warn
36     @Scheduled(cron = "0 5 0 1 * ?")
37     public void runMonthlyAccrual() {
38         LocalDate today = LocalDate.now();
39         accrualService.runMonthlyAccrual(today);
40         warningService.runWarningCheck(today);
41     }
42
43     // Last day of month at 23:55 – reset unused sick leave
44     // FIX: use YearMonth to compute the actual last day of the current month,
45     //      so if the scheduler fires even a minute late (past midnight) on the
46     //      1st, we still reset the correct month and log the correct date.
47     @Scheduled(cron = "0 55 23 L * ?")
48     public void runSickLeaveReset() {
49         LocalDate lastDayOfMonth = YearMonth.now().atEndOfMonth();
50         log.info("Running sick leave reset for end-of-month: {}", lastDayOfMonth);
51         resetService.runMonthlyReset(lastDayOfMonth);
52     }
53
54     // Dec 31 at 22:00 – year-end carry-forward cap
55     @Scheduled(cron = "0 0 22 31 12 ?")
56     public void runYearEnd() {
57         int closingYear = LocalDate.now().getYear();
58         yearEndService.runYearEnd(closingYear);
59     }
60 }

```

```

1 package com.example.EmployeeManagementSystem.Scheduler;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.LeaveRequest;
5 import com.example.EmployeeManagementSystem.Enum.LeaveStatus;
6 import com.example.EmployeeManagementSystem.Enum.Status;
7 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
8 import com.example.EmployeeManagementSystem.Repository.LeaveRequestRepo;
9 import org.slf4j.Logger;
10 import org.slf4j.LoggerFactory;
11 import org.springframework.scheduling.annotation.Scheduled;
12 import org.springframework.stereotype.Component;
13 import org.springframework.transaction.annotation.Transactional;
14
15 import java.time.LocalDate;
16 import java.time.ZoneId;
17 import java.util.List;
18 import java.util.Map;
19 import java.util.stream.Collectors;
20
21 @Component
22 public class LeaveStatusScheduler {
23
24     private static final Logger log = LoggerFactory.getLogger(LeaveStatusScheduler.class);
25
26     private final LeaveRequestRepo leaveRequestRepo;
27     private final EmployeeRepo employeeRepo;
28
29     public LeaveStatusScheduler(LeaveRequestRepo leaveRequestRepo,
30                               EmployeeRepo employeeRepo) {
31         this.leaveRequestRepo = leaveRequestRepo;
32         this.employeeRepo = employeeRepo;
33     }
34
35     /**
36      * Runs every day at midnight UTC
37      */
38     @Scheduled(cron = "0 0 0 * * *", zone = "UTC")
39     @Transactional
40     public void updateEmployeeLeaveStatus() {
41
42         log.info("=== Starting Timezone-Aware Leave Scheduler ===");
43
44         List<LeaveRequest> leaves =
45             leaveRequestRepo.findApprovedLeavesWithEmployee(LeaveStatus.APPROVED);
46
47         Map<Long, List<LeaveRequest>> employeeLeavesMap = leaves.stream()
48             .collect(Collectors.groupingBy(lr -> lr.getEmployee().getEmployeeId()));
49
50         int onLeaveCount = 0;
51         int activeCount = 0;
52
53         for (Map.Entry<Long, List<LeaveRequest>> entry : employeeLeavesMap.entrySet()) {
54
55             Employee employee = entry.getValue().get(0).getEmployee();
56
57             ZoneId zone = ZoneId.of(
58                 employee.getTimezone() != null ? employee.getTimezone() : "UTC"
59             );
60
61             LocalDate today = LocalDate.now(zone);
62
63             boolean isOnLeaveToday = entry.getValue().stream().anyMatch(leave ->
64                 !today.isBefore(leave.getStartDate()) &&
65                 !today.isAfter(leave.getEndDate())
66             );
67
68             // CASE 1: Should be ON_LEAVE
69             if (isOnLeaveToday && employee.getStatus() != Status.ON_LEAVE) {
70
71                 employee.setStatus(Status.ON_LEAVE);

```

```

72         employeeRepo.save(employee);
73         onLeaveCount++;
74
75         log.info("Employee {} ({} marked ON_LEAVE | TZ: {}",
76                 employee.getEmployeeId(),
77                 employee.getName(),
78                 zone);
79     }
80
81     // CASE 2: Should be ACTIVE
82     if (!isOnLeaveToday && employee.getStatus() == Status.ON_LEAVE) {
83
84         employee.setStatus(Status.ACTIVE);
85         employeeRepo.save(employee);
86         activeCount++;
87
88         log.info("Employee {} ({} marked ACTIVE | TZ: {}",
89                 employee.getEmployeeId(),
90                 employee.getName(),
91                 zone);
92     }
93 }
94
95     log.info("=== Scheduler Completed ===");
96     log.info("ON_LEAVE updated: {}", onLeaveCount);
97     log.info("ACTIVE updated: {}", activeCount);
98 }
99
100 /**
101  * Manual trigger (for testing)
102  */
103 public void runManually() {
104     log.info("Manual scheduler trigger started...");
105     updateEmployeeLeaveStatus();
106 }
107 }

```

```

1 // src/main/java/com/example/EmployeeManagementSystem/security/ApiKeyAuthenticationProvider.java
2 package com.example.EmployeeManagementSystem.security;
3
4 import com.example.EmployeeManagementSystem.Entity.ApiKey;
5 import com.example.EmployeeManagementSystem.Entity.Employee;
6 import com.example.EmployeeManagementSystem.Entity.Vendor;
7 import com.example.EmployeeManagementSystem.Repository.ApiKeyRepository;
8 import org.springframework.security.authentication.AuthenticationProvider;
9 import org.springframework.security.core.Authentication;
10 import org.springframework.security.core.AuthenticationException;
11 import org.springframework.security.core.GrantedAuthority;
12 import org.springframework.security.core.authority.SimpleGrantedAuthority;
13 import org.springframework.stereotype.Component;
14 import org.springframework.transaction.annotation.Transactional;
15
16 import java.time.Instant;
17 import java.util.ArrayList;
18 import java.util.Arrays;
19 import java.util.Collection;
20 import java.util.List;
21 import java.util.stream.Collectors;
22
23 @Component
24 public class ApiKeyAuthenticationProvider implements AuthenticationProvider {
25
26     private final ApiKeyRepository apiKeyRepository;
27
28     public ApiKeyAuthenticationProvider(ApiKeyRepository apiKeyRepository) {
29         this.apiKeyRepository = apiKeyRepository;
30     }
31
32     @Override
33     @Transactional
34     public Authentication authenticate(Authentication authentication) throws AuthenticationException {
35         String apiKey = null;
36
37         // Extract API key from the authentication object
38         if (authentication instanceof ApiKeyAuthenticationToken) {
39             apiKey = ((ApiKeyAuthenticationToken) authentication).getApiKey();
40         }
41
42         if (apiKey == null || apiKey.isEmpty()) {
43             throw new RuntimeException("Invalid API key");
44         }
45
46         ApiKey key = apiKeyRepository.findByApiKeyAndActiveTrue(apiKey)
47             .orElseThrow(() -> new RuntimeException("Invalid or inactive API key"));
48
49         // Check expiration
50         if (key.getExpiresAt() != null && key.getExpiresAt().isBefore(Instant.now())) {
51             throw new RuntimeException("API key has expired");
52         }
53
54         // Update last used timestamp
55         apiKeyRepository.updateLastUsed(apiKey, Instant.now());
56
57         // Build authorities from permissions
58         List<GrantedAuthority> authorities = new ArrayList<>();
59
60         if (key.getPermissions() != null && !key.getPermissions().isEmpty()) {
61             authorities.addAll(Arrays.stream(key.getPermissions().split(","))
62                 .map(String::trim)
63                 .map(SimpleGrantedAuthority::new)
64                 .collect(Collectors.toList()));
65         }
66
67         Object principal;
68         if (key.getEmployee() != null) {
69             principal = key.getEmployee();
70             authorities.add(new SimpleGrantedAuthority("ROLE_" + key.getEmployee().getRole().name()));
71         } else if (key.getVendor() != null) {

```

```
72         principal = key.getVendor();
73         authorities.add(new SimpleGrantedAuthority("ROLE_VENDOR"));
74     } else {
75         throw new RuntimeException("No user associated with API key");
76     }
77
78     return new ApiKeyAuthenticationToken(principal, apiKey, authorities);
79 }
80
81 @Override
82 public boolean supports(Class<?> authentication) {
83     return ApiKeyAuthenticationToken.class.isAssignableFrom(authentication);
84 }
85 }
```

```

1 // src/main/java/com/example/EmployeeManagementSystem/security/ApiKeyAuthenticationToken.java
2 package com.example.EmployeeManagementSystem.security;
3
4 import org.springframework.security.core.Authentication;
5 import org.springframework.security.core.GrantedAuthority;
6 import java.util.Collection;
7
8 public class ApiKeyAuthenticationToken implements Authentication {
9
10     private static final long serialVersionUID = 1L;
11
12     private final Object principal;
13     private final Object credentials;
14     private final String apiKey;
15     private final Collection<? extends GrantedAuthority> authorities;
16     private boolean authenticated;
17
18     // Constructor for unauthenticated API key (before validation)
19     public ApiKeyAuthenticationToken(String apiKey) {
20         this.apiKey = apiKey;
21         this.principal = null;
22         this.credentials = null;
23         this.authorities = null;
24         this.authenticated = false;
25     }
26
27     // Constructor for authenticated API key (after validation)
28     public ApiKeyAuthenticationToken(Object principal, Object credentials,
29                                     Collection<? extends GrantedAuthority> authorities) {
30         this.apiKey = null;
31         this.principal = principal;
32         this.credentials = credentials;
33         this.authorities = authorities;
34         this.authenticated = true;
35     }
36
37     @Override
38     public Collection<? extends GrantedAuthority> getAuthorities() {
39         return authorities;
40     }
41
42     @Override
43     public Object getCredentials() {
44         return credentials;
45     }
46
47     @Override
48     public Object getDetails() {
49         return null;
50     }
51
52     @Override
53     public Object getPrincipal() {
54         return principal;
55     }
56
57     @Override
58     public boolean isAuthenticated() {
59         return authenticated;
60     }
61
62     @Override
63     public void setAuthenticated(boolean isAuthenticated) throws IllegalArgumentException {
64         this.authenticated = isAuthenticated;
65     }
66
67     @Override
68     public String getName() {
69         if (principal instanceof org.springframework.security.core.userdetails.UserDetails) {
70             return ((org.springframework.security.core.userdetails.UserDetails) principal).getUsername();
71         }

```

```
72         if (principal instanceof com.example.EmployeeManagementSystem.Entity.Employee) {
73             return ((com.example.EmployeeManagementSystem.Entity.Employee) principal).getUsername();
74         }
75         if (principal instanceof com.example.EmployeeManagementSystem.Entity.Vendor) {
76             return ((com.example.EmployeeManagementSystem.Entity.Vendor) principal).getUsername();
77         }
78         return principal != null ? principal.toString() : apiKey;
79     }
80
81     public String getApiKey() {
82         return apiKey;
83     }
84 }
```

```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.ApiKey;
4 import com.example.EmployeeManagementSystem.Entity.Vendor;
5 import com.example.EmployeeManagementSystem.Repository.ApiKeyRepository;
6 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
7 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
8 import org.springframework.beans.factory.annotation.Autowired;
9 import org.springframework.stereotype.Service;
10 import org.springframework.transaction.annotation.Transactional;
11
12 import java.time.Instant;
13 import java.time.temporal.ChronoUnit;
14 import java.util.List;
15
16 @Service
17 public class ApiKeyService {
18
19     @Autowired
20     private ApiKeyRepository apiKeyRepository;
21     @Autowired private EmployeeRepo employeeRepo;
22     @Autowired private VendorRepo vendorRepo;
23
24     @Transactional
25     public ApiKey generateForVendor(Long vendorId, String name,
26                                     String permissions, int validDays) {
27         Vendor vendor = vendorRepo.findById(vendorId)
28             .orElseThrow(() -> new RuntimeException("Vendor not found"));
29
30         ApiKey key = new ApiKey(); // constructor auto-generates "ems_<uuid>"
31         key.setVendor(vendor);
32         key.setKeyName(name);
33         key.setPermissions(permissions); // e.g. "VENDOR_WRITE" or "TECH_VENDOR"
34         key.setExpiresAt(Instant.now().plus(validDays, ChronoUnit.DAYS));
35         key.setActive(true);
36         return apiKeyRepository.save(key);
37     }
38
39     // Same for employee-issued keys if needed
40     public List<ApiKey> getActiveKeysForVendor(Long vendorId) {
41         return apiKeyRepository.findByVendor_IdAndActiveTrue(vendorId);
42     }
43
44     @Transactional
45     public void revokeKey(Long keyId) {
46         ApiKey key = apiKeyRepository.findById(keyId)
47             .orElseThrow(() -> new RuntimeException("Key not found"));
48         key.setActive(false);
49         apiKeyRepository.save(key);
50     }
51 }
52
```



```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
5 import com.example.EmployeeManagementSystem.Entity.LeaveWarning;
6 import com.example.EmployeeManagementSystem.Enum.Status;
7 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
8 import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
9 import com.example.EmployeeManagementSystem.Repository.LeaveWarningRepository;
10 import org.slf4j.Logger;
11 import org.slf4j.LoggerFactory;
12 import org.springframework.stereotype.Service;
13 import org.springframework.transaction.annotation.Transactional;
14
15 import java.math.BigDecimal;
16 import java.time.LocalDate;
17 import java.util.List;
18
19 @Service
20 public class CarryForwardWarningService {
21
22     private static final Logger log = LoggerFactory.getLogger(CarryForwardWarningService.class);
23
24     private static final BigDecimal CAP = BigDecimal.valueOf(30);
25     private static final BigDecimal WARN_AT_29 = BigDecimal.valueOf(29);
26     private static final BigDecimal WARN_AT_28 = BigDecimal.valueOf(28);
27
28     private final EmployeeRepo employeeRepository;
29     private final LeaveEntitlementRepository entitlementRepository;
30     private final LeaveWarningRepository warningRepository;
31
32     public CarryForwardWarningService(EmployeeRepo employeeRepository,
33                                     LeaveEntitlementRepository entitlementRepository,
34                                     LeaveWarningRepository warningRepository) {
35         this.employeeRepository = employeeRepository;
36         this.entitlementRepository = entitlementRepository;
37         this.warningRepository = warningRepository;
38     }
39
40     @Transactional
41     public void runWarningCheck(LocalDate checkDate) {
42         List<Employee> activeEmployees = employeeRepository.findByStatus(Status.ACTIVE);
43
44         for (Employee employee : activeEmployees) {
45             BigDecimal carryForwardTotal = calculateCarryForwardBalance(employee, checkDate);
46             evaluateAndWarn(employee, carryForwardTotal, checkDate);
47         }
48
49         log.info("Warning check complete for {} – {} employees evaluated",
50               checkDate, activeEmployees.size());
51     }
52
53     // -----
54     // Sum available balance across all carry-forwardable types
55     // for the current year (this is what will carry forward if unused)
56     // -----
57     private BigDecimal calculateCarryForwardBalance(Employee employee, LocalDate date) {
58         int year = date.getYear();
59
60         List<LeaveEntitlement> entitlements =
61             entitlementRepository.findByEmployeeEmployeeIdAndYear(employee.getEmployeeId(), year);
62
63         return entitlements.stream()
64             .filter(e -> e.getLeaveType().isCarriesForward())
65             .map(LeaveEntitlement::getAvailableBalance)
66             .reduce(BigDecimal.ZERO, BigDecimal::add);
67     }
68
69     // -----
70     // Decide which warning to issue based on carry-forward total
71     // -----

```

```

72     private void evaluateAndWarn(Employee employee, BigDecimal balance, LocalDate date) {
73         int cmp30 = balance.compareTo(CAP);
74         int cmp29 = balance.compareTo(WARN_AT_29);
75         int cmp28 = balance.compareTo(WARN_AT_28);
76
77         if (cmp30 > 0) {
78             // Balance EXCEEDS cap – a day was wasted (cap enforcement happens in Phase 5,
79             // but we flag it here so the warning appears immediately after accrual)
80             issueWarning(employee, LeaveWarning.WarningType.DAY_WASTED, balance, date,
81                 "A carry-forward day was wasted this month because your balance exceeded the 30-day
82 cap.");
83         } else if (cmp30 == 0) {
84             issueWarning(employee, LeaveWarning.WarningType.CAP_REACHED, balance, date,
85                 "Carry-forward cap reached (30 days). Next month's unused leave will be wasted.");
86         } else if (cmp29 >= 0) {
87             issueWarning(employee, LeaveWarning.WarningType.APPROACHING_29, balance, date,
88                 "You have " + balance.toPlainString() + " carry-forward days. "
89                 + "1 month until cap. Use leave before it stops accumulating.");
90         } else if (cmp28 >= 0) {
91             issueWarning(employee, LeaveWarning.WarningType.APPROACHING_28, balance, date,
92                 "You have " + balance.toPlainString() + " carry-forward days. "
93                 + "2 months until cap (30). Plan to use leave soon.");
94         }
95         // Below 28 – no warning needed
96     }
97 }
98
99 // -----
100 // Persist warning – skip if same type already issued today
101 // -----
102 private void issueWarning(Employee employee, LeaveWarning.WarningType type,
103     BigDecimal balance, LocalDate date, String message) {
104     boolean alreadyIssued = warningRepository
105         .existsByEmployeeEmployeeIdAndWarningTypeAndWarningDate(employee.getEmployeeId(), type,
106 date);
107     if (alreadyIssued) {
108         log.debug("Warning {} already issued for employee {} on {}", type, employee.getEmployeeId(),
109 date);
110         return;
111     }
112
113     LeaveWarning warning = new LeaveWarning();
114     warning.setEmployee(employee);
115     warning.setWarningType(type);
116     warning.setMessage(message);
117     warning.setCarryForwardBalance(balance);
118     warning.setWarningDate(date);
119
120     warningRepository.save(warning);
121
122     log.info("Warning issued – employee={} type={} balance={} date={}",
123         employee.getEmployeeId(), type, balance, date);
124 }
125 }
126 }

```

133 Current:

src\main\java\com\example\EmployeeManagementSystem\Service\CombinedUserDetailService.java

```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.Vendor;
5 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
6 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
7 import org.springframework.security.core.userdetails.UserDetails;
8 import org.springframework.security.core.userdetails.UserDetailsService;
9 import org.springframework.security.core.userdetails.UsernameNotFoundException;
10 import org.springframework.stereotype.Service;
11
12 import java.util.Optional;
13
14 @Service("combinedUserDetailsService")
15 public class CombinedUserDetailsService implements UserDetailsService {
16
17     private final VendorRepo vendorRepository;
18     private final EmployeeRepo employeeRepository;
19
20     public CombinedUserDetailsService(VendorRepo vendorRepository, EmployeeRepo employeeRepository) {
21         this.vendorRepository = vendorRepository;
22         this.employeeRepository = employeeRepository;
23     }
24
25     @Override
26     public UserDetails loadUserByUsername(String username) throws UsernameNotFoundException {
27         Optional<Employee> employee = employeeRepository.findByEmail(username);
28         if (employee.isPresent()) {
29             return employee.get(); // must implement UserDetails
30         }
31
32         // Then try Vendor
33         Optional<Vendor> vendor = vendorRepository.findByEmail(username);
34         if (vendor.isPresent()) {
35             return vendor.get();
36         }
37
38         throw new UsernameNotFoundException("User not found: " + username);
39     }
40 }
41
```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Enum.Role;
5 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
6 import com.example.EmployeeManagementSystem.Repository VendorRepo;
7 import org.springframework.security.core.GrantedAuthority;
8 import org.springframework.security.core.authority.SimpleGrantedAuthority;
9 import org.springframework.security.crypto.password.PasswordEncoder;
10 import org.springframework.security.oauth2.client.userinfo.DefaultOAuth2UserService;
11 import org.springframework.security.oauth2.client.userinfo.OAuth2UserRequest;
12 import org.springframework.security.oauth2.core.user.DefaultOAuth2User;
13 import org.springframework.security.oauth2.core.user.OAuth2User;
14 import org.springframework.stereotype.Service;
15
16 import java.util.ArrayList;
17 import java.util.List;
18 import java.util.UUID;
19
20 @Service
21 public class CustomOAuth2UserService extends DefaultOAuth2UserService {
22
23     private final EmployeeRepo employeeRepo;
24     private final VendorRepo vendorRepo;
25     private final PasswordEncoder passwordEncoder;
26
27     public CustomOAuth2UserService(EmployeeRepo employeeRepo,
28                                   VendorRepo vendorRepo,
29                                   PasswordEncoder passwordEncoder) {
30         this.employeeRepo = employeeRepo;
31         this.vendorRepo = vendorRepo;
32         this.passwordEncoder = passwordEncoder;
33     }
34
35     @Override
36     public OAuth2User loadUser(OAuth2UserRequest userRequest) {
37         System.out.println("=== CustomOAuth2UserService.loadUser() called ===");
38         OAuth2User oAuth2User = super.loadUser(userRequest);
39
40         String email = oAuth2User.getAttribute("email");
41         String name = oAuth2User.getAttribute("name");
42         System.out.println("OAuth email: " + email);
43
44         boolean employeeExists = employeeRepo.findByEmail(email).isPresent();
45         boolean vendorExists = vendorRepo.findByEmail(email).isPresent();
46         System.out.println("employeeExists=" + employeeExists + ", vendorExists=" + vendorExists);
47
48         List<GrantedAuthority> authorities = new ArrayList<>(oAuth2User.getAuthorities());
49
50         if (employeeExists) {
51             Employee employee = employeeRepo.findByEmail(email).get();
52             authorities.add(new SimpleGrantedAuthority("ROLE_" + employee.getRole().name()));
53
54             // ADD THIS – loads LEAVE_CANCEL, SUBSCRIPTION_READ, etc. into the session
55             employee.getRole().getPermissions().forEach(permission ->
56                 authorities.add(new SimpleGrantedAuthority(permission.name()))
57             );
58
59             System.out.println("Returning existing employee with role: " + employee.getRole());
60             return new DefaultOAuth2User(authorities, oAuth2User.getAttributes(), "sub");
61         }
62
63         if (vendorExists) {
64             // add vendor role if needed
65             authorities.add(new SimpleGrantedAuthority("ROLE_VENDOR"));
66             System.out.println("Returning existing vendor");
67             return new DefaultOAuth2User(authorities, oAuth2User.getAttributes(), "sub");
68         }
69
70         // New user
71         registerAsUser(email, name);

```

```
72     authorities.add(new SimpleGrantedAuthority("ROLE_USER"));
73     return new DefaultOAuth2User(authorities, oAuth2User.getAttributes(), "sub");
74 }
75
76 private void registerAsUser(String email, String name) {
77     Employee e = new Employee();
78     e.setEmail(email);
79     e.setName(name);
80     e.setPassword(passwordEncoder.encode(UUID.randomUUID().toString()));
81     e.setRole(Role.USER);
82     e.setTimezone("Asia/Kolkata");
83     e.setDept("UNASSIGNED");
84     employeeRepo.saveAndFlush(e); // flush immediately so OAuth2SuccessHandler sees the record
85     System.out.println("New USER registered and flushed for: " + email);
86 }
87 }
```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.VendorDTO;
4 import com.example.EmployeeManagementSystem.DTO.VendorRequest;
5 import com.example.EmployeeManagementSystem.Entity.Delivery;
6 import com.example.EmployeeManagementSystem.Entity.Subscription;
7 import com.example.EmployeeManagementSystem.Entity.Vendor;
8 import com.example.EmployeeManagementSystem.Enum.DeliveryStatus;
9 import com.example.EmployeeManagementSystem.Enum.Role;
10 import com.example.EmployeeManagementSystem.Enum.SubscriptionStatus;
11 import com.example.EmployeeManagementSystem.Exception.VendorNotFoundException;
12 import com.example.EmployeeManagementSystem.Repository.DeliveryRepository;
13 import com.example.EmployeeManagementSystem.Repository.SubscriptionRepository;
14 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
15 import com.example.EmployeeManagementSystem.Util.AuthUtil;
16 import org.slf4j.Logger;
17 import org.slf4j.LoggerFactory;
18 import org.springframework.dao.DataIntegrityViolationException;
19 import org.springframework.security.core.Authentication;
20 import org.springframework.security.crypto.password.PasswordEncoder;
21 import org.springframework.stereotype.Service;
22 import org.springframework.transaction.annotation.Transactional;
23
24 import java.time.Instant;
25 import java.util.List;
26 import java.util.stream.Collectors;
27
28 @Service
29 public class DeliveryService {
30     private final SubscriptionRepository subscriptionRepository;
31     private final DeliveryRepository deliveryRepository;
32     private final DeliveryTimeService deliveryTimeService;
33     private static final Logger logger = LoggerFactory.getLogger(DeliveryService.class);
34
35     public DeliveryService(SubscriptionRepository subscriptionRepository,
36                           DeliveryRepository deliveryRepository,
37                           DeliveryTimeService deliveryTimeService) {
38         this.subscriptionRepository = subscriptionRepository;
39         this.deliveryRepository = deliveryRepository;
40         this.deliveryTimeService = deliveryTimeService;
41     }
42
43     // AFTER
44     @Transactional
45     public void processDueDeliveries() {
46         Instant now = Instant.now();
47         List<Subscription> dueSubscriptions = subscriptionRepository
48             .findDueSubscriptions(SubscriptionStatus.ACTIVE.name(), now);
49
50         for (Subscription subscription : dueSubscriptions) {
51             try {
52                 Delivery delivery = new Delivery();
53                 delivery.setSubscription(subscription);
54                 delivery.setMealSlot(subscription.getSlot());
55                 delivery.setScheduledDeliveryTime(subscription.getNextDeliveryTime());
56                 delivery.setStatus(DeliveryStatus.IN_PROGRESS);
57                 deliveryRepository.save(delivery);
58
59                 Instant nextDelivery = deliveryTimeService.getNextDeliveryTime(subscription);
60                 subscription.setNextDeliveryTime(nextDelivery);
61                 subscriptionRepository.save(subscription);
62
63             } catch (DataIntegrityViolationException e) {
64                 // Duplicate delivery already exists – just advance the next delivery time
65                 logger.warn("Duplicate delivery skipped for subscription ID: {}", subscription.getId());
66                 Instant nextDelivery = deliveryTimeService.getNextDeliveryTime(subscription);
67                 subscription.setNextDeliveryTime(nextDelivery);
68                 subscriptionRepository.save(subscription);
69             }
70         }
71     }

```

```

72
73     @Transactional
74     public Delivery updateDeliveryStatus(Long deliveryId, DeliveryStatus status) {
75         Delivery delivery = deliveryRepository.findById(deliveryId)
76             .orElseThrow(() -> new RuntimeException("Delivery not found"));
77
78         delivery.setStatus(status);
79         if (status == DeliveryStatus.DELIVERED) {
80             delivery.setActualDeliveryTime(Instant.now());
81         }
82
83         return deliveryRepository.save(delivery);
84     }
85
86     public List<Delivery> getDeliveriesBySubscription(Long subscriptionId) {
87         Subscription subscription = subscriptionRepository.findById(subscriptionId)
88             .orElseThrow(() -> new RuntimeException("Subscription not found"));
89         return deliveryRepository.findRecentDeliveriesBySubscription(subscription,
DeliveryStatus.SCHEDULED);
90     }
91
92     @Service
93     public static class VendorService {
94
95         private static final Logger log = LoggerFactory.getLogger(VendorService.class);
96         private final VendorRepo vendorRepo;
97         private final PasswordEncoder passwordEncoder;
98
99         public VendorService(VendorRepo vendorRepo, PasswordEncoder passwordEncoder) {
100             this.vendorRepo = vendorRepo;
101             this.passwordEncoder = passwordEncoder;
102         }
103
104         public VendorDTO registerVendor(VendorRequest request) {
105             if (vendorRepo.existsByEmail(request.getEmail())) {
106                 throw new IllegalArgumentException(
107                     "A vendor with email " + request.getEmail() + " already exists");
108             }
109             Vendor vendor = new Vendor();
110             vendor.setName(request.getName());
111             vendor.setEmail(request.getEmail());
112             vendor.setPhone(request.getPhone());
113             vendor.setRole(request.getRole());
114             vendor.setPassword(passwordEncoder.encode(request.getPassword()));
115             Vendor saved = vendorRepo.save(vendor);
116             log.info("Vendor registered: {} (id={})", saved.getName(), saved.getId());
117             return toDTO(saved);
118         }
119
120         public VendorDTO getVendor(Authentication authentication) {
121             String email= AuthUtil.extractEmail(authentication);
122             return toDTO(vendorRepo.findById(email).orElseThrow(
123                 ()->new VendorNotFoundException("Cannot get others account")
124             ));
125         }
126
127         public List<VendorDTO> getAllVendors() {
128             return vendorRepo.findAll().stream()
129                 .map(this::toDTO)
130                 .collect(Collectors.toList());
131         }
132
133         public VendorDTO updateVendor(VendorRequest request, Authentication authentication) {
134             String email= AuthUtil.extractEmail(authentication);
135             Vendor vendor = vendorRepo.findById(email).orElseThrow(
136                 ()->new VendorNotFoundException("Cannot update others account")
137             );
138             if (request.getName() != null) vendor.setName(request.getName());
139             if (request.getPhone() != null) vendor.setPhone(request.getPhone());
140             if (request.getPassword() != null)
vendor.setPassword(passwordEncoder.encode(request.getPassword()));
141             // Email update not allowed to avoid breaking restaurant ownership references
142             return toDTO(vendorRepo.save(vendor));
143         }
144
145         public void deleteVendor(Authentication authentication) {

```

```
146         String email= AuthUtil.extractEmail(authentication);
147         Vendor vendor = vendorRepo.findByEmail(email).orElseThrow(
148             ()->new VendorNotFoundException("Cannot delete others account")
149         );
150         vendorRepo.delete(vendor);
151         log.info("Vendor deleted: email={}", email);
152     }
153
154     public void deleteVendorById(Long vendorId) {
155         Vendor vendor = findOrThrow(vendorId);
156         vendorRepo.delete(vendor);
157         log.info("Vendor deleted by admin: id={}, email={}", vendor.getId(), vendor.getEmail());
158     }
159
160     // helpers
161
162     private Vendor findOrThrow(Long id) {
163         return vendorRepo.findById(id)
164             .orElseThrow(() -> new VendorNotFoundException("Vendor with id " + id + " not found"));
165     }
166
167     private VendorDTO toDTO(Vendor vendor) {
168         VendorDTO dto = new VendorDTO();
169         dto.setId(vendor.getId());
170         dto.setName(vendor.getName());
171         dto.setEmail(vendor.getEmail());
172         dto.setPhone(vendor.getPhone());
173         dto.setRegisteredAt(vendor.getRegisteredAt());
174         return dto;
175     }
176 }
177 }
178
```



```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.SubscriptionRequest;
4 import com.example.EmployeeManagementSystem.Entity.Employee;
5 import com.example.EmployeeManagementSystem.Entity.Subscription;
6 import com.example.EmployeeManagementSystem.Enum.MealSlot;
7 import com.example.EmployeeManagementSystem.Enum.ScheduleType;
8 import org.springframework.stereotype.Service;
9
10 import java.time.*;
11
12 @Service
13 public class DeliveryTimeService {
14
15     private final MealSlotService mealSlotService;
16
17     public DeliveryTimeService(MealSlotService mealSlotService) {
18         this.mealSlotService = mealSlotService;
19     }
20     public Instant calculateNextDelivery(SubscriptionsRequest request, MealSlot slot, Employee employee) {
21         ZoneId userZone=ZoneId.of(employee.getTimezone());
22         if (request.getScheduleType() == ScheduleType.DAILY) {
23             return calculateDailyNextDelivery(slot,userZone);
24         } else {
25             return calculateWeeklyNextDelivery(slot, request.getDayOfWeek(),userZone);
26         }
27     }
28
29     private Instant calculateDailyNextDelivery(MealSlot slot, ZoneId userZone) {
30         LocalDateTime slotTime = mealSlotService.getTime(slot);
31         ZonedDateTime now = ZonedDateTime.now(userZone);
32         ZonedDateTime deliveryTime;
33
34         if (now.toLocalTime().isBefore(slotTime)) {
35             deliveryTime=ZonedDateTime.of(now.toLocalDate(),slotTime,userZone);
36         } else {
37             deliveryTime=ZonedDateTime.of(now.toLocalDate().plusDays(1), slotTime,userZone);
38         }
39         return deliveryTime.toInstant();
40     }
41
42     private Instant calculateWeeklyNextDelivery(MealSlot slot, DayOfWeek dayOfWeek,ZoneId userZone) {
43         LocalDateTime slotTime = mealSlotService.getTime(slot);
44         ZonedDateTime now=ZonedDateTime.now(userZone);
45         DayOfWeek today = now.getDayOfWeek();
46
47         int daysToAdd = dayOfWeek.getValue() - today.getValue();
48
49         if (daysToAdd == 0) {
50             if (now.toLocalTime().isBefore(slotTime)) {
51                 return ZonedDateTime.of(now.toLocalDate(), slotTime,userZone).toInstant();
52             } else {
53                 return ZonedDateTime.of(now.toLocalDate().plusDays(7), slotTime,userZone).toInstant();
54             }
55         }
56         if (daysToAdd < 0) {
57             daysToAdd += 7;
58         }
59
60         ZonedDateTime deliveryTime = ZonedDateTime.of(
61             now.toLocalDate().plusDays(daysToAdd),slotTime,userZone);
62         return deliveryTime.toInstant();
63     }
64
65     public Instant getNextDeliveryTime(Subscriptions subscription) {
66         ZoneId userZone=ZoneId.of(subscription.getEmployee().getTimezone());
67         if (subscription.getScheduleType() == ScheduleType.DAILY) {
68             return calculateDailyNextDelivery(subscription.getSlot(),userZone);
69         } else {
70             return calculateWeeklyNextDelivery(subscription.getSlot(),
71 subscription.getDayOfWeek(),userZone);
72         }
73     }
74 }
```

```
71     }
```

```
72 }
```

```
73 }
```

```
74
```

```

1  package com.example.EmployeeManagementSystem.Service;
2
3  import com.example.EmployeeManagementSystem.DTO.AssignDeviceRequest;
4  import com.example.EmployeeManagementSystem.DTO.DeviceAssignmentResponseDTO;
5  import com.example.EmployeeManagementSystem.DTO.DeviceDTO;
6  import com.example.EmployeeManagementSystem.DTO.DeviceResponseDTO;
7  import com.example.EmployeeManagementSystem.Entity.Device;
8  import com.example.EmployeeManagementSystem.Entity.DeviceAssignment;
9  import com.example.EmployeeManagementSystem.Entity.Employee;
10 import com.example.EmployeeManagementSystem.Entity.Vendor;
11 import com.example.EmployeeManagementSystem.Enum.AssignmentStatus;
12 import com.example.EmployeeManagementSystem.Enum.DeviceStatus;
13 import com.example.EmployeeManagementSystem.Enum.Role;
14 import com.example.EmployeeManagementSystem.Enum.Status;
15 import com.example.EmployeeManagementSystem.Exception.VendorNotFoundException;
16 import com.example.EmployeeManagementSystem.Repository.DeviceAssignmentRepo;
17 import com.example.EmployeeManagementSystem.Repository.DeviceRepository;
18 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
19 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
20 import com.example.EmployeeManagementSystem.Util.AuthUtil;
21 import org.springframework.security.core.Authentication;
22 import org.springframework.stereotype.Service;
23 import org.springframework.transaction.annotation.Transactional;
24
25 import java.time.LocalDate;
26 import java.time.LocalDateTime;
27 import java.util.List;
28 import java.util.Set;
29
30 @Service
31 public class DeviceService {
32     private final DeviceRepository deviceRepository;
33     private final VendorRepo vendorRepo;
34     private final DeviceAssignmentRepo deviceAssignmentRepo;
35     private final EmployeeRepo employeeRepo;
36
37     public DeviceService(DeviceRepository deviceRepository,
38                         VendorRepo vendorRepo,
39                         DeviceAssignmentRepo deviceAssignmentRepo,
40                         EmployeeRepo employeeRepo) {
41         this.deviceRepository = deviceRepository;
42         this.vendorRepo = vendorRepo;
43         this.deviceAssignmentRepo = deviceAssignmentRepo;
44         this.employeeRepo = employeeRepo;
45     }
46
47     public Device addDevice(DeviceDTO deviceDTO, Authentication authentication) {
48         String email = AuthUtil.extractEmail(authentication);
49         Vendor vendor = vendorRepo.findByEmail(email)
50             .orElseThrow(() -> new RuntimeException("Vendor not found"));
51
52         Device device = new Device();
53         device.setDeviceName(deviceDTO.getDeviceName());
54         device.setWarrantyExpiryDate(deviceDTO.getWarrantyExpiryDate());
55         device.setBrand(deviceDTO.getBrand());
56         device.setDeviceStatus(DeviceStatus.AVAILABLE);
57         device.setDeviceType(deviceDTO.getDeviceType());
58         device.setTechVendor(vendor);
59         device.setCreatedAt(LocalDateTime.now());
60         return deviceRepository.save(device);
61     }
62
63     public List<DeviceResponseDTO> getDevicesForLoggedInVendor(Authentication authentication) {
64         String email = AuthUtil.extractEmail(authentication);
65         Vendor vendor = vendorRepo.findByEmail(email)
66             .orElseThrow(() -> new RuntimeException("Vendor not found"));
67
68         return deviceRepository.findByTechVendorId(vendor.getId()).stream()
69             .map(this::toDeviceResponse)
70             .toList();
71     }

```

```

72
73     public List<DeviceResponseDTO> getDevicesForLoggedInEmployee(Authentication authentication) {
74         String email = AuthUtil.extractEmail(authentication);
75         Employee employee = employeeRepo.findByEmail(email)
76             .orElseThrow(() -> new RuntimeException("Employee not found"));
77
78         return deviceAssignmentRepo.findByAssignedToEmployeeIdAndStatus(employee.getEmployeeId(),
79 AssignmentStatus.ACTIVE)
80             .stream()
81             .map(DeviceAssignment::getDevice)
82             .map(this::toDeviceResponse)
83             .toList();
84     }
85
86     public List<DeviceResponseDTO> getUnassignedDevices() {
87         return deviceRepository.findByDeviceStatus(DeviceStatus.AVAILABLE).stream()
88             .map(this::toDeviceResponse)
89             .toList();
90     }
91
92     @Transactional
93     public DeviceAssignment assignDevice(Long deviceId, AssignDeviceRequest request) {
94         if (request.getEmployeeId() == null) {
95             throw new IllegalArgumentException("employeeId is required");
96         }
97
98         Device device = deviceRepository.findById(deviceId)
99             .orElseThrow(() -> new RuntimeException("Device not found"));
100
101         Employee employee = employeeRepo.findById(request.getEmployeeId())
102             .orElseThrow(() -> new RuntimeException("Employee not found"));
103
104         if (employee.getStatus() != Status.ACTIVE) {
105             throw new IllegalArgumentException("Device can only be assigned to an active user");
106         }
107
108         if (!Set.of(Role.EMPLOYEE, Role.MANAGER, Role.ADMIN).contains(employee.getRole())) {
109             throw new IllegalArgumentException("Devices can only be assigned to employees, managers, or
110 admins");
111         }
112
113         if (device.getDeviceStatus() != DeviceStatus.AVAILABLE) {
114             throw new IllegalArgumentException("Only available devices can be assigned");
115         }
116
117         deviceAssignmentRepo.findByDeviceIdAndStatus(deviceId, AssignmentStatus.ACTIVE)
118             .ifPresent(existingAssignment -> {
119                 throw new IllegalArgumentException("Device is already assigned");
120             });
121
122         DeviceAssignment assignment = new DeviceAssignment();
123         assignment.setDevice(device);
124         assignment.setAssignedTo(employee);
125         assignment.setStatus(AssignmentStatus.ACTIVE);
126         assignment.setAssignedDate(LocalDate.now());
127
128         DeviceAssignment savedAssignment = deviceAssignmentRepo.save(assignment);
129         device.setCurrentAssignment(savedAssignment);
130         device.setDeviceStatus(DeviceStatus.ASSIGNED);
131         deviceRepository.save(device);
132
133         return savedAssignment;
134     }
135
136     private DeviceResponseDTO toDeviceResponse(Device device) {
137         DeviceResponseDTO response = new DeviceResponseDTO();
138         response.setId(device.getId());
139         response.setDeviceName(device.getDeviceName());
140         response.setBrand(device.getBrand());
141         response.setWarrantyExpiryDate(device.getWarrantyExpiryDate());
142         response.setDeviceType(device.getDeviceType());
143         response.setDeviceStatus(device.getDeviceStatus());
144
145         if (device.getTechVendor() != null) {

```

```

146         response.setVendorName(device.getTechVendor().getName());
147     }
148
149     DeviceAssignment currentAssignment = device.getCurrentAssignment();
150     if (currentAssignment != null) {
151         response.setAssignedDate(currentAssignment.getAssignedDate());
152
153         Employee assignedEmployee = currentAssignment.getAssignedTo();
154         if (assignedEmployee != null) {
155             response.setAssignedEmployeeId(assignedEmployee.getEmployeeId());
156             response.setAssignedEmployeeName(assignedEmployee.getName());
157         }
158     }
159
160     return response;
161 }
162
163 public List<DeviceAssignmentResponseDTO> getDeviceAssignmentOfVendor(Authentication authentication) {
164     String email=AuthUtil.extractEmail(authentication);
165     Vendor vendor=vendorRepo.findByEmail(email).orElseThrow(
166         ()->new VendorNotFoundException("Vendor:"+email+" not found")
167     );
168     List<DeviceAssignment>
deviceAssignments=deviceAssignmentRepo.getAllAssignmentsByVendorId(vendor.getId());
169     return deviceAssignments.stream().map(deviceAssignment -> toAssignmentDTO(deviceAssignment)).toList();
170 }
171
172 private DeviceAssignmentResponseDTO toAssignmentDTO(DeviceAssignment a) {
173     DeviceAssignmentResponseDTO dto = new DeviceAssignmentResponseDTO();
174     dto.setId(a.getId());
175     dto.setStatus(a.getStatus());
176     dto.setAssignedDate(a.getAssignedDate());
177
178     if (a.getDevice() != null) {
179         dto.setDeviceId(a.getDevice().getId());
180         dto.setDeviceName(a.getDevice().getDeviceName());
181         dto.setDeviceBrand(a.getDevice().getBrand());
182         dto.setDeviceType(a.getDevice().getDeviceType());
183     }
184
185     if (a.getAssignedTo() != null) {
186         dto.setEmployeeId(a.getAssignedTo().getEmployeeId());
187         dto.setEmployeeName(a.getAssignedTo().getName()); // adjust to your Employee field
188     }
189
190     return dto;
191 }
192 }
193

```

```

1  package com.example.EmployeeManagementSystem.Service;
2
3  import com.example.EmployeeManagementSystem.DTO.*;
4  import com.example.EmployeeManagementSystem.Entity.Employee;
5  import com.example.EmployeeManagementSystem.Entity.LeaveRequest;
6  import com.example.EmployeeManagementSystem.Enum.Role;
7  import com.example.EmployeeManagementSystem.Enum.Status;
8  import com.example.EmployeeManagementSystem.Exception.EmployeeNotFound;
9  import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
10 import com.example.EmployeeManagementSystem.Repository.LeaveRequestRepo;
11 import com.example.EmployeeManagementSystem.Repository.RefreshTokenRepository;
12 import com.example.EmployeeManagementSystem.Util.AuthUtil;
13 import org.slf4j.Logger;
14 import org.slf4j.LoggerFactory;
15 import org.springframework.http.ResponseEntity;
16 import org.springframework.security.core.Authentication;
17 import org.springframework.security.crypto.password.PasswordEncoder;
18 import org.springframework.stereotype.Service;
19 import org.springframework.transaction.annotation.Transactional;
20
21 import java.time.ZoneId;
22 import java.util.List;
23 import java.util.stream.Collectors;
24
25 @Service
26 public class EmployeeService {
27
28     private static final Logger log = LoggerFactory.getLogger(EmployeeService.class);
29
30     private final EmployeeRepo employeeRepo;
31     private final LeaveRequestRepo leaveRequestRepo;
32     private final PasswordEncoder passwordEncoder;
33     private final RefreshTokenRepository refreshTokenRepository; // FIX: added
34
35     public EmployeeService(EmployeeRepo employeeRepo,
36                             LeaveRequestRepo leaveRequestRepo,
37                             PasswordEncoder passwordEncoder,
38                             RefreshTokenRepository refreshTokenRepository) {
39         this.employeeRepo = employeeRepo;
40         this.leaveRequestRepo = leaveRequestRepo;
41         this.passwordEncoder = passwordEncoder;
42         this.refreshTokenRepository = refreshTokenRepository; // FIX: injected
43     }
44
45     public List<Employee> getAllEmployees() {
46         return employeeRepo.findAll();
47     }
48
49     public Employee createEmployee(AdminEmployeeDTO employeeDTO) {
50         log.info("Creating new employee with email: {}", employeeDTO.getEmail());
51         var employee = new Employee();
52         if (employeeDTO.getName() != null) employee.setName(employeeDTO.getName());
53         if (employeeDTO.getEmail() != null) employee.setEmail(employeeDTO.getEmail());
54         if (employeeDTO.getTimezone() != null && isValidTimezone(employeeDTO.getTimezone())) {
55             employee.setTimezone(employeeDTO.getTimezone());
56         } else {
57             employee.setTimezone("UTC");
58         }
59         employee.setRole(Role.EMPLOYEE);
60         if (employeeDTO.getPassword() == null) {
61             throw new RuntimeException("Password is required");
62         }
63         employee.setPassword(passwordEncoder.encode(employeeDTO.getPassword()));
64         employee.setGender(employeeDTO.getGender());
65         Employee manager=employeeRepo.findById(employeeDTO.getManagerId()).orElseThrow(
66             ()->new EmployeeNotFound("Employee with not found"+ employeeDTO.getManagerId())
67         );
68         employee.setDept(manager.getDept());
69         employee.setManager(manager);
70         return employeeRepo.save(employee);
71     }

```

```

72
73     public Employee createManager(EmployeeDTO employeeDTO) {
74         log.info("Creating new manager with email: {}", employeeDTO.getEmail());
75         var employee = new Employee();
76         if (employeeDTO.getName() != null) employee.setName(employeeDTO.getName());
77         if (employeeDTO.getEmail() != null) employee.setEmail(employeeDTO.getEmail());
78         if (employeeDTO.getDept() != null) employee.setDept(employeeDTO.getDept());
79         if (employeeDTO.getTimezone() != null && isValidTimezone(employeeDTO.getTimezone())) {
80             employee.setTimezone(employeeDTO.getTimezone());
81         } else {
82             employee.setTimezone("UTC");
83         }
84         employee.setRole(Role.MANAGER);
85         if (employeeDTO.getPassword() == null) {
86             throw new RuntimeException("Password is required");
87         }
88         employee.setPassword(passwordEncoder.encode(employeeDTO.getPassword()));
89         employee.setGender(employeeDTO.getGender());
90         return employeeRepo.save(employee);
91     }
92
93     public Employee updateEmployee(long id, EmployeeDTO employee) {
94         var updateEmployee = employeeRepo.findById(id).orElseThrow(
95             () -> new EmployeeNotFound("Employee with id:" + id + " not found")
96         );
97         if (employee.getName() != null)
98             updateEmployee.setName(employee.getName());
99         if (employee.getEmail() != null)
100             updateEmployee.setEmail(employee.getEmail());
101         if (employee.getDept() != null)
102             updateEmployee.setDept(employee.getDept());
103         if (employee.getTimezone() != null && isValidTimezone(employee.getTimezone())) {
104             updateEmployee.setTimezone(employee.getTimezone());
105         }
106         return employeeRepo.save(updateEmployee);
107     }
108
109     /**
110      * FIX: Delete order must be:
111      * 1. refresh_token (FK employee)
112      * 2. leave_request (FK employee)
113      * 3. employee
114      *
115      * Previously only leave_request was deleted first, causing a
116      * FK constraint failure on refresh_token when deleting the employee.
117      */
118     @Transactional
119     public void deleteEmployee(long id) {
120         var employee = employeeRepo.findById(id).orElseThrow(
121             () -> new EmployeeNotFound("Employee with id:" + id + " not found")
122         );
123
124         // Step 1: delete refresh tokens for this employee
125         refreshTokenRepository.deleteByEmployee(employee);
126
127         // Step 2: delete leave requests for this employee
128         List<LeaveRequest> leaveRequests =
129             leaveRequestRepo.findByEmployeeOrderByStartDateDesc(employee);
130         leaveRequestRepo.deleteAll(leaveRequests);
131
132         // Step 3: delete the employee
133         employeeRepo.delete(employee);
134     }
135
136     public ResponseEntity<String> inactivateUser(long employeeId) {
137         var employee = employeeRepo.findById(employeeId).orElseThrow(
138             () -> new EmployeeNotFound("Employee with id:" + employeeId + " not found")
139         );
140         if (employee.getStatus() == Status.INACTIVE) {
141             return ResponseEntity.badRequest()
142                 .body("Status of the employee with id: " + employeeId + " is already set to inactive");
143         }
144         employee.setStatus(Status.INACTIVE);
145         employeeRepo.save(employee);
146         return ResponseEntity.ok("Status of the employee with id: " + employeeId + " is set to inactive");
147     }

```

```

148
149  /** Validate that the given string is a recognized IANA timezone id. */
150  private boolean isValidTimezone(String tz) {
151      try {
152          ZoneId.of(tz);
153          return true;
154      } catch (Exception e) {
155          return false;
156      }
157  }
158
159  public Employee getAccount(Authentication authentication) {
160      String email = AuthUtil.extractEmail(authentication);
161      Employee employee = employeeRepo.findByEmail(email).orElseThrow(
162          () -> new EmployeeNotFound("Employee :" + email + " NOT FOUND")
163      );
164      return employee;
165  }
166
167  public EmployeeAttendanceResponseDTO getEmployeeAttendanceOverview() {
168      List<Employee> employees = employeeRepo.findAll();
169
170      List<EmployeeStatusDTO> workingEmployees = employees.stream()
171          .filter(e -> e.getStatus() == Status.ACTIVE)
172          .map(this::toStatusDTO)
173          .collect(Collectors.toList());
174
175      List<EmployeeStatusDTO> onLeaveEmployees = employees.stream()
176          .filter(e -> e.getStatus() == Status.ON_LEAVE)
177          .map(this::toStatusDTO)
178          .collect(Collectors.toList());
179
180      EmployeeAttendanceResponseDTO response = new EmployeeAttendanceResponseDTO();
181      response.setWorkingCount(workingEmployees.size());
182      response.setOnLeaveCount(onLeaveEmployees.size());
183      response.setWorkingEmployees(workingEmployees);
184      response.setOnLeaveEmployees(onLeaveEmployees);
185      return response;
186  }
187
188  private EmployeeStatusDTO toStatusDTO(Employee employee) {
189      EmployeeStatusDTO dto = new EmployeeStatusDTO();
190      dto.setEmployeeId(employee.getEmployeeId());
191      dto.setName(employee.getName());
192      dto.setEmail(employee.getEmail());
193      dto.setDept(employee.getDept());
194      dto.setRole(employee.getRole());
195      return dto;
196  }
197
198  public ResponseEntity<List<ManagerDTO>> getAllManagers() {
199      List<ManagerDTO> managers = employeeRepo.findByRole(Role.MANAGER).stream()
200          .map(this::toManagerDTO)
201          .collect(Collectors.toList());
202      return ResponseEntity.ok(managers);
203  }
204
205  private ManagerDTO toManagerDTO(Employee employee) {
206      ManagerDTO dto = new ManagerDTO();
207      dto.setManagerId(employee.getEmployeeId());
208      dto.setName(employee.getName());
209      dto.setEmail(employee.getEmail());
210      dto.setDept(employee.getDept());
211      return dto;
212  }
213 }
214

```



```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.HolidayDTO;
4 import com.example.EmployeeManagementSystem.Entity.FixedHoliday;
5 import com.example.EmployeeManagementSystem.Repository.FixedHolidayRepository;
6 import org.springframework.stereotype.Service;
7
8 import java.time.LocalDate;
9 import java.util.List;
10 @Service
11 public class HolidayService {
12     private final FixedHolidayRepository holidayRepository;
13
14     public HolidayService(FixedHolidayRepository holidayRepository) {
15         this.holidayRepository = holidayRepository;
16     }
17
18     // Admin adds a holiday
19     public FixedHoliday addHoliday(HolidayDTO dto) {
20         FixedHoliday h = new FixedHoliday();
21         h.setName(dto.getName());
22         h.setDate(LocalDate.parse(dto.getDate()));
23         h.setDescription(dto.getDescription());
24         h.setYear(LocalDate.parse(dto.getDate()).getYear());
25         return holidayRepository.save(h);
26     }
27
28     // Everyone can view holidays
29     public List<FixedHoliday> getHolidaysByYear(int year) {
30         return holidayRepository.findByYear(year);
31     }
32
33     // Admin deletes a holiday
34     public void deleteHoliday(Long id) {
35         holidayRepository.deleteById(id);
36     }
37 }
38
39
```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
5 import com.example.EmployeeManagementSystem.Entity.LeaveType;
6 import com.example.EmployeeManagementSystem.Enum.Gender;
7 import com.example.EmployeeManagementSystem.Enum.Status;
8 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
9 import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
10 import com.example.EmployeeManagementSystem.Repository.LeaveTypeRepository;
11 import org.slf4j.Logger;
12 import org.slf4j.LoggerFactory;
13 import org.springframework.stereotype.Service;
14 import org.springframework.transaction.annotation.Transactional;
15
16 import java.math.BigDecimal;
17 import java.time.LocalDate;
18 import java.util.List;
19 import java.util.Set;
20
21 @Service
22 public class LeaveAccrualService {
23
24     private static final Logger log = LoggerFactory.getLogger(LeaveAccrualService.class);
25     private static final BigDecimal ONE_DAY = BigDecimal.ONE;
26     private static final Set<String> SUPPORTED_LEAVE_TYPES = Set.of("SICK", "CASUAL");
27
28     private final EmployeeRepo employeeRepository;
29     private final LeaveTypeRepository leaveTypeRepository;
30     private final LeaveEntitlementRepository entitlementRepository;
31
32     public LeaveAccrualService(EmployeeRepo employeeRepository,
33                               LeaveTypeRepository leaveTypeRepository,
34                               LeaveEntitlementRepository entitlementRepository) {
35         this.employeeRepository = employeeRepository;
36         this.leaveTypeRepository = leaveTypeRepository;
37         this.entitlementRepository = entitlementRepository;
38     }
39
40     @Transactional
41     public void runMonthlyAccrual(LocalDate accrualDate) {
42         int year = accrualDate.getYear();
43
44         List<Employee> activeEmployees = employeeRepository.findByStatus(Status.ACTIVE);
45         List<LeaveType> allLeaveTypes = leaveTypeRepository.findAll();
46
47         log.info("Starting monthly accrual for {} - {} active employees",
48                 accrualDate, activeEmployees.size());
49
50         for (Employee employee : activeEmployees) {
51             for (LeaveType leaveType : allLeaveTypes) {
52
53                 if (!SUPPORTED_LEAVE_TYPES.contains(leaveType.getName())) {
54                     continue;
55                 }
56                 if (!isEligible(employee, leaveType, accrualDate)) {
57                     continue;
58                 }
59
60                 // Find or create entitlement row for this employee/type/year
61                 LeaveEntitlement entitlement = entitlementRepository
62                     .findByEmployeeIdAndLeaveTypeIdAndYear(
63                         employee.getEmployeeId(), leaveType.getId(), year)
64                     .orElseGet(() -> createNewEntitlement(employee, leaveType, year));
65
66                 // Add 1 day accrual
67                 entitlement.setAccruedThisYear(
68                     entitlement.getAccruedThisYear().add(ONE_DAY)
69                 );
70
71                 entitlementRepository.save(entitlement);

```

```

72         log.debug("Accrued 1 {} day for employee {} (year {})",
73             leaveType.getName(), employee.getEmployeeId(), year);
74     }
75 }
76
77     log.info("Monthly accrual complete for {}", accrualDate);
78 }
79
80 // -----
81 // Eligibility check – single place for all rules
82 // -----
83 private boolean isEligible(Employee employee, LeaveType leaveType, LocalDate accrualDate) {
84
85     // 1. Gender restriction (Maternity = female only)
86     if (leaveType.isGenderRestricted()) {
87         Gender restriction = leaveType.getGenderRestriction();
88         if (restriction != null && restriction != employee.getGender()) {
89             return false;
90         }
91     }
92
93     // 2. Employee must have joined ON OR BEFORE the accrual date
94     // (no accrual for employees joining after the 1st of this month)
95     if (employee.getJoined_at() != null && employee.getJoined_at().isAfter(accrualDate)) {
96         return false;
97     }
98
99     return true;
100 }
101
102 // -----
103 // Creates a fresh entitlement row, carrying forward previous year's
104 // closing balance if this is the first row of the year
105 // -----
106 private LeaveEntitlement createNewEntitlement(Employee employee,
107     LeaveType leaveType,
108     int year) {
109     LeaveEntitlement entitlement = new LeaveEntitlement();
110     entitlement.setEmployee(employee);
111     entitlement.setLeaveType(leaveType);
112     entitlement.setYear(year);
113
114     // Carry forward last year's closing balance (if the type supports it)
115     if (leaveType.isCarriesForward()) {
116         BigDecimal lastYearClosing = entitlementRepository
117             .findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
118                 employee.getEmployeeId(), leaveType.getId(), year - 1)
119             .map(LeaveEntitlement::getClosingBalance)
120             .orElse(BigDecimal.ZERO);
121
122         entitlement.setOpeningBalance(lastYearClosing);
123     }
124
125     return entitlementRepository.save(entitlement);
126 }
127 }
128

```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.LeaveDashboardResponse;
4 import com.example.EmployeeManagementSystem.Entity.Employee;
5 import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
6 import com.example.EmployeeManagementSystem.Entity.LeaveType;
7 import com.example.EmployeeManagementSystem.Entity.LeaveWarning;
8 import com.example.EmployeeManagementSystem.Enum.Gender;
9 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
10 import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
11 import com.example.EmployeeManagementSystem.Repository.LeaveTypeRepository;
12 import com.example.EmployeeManagementSystem.Repository.LeaveWarningRepository;
13 import org.springframework.security.access.AccessDeniedException;
14 import org.springframework.stereotype.Service;
15 import org.springframework.transaction.annotation.Transactional;
16
17 import java.math.BigDecimal;
18 import java.time.LocalDate;
19 import java.util.Set;
20 import java.util.LinkedHashMap;
21 import java.util.List;
22 import java.util.Map;
23
24 @Service
25 public class LeaveDashboardService {
26
27     private static final Set<String> SUPPORTED_LEAVE_TYPES = Set.of("SICK", "CASUAL", "MATERNITY");
28
29     private final EmployeeRepo employeeRepository;
30     private final LeaveEntitlementRepository leaveEntitlementRepository;
31     private final LeaveTypeRepository leaveTypeRepository;
32     private final LeaveWarningRepository warningRepository;
33
34     public LeaveDashboardService(EmployeeRepo employeeRepository,
35                                 LeaveEntitlementRepository leaveEntitlementRepository,
36                                 LeaveTypeRepository leaveTypeRepository,
37                                 LeaveWarningRepository warningRepository) {
38         this.employeeRepository = employeeRepository;
39         this.leaveEntitlementRepository = leaveEntitlementRepository;
40         this.leaveTypeRepository = leaveTypeRepository;
41         this.warningRepository = warningRepository;
42     }
43
44     @Transactional
45     public LeaveDashboardResponse getDashboard(Long requestedEmployeeId,
46                                              Long callerEmployeeId,
47                                              String callerRole) {
48         assertAccess(requestedEmployeeId, callerEmployeeId, callerRole);
49
50         Employee employee = employeeRepository.findById(requestedEmployeeId)
51             .orElseThrow(() -> new IllegalArgumentException(
52                 "Employee not found: " + requestedEmployeeId));
53
54         int year = LocalDate.now().getYear();
55
56         ensureCurrentYearEntitlements(employee, year);
57         List<LeaveEntitlement> entitlements =
58             leaveEntitlementRepository.findByEmployeeEmployeeIdAndYear(requestedEmployeeId, year);
59
60         List<LeaveWarning> warnings =
61             warningRepository.findByEmployeeEmployeeIdAndIsReadFalseOrderByWarningDateDesc(
62                 requestedEmployeeId);
63
64         LeaveDashboardResponse.LeaveBalanceDto sick = buildBalanceDto(entitlements, "SICK");
65         LeaveDashboardResponse.LeaveBalanceDto casual = buildBalanceDto(entitlements, "CASUAL");
66         LeaveDashboardResponse.LeaveBalanceDto maternity = buildBalanceDto(entitlements, "MATERNITY");
67
68         Map<String, LeaveDashboardResponse.LeaveBalanceDto> leaveBalances = buildBalanceMap(entitlements);
69         BigDecimal carryTotal = entitlements.stream()
70             .filter(e -> isSupportedLeaveType(e.getLeaveType()))
71             .filter(e -> e.getLeaveType().isCarriesForward())

```

```

72         .map(LeaveEntitlement::getAvailableBalance)
73         .reduce(BigDecimal.ZERO, BigDecimal::add);
74
75     LeaveDashboardResponse response = new LeaveDashboardResponse();
76     response.setEmployeeId(employee.getEmployeeId());
77     response.setEmployeeName(employee.getName());
78     response.setYear(year);
79     response.setSick(sick);
80     response.setCasual(casual);
81     response.setMaternity(maternity);
82     response.setLeaveBalances(leaveBalances);
83     response.setCarryForwardMeter(new LeaveDashboardResponse.CarryForwardMeterDto(carryTotal, 30));
84     response.setWarnings(warnings.stream()
85         .map(w -> new LeaveDashboardResponse.WarningDto(
86             w.getId(),
87             w.getWarningType().name(),
88             w.getMessage(),
89             w.getWarningDate().toString()))
90         .toList());
91
92     return response;
93 }
94
95 // Mark warning read
96
97 @Transactional
98 public void markWarningRead(Long warningId, Long callerEmployeeId, String callerRole) {
99     LeaveWarning warning = warningRepository.findById(warningId)
100         .orElseThrow(() -> new IllegalArgumentException("Warning not found: " + warningId));
101
102     assertAccess(warning.getEmployee().getEmployeeId(), callerEmployeeId, callerRole);
103
104     warning.setRead(true);
105     warningRepository.save(warning);
106 }
107
108 // Team dashboard (manager/admin)
109
110 @Transactional
111 public List<LeaveDashboardResponse> getTeamDashboard(Long managerId, String callerRole) {
112     if (!"MANAGER".equals(callerRole) && !"ADMIN".equals(callerRole)) {
113         throw new AccessDeniedException("Only managers and admins can view team dashboards");
114     }
115
116     List<Employee> team = employeeRepository.findByManagerEmployeeId(managerId);
117     return team.stream()
118         .map(emp -> getDashboard(emp.getEmployeeId(), managerId, callerRole))
119         .toList();
120 }
121
122 // Helpers
123
124 private void ensureCurrentYearEntitlements(Employee employee, int year) {
125     List<LeaveType> leaveTypes = leaveTypeRepository.findAll();
126
127     for (LeaveType leaveType : leaveTypes) {
128         if (!isSupportedLeaveType(leaveType)) {
129             continue;
130         }
131         if (!isEligible(employee, leaveType)) {
132             continue;
133         }
134
135         leaveEntitlementRepository
136             .findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
137                 employee.getEmployeeId(), leaveType.getId(), year)
138             .orElseGet(() -> createEntitlement(employee, leaveType, year));
139     }
140 }
141
142 private boolean isEligible(Employee employee, LeaveType leaveType) {
143     if (!leaveType.isGenderRestricted()) {
144         return true;
145     }
146
147     Gender restriction = leaveType.getGenderRestriction();

```

```

148         return restriction == null || restriction == employee.getGender();
149     }
150
151     private LeaveEntitlement createEntitlement(Employee employee, LeaveType leaveType, int year) {
152         LeaveEntitlement entitlement = new LeaveEntitlement();
153         entitlement.setEmployee(employee);
154         entitlement.setLeaveType(leaveType);
155         entitlement.setYear(year);
156
157         if (leaveType.isCarriesForward()) {
158             BigDecimal lastYearClosing = leaveEntitlementRepository
159                 .findByEmployeeIdAndLeaveTypeIdAndYear(
160                     employee.getId(), leaveType.getId(), year - 1)
161                 .map(LeaveEntitlement::getClosingBalance)
162                 .orElse(BigDecimal.ZERO);
163             entitlement.setOpeningBalance(lastYearClosing);
164         }
165
166         return leaveEntitlementRepository.save(entitlement);
167     }
168
169     private Map<String, LeaveDashboardResponse.LeaveBalanceDto> buildBalanceMap(
170         List<LeaveEntitlement> entitlements) {
171         Map<String, LeaveDashboardResponse.LeaveBalanceDto> balances = new LinkedHashMap<>();
172         for (LeaveEntitlement entitlement : entitlements) {
173             String typeName = entitlement.getLeaveType().getName();
174             if (!SUPPORTED_LEAVE_TYPES.contains(typeName)) {
175                 continue;
176             }
177             balances.put(typeName, toBalanceDto(entitlement, typeName));
178         }
179         return balances;
180     }
181
182     private LeaveDashboardResponse.LeaveBalanceDto buildBalanceDto(List<LeaveEntitlement> entitlements,
183                                                                     String typeName) {
184         return entitlements.stream()
185             .filter(e -> typeName.equalsIgnoreCase(e.getLeaveType().getName()))
186             .findFirst()
187             .map(e -> toBalanceDto(e, typeName))
188             .orElse(null); // null = leave type not applicable for this employee
189     }
190
191     private LeaveDashboardResponse.LeaveBalanceDto toBalanceDto(LeaveEntitlement entitlement,
192                                                                 String typeName) {
193         return new LeaveDashboardResponse.LeaveBalanceDto(
194             typeName,
195             entitlement.getOpeningBalance(),
196             entitlement.getAccruedThisYear(),
197             entitlement.getUsedThisYear(),
198             entitlement.getAvailableBalance(),
199             entitlement.getLeaveType().isCarriesForward());
200     }
201
202     private boolean isSupportedLeaveType(LeaveType leaveType) {
203         return leaveType != null && SUPPORTED_LEAVE_TYPES.contains(leaveType.getName());
204     }
205
206     private void assertAccess(Long targetId, Long callerId, String role) {
207         boolean isSelf = targetId.equals(callerId);
208         boolean isManager = "MANAGER".equals(role) || "ADMIN".equals(role);
209         if (!isSelf && !isManager) {
210             throw new AccessDeniedException(
211                 "Employee " + callerId + " cannot view dashboard for " + targetId);
212         }
213     }
214 }
215

```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.*;
4 import com.example.EmployeeManagementSystem.Entity.Employee;
5 import com.example.EmployeeManagementSystem.Entity.LeaveRequest;
6 import com.example.EmployeeManagementSystem.Enum.*;
7 import com.example.EmployeeManagementSystem.Exception.*;
8 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
9 import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
10 import com.example.EmployeeManagementSystem.Repository.LeaveRequestRepo;
11 import com.example.EmployeeManagementSystem.Repository.LeaveTypeRepository;
12 import com.example.EmployeeManagementSystem.Util.AuthUtil;
13 import org.slf4j.Logger;
14 import org.slf4j.LoggerFactory;
15 import org.springframework.http.HttpStatus;
16 import org.springframework.http.ResponseEntity;
17 import org.springframework.security.core.Authentication;
18 import org.springframework.stereotype.Service;
19 import org.springframework.transaction.annotation.Transactional;
20
21 import java.math.BigDecimal;
22 import java.time.LocalDate;
23 import java.time.ZoneId;
24 import java.time.temporal.ChronoUnit;
25 import java.util.ArrayList;
26 import java.util.List;
27 import java.util.Map;
28 import java.util.stream.Collectors;
29
30 @Service
31 public class LeaveRequestService {
32     private final LeaveRequestRepo leaveRequestRepo;
33     private final EmployeeRepo employeeRepo;
34     private final LeaveTypeRepository leaveTypeRepository;
35     private final LeaveEntitlementRepository leaveEntitlementRepository;
36     private final NotificationService notificationService;
37     private static final Logger log = LoggerFactory.getLogger(LeaveRequestService.class);
38
39     public LeaveRequestService(LeaveRequestRepo leaveRequestRepo,
40                               EmployeeRepo employeeRepo,
41                               LeaveTypeRepository leaveTypeRepository,
42                               LeaveEntitlementRepository leaveEntitlementRepository,
43                               NotificationService notificationService) {
44         this.leaveRequestRepo = leaveRequestRepo;
45         this.employeeRepo = employeeRepo;
46         this.leaveTypeRepository = leaveTypeRepository;
47         this.leaveEntitlementRepository = leaveEntitlementRepository;
48         this.notificationService=notificationService;
49     }
50
51     public List<LeaveResponseDTO> getAllTheLeaveRequest(){
52         List<LeaveRequest> requestList=leaveRequestRepo.findAll();
53         List<LeaveResponseDTO> dtos=new ArrayList<>();
54         for(LeaveRequest request:requestList){
55             dtos.add(convertToDTO(request));
56         }
57         return dtos;
58     }
59
60     public ResponseEntity<?> createRequest(Authentication authentication, LeaveRequestDTO requestDTO){
61         var leaveRequest=new LeaveRequest();
62         String email= AuthUtil.extractEmail(authentication);
63         //Validate employee exists and is active
64         var employee=employeeRepo.findByEmail(email).orElseThrow(()->
65             new EmployeeNotFound("Employee with name: "+email+" is not found")
66         );
67         if (employee.getStatus() != Status.ACTIVE) {
68             return ResponseEntity.badRequest()
69                 .body(Map.of("error", "Only active employees can apply for leave"));
70         }
71     }

```

```

72
73     if (requestDTO.getLeaveType() == LeaveType.MATERNITY) {
74         if(employee.getGender()==Gender.M){
75             return ResponseEntity.status(HttpStatus.BAD_REQUEST)
76                 .body("Maternity leave is not applicable");
77         }
78         return ResponseEntity.status(HttpStatus.BAD_REQUEST)
79             .body("Please use the maternity leave application process.");
80     }
81
82     leaveRequest.setEmployee(employee);
83     //Checking if the start date is before today
84     String timezone= employee.getTimezone();
85     ZoneId zoneId=ZoneId.of(timezone != null && !timezone.isBlank()
86         ? timezone
87         : "UTC");
88     LocalDate today = LocalDate.now(zoneId);
89     if (requestDTO.getStartDate().isBefore(today)) {
90         throw new InvalidStartDateException("Start date cannot be before current date");
91     }
92     //Checking if the end date is before start date
93     if (requestDTO.getEndDate().isBefore(requestDTO.getStartDate())) {
94         throw new InvalidEndDateException("End date must be equal to or greater than start date");
95     }
96     //optional
97     long daysRequested = ChronoUnit.DAYS.between(requestDTO.getStartDate(), requestDTO.getEndDate()) +
98     1;
99     if (daysRequested > 30) {
100         return ResponseEntity.badRequest()
101             .body(Map.of("error", "Leave cannot exceed 30 consecutive days"));
102     }
103     // ----- SICK -----
104     if (requestDTO.getLeaveType() == LeaveType.SICK) {
105         if (daysRequested > 1) {
106             return ResponseEntity.badRequest()
107                 .body(Map.of("error", "Sick leave is limited to 1 day per month."));
108         }
109
110         long sickDaysUsedThisMonth = leaveRequestRepo.countApprovedSickDaysInMonth(
111             employee, today.getYear(), today.getMonthValue());
112
113         var sickLeaveType = leaveTypeRepository.findByName("SICK")
114             .orElseThrow(() -> new RuntimeException("SICK leave type not configured"));
115
116         var entitlement = leaveEntitlementRepository
117             .findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
118                 employee.getEmployeeId(),
119                 sickLeaveType.getId(),
120                 today.getYear())
121             .orElse(null);
122
123         boolean noBalance = (entitlement == null) ||
124             entitlement.getClosingBalance().compareTo(BigDecimal.ZERO) <= 0;
125
126         if (sickDaysUsedThisMonth >= 1 || noBalance) {
127             requestDTO.setLeaveType(LeaveType.UNPAID);
128         }
129     }
130
131
132     // ----- CASUAL -----
133     if (requestDTO.getLeaveType() == LeaveType.CASUAL) {
134         if (daysRequested > 1) {
135             return ResponseEntity.badRequest()
136                 .body(Map.of("error", "Casual leave is limited to 1 day per month."));
137         }
138
139         long casualDaysUsedThisMonth = leaveRequestRepo.countCasualDaysInMonth(
140             employee, today.getYear(), today.getMonthValue());
141
142         var casualLeaveType = leaveTypeRepository.findByName("CASUAL")
143             .orElseThrow(() -> new RuntimeException("CASUAL leave type not configured"));
144
145         var entitlement = leaveEntitlementRepository

```



```

147         .findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
148             employee.getEmployeeId(),
149             casualLeaveType.getId(),
150             today.getYear())
151         .orElse(null);
152
153         boolean noBalance = (entitlement == null) ||
154             entitlement.getClosingBalance().compareTo(BigDecimal.ZERO) <= 0;
155
156         if (casualDaysUsedThisMonth >= 1 || noBalance) {
157             requestDTO.setLeaveType(LeaveType.UNPAID);
158         }
159     }
160     long duplicateCount= leaveRequestRepo.checkDuplicate(
161         employee.getEmployeeId(),
162         requestDTO.getStartDate(),
163         requestDTO.getEndDate(),
164         LeaveStatus.PENDING.name()
165     );
166     if(duplicateCount>0){
167         throw new DuplicateRequestException("Duplicate leave request");
168     }
169
170     //checking if there is any overlapping leave request of that employee
171     long count= leaveRequestRepo.countOverlappingLeave(
172         employee.getEmployeeId(),
173         requestDTO.getStartDate(),
174         requestDTO.getEndDate()
175     );
176     if(count>0){
177         throw new OverlappingLeaveException("Overlapping leave exists");
178     }
179     leaveRequest.setStartDate(requestDTO.getStartDate());
180     leaveRequest.setEndDate(requestDTO.getEndDate());
181
182     if(requestDTO.getLeaveType()==null){
183         return ResponseEntity.status(HttpStatus.BAD_REQUEST)
184             .body("Leave type is required..");
185     }
186     LeaveType originalLeaveType = requestDTO.getLeaveType();
187     leaveRequest.setLeaveType(requestDTO.getLeaveType());
188     if(requestDTO.getReason()!=null){
189         leaveRequest.setReason(requestDTO.getReason());
190     }
191     LeaveRequest savedRequest=leaveRequestRepo.save(leaveRequest);
192
193     Employee manager = employee.getManager(); // assuming getManager() exists
194     if (manager != null) {
195         notificationService.notify(
196             manager,
197             employee.getName() + " submitted a " + savedRequest.getLeaveType() ,
198             "LEAVE_REQUEST"
199         );
200     }
201     // After the existing manager notification block
202     employeeRepo.findByRole(Role.ADMIN).forEach(admin ->
203         notificationService.notify(
204             admin,
205             employee.getName() + " submitted a " + requestDTO.getLeaveType() + " leave request
206             (" +
207                 requestDTO.getStartDate() + " " + requestDTO.getEndDate() + ")",
208                 "LEAVE_REQUEST"
209         );
210     );
211     LeaveResponseDTO responseDTO = convertToDTO(savedRequest);
212     if (savedRequest.getLeaveType() == LeaveType.UNPAID && savedRequest.getLeaveType() !=
213     originalLeaveType) {
214         Map<String, Object> body = new java.util.LinkedHashMap<>();
215         body.put("leave", responseDTO);
216         body.put("warning", "Your " + originalLeaveType.name().toLowerCase() +
217             " leave quota for this month is exhausted. Request recorded as Unpaid leave.");
218         return ResponseEntity.status(HttpStatus.CREATED).body(body);
219     }
220     return ResponseEntity.status(HttpStatus.CREATED).body(responseDTO);
221 }
222

```

```

221 //Only for manager
222 public List<LeaveResponseDTO> getAllThePendingLeaveRequests(){
223     List<LeaveRequest> requestList=leaveRequestRepo.findByStatus(LeaveStatus.PENDING);
224     List<LeaveResponseDTO> responseDTOS=new ArrayList<>();
225     for(LeaveRequest request:requestList){
226         responseDTOS.add(convertToDTO(request));
227     }
228     return responseDTOS;
229 }
230
231 @Transactional
232 public ResponseEntity<?> updateLeaveRequestStatus(ActionDTO actionDTO,Authentication authentication){
233     String email= AuthUtil.extractEmail(authentication);
234     Employee manager=employeeRepo.findByEmail(email).orElseThrow(
235         ()->new EmployeeNotFound("Manager with name: "+email+" Not Found")
236     );
237     if (actionDTO.getAction() == null) {
238         return ResponseEntity.badRequest().body("Action is required");
239     }
240     log.info("Updating leave request status for id: {}", actionDTO.getLeaveRequestId());
241
242     var leaveRequest=leaveRequestRepo.findById(actionDTO.getLeaveRequestId()).orElseThrow(
243         ()-> new LeaveRequestNotFoundException("LeaveRequest with
id:"+actionDTO.getLeaveRequestId()+" not found")
244     );
245
246     if (leaveRequest.getStatus() != LeaveStatus.PENDING) {
247         return ResponseEntity.badRequest()
248             .body("Only PENDING requests can be approved or rejected. Current status: "
249                 + leaveRequest.getStatus());
250     }
251
252     if(actionDTO.getAction().equalsIgnoreCase("approved")){
253         leaveRequest.setStatus(LeaveStatus.APPROVED);
254         applyApprovedLeaveToEntitlement(leaveRequest);
255         notificationService.notify(
256             leaveRequest.getEmployee(),
257             "Your leave request from " + leaveRequest.getStartDate() + " to " +
leaveRequest.getEndDate() + " has been approved.",
258             "LEAVE_APPROVED"
259         );
260         employeeRepo.findByRole(Role.ADMIN).forEach(admin ->
261             notificationService.notify(
262                 admin,
263                 leaveRequest.getEmployee().getName() + "'s leave request has been approved by
" + manager.getName(),
264                 "LEAVE_APPROVED"
265             )
266         );
267     }
268     else if(actionDTO.getAction().equalsIgnoreCase("rejected")){
269         leaveRequest.setStatus(LeaveStatus.REJECTED);
270         notificationService.notify(
271             leaveRequest.getEmployee(),
272             "Your leave request from " + leaveRequest.getStartDate() + " to " +
leaveRequest.getEndDate() + " was rejected." +
273             (actionDTO.getRemarks() != null ? " Reason: " + actionDTO.getRemarks() : ""),
274             "LEAVE_REJECTED"
275         );
276         employeeRepo.findByRole(Role.ADMIN).forEach(admin ->
277             notificationService.notify(
278                 admin,
279                 leaveRequest.getEmployee().getName() + "'s leave request has been rejected by
" + manager.getName(),
280                 "LEAVE_REJECTED"
281             )
282         );
283     }
284     else{
285         return ResponseEntity.badRequest().body("Invalid action,Use APPROVED or REJECTED");
286     }
287     leaveRequest.setManager(manager.getEmail());
288     if(actionDTO.getRemarks()!=null){
289         leaveRequest.setRemarks(actionDTO.getRemarks());
290     }
291     return ResponseEntity.ok(leaveRequestRepo.save(leaveRequest));

```

```

292     }
293
294     @Transactional
295     public ResponseEntity<?> cancelLeaveRequest(Authentication authentication, long leaveId){
296         String email= AuthUtil.extractEmail(authentication);
297         var employee=employeeRepo.findByEmail(email).orElseThrow(
298             ()->new EmployeeNotFound("Employee with email:"+email+" not found")
299         );
300         var leaveRequest=leaveRequestRepo.findById(leaveId).orElseThrow(
301             ()->new LeaveRequestNotFoundException("Leave request with id:"+leaveId+" is not found")
302         );
303         if(employee.getEmployeeId()!=leaveRequest.getEmployee().getEmployeeId()){
304             return ResponseEntity.badRequest().body("You cannot cancel others Leave request..");
305         }
306         String timezone= employee.getTimezone();
307         ZoneId zoneId=ZoneId.of(timezone != null && !timezone.isBlank()
308             ? timezone
309             : "UTC");
310         LocalDate today = LocalDate.now(zoneId);
311         if(leaveRequest.getStartDate().isEqual(today)||leaveRequest.getStartDate().isBefore(today)){
312             return ResponseEntity.badRequest().body("You cannot cancel leave request after the leave has
started");
313         }
314         LeaveStatus previousStatus = leaveRequest.getStatus();
315         leaveRequest.setStatus(LeaveStatus.CANCELLED);
316         if (previousStatus == LeaveStatus.APPROVED) {
317             reverseApprovedLeaveFromEntitlement(leaveRequest);
318         }
319         leaveRequestRepo.save(leaveRequest);
320         return ResponseEntity.ok("Leave Request with id:"+ leaveId+" Successfully cancelled");
321     }
322
323     private LeaveResponseDTO convertToDTO(LeaveRequest request){
324         var responseDTO=new LeaveResponseDTO();
325         responseDTO.setLeaveRequestId(request.getId());
326         responseDTO.setEmployeeName(request.getEmployee().getName());
327         responseDTO.setLeaveType(request.getLeaveType());
328         responseDTO.setStartDate(request.getStartDate());
329         responseDTO.setEndDate(request.getEndDate());
330         responseDTO.setNumberOfDays(requestedDays(request).longValue());
331         responseDTO.setReason(request.getReason());
332         responseDTO.setStatus(request.getStatus());
333         return responseDTO;
334     }
335
336     public ResponseEntity<?> getLeaveRequestsByEmployee(Authentication authentication) {
337         String email= AuthUtil.extractEmail(authentication);
338         log.info("Fetching leave requests for employee: {}", email);
339
340         Employee employee = employeeRepo.findByEmail(email)
341             .orElseThrow(() -> new EmployeeNotFound("Employee not found: " +email ));
342
343         List<LeaveRequest> requests = leaveRequestRepo.findByEmployeeOrderByStartDateDesc(employee);
344         List<LeaveResponseDTO> response = requests.stream()
345             .map(this::convertToDTO)
346             .collect(Collectors.toList());
347
348         return ResponseEntity.ok(Map.of(
349             "employeeName", email,
350             "totalRequests", response.size(),
351             "requests", response
352         ));
353     }
354     public List<LeaveResponseDTO> getPendingLeaves() {
355         List<LeaveRequest> pendingRequests = leaveRequestRepo.findByStatus(LeaveStatus.PENDING);
356         return pendingRequests.stream()
357             .map(this::convertToDTO)
358             .collect(Collectors.toList());
359     }
360
361     /**
362      * Approve a leave request by ID (simplified version for AdminController).
363      * Returns LeaveResponseDTO directly.
364      */
365     @Transactional
366     public LeaveResponseDTO approveLeave(Long id) {

```

```

367         LeaveRequest leaveRequest = leaveRequestRepo.findById(id)
368             .orElseThrow(() -> new LeaveRequestNotFoundException("Leave request with id: " + id + " not
found"));
369
370         if (leaveRequest.getStatus() != LeaveStatus.PENDING) {
371             throw new IllegalStateException("Only PENDING requests can be approved. Current status: " +
leaveRequest.getStatus());
372         }
373
374         leaveRequest.setStatus(LeaveStatus.APPROVED);
375         leaveRequest.setManager("ADMIN"); // Or get from security context if needed
376         applyApprovedLeaveToEntitlement(leaveRequest);
377         notificationService.notify(
378             leaveRequest.getEmployee(),
379             "Your leave request from " + leaveRequest.getStartDate() + " to " +
leaveRequest.getEndDate() + " has been approved by admin.",
380             "LEAVE_APPROVED"
381         );
382
383         LeaveRequest saved = leaveRequestRepo.save(leaveRequest);
384         return convertToDTO(saved);
385     }
386
387     /**
388      * Reject a leave request by ID (simplified version for AdminController).
389      * Returns LeaveResponseDTO directly.
390      */
391     @Transactional
392     public LeaveResponseDTO rejectLeave(Long id) {
393         LeaveRequest leaveRequest = leaveRequestRepo.findById(id)
394             .orElseThrow(() -> new LeaveRequestNotFoundException("Leave request with id: " + id + " not
found"));
395
396         if (leaveRequest.getStatus() != LeaveStatus.PENDING) {
397             throw new IllegalStateException("Only PENDING requests can be rejected. Current status: " +
leaveRequest.getStatus());
398         }
399
400         leaveRequest.setStatus(LeaveStatus.REJECTED);
401         leaveRequest.setManager("ADMIN");
402         notificationService.notify(
403             leaveRequest.getEmployee(),
404             "Your leave request from " + leaveRequest.getStartDate() + " to " +
leaveRequest.getEndDate() + " was rejected by admin.",
405             "LEAVE_REJECTED"
406         );
407
408         LeaveRequest saved = leaveRequestRepo.save(leaveRequest);
409         return convertToDTO(saved);
410     }
411
412     private void applyApprovedLeaveToEntitlement(LeaveRequest leaveRequest) {
413         if (leaveRequest.getLeaveType() == LeaveType.MATERNITY) {
414             grantAndDeductMaternity(leaveRequest); // special maternity flow
415         } else {
416             updateUsedLeave(leaveRequest, requestedDays(leaveRequest)); // existing flow
417         }
418     }
419
420     private void grantAndDeductMaternity(LeaveRequest leaveRequest) {
421         int year = leaveRequest.getStartDate().getYear();
422         Employee employee = leaveRequest.getEmployee();
423
424         com.example.EmployeeManagementSystem.Entity.LeaveType maternityType =
leaveTypeRepository.findByName("MATERNITY")
425             .orElseThrow(() -> new IllegalStateException(
426                 "Maternity leave type not configured"));
427
428         var entitlement = leaveEntitlementRepository
429             .findByEmployeeIdAndLeaveTypeIdAndYear(
430                 employee.getId(), maternityType.getId(), year)
431             .orElseGet(() -> createEntitlement(employee, maternityType, year));
432
433         // Grant 180 days one time on approval
434         entitlement.setAccruedThisYear(BigDecimal.valueOf(180));
435
436

```

```

437         // Deduct the days she is taking (always 180)
438         entitlement.setUsedThisYear(requestedDays(leaveRequest));
439
440         leaveEntitlementRepository.save(entitlement);
441     }
442
443     private void reverseApprovedLeaveFromEntitlement(LeaveRequest leaveRequest) {
444         if (leaveRequest.getLeaveType() == LeaveType.MATERNITY) {
445             reverseMaternityEntitlement(leaveRequest); // wipe the grant entirely
446         } else {
447             updateUsedLeave(leaveRequest, requestedDays(leaveRequest).negate());
448         }
449     }
450
451     private void reverseMaternityEntitlement(LeaveRequest leaveRequest) {
452         int year = leaveRequest.getStartDate().getYear();
453         Employee employee = leaveRequest.getEmployee();
454
455         com.example.EmployeeManagementSystem.Entity.LeaveType maternityType =
456             leaveTypeRepository.findByName("MATERNITY")
457                 .orElseThrow(() -> new IllegalStateException(
458                     "Maternity leave type not configured"));
459
460         leaveEntitlementRepository
461             .findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
462                 employee.getEmployeeId(), maternityType.getId(), year)
463             .ifPresent(entitlement -> {
464                 // Wipe both the grant and the usage
465                 entitlement.setAccruedThisYear(BigDecimal.ZERO);
466                 entitlement.setUsedThisYear(BigDecimal.ZERO);
467                 leaveEntitlementRepository.save(entitlement);
468             });
469     }
470
471     private void updateUsedLeave(LeaveRequest leaveRequest, BigDecimal delta) {
472         int year = leaveRequest.getStartDate().getYear();
473         String leaveTypeName = leaveRequest.getLeaveType().name();
474         com.example.EmployeeManagementSystem.Entity.LeaveType leaveType = leaveTypeRepository
475             .findByName(leaveTypeName)
476             .orElseThrow(() -> new IllegalStateException(
477                 "Leave type not configured: " + leaveTypeName));
478
479         var entitlement = leaveEntitlementRepository
480             .findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
481                 leaveRequest.getEmployee().getEmployeeId(), leaveType.getId(), year)
482             .orElseGet(() -> createEntitlement(leaveRequest.getEmployee(), leaveType, year));
483
484         BigDecimal newUsed = entitlement.getUsedThisYear().add(delta);
485
486         // Prevent negative
487         newUsed = newUsed.max(BigDecimal.ZERO);
488
489         // Prevent exceeding available balance
490         BigDecimal closing = entitlement.getClosingBalance();
491         if (newUsed.compareTo(closing) > 0) {
492             newUsed = closing;
493         }
494
495         entitlement.setUsedThisYear(newUsed);
496         leaveEntitlementRepository.save(entitlement);
497     }
498
499     private com.example.EmployeeManagementSystem.Entity.LeaveEntitlement createEntitlement(
500         Employee employee,
501         com.example.EmployeeManagementSystem.Entity.LeaveType leaveType,
502         int year) {
503         var entitlement = new com.example.EmployeeManagementSystem.Entity.LeaveEntitlement();
504         entitlement.setEmployee(employee);
505         entitlement.setLeaveType(leaveType);
506         entitlement.setYear(year);
507
508         if (leaveType.isCarriesForward()) {
509             BigDecimal lastYearClosing = leaveEntitlementRepository
510                 .findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
511                     employee.getEmployeeId(), leaveType.getId(), year - 1)
512                 .map(com.example.EmployeeManagementSystem.Entity.LeaveEntitlement::getClosingBalance)

```

```
513         .orElse(BigDecimal.ZERO);
514         entitlement.setOpeningBalance(lastYearClosing);
515     }
516
517     return leaveEntitlementRepository.save(entitlement);
518 }
519
520 private BigDecimal requestedDays(LeaveRequest leaveRequest) {
521     long days = ChronoUnit.DAYS.between(leaveRequest.getStartDate(), leaveRequest.getEndDate()) + 1;
522     return BigDecimal.valueOf(days);
523 }
524 }
525
```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.*;
4 import com.example.EmployeeManagementSystem.Entity.Device;
5 import com.example.EmployeeManagementSystem.Entity.DeviceAssignment;
6 import com.example.EmployeeManagementSystem.Entity.Employee;
7 import com.example.EmployeeManagementSystem.Entity.LeaveRequest;
8 import com.example.EmployeeManagementSystem.Enum.AssignmentStatus;
9 import com.example.EmployeeManagementSystem.Enum.LeaveStatus;
10 import com.example.EmployeeManagementSystem.Enum.Role;
11 import com.example.EmployeeManagementSystem.Enum.Status;
12 import com.example.EmployeeManagementSystem.Exception.EmployeeNotFound;
13 import com.example.EmployeeManagementSystem.Repository.DeviceAssignmentRepo;
14 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
15 import com.example.EmployeeManagementSystem.Repository.LeaveRequestRepo;
16 import com.example.EmployeeManagementSystem.Util.AuthUtil;
17 import org.springframework.http.ResponseEntity;
18 import org.springframework.security.core.Authentication;
19 import org.springframework.security.crypto.password.PasswordEncoder;
20 import org.springframework.stereotype.Service;
21
22 import java.time.temporal.ChronoUnit;
23 import java.util.List;
24 import java.util.stream.Collectors;
25
26 @Service
27 public class ManagerService {
28     private final EmployeeRepo employeeRepo;
29     private final PasswordEncoder passwordEncoder;
30     private final LeaveRequestRepo leaveRequestRepo;
31     private final DeviceAssignmentRepo deviceAssignmentRepo;
32
33     public ManagerService(EmployeeRepo employeeRepo,
34                           PasswordEncoder passwordEncoder,
35                           LeaveRequestRepo leaveRequestRepo,
36                           DeviceAssignmentRepo deviceAssignmentRepo) {
37         this.employeeRepo = employeeRepo;
38         this.passwordEncoder = passwordEncoder;
39         this.leaveRequestRepo = leaveRequestRepo;
40         this.deviceAssignmentRepo = deviceAssignmentRepo;
41     }
42
43     public Employee createEmp(EmployeeDetails employeeDetails, Authentication authentication) {
44         String email= AuthUtil.extractEmail(authentication);
45         Employee manager= employeeRepo.findByEmail(email).orElseThrow(
46             ()->new EmployeeNotFound("Manager :"+email+"Not found")
47         );
48         Employee employee=new Employee();
49         employee.setName(employeeDetails.getName());
50         employee.setEmail(employeeDetails.getEmail());
51         employee.setPassword(passwordEncoder.encode(employeeDetails.getPassword()));
52         employee.setGender(employeeDetails.getGender());
53         employee.setDept(manager.getDept());
54         employee.setRole(Role.EMPLOYEE);
55         employee.setManager(manager);
56         employee.setTimezone(employeeDetails.getTimezone());
57         return employeeRepo.save(employee);
58     }
59
60
61     public List<Employee> getAllEmployeeByManager(Authentication authentication) {
62         String email=AuthUtil.extractEmail(authentication);
63         Employee manager=employeeRepo.findByEmail(email).orElseThrow(
64             ()->new EmployeeNotFound("Manger:"+email+" not found")
65         );
66         return employeeRepo.findByManager(manager);
67     }
68
69     public List<ManagerLeaveResponseDTO> getAllLeaveRequestByManager(Authentication authentication) {
70         String email=AuthUtil.extractEmail(authentication);
71         Employee manager=employeeRepo.findByEmail(email).orElseThrow(

```

```

72         ()->new EmployeeNotFound("Manager with "+email+" not found")
73     );
74     List<LeaveRequest> requests=leaveRequestRepo.findByEmployee_Manager(manager);
75     return requests.stream().map(request->toManagerLeaveResponseDTO(request)).toList();
76 }
77
78 public List<EmployeeDTO> getUsers(){
79     List<Employee> employeeList=employeeRepo.findByRole(Role.USER);
80     return employeeList.stream().map(this::toDTO).toList();
81 }
82
83 public ResponseEntity<?> promoteUser(Authentication authentication, PromoteRequest promoteRequest){
84     Employee user=employeeRepo.findByEmail(promoteRequest.getEmail()).orElseThrow(
85         ()->new EmployeeNotFound("Employee:"+promoteRequest.getEmail()+" not found")
86     );
87     if(user.getRole()!=Role.USER){
88         return ResponseEntity.ok("Employee already promoted");
89     }
90     String managerEmail=AuthUtil.extractEmail(authentication);
91     Employee manager=employeeRepo.findByEmail(managerEmail).orElseThrow(
92         ()->new EmployeeNotFound("Manager:"+managerEmail+" not found")
93     );
94
95     user.setRole(Role.EMPLOYEE);
96     user.setManager(manager);
97     user.setDept(manager.getDept());
98     user.setPassword(passwordEncoder.encode(promoteRequest.getPassword()));
99     Employee promotedEmployee=employeeRepo.save(user);
100    return ResponseEntity.ok(toDTO(promotedEmployee));
101 }
102
103 public EmployeeDTO toDTO(Employee employee){
104     EmployeeDTO employeeDTO=new EmployeeDTO();
105     employeeDTO.setName(employee.getName());
106     employeeDTO.setEmail(employee.getEmail());
107     employeeDTO.setDept(employee.getDept());
108     employeeDTO.setPassword(employee.getPassword());
109     employeeDTO.setTimezone(employee.getTimezone());
110     return employeeDTO;
111 }
112
113 public Employee createAdmin(EmployeeDetails employeeDetails) {
114     Employee employee=new Employee();
115     employee.setName(employeeDetails.getName());
116     employee.setEmail(employeeDetails.getEmail());
117     employee.setPassword(passwordEncoder.encode(employeeDetails.getPassword()));
118     employee.setDept("Main");
119     employee.setRole(Role.ADMIN);
120     employee.setTimezone(employeeDetails.getTimezone());
121     return employeeRepo.save(employee);
122 }
123
124 public List<LeaveResponseDTO> getAllThePendingLeaveRequests(Authentication authentication) {
125     String email=AuthUtil.extractEmail(authentication);
126     Employee manager=employeeRepo.findByEmail(email).orElseThrow(
127         ()->new EmployeeNotFound("Manager with "+email+" not found")
128     );
129     List<LeaveRequest>
leaveRequests=leaveRequestRepo.findByStatusAndEmployee_Manager(LeaveStatus.PENDING,manager);
130     return leaveRequests.stream()
131         .map(this::convertToLeaveResponseDTO)
132         .collect(Collectors.toList());
133 }
134
135 public ManagerEmployeeDetailsDTO getEmployeeDetailsByName( String name) {
136
137     Employee employee = employeeRepo.findByName(name).orElseThrow(
138         () -> new EmployeeNotFound("Employee:" + name + " not found")
139     );
140
141
142
143     ManagerEmployeeDetailsDTO dto = new ManagerEmployeeDetailsDTO();
144     dto.setEmployeeId(employee.getEmployeeId());
145     dto.setName(employee.getName());
146     dto.setEmail(employee.getEmail());

```



```

147         dto.setDept(employee.getDept());
148         dto.setStatus(employee.getStatus());
149         dto.setAttendance(toAttendance(employee.getStatus()));
150         dto.setDevices(deviceAssignmentRepo
151             .findByAssignedToEmployeeIdAndStatus(employee.getEmployeeId(), AssignmentStatus.ACTIVE)
152             .stream()
153             .map(DeviceAssignment::getDevice)
154             .map(this::toDeviceResponseDTO)
155             .toList());
156         return dto;
157     }
158
159     private LeaveResponseDTO convertToLeaveResponseDTO(LeaveRequest leaveRequest) {
160         LeaveResponseDTO dto = new LeaveResponseDTO();
161         dto.setLeaveRequestId(leaveRequest.getId());
162         dto.setEmployeeName(leaveRequest.getEmployee().getName());
163         dto.setLeaveType(leaveRequest.getLeaveType());
164         dto.setStartDate(leaveRequest.getStartDate());
165         dto.setEndDate(leaveRequest.getEndDate());
166         dto.setReason(leaveRequest.getReason());
167         dto.setStatus(leaveRequest.getStatus());
168         return dto;
169     }
170
171     private ManagerLeaveResponseDTO toManagerLeaveResponseDTO(LeaveRequest leaveRequest){
172         ManagerLeaveResponseDTO managerLeaveResponseDTO=new ManagerLeaveResponseDTO();
173         managerLeaveResponseDTO.setEmployeeName(leaveRequest.getEmployee().getName());
174         managerLeaveResponseDTO.setLeaveType(leaveRequest.getLeaveType());
175         managerLeaveResponseDTO.setStartDate(leaveRequest.getStartDate());
176         managerLeaveResponseDTO.setEndDate(leaveRequest.getEndDate());
177         managerLeaveResponseDTO.setNumberOfDays(
178             ChronoUnit.DAYS.between(leaveRequest.getStartDate(), leaveRequest.getEndDate()) + 1);
179         managerLeaveResponseDTO.setStatus(leaveRequest.getStatus());
180         managerLeaveResponseDTO.setReason(leaveRequest.getReason());
181         return managerLeaveResponseDTO;
182     }
183
184     private String toAttendance(Status status) {
185         if (status == Status.ON_LEAVE) {
186             return "ON_LEAVE";
187         }
188         if (status == Status.ACTIVE) {
189             return "PRESENT";
190         }
191         return status.name();
192     }
193
194     private DeviceResponseDTO toDeviceResponseDTO(Device device) {
195         DeviceResponseDTO dto = new DeviceResponseDTO();
196         dto.setId(device.getId());
197         dto.setDeviceName(device.getDeviceName());
198         dto.setBrand(device.getBrand());
199         dto.setDeviceType(device.getDeviceType());
200         dto.setDeviceStatus(device.getDeviceStatus());
201         dto.setWarrantyExpiryDate(device.getWarrantyExpiryDate());
202
203         if (device.getTechVendor() != null) {
204             dto.setVendorName(device.getTechVendor().getName());
205         }
206
207         DeviceAssignment assignment = device.getCurrentAssignment();
208         if (assignment != null && assignment.getStatus() == AssignmentStatus.ACTIVE) {
209             dto.setAssignedDate(assignment.getAssignedDate());
210             if (assignment.getAssignedTo() != null) {
211                 dto.setAssignedEmployeeId(assignment.getAssignedTo().getEmployeeId());
212                 dto.setAssignedEmployeeName(assignment.getAssignedTo().getName());
213             }
214         }
215
216         return dto;
217     }
218 }
219

```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.LeaveResponseDTO;
4 import com.example.EmployeeManagementSystem.DTO.MaternityLeaveRequestDTO;
5 import com.example.EmployeeManagementSystem.Entity.Employee;
6 import com.example.EmployeeManagementSystem.Entity.LeaveRequest;
7 import com.example.EmployeeManagementSystem.Enum.*;
8 import com.example.EmployeeManagementSystem.Exception.EmployeeNotFound;
9 import com.example.EmployeeManagementSystem.Exception.InvalidStartDateException;
10 import com.example.EmployeeManagementSystem.Exception.OverlappingLeaveException;
11 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
12 import com.example.EmployeeManagementSystem.Repository.LeaveRequestRepo;
13 import com.example.EmployeeManagementSystem.Util.AuthUtil;
14 import org.springframework.http.HttpStatus;
15 import org.springframework.http.ResponseEntity;
16 import org.springframework.security.core.Authentication;
17 import org.springframework.stereotype.Service;
18
19 import java.math.BigDecimal;
20 import java.time.LocalDate;
21 import java.time.temporal.ChronoUnit;
22 import java.util.List;
23 import java.util.Map;
24
25 @Service
26 public class MaternityLeaveService {
27
28     private final EmployeeRepo employeeRepo;
29     private final LeaveRequestRepo leaveRequestRepo;
30     private final NotificationService notificationService;
31
32     public MaternityLeaveService(EmployeeRepo employeeRepo, LeaveRequestRepo leaveRequestRepo,
33 NotificationService notificationService) {
34         this.employeeRepo = employeeRepo;
35         this.leaveRequestRepo = leaveRequestRepo;
36         this.notificationService = notificationService;
37     }
38
39     public ResponseEntity<?> applyMaternityLeave(Authentication authentication,
40 MaternityLeaveRequestDTO maternityLeaveRequestDTO){
41         String email = AuthUtil.extractEmail(authentication);
42         Employee employee = employeeRepo.findByEmail(email)
43             .orElseThrow(() -> new EmployeeNotFound("Employee not found: " + email));
44
45         if (employee.getStatus() != Status.ACTIVE) {
46             return ResponseEntity.badRequest()
47                 .body(Map.of("error", "Only active employees can apply"));
48         }
49
50         if (employee.getGender() != Gender.F) {
51             return ResponseEntity.badRequest()
52                 .body(Map.of("error", "Only female employees can apply for maternity leave"));
53         }
54
55         boolean alreadyApplied = leaveRequestRepo
56             .existsMaternityLeaveForYear(
57                 employee,
58                 LeaveType.MATERNITY,
59                 maternityLeaveRequestDTO.getStartDate().getYear(),
60                 List.of(LeaveStatus.CANCELLED, LeaveStatus.REJECTED));
61         if (alreadyApplied) {
62             return ResponseEntity.badRequest()
63                 .body(Map.of("error", "Maternity leave already applied for this year"));
64         }
65
66         LocalDate today = LocalDate.now();
67         if (maternityLeaveRequestDTO.getStartDate().isBefore(today)) {
68             throw new InvalidStartDateException("Start date cannot be before today");
69         }
70     }

```

```

71
72     // 5. Overlapping check
73     LocalDate endDate = maternityLeaveRequestDTO.getStartDate().plusDays(179); // always 180 days
74     long overlapping = leaveRequestRepo.countOverlappingLeave(
75         employee.getEmployeeId(),
76         maternityLeaveRequestDTO.getStartDate(),
77         endDate);
78     if (overlapping > 0) {
79         throw new OverlappingLeaveException("Overlapping leave exists");
80     }
81
82     LeaveRequest request = new LeaveRequest();
83     request.setEmployee(employee);
84     request.setLeaveType(LeaveType.MATERNITY);
85     request.setStartDate(maternityLeaveRequestDTO.getStartDate());
86     request.setEndDate(endDate); // forced 180 days
87     request.setStatus(LeaveStatus.PENDING);
88     request.setReason(maternityLeaveRequestDTO.getReason());
89
90     LeaveRequest saved = leaveRequestRepo.save(request);
91     Employee manager = employee.getManager();
92     if (manager != null) {
93         notificationService.notify(
94             manager,
95             employee.getName() + " has applied for maternity leave.",
96             "MATERNITY_LEAVE_REQUEST"
97         );
98     }
99     employeeRepo.findByRole(Role.ADMIN).forEach(admin ->
100         notificationService.notify(
101             admin,
102             employee.getName() + " applied for maternity leave (" +
103                 maternityLeaveRequestDTO.getStartDate() + " " + endDate + ")",
104             "MATERNITY_LEAVE_REQUEST"
105         )
106     );
107
108     return ResponseEntity.status(HttpStatus.CREATED).body(convertToDTO(saved));
109 }
110
111 private LeaveResponseDTO convertToDTO(LeaveRequest request){
112     var responseDTO=new LeaveResponseDTO();
113     responseDTO.setLeaveRequestId(request.getId());
114     responseDTO.setEmployeeName(request.getEmployee().getName());
115     responseDTO.setLeaveType(request.getLeaveType());
116     responseDTO.setStartDate(request.getStartDate());
117     responseDTO.setEndDate(request.getEndDate());
118     responseDTO.setNumberOfDays(requestedDays(request).longValue());
119     responseDTO.setReason(request.getReason());
120     responseDTO.setStatus(request.getStatus());
121     return responseDTO;
122 }
123
124 private BigDecimal requestedDays(LeaveRequest leaveRequest) {
125     long days = ChronoUnit.DAYS.between(leaveRequest.getStartDate(), leaveRequest.getEndDate()) + 1;
126     return BigDecimal.valueOf(days);
127 }
128 }
129

```

```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Enum.MealSlot;
4 import org.springframework.stereotype.Service;
5
6 import java.time.LocalDateTime;
7 import java.util.Map;
8
9 @Service
10 public class MealSlotService {
11
12     private final Map<MealSlot, LocalDateTime> slotLocalTimeMap = Map.of(
13         MealSlot.BREAKFAST, LocalDateTime.of(8, 0),
14         MealSlot.LUNCH, LocalDateTime.of(13, 0),
15         MealSlot.DINNER, LocalDateTime.of(21, 0)
16     );
17
18     public LocalDateTime getTime(MealSlot slot) {
19         return slotLocalTimeMap.get(slot);
20     }
21 }
22
```

```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.Notification;
5 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
6 import com.example.EmployeeManagementSystem.Repository.NotificationRepository;
7 import org.springframework.stereotype.Service;
8 import java.util.List;
9
10 @Service
11 public class NotificationService {
12
13     private final NotificationRepository notificationRepo;
14     private final EmployeeRepo employeeRepo;
15
16     public NotificationService(NotificationRepository notificationRepo,
17                               EmployeeRepo employeeRepo) {
18         this.notificationRepo = notificationRepo;
19         this.employeeRepo = employeeRepo;
20     }
21
22     /** Create a notification for a specific employee */
23     public void notify(Employee recipient, String message, String type) {
24         Notification n = new Notification();
25         n.setRecipient(recipient);
26         n.setMessage(message);
27         n.setType(type);
28         notificationRepo.save(n);
29     }
30
31     /** Notify every employee in the system (e.g. new public holiday) */
32     public void notifyAll(String message, String type) {
33         List<Employee> all = employeeRepo.findAll();
34         for (Employee e : all) {
35             notify(e, message, type);
36         }
37     }
38
39     public List<Notification> getForEmployee(Employee employee) {
40         return notificationRepo.findByRecipientOrderByCreatedAtDesc(employee);
41     }
42
43     public long getUnreadCount(Employee employee) {
44         return notificationRepo.countByRecipientAndIsReadFalse(employee);
45     }
46
47     public void markAllRead(Employee employee) {
48         List<Notification> unread = notificationRepo
49             .findByRecipientOrderByCreatedAtDesc(employee)
50             .stream()
51             .filter(n -> !n.isRead())
52             .toList();
53         unread.forEach(n -> n.setRead(true));
54         notificationRepo.saveAll(unread);
55     }
56 }
57
```

```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.RefreshToken;
5 import com.example.EmployeeManagementSystem.Entity.Vendor;
6 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
7 import com.example.EmployeeManagementSystem.Repository.RefreshTokenRepository;
8 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
9 import org.springframework.stereotype.Service;
10
11 import java.time.Instant;
12 import java.time.temporal.ChronoUnit;
13 import java.util.UUID;
14
15 @Service
16 public class RefreshTokenService {
17     private final EmployeeRepo employeeRepo;
18     private final VendorRepo vendorRepo;
19
20     public RefreshTokenService(RefreshTokenRepository refreshTokenRepository, EmployeeRepo employeeRepo,
21     VendorRepo vendorRepo) {
22         this.employeeRepo = employeeRepo;
23         this.vendorRepo = vendorRepo;
24     }
25
26     public RefreshToken createForEmployee(Employee employee) {
27         RefreshToken refreshToken = new RefreshToken();
28         refreshToken.setToken(UUID.randomUUID().toString());
29         refreshToken.setExpiryTime(Instant.now().plus(7, ChronoUnit.DAYS));
30         refreshToken.setEmployee(employee);
31         return refreshToken;
32     }
33
34     public RefreshToken createForVendor(Vendor vendor) {
35         RefreshToken refreshToken = new RefreshToken();
36         refreshToken.setToken(UUID.randomUUID().toString());
37         refreshToken.setExpiryTime(Instant.now().plus(7, ChronoUnit.DAYS));
38         refreshToken.setVendor(vendor);
39         return refreshToken;
40     }
41 }
```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.RestaurantDTO;
4 import com.example.EmployeeManagementSystem.DTO.RestaurantRequest;
5 import com.example.EmployeeManagementSystem.Entity.Restaurant;
6 import com.example.EmployeeManagementSystem.Entity.Vendor;
7 import com.example.EmployeeManagementSystem.Enum.MealsSlot;
8 import com.example.EmployeeManagementSystem.Exception.RestaurantNotFoundException;
9 import com.example.EmployeeManagementSystem.Exception.UnauthorizedAccessException;
10 import com.example.EmployeeManagementSystem.Exception.VendorNotFoundException;
11 import com.example.EmployeeManagementSystem.Repository.RestaurantRepository;
12 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
13 import com.example.EmployeeManagementSystem.Util.AuthUtil;
14 import org.slf4j.Logger;
15 import org.slf4j.LoggerFactory;
16 import org.springframework.security.core.Authentication;
17 import org.springframework.stereotype.Service;
18
19 import java.util.List;
20 import java.util.stream.Collectors;
21
22 @Service
23 public class RestaurantService {
24
25     private static final Logger log = LoggerFactory.getLogger(RestaurantService.class);
26
27     private final RestaurantRepository restaurantRepository;
28     private final VendorRepo vendorRepo;
29
30     public RestaurantService(RestaurantRepository restaurantRepository, VendorRepo vendorRepo) {
31         this.restaurantRepository = restaurantRepository;
32         this.vendorRepo = vendorRepo;
33     }
34
35     /**
36      * Create a new restaurant.
37      * Only the owning vendor (matched by vendorId in the request) may do this.
38      */
39     public RestaurantDTO createRestaurant(RestaurantRequest request, Authentication authentication) {
40         String email = AuthUtil.extractEmail(authentication);
41         Vendor vendor = vendorRepo.findByEmail(email)
42             .orElseThrow(() -> new VendorNotFoundException(
43                 "Vendor with email " + email + " not found"));
44
45         Restaurant restaurant = new Restaurant();
46         restaurant.setName(request.getName());
47         restaurant.setAddress(request.getAddress());
48         restaurant.setDescription(request.getDescription());
49         restaurant.setSupportedMealsSlots(request.getSupportedMealsSlots());
50         restaurant.setVendor(vendor);
51         restaurant.setActive(true);
52
53         Restaurant saved = restaurantRepository.save(restaurant);
54         log.info("Restaurant created: {} by vendor {}", saved.getName(), vendor.getId());
55         return toDTO(saved);
56     }
57
58     /**
59      * Update restaurant details.
60      * Vendor must own this restaurant – otherwise 403.
61      */
62     public RestaurantDTO updateRestaurant(Long restaurantId, RestaurantRequest request, Authentication authentication) {
63         Restaurant restaurant = findOrThrow(restaurantId);
64         String email = AuthUtil.extractEmail(authentication);
65         Vendor vendor = vendorRepo.findByEmail(email).orElseThrow(
66             () -> new VendorNotFoundException("Vendor Not found")
67         );
68         assertOwnership(restaurantId, vendor.getEmail());
69
70         if (request.getName() != null) restaurant.setName(request.getName());

```

```

71         if (request.getAddress() != null) restaurant.setAddress(request.getAddress());
72         if (request.getDescription() != null) restaurant.setDescription(request.getDescription());
73         if (request.getSupportedMealSlots() != null && !request.getSupportedMealSlots().isEmpty()) {
74             restaurant.setSupportedMealSlots(request.getSupportedMealSlots());
75         }
76         return toDTO(restaurantRepository.save(restaurant));
77     }
78
79     /**
80      * Deactivate a restaurant (soft delete).
81      * Only the owning vendor may do this.
82      * Active subscriptions to this restaurant will no longer receive new deliveries
83      * – the Subscription status should be handled separately.
84      */
85     public void deactivateRestaurant(Long restaurantId, Authentication authentication) {
86         Restaurant restaurant = findOrThrow(restaurantId);
87         String email= AuthUtil.extractEmail(authentication);
88         Vendor vendor=vendorRepo.findByEmail(email).orElseThrow(
89             ()->new VendorNotFoundException("Vendor Not found")
90         );
91         assertOwnership(restaurantId, vendor.getEmail());
92         restaurant.setActive(false);
93         restaurantRepository.save(restaurant);
94         log.info("Restaurant deactivated: id={}", restaurantId);
95     }
96
97     /**
98      * Get all restaurants owned by a vendor.
99      * VENDOR-only endpoint.
100     */
101     public List<RestaurantDTO> getRestaurantsByVendor(Authentication authentication) {
102         String email= AuthUtil.extractEmail(authentication);
103         vendorRepo.findByEmail(email)
104             .orElseThrow(() -> new VendorNotFoundException("Vendor " + email + " not found"));
105         return restaurantRepository.findByVendor_EmailAndActiveTrue(email)
106             .stream().map(this::toDTO).collect(Collectors.toList());
107     }
108
109     /**
110      * Get all active restaurants.
111      * Available to EMPLOYEE so they can browse and choose.
112      */
113     public List<RestaurantDTO> getAllActiveRestaurants() {
114         return restaurantRepository.findByActiveTrue()
115             .stream().map(this::toDTO).collect(Collectors.toList());
116     }
117
118     /**
119      * Get active restaurants that serve a specific meal slot.
120      * Employees call this when subscribing, to see valid restaurant options for a slot.
121      */
122     public List<RestaurantDTO> getRestaurantsByMealSlot(MealSlot mealSlot) {
123         return restaurantRepository.findActiveByMealSlot(mealSlot)
124             .stream().map(this::toDTO).collect(Collectors.toList());
125     }
126
127     public RestaurantDTO getRestaurant(Long id) {
128         return toDTO(findOrThrow(id));
129     }
130
131     // helpers
132
133     private Restaurant findOrThrow(Long id) {
134         return restaurantRepository.findById(id)
135             .orElseThrow(() -> new RestaurantNotFoundException(
136                 "Restaurant with id " + id + " not found"));
137     }
138
139     /**
140      * Throws UnauthorizedAccessException if the restaurant does not belong to the vendor.
141      * This is the core access-control guard for all mutating vendor operations.
142      */
143     private void assertOwnership(Long restaurantId, String email) {
144         if (!restaurantRepository.existsByIdAndVendor_Email(restaurantId, email)) {
145             throw new UnauthorizedAccessException(
146                 "Vendor " + email + " does not own restaurant " + restaurantId);

```



```
147     }
148 }
149
150 public RestaurantDTO toDTO(Restaurant r) {
151     RestaurantDTO dto = new RestaurantDTO();
152     dto.setId(r.getId());
153     dto.setName(r.getName());
154     dto.setAddress(r.getAddress());
155     dto.setDescription(r.getDescription());
156     dto.setSupportedMealSlots(r.getSupportedMealSlots());
157     dto.setActive(r.isActive());
158     dto.setVendorId(r.getVendor().getId());
159     dto.setVendorName(r.getVendor().getName());
160     return dto;
161 }
162 }
```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.AdminActionDTO;
4 import com.example.EmployeeManagementSystem.DTO.RepairDTO;
5 import com.example.EmployeeManagementSystem.DTO.ServiceRequestDTO;
6 import com.example.EmployeeManagementSystem.DTO.ServiceRequestResponseDTO;
7 import com.example.EmployeeManagementSystem.Entity.Device;
8 import com.example.EmployeeManagementSystem.Entity.Employee;
9 import com.example.EmployeeManagementSystem.Entity.ServiceRequest;
10 import com.example.EmployeeManagementSystem.Entity.Vendor;
11 import com.example.EmployeeManagementSystem.Enum.DeviceStatus;
12 import com.example.EmployeeManagementSystem.Enum.ServiceRequestStatus;
13 import com.example.EmployeeManagementSystem.Exception.EmployeeNotFound;
14 import com.example.EmployeeManagementSystem.Exception.VendorNotFoundException;
15 import com.example.EmployeeManagementSystem.Repository.DeviceRepository;
16 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
17 import com.example.EmployeeManagementSystem.Repository.ServiceRequestRepository;
18 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
19 import com.example.EmployeeManagementSystem.Util.AuthUtil;
20 import org.springframework.security.core.Authentication;
21 import org.springframework.stereotype.Service;
22 import org.springframework.transaction.annotation.Transactional;
23 import org.w3c.dom.stylesheets.LinkStyle;
24
25 import java.time.LocalDateTime;
26 import java.util.List;
27 import java.util.Vector;
28
29 @Service
30 public class ServiceRequestService {
31     private final ServiceRequestRepository serviceRequestRepository;
32     private final EmployeeRepo employeeRepo;
33     private final DeviceRepository deviceRepository;
34     private final VendorRepo vendorRepo;
35
36     public ServiceRequestService(ServiceRequestRepository serviceRequestRepository, EmployeeRepo employeeRepo, DeviceRepository deviceRepository, VendorRepo vendorRepo) {
37         this.serviceRequestRepository = serviceRequestRepository;
38         this.employeeRepo = employeeRepo;
39         this.deviceRepository = deviceRepository;
40         this.vendorRepo = vendorRepo;
41     }
42
43     public ServiceRequest createServiceRequest(ServiceRequestDTO dto, Authentication authentication) {
44         String email= AuthUtil.extractEmail(authentication);
45         Employee employee = employeeRepo.findByEmail(email)
46             .orElseThrow(() -> new RuntimeException("Employee not found"));
47
48         // 2. Fetch device
49         Device device = deviceRepository.findById(dto.getDeviceId())
50             .orElseThrow(() -> new RuntimeException("Device not found"));
51
52         // 3. Validate device is assigned to employee
53         if (device.getCurrentAssignment() == null ||
54             !device.getCurrentAssignment().getAssignedTo().equals(employee)) {
55             throw new RuntimeException("Device not assigned to this employee");
56         }
57
58         // 4. Validate device status
59         if (device.getDeviceStatus() != DeviceStatus.ASSIGNED) {
60             throw new RuntimeException("Device is not in usable state");
61         }
62
63         // 5. Create Service Request
64         ServiceRequest request = new ServiceRequest();
65         request.setDevice(device);
66         request.setRaisedBy(employee);
67         request.setRequestType(dto.getRequestType());
68         request.setIssueDescription(dto.getIssueDescription());
69         request.setUrgent(dto.isUrgent());
70         request.setStatus(ServiceRequestStatus.OPEN);

```

```

71         return serviceRequestRepository.save(request);
72     }
73
74
75     public List<ServiceRequestResponseDTO> getAllOpenServiceRequests(){
76         List<ServiceRequest>
serviceRequestList=serviceRequestRepository.findByStatus(ServiceRequestStatus.OPEN);
77         return serviceRequestList.stream().map(serviceRequest ->
toServiceRequestResponseDTO(serviceRequest)).toList();
78
79     }
80
81     public List<ServiceRequestResponseDTO> getMyServiceRequests(Authentication authentication) {
82         String email = AuthUtil.extractEmail(authentication);
83         Employee employee = employeeRepo.findByEmail(email)
84             .orElseThrow(() -> new EmployeeNotFound("Employee not found: " + email));
85
86         List<ServiceRequest> serviceRequestList =
serviceRequestRepository.findByRaisedByOrderByRaisedAtDesc(employee);
87         return serviceRequestList.stream()
88             .map(this::toServiceRequestResponseDTO)
89             .toList();
90     }
91
92     private ServiceRequestDTO toServiceRequestDTO(ServiceRequest serviceRequest){
93         ServiceRequestDTO requestDTO=new ServiceRequestDTO();
94         requestDTO.setDeviceId(serviceRequest.getDevice().getId());
95         requestDTO.setRequestType(serviceRequest.getRequestType());
96         requestDTO.setIssueDescription(serviceRequest.getIssueDescription());
97         requestDTO.setUrgent(serviceRequest.isUrgent());
98         return requestDTO;
99     }
100
101     private ServiceRequestResponseDTO toServiceRequestResponseDTO(ServiceRequest serviceRequest) {
102         ServiceRequestResponseDTO responseDTO = new ServiceRequestResponseDTO();
103         responseDTO.setId(serviceRequest.getId());
104         responseDTO.setRequestType(serviceRequest.getRequestType() != null
105             ? serviceRequest.getRequestType().name()
106             : null);
107         responseDTO.setStatus(serviceRequest.getStatus() != null
108             ? serviceRequest.getStatus().name()
109             : null);
110         responseDTO.setIssueDescription(serviceRequest.getIssueDescription());
111         responseDTO.setAdminRemarks(serviceRequest.getAdminRemarks());
112         responseDTO.setResolution(serviceRequest.getResolution());
113         responseDTO.setUrgent(serviceRequest.isUrgent());
114         responseDTO.setRaisedAt(serviceRequest.getRaisedAt());
115         responseDTO.setResolvedAt(serviceRequest.getResolvedAt());
116         responseDTO.setDeviceName(serviceRequest.getDevice() != null
117             ? serviceRequest.getDevice().getDeviceName()
118             : null);
119         responseDTO.setReviewedByName(serviceRequest.getReviewedBy() != null
120             ? serviceRequest.getReviewedBy().getName()
121             : null);
122         responseDTO.setRaisedByName(serviceRequest.getRaisedBy().getName());
123         return responseDTO;
124     }
125
126
127     @Transactional
128     public ServiceRequestResponseDTO updateServiceRequestByAdmin(Authentication authentication,
AdminActionDTO actionDTO){
129         ServiceRequest
serviceRequest=serviceRequestRepository.findById(actionDTO.getServiceRequestId()).orElseThrow(
130             ()->new RuntimeException("Service Request Not Found")
131         );
132         String email=AuthUtil.extractEmail(authentication);
133         Employee admin=employeeRepo.findByEmail(email).orElseThrow(
134             ()->new EmployeeNotFound("Admin not found:"+email)
135         );
136         Device device=serviceRequest.getDevice();
137         if (actionDTO.getStatus() == ServiceRequestStatus.SENT_FOR_REPAIR) {
138             device.setDeviceStatus(DeviceStatus.UNDER_REPAIR);
139             deviceRepository.save(device);
140         } else if (actionDTO.getStatus() == ServiceRequestStatus.REJECTED) {
141             device.setDeviceStatus(DeviceStatus.ASSIGNED);

```

```

142     }
143     serviceRequest.setReviewedBy(admin);
144     serviceRequest.setAdminRemarks(actionDTO.getAdminRemarks());
145     serviceRequest.setStatus(actionDTO.getStatus());
146     ServiceRequest saved=serviceRequestRepository.save(serviceRequest);
147     return toServiceRequestResponseDTO(saved);
148 }
149
150 public List<ServiceRequestResponseDTO> getAllServiceRequestByVendor(Authentication authentication){
151     String email=AuthUtil.extractEmail(authentication);
152     Vendor vendor=vendorRepo.findByEmail(email).orElseThrow(
153         ()->new VendorNotFoundException("Vendor not found: "+email)
154     );
155
156     List<ServiceRequest>
serviceRequestList=serviceRequestRepository.findByDeviceTechVendorAndStatus(vendor, ServiceRequestStatus.SENT_FOR
_REPAIR);
157     return serviceRequestList.stream()
158         .map(serviceRequest -> toServiceRequestResponseDTO(serviceRequest))
159         .toList();
160 }
161
162 public ServiceRequestResponseDTO updateServiceRequestByVendor(
163     Authentication authentication, RepairDTO repairDTO
164 ) {
165
166     // 1. Get vendor
167     String email = AuthUtil.extractEmail(authentication);
168     Vendor vendor = vendorRepo.findByEmail(email)
169         .orElseThrow(() -> new RuntimeException("Vendor not found"));
170
171     // 2. Get request
172     ServiceRequest request = serviceRequestRepository.findById(repairDTO.getRequestId())
173         .orElseThrow(() -> new RuntimeException("Request not found"));
174
175     // 3. Validate request belongs to vendor
176     if (!request.getDevice().getTechVendor().getId().equals(vendor.getId())) {
177         throw new RuntimeException("Unauthorized access");
178     }
179
180     // 4. Validate status
181     if (request.getStatus() != ServiceRequestStatus.SENT_FOR_REPAIR) {
182         throw new RuntimeException("Request is not in repair stage");
183     }
184
185     Device device = request.getDevice();
186
187     // 5. Update based on repair result
188     if (repairDTO.getStatus()==ServiceRequestStatus.REPAIR_DONE) {
189         request.setResolution(repairDTO.getResolution());
190         request.setStatus(repairDTO.getStatus());
191
192         device.setDeviceStatus(DeviceStatus.ASSIGNED); // back to employee
193     } else {
194         request.setResolution(repairDTO.getResolution());
195         request.setStatus(ServiceRequestStatus.REPAIR_DONE);
196
197         device.setDeviceStatus(DeviceStatus.CONDEMNED); // not usable
198     }
199
200     request.setResolvedAt(LocalDateTime.now());
201
202     deviceRepository.save(device);
203     ServiceRequest serviceRequest=serviceRequestRepository.save(request);
204     return toServiceRequestResponseDTO(serviceRequest);
205 }
206 }
207
208
209

```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
4 import com.example.EmployeeManagementSystem.Entity.LeaveType;
5 import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
6 import com.example.EmployeeManagementSystem.Repository.LeaveTypeRepository;
7 import org.slf4j.Logger;
8 import org.slf4j.LoggerFactory;
9 import org.springframework.stereotype.Service;
10 import org.springframework.transaction.annotation.Transactional;
11
12 import java.math.BigDecimal;
13 import java.time.LocalDate;
14 import java.util.List;
15
16 @Service
17 public class SickLeaveResetService {
18
19     private static final Logger log = LoggerFactory.getLogger(SickLeaveResetService.class);
20
21     private final LeaveTypeRepository leaveTypeRepository;
22     private final LeaveEntitlementRepository entitlementRepository;
23
24     public SickLeaveResetService(LeaveTypeRepository leaveTypeRepository,
25                               LeaveEntitlementRepository entitlementRepository) {
26         this.leaveTypeRepository = leaveTypeRepository;
27         this.entitlementRepository = entitlementRepository;
28     }
29
30     @Transactional
31     public void runMonthlyReset(LocalDate resetDate) {
32         // resetDate = last day of the month being reset (e.g. 2025-06-30)
33         int year = resetDate.getYear();
34         int month = resetDate.getMonthValue(); // FIX: scope reset to this month only
35
36         // Find all leave types that reset monthly (only SICK in your design)
37         List<LeaveType> resetTypes = leaveTypeRepository.findByMonthlyResetTrue();
38
39         for (LeaveType leaveType : resetTypes) {
40             // FIX: was findByLeaveTypeIdAndYear – fetched ALL entitlements for the year
41             // and re-reset them every month. Now scoped to current month's accruals.
42             List<LeaveEntitlement> entitlements =
43                 entitlementRepository.findByLeaveTypeIdAndYear(leaveType.getId(), year);
44
45             for (LeaveEntitlement entitlement : entitlements) {
46
47                 BigDecimal available = entitlement.getAvailableBalance();
48
49                 if (available.compareTo(BigDecimal.ZERO) > 0) {
50                     // Wipe unused days – set accrued = used so available = 0
51                     // Preserves the audit trail of what was used
52                     entitlement.setAccruedThisYear(entitlement.getUsedThisYear());
53
54                     log.info("Sick leave reset for employee {} – {} unused day(s) expired at end of {}-{}",
55                             entitlement.getEmployee().getEmployeeId(), available, year, month);
56                 } else {
57                     log.debug("Sick leave reset for employee {} – nothing to expire (month {}-{})",
58                             entitlement.getEmployee().getEmployeeId(), year, month);
59                 }
60
61                 entitlementRepository.save(entitlement);
62             }
63         }
64
65         log.info("Sick leave monthly reset complete for {}", resetDate);
66     }
67 }

```

```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.DTO.SubscriptionDTO;
4 import com.example.EmployeeManagementSystem.DTO.SubscriptionRequest;
5 import com.example.EmployeeManagementSystem.Entity.Employee;
6 import com.example.EmployeeManagementSystem.Entity.Restaurant;
7 import com.example.EmployeeManagementSystem.Entity.Subscription;
8 import com.example.EmployeeManagementSystem.Enum.MealSlot;
9 import com.example.EmployeeManagementSystem.Enum.ScheduleType;
10 import com.example.EmployeeManagementSystem.Enum.SubscriptionStatus;
11 import com.example.EmployeeManagementSystem.Exception.EmployeeNotFound;
12 import com.example.EmployeeManagementSystem.Exception.RestaurantNotFoundException;
13 import com.example.EmployeeManagementSystem.Exception.SubscriptionAlreadyExists;
14 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
15 import com.example.EmployeeManagementSystem.Repository.RestaurantRepository;
16 import com.example.EmployeeManagementSystem.Repository.SubscriptionRepository;
17 import com.example.EmployeeManagementSystem.Util.AuthUtil;
18 import org.springframework.security.core.Authentication;
19 import org.springframework.stereotype.Service;
20
21 import java.time.ZoneId;
22 import java.time.ZonedDateTime;
23 import java.util.ArrayList;
24 import java.util.List;
25
26 @Service
27 public class SubscriptionService {
28
29     private final SubscriptionRepository subscriptionRepository;
30     private final EmployeeRepo employeeRepo;
31     private final DeliveryTimeService deliveryTimeService;
32     private final RestaurantRepository restaurantRepository;
33
34     public SubscriptionService(SubscriptionRepository subscriptionRepository,
35                               EmployeeRepo employeeRepo,
36                               DeliveryTimeService deliveryTimeService,
37                               RestaurantRepository restaurantRepository) {
38         this.subscriptionRepository = subscriptionRepository;
39         this.employeeRepo = employeeRepo;
40         this.deliveryTimeService = deliveryTimeService;
41         this.restaurantRepository = restaurantRepository;
42     }
43
44     /**
45      * Add subscriptions for an employee.
46      *
47      * Each SlotOrder specifies a meal slot AND the restaurant for that slot,
48      * so an employee can have breakfast from Restaurant A and lunch from Restaurant B.
49      *
50      * Validations:
51      * - Employee must exist and be ACTIVE
52      * - Restaurant must exist and be active
53      * - Restaurant must support the requested meal slot
54      * - No duplicate active subscription for the same employee + slot combination
55      */
56     public void addSubscription(SubscriptionsRequest request, Authentication authentication) {
57         String email = AuthUtil.extractEmail(authentication);
58         Employee employee = employeeRepo.findByEmail(email)
59             .orElseThrow(() -> new EmployeeNotFound(
60                 "Employee with id " + email + " not found"));
61
62         if (request.getSlotOrders() == null || request.getSlotOrders().isEmpty()) {
63             throw new IllegalArgumentException("slotOrders cannot be null or empty");
64         }
65
66         if (request.getScheduleType() == ScheduleType.DAILY) {
67             request.setDayOfWeek(null);
68         } else if (request.getScheduleType() == ScheduleType.WEEKLY) {
69             if (request.getDayOfWeek() == null) {
70                 throw new IllegalArgumentException("dayOfWeek is required for WEEKLY schedule");
71             }
72         }
73     }
74 }
```

```

72     }
73
74     for (SubscriptionRequest.SlotOrder slotOrder : request.getSlotOrders()) {
75         MealSlot slot = slotOrder.getMealSlot();
76         Long restaurantId = slotOrder.getRestaurantId();
77
78         // 1. Validate restaurant exists and is active
79         Restaurant restaurant = restaurantRepository.findById(restaurantId)
80             .orElseThrow(() -> new RestaurantNotFoundException(
81                 "Restaurant with id " + restaurantId + " not found"));
82         if (!restaurant.isActive()) {
83             throw new IllegalArgumentException(
84                 "Restaurant '" + restaurant.getName() + "' is not currently active");
85         }
86
87         // 2. Validate the restaurant actually serves this meal slot
88         if (!restaurant.getSupportedMealSlots().contains(slot)) {
89             throw new IllegalArgumentException(
90                 "Restaurant '" + restaurant.getName() + "' does not serve " + slot +
91                 ". Supported slots: " + restaurant.getSupportedMealSlots());
92         }
93
94         // 3. Check for duplicate active subscription (same employee + slot)
95         if (subscriptionRepository.checkSubscriptionExists(
96             employee.getEmployeeId(), slot.name(), SubscriptionStatus.ACTIVE.name()) > 0) {
97             throw new SubscriptionAlreadyExists(
98                 "Employee " + employee.getEmployeeId() +
99                 " already has an active " + slot + " subscription. " +
100                 "Cancel the existing one before subscribing to a new restaurant.");
101         }
102
103         // 4. Create subscription
104         Subscription subscription = new Subscription();
105         subscription.setEmployee(employee);
106         subscription.setSlot(slot);
107         subscription.setRestaurant(restaurant);
108         subscription.setScheduleType(request.getScheduleType());
109         subscription.setDayOfWeek(request.getDayOfWeek());
110         subscription.setStatus(SubscriptionStatus.ACTIVE);
111         subscription.setNextDeliveryTime(
112             deliveryTimeService.calculateNextDelivery(request, slot, employee));
113
114         subscriptionRepository.save(subscription);
115     }
116 }
117
118 public List<SubscriptionDTO> getAllSubscriptions() {
119     List<Subscription> subscriptions = subscriptionRepository.findAll();
120     List<SubscriptionDTO> dtoList = new ArrayList<>();
121     for (Subscription s : subscriptions) {
122         dtoList.add(convertToDTO(s));
123     }
124     return dtoList;
125 }
126
127 public Subscription updateSubscription(Long id, SubscriptionRequest request) {
128     Subscription subscription = subscriptionRepository.findById(id)
129         .orElseThrow(() -> new RuntimeException("Subscription not found"));
130     Employee employee = subscription.getEmployee();
131
132     if (request.getScheduleType() == ScheduleType.DAILY) {
133         subscription.setDayOfWeek(null);
134     } else if (request.getScheduleType() == ScheduleType.WEEKLY) {
135         if (request.getDayOfWeek() == null) {
136             throw new IllegalArgumentException("dayOfWeek is required for WEEKLY schedule");
137         }
138         subscription.setDayOfWeek(request.getDayOfWeek());
139     }
140     subscription.setScheduleType(request.getScheduleType());
141
142     // Update slot & restaurant if a single slotOrder is provided
143     if (request.getSlotOrders() != null && !request.getSlotOrders().isEmpty()) {
144         if (request.getSlotOrders().size() > 1) {
145             throw new IllegalArgumentException(
146                 "Update supports one slot at a time. Use separate subscriptions for multiple
slots.");

```

```

147     }
148     SubscriptionRequest.SlotOrder slotOrder = request.getSlotOrders().get(0);
149     MealsSlot newSlot = slotOrder.getMealSlot();
150     Restaurant restaurant = restaurantRepository.findById(slotOrder.getRestaurantId())
151         .orElseThrow(() -> new RestaurantNotFoundException(
152             "Restaurant " + slotOrder.getRestaurantId() + " not found"));
153     if (!restaurant.isActive()) {
154         throw new IllegalArgumentException("Restaurant '" + restaurant.getName() + "' is not
active");
155     }
156     if (!restaurant.getSupportedMealsSlots().contains(newSlot)) {
157         throw new IllegalArgumentException(
158             "Restaurant '" + restaurant.getName() + "' does not serve " + newSlot);
159     }
160     subscription.setSlot(newSlot);
161     subscription.setRestaurant(restaurant);
162 }
163
164     subscription.setNextDeliveryTime(
165         deliveryTimeService.calculateNextDelivery(request, subscription.getSlot(), employee));
166
167     return subscriptionRepository.save(subscription);
168 }
169
170 public Subscription pauseSubscription(Long id) {
171     Subscription subscription = subscriptionRepository.findById(id)
172         .orElseThrow(() -> new RuntimeException("Subscription not found"));
173     subscription.setStatus(SubscriptionStatus.PAUSED);
174     subscription.setNextDeliveryTime(null);
175     return subscriptionRepository.save(subscription);
176 }
177
178 public Subscription resumeSubscription(Long id) {
179     Subscription subscription = subscriptionRepository.findById(id)
180         .orElseThrow(() -> new RuntimeException("Subscription not found"));
181     subscription.setStatus(SubscriptionStatus.ACTIVE);
182     subscription.setNextDeliveryTime(deliveryTimeService.getNextDeliveryTime(subscription));
183     return subscriptionRepository.save(subscription);
184 }
185
186 public Subscription expireSubscription(Long id) {
187     Subscription subscription = subscriptionRepository.findById(id)
188         .orElseThrow(() -> new RuntimeException("Subscription not found"));
189     subscription.setStatus(SubscriptionStatus.EXPIRED);
190     subscription.setNextDeliveryTime(null);
191     return subscriptionRepository.save(subscription);
192 }
193
194 public List<SubscriptionDTO> getSubscriptionOfUser(Authentication authentication) {
195     String email= AuthUtil.extractEmail(authentication);
196     List<Subscription> subscriptions = subscriptionRepository.findByEmployee_Email(email);
197     List<SubscriptionDTO> dtoList = new ArrayList<>();
198     for (Subscription s : subscriptions) {
199         dtoList.add(convertToDTO(s));
200     }
201     return dtoList;
202 }
203
204 // helpers
205
206 private SubscriptionDTO convertToDTO(Subscription s) {
207     SubscriptionDTO dto = new SubscriptionDTO();
208     dto.setSubscriptionId(s.getId());
209     dto.setUserId(s.getEmployee().getEmployeeId());
210     dto.setMealSlot(s.getSlot());
211     dto.setScheduleType(s.getScheduleType());
212     if (s.getScheduleType() == ScheduleType.WEEKLY) {
213         dto.setDayOfWeek(s.getDayOfWeek());
214     }
215     dto.setStatus(s.getStatus());
216     if (s.getNextDeliveryTime() != null) {
217         ZoneId userZone = ZoneId.of(s.getEmployee().getTimezone());
218         dto.setNextDeliveryTime(s.getNextDeliveryTime().atZone(userZone));
219     }
220     // Restaurant info
221     if (s.getRestaurant() != null) {

```



```
222         dto.setRestaurantId(s.getRestaurant().getId());
223         dto.setRestaurantName(s.getRestaurant().getName());
224         dto.setRestaurantAddress(s.getRestaurant().getAddress());
225     }
226     return dto;
227 }
228 }
```

```
1 package com.example.EmployeeManagementSystem.Service;
2
3 import dev.samstevens.totp.code.*;
4 import dev.samstevens.totp.secret.DefaultSecretGenerator;
5 import dev.samstevens.totp.secret.SecretGenerator;
6 import dev.samstevens.totp.time.SystemTimeProvider;
7 import dev.samstevens.totp.time.TimeProvider;
8 import org.springframework.stereotype.Service;
9
10 @Service
11 public class TotpService {
12
13     private final SecretGenerator secretGenerator = new DefaultSecretGenerator();
14     private final TimeProvider timeProvider = new SystemTimeProvider();
15     private final CodeGenerator codeGenerator = new DefaultCodeGenerator();
16     private final CodeVerifier codeVerifier = new DefaultCodeVerifier(codeGenerator, timeProvider);
17
18     /** Generate a new Base32 secret for a user */
19     public String generateSecret() {
20         return secretGenerator.generate();
21     }
22
23     /**
24      * Generate a QR code URI – user scans this with Google Authenticator / Authy.
25      * Format: otpauth://totp/{issuer}:{username}?secret={secret}&issuer={issuer}
26      */
27     public String getQrCodeUri(String secret, String username) {
28         return String.format(
29             "otpauth://totp/EmployeeMS:%s?secret=%s&issuer=EmployeeManagementSystem",
30             username, secret
31         );
32     }
33
34     /**
35      * Verify the 6-digit code the user typed.
36      * DefaultCodeVerifier already allows ±1 time step (±30 seconds) for clock skew.
37      */
38     public boolean verifyCode(String secret, String code) {
39         try {
40             return codeVerifier.isValidCode(secret, code);
41         } catch (Exception e) {
42             return false;
43         }
44     }
45 }
```

```

1 package com.example.EmployeeManagementSystem.Service;
2
3 import com.example.EmployeeManagementSystem.Entity.*;
4 import com.example.EmployeeManagementSystem.Enum.Status;
5 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
6 import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
7 import com.example.EmployeeManagementSystem.Repository.LeaveWarningRepository;
8 import com.example.EmployeeManagementSystem.Repository.YearEndCarryForwardLogRepository;
9 import org.slf4j.Logger;
10 import org.slf4j.LoggerFactory;
11 import org.springframework.stereotype.Service;
12 import org.springframework.transaction.annotation.Transactional;
13
14 import java.math.BigDecimal;
15 import java.math.RoundingMode;
16 import java.time.LocalDate;
17 import java.util.List;
18 import java.util.Map;
19 import java.util.Set;
20 import java.util.stream.Collectors;
21
22 @Service
23 public class YearEndCarryForwardService {
24
25     private static final Logger log = LoggerFactory.getLogger(YearEndCarryForwardService.class);
26     private static final BigDecimal CAP = BigDecimal.valueOf(30);
27     private static final Set<String> SUPPORTED_LEAVE_TYPES = Set.of("SICK", "CASUAL", "MATERNITY");
28
29     private final EmployeeRepo employeeRepository;
30     private final LeaveEntitlementRepository entitlementRepository;
31     private final YearEndCarryForwardLogRepository logRepository;
32     private final LeaveWarningRepository warningRepository;
33
34     public YearEndCarryForwardService(
35         EmployeeRepo employeeRepository,
36         LeaveEntitlementRepository entitlementRepository,
37         YearEndCarryForwardLogRepository logRepository,
38         LeaveWarningRepository warningRepository) {
39         this.employeeRepository = employeeRepository;
40         this.entitlementRepository = entitlementRepository;
41         this.logRepository = logRepository;
42         this.warningRepository = warningRepository;
43     }
44
45     // -----
46     // Main entry point – called by scheduler on Dec 31 at 22:00
47     // -----
48     @Transactional
49     public void runYearEnd(int closingYear) {
50
51         // Idempotency guard – never run twice for same year
52         if (logRepository.existsByProcessedYear(closingYear)) {
53             log.warn("Year-end carry-forward already processed for {}. Skipping.", closingYear);
54             return;
55         }
56
57         List<Employee> activeEmployees = employeeRepository.findByStatus(Status.ACTIVE);
58         log.info("Starting year-end carry-forward for {} – {} employees", closingYear,
59             activeEmployees.size());
60         for (Employee employee : activeEmployees) {
61             processEmployeeYearEnd(employee, closingYear);
62         }
63
64         log.info("Year-end carry-forward complete for {}", closingYear);
65     }
66
67     // -----
68     // Per-employee processing
69     // -----
70     private void processEmployeeYearEnd(Employee employee, int closingYear) {

```

```

71     int nextYear = closingYear + 1;
72
73     // Fetch all entitlements for the closing year
74     List<LeaveEntitlement> entitlements =
75         entitlementRepository.findByEmployeeEmployeeIdAndYear(employee.getEmployeeId(),
closingYear);
76
77     // Separate carry-forwardable from non-carry-forwardable
78     List<LeaveEntitlement> carryForwardable = entitlements.stream()
79         .filter(e -> SUPPORTED_LEAVE_TYPES.contains(e.getLeaveType().getName()))
80         .filter(e -> e.getLeaveType().isCarriesForward())
81         .collect(Collectors.toList());
82
83     // Step 1 – compute raw closing balance for each type
84     //     closing = opening + accrued - used
85     Map<LeaveEntitlement, BigDecimal> rawClosing = carryForwardable.stream()
86         .collect(Collectors.toMap(
87             e -> e,
88             e -> e.getOpeningBalance()
89                 .add(e.getAccruedThisYear())
90                 .subtract(e.getUsedThisYear())
91                 .max(BigDecimal.ZERO) // never negative
92         ));
93
94     // Step 2 – sum all carry-forwardable closing balances
95     BigDecimal totalRaw = rawClosing.values().stream()
96         .reduce(BigDecimal.ZERO, BigDecimal::add);
97
98     // Step 3 – apply cap proportionally if total exceeds 30
99     Map<LeaveEntitlement, BigDecimal> cappedClosing = applyCap(rawClosing, totalRaw);
100
101     // Step 4 – persist: update closing balance on current year row,
102     //     create/update opening balance on next year row, write log
103     for (LeaveEntitlement entitlement : carryForwardable) {
104         BigDecimal raw = rawClosing.get(entitlement);
105         BigDecimal capped = cappedClosing.get(entitlement);
106         BigDecimal wasted = raw.subtract(capped);
107
108         // Update closing balance on the current year's row
109         entitlement.setClosingBalance(capped);
110         entitlementRepository.save(entitlement);
111
112         // Write or update next year's opening balance
113         LeaveEntitlement nextYearRow = entitlementRepository
114             .findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(
115                 employee.getEmployeeId(), entitlement.getLeaveType().getId(), nextYear)
116             .orElseGet(() -> buildNextYearRow(employee, entitlement.getLeaveType(), nextYear));
117
118         nextYearRow.setOpeningBalance(capped);
119         entitlementRepository.save(nextYearRow);
120
121         // Write audit log
122         writeLog(employee, closingYear, entitlement.getLeaveType(), raw, capped, wasted);
123
124         // Issue DAY_WASTED warning if any days were lost
125         if (wasted.compareTo(BigDecimal.ZERO) > 0) {
126             issueWastedWarning(employee, wasted, capped);
127             log.info("Employee {} lost {} day(s) of {} to cap at year end",
128                 employee.getEmployeeId(), wasted, entitlement.getLeaveType().getName());
129         }
130     }
131
132     // Step 5 – zero out sick leave closing balance (it never carries)
133     entitlements.stream()
134         .filter(e -> SUPPORTED_LEAVE_TYPES.contains(e.getLeaveType().getName()))
135         .filter(e -> !e.getLeaveType().isCarriesForward())
136         .forEach(e -> {
137             e.setClosingBalance(BigDecimal.ZERO);
138             entitlementRepository.save(e);
139         });
140
141     log.info("Year-end processed for employee {} – total raw={{} capped={}",
142         employee.getEmployeeId(), totalRaw, CAP.min(totalRaw));
143 }
144
145 // -----

```

```

146 // Cap logic – distribute cap proportionally across leave types
147 //
148 // Example: casual=20, maternity=16 total=36, over cap by 6
149 // casual gets: 20/36 * 30 = 16.67
150 // maternity gets: 16/36 * 30 = 13.33
151 // total = 30 exactly
152 // -----
153 private Map<LeaveEntitlement, BigDecimal> applyCap(
154     Map<LeaveEntitlement, BigDecimal> rawClosing,
155     BigDecimal totalRaw) {
156
157     if (totalRaw.compareTo(CAP) <= 0) {
158         // Under cap – no adjustment needed
159         return rawClosing;
160     }
161
162     return rawClosing.entrySet().stream()
163         .collect(Collectors.toMap(
164             Map.Entry::getKey,
165             entry -> {
166                 BigDecimal raw = entry.getValue();
167                 // proportion = raw / totalRaw * CAP
168                 return raw
169                     .divide(totalRaw, 10, RoundingMode.HALF_UP)
170                     .multiply(CAP)
171                     .setScale(2, RoundingMode.HALF_UP);
172             }
173         ));
174 }
175
176 // -----
177 // Build a blank next-year entitlement row
178 // -----
179 private LeaveEntitlement buildNextYearRow(Employee employee, LeaveType leaveType, int year) {
180     LeaveEntitlement row = new LeaveEntitlement();
181     row.setEmployee(employee);
182     row.setLeaveType(leaveType);
183     row.setYear(year);
184     row.setOpeningBalance(BigDecimal.ZERO);
185     row.setAccruedThisYear(BigDecimal.ZERO);
186     row.setUsedThisYear(BigDecimal.ZERO);
187     row.setClosingBalance(BigDecimal.ZERO);
188     return entitlementRepository.save(row);
189 }
190
191 // -----
192 // Write audit log entry
193 // -----
194 private void writeLog(Employee employee, int year, LeaveType leaveType,
195     BigDecimal raw, BigDecimal capped, BigDecimal wasted) {
196     YearEndCarryForwardLog entry = new YearEndCarryForwardLog();
197     entry.setEmployee(employee);
198     entry.setProcessedYear(year);
199     entry.setLeaveType(leaveType);
200     entry.setClosingBalance(raw);
201     entry.setCappedBalance(capped);
202     entry.setDaysWasted(wasted);
203     entry.setOpeningNextYear(capped);
204     logRepository.save(entry);
205 }
206
207 // -----
208 // Issue a DAY_WASTED warning on the dashboard
209 // -----
210 private void issueWastedWarning(Employee employee, BigDecimal wasted, BigDecimal newBalance) {
211     LeaveWarning warning = new LeaveWarning();
212     warning.setEmployee(employee);
213     warning.setWarningType(LeaveWarning.WarningType.DAY_WASTED);
214     warning.setCarryForwardBalance(newBalance);
215     warning.setWarningDate(LocalDate.now());
216     warning.setMessage(
217         wasted.toPlainString() + " carry-forward day(s) were lost at year-end " +
218         "because your balance exceeded the 30-day cap. " +
219         "Your opening balance for next year is " + newBalance.toPlainString() + " days."
220     );
221     warningRepository.save(warning);

```

```
222     }
223 }
224
```

```
1 package com.example.EmployeeManagementSystem.Util;
2
3 import org.springframework.security.core.Authentication;
4 import org.springframework.security.oauth2.core.user.OAuth2User;
5 import org.springframework.stereotype.Component;
6
7 @Component
8 public class AuthUtil {
9     public static String extractEmail(Authentication authentication) {
10         if (authentication == null) return null;
11
12         // OAuth2 login (session-based) – principal is OAuth2User
13         if (authentication.getPrincipal() instanceof OAuth2User oAuth2User) {
14             return oAuth2User.getAttribute("email"); // always the actual email
15         }
16
17         // JWT or session username/password login – getName() is already the email
18         return authentication.getName();
19     }
20 }
21
```

```
1 package com.example.EmployeeManagementSystem.Util;
2
3 import com.example.EmployeeManagementSystem.Entity.Employee;
4 import com.example.EmployeeManagementSystem.Entity.Vendor;
5 import com.example.EmployeeManagementSystem.Enum.Role;
6 import com.example.EmployeeManagementSystem.Exception.EmployeeNotFound;
7 import com.example.EmployeeManagementSystem.Exception.VendorNotFoundException;
8 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
9 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
10 import io.jsonwebtoken.Claims;
11 import io.jsonwebtoken.Jwts;
12 import io.jsonwebtoken.security.Keys;
13 import jakarta.annotation.PostConstruct;
14 import org.springframework.beans.factory.annotation.Value;
15 import org.springframework.security.core.userdetails.UserDetails;
16 import org.springframework.stereotype.Component;
17
18 import javax.crypto.SecretKey;
19 import java.util.Date;
20 import java.util.Optional;
21
22 @Component
23 public class JWTUtil {
24
25     private final EmployeeRepo employeeRepo;
26     private final VendorRepo vendorRepo;
27
28     // FIX 1: Was 1000*60*60 (1 hour) – caused token expiry mid-session.
29     // Extended to 24 hours to match the session timeout in application.yaml.
30     private final long Expiration_time = 1000L * 60 * 60 * 24;
31
32     @Value("${jwt.secret}")
33     private String secret;
34     private SecretKey key;
35
36     public JWTUtil(EmployeeRepo employeeRepo, VendorRepo vendorRepo) {
37         this.employeeRepo = employeeRepo;
38         this.vendorRepo = vendorRepo;
39     }
40
41     @PostConstruct
42     public void init() {
43         key = Keys.hmacShaKeyFor(secret.getBytes());
44     }
45
46     public String generateToken(String username, String role) {
47         return Jwts.builder()
48             .subject(username)
49             .claim("role", role)
50             .issuedAt(new Date())
51             .expiration(new Date(System.currentTimeMillis() + Expiration_time))
52             .signWith(key)
53             .compact();
54     }
55
56     public String extractUsernameFromToken(String token) {
57         Claims body = extractClaims(token);
58         return body.getSubject();
59     }
60
61     private Claims extractClaims(String token) {
62         return Jwts.parser()
63             .verifyWith(key)
64             .build()
65             .parseSignedClaims(token)
66             .getPayload();
67     }
68
69     public boolean validateToken(String username, UserDetails userDetails, String token) {
70         return username.equals(userDetails.getUsername()) && !isTokenExpired(token);
71     }
```



```
72
73     private boolean isTokenExpired(String token) {
74         return extractClaims(token).getExpiration().before(new Date());
75     }
76 }
```

```

1 package com.example.EmployeeManagementSystem.Util;
2
3 import com.example.EmployeeManagementSystem.Entity.RefreshToken;
4 import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
5 import com.example.EmployeeManagementSystem.Repository.RefreshTokenRepository;
6 import com.example.EmployeeManagementSystem.Repository.VendorRepo;
7 import com.example.EmployeeManagementSystem.Service.RefreshTokenService;
8 import jakarta.servlet.http.HttpServletRequest;
9 import jakarta.servlet.http.HttpServletResponse;
10 import org.springframework.security.core.Authentication;
11 import org.springframework.security.oauth2.core.user.OAuth2User;
12 import org.springframework.security.web.authentication.SimpleUrlAuthenticationSuccessHandler;
13 import org.springframework.stereotype.Service;
14
15 import java.io.IOException;
16 import java.net.URLEncoder;
17 import java.nio.charset.StandardCharsets;
18
19 @Service
20 public class OAuth2SuccessHandler extends SimpleUrlAuthenticationSuccessHandler{
21     private final JWTUtil jwtUtil;
22     private final EmployeeRepo employeeRepo;
23     private final VendorRepo vendorRepo;
24     private final RefreshTokenService refreshTokenService;
25     private final RefreshTokenRepository refreshTokenRepository;
26
27     public OAuth2SuccessHandler(JWTUtil jwtUtil,
28                               EmployeeRepo employeeRepo,
29                               VendorRepo vendorRepo,
30                               RefreshTokenService refreshTokenService,
31                               RefreshTokenRepository refreshTokenRepository) {
32         this.jwtUtil = jwtUtil;
33         this.employeeRepo = employeeRepo;
34         this.vendorRepo = vendorRepo;
35         this.refreshTokenService = refreshTokenService;
36         this.refreshTokenRepository = refreshTokenRepository;
37     }
38
39     @Override
40     public void onAuthenticationSuccess(HttpServletRequest request,
41                                       HttpServletResponse response,
42                                       Authentication authentication) throws IOException {
43
44         try{
45             OAuth2User oAuth2User = (OAuth2User) authentication.getPrincipal();
46             String email = oAuth2User.getAttribute("email");
47
48             // Generate refresh token – check which entity type owns this email
49             RefreshToken refreshToken;
50             String role;
51             var employeeOpt = employeeRepo.findByEmail(email);
52             var vendorOpt = vendorRepo.findByEmail(email);
53
54             if (employeeOpt.isPresent()) {
55                 role = employeeOpt.get().getRole().name();
56                 refreshToken = refreshTokenService.createForEmployee(employeeOpt.get());
57             } else if (vendorOpt.isPresent()) {
58                 role = vendorOpt.get().getRole().name();
59                 refreshToken = refreshTokenService.createForVendor(vendorOpt.get());
60             } else {
61                 response.sendError(HttpServletResponse.SC_INTERNAL_SERVER_ERROR, "User not found post-
62 OAuth");
63                 return;
64             }
65             String accessToken = jwtUtil.generateToken(email, role);
66             refreshTokenRepository.save(refreshToken);
67
68             // Redirect frontend to a callback page with tokens as query params
69             // (or use a fragment # so tokens don't hit server logs)
70             String redirectUrl = "http://localhost:8080/google.html" // your frontend page

```

```
71         + "?accessToken=" + URLEncoder.encode(accessToken, StandardCharsets.UTF_8)
72         + "&refreshToken=" + URLEncoder.encode(refreshToken.getToken(),
StandardCharsets.UTF_8);
73
74         getRedirectStrategy().sendRedirect(request, response, redirectUrl);
75     }
76     catch (Exception e) {
77         // This will now print the REAL error in your console
78         System.err.println("=== OAuth2SuccessHandler FAILED ===");
79         e.printStackTrace();
80         response.sendError(HttpServletResponse.SC_INTERNAL_SERVER_ERROR,
81             "OAuth2 login failed: " + e.getMessage());
82     }
83 }
84 }
85
```

```
1  spring:
2    application:
3      name: EmployeeManagementSystem
4
5    datasource :
6      url : jdbc:mysql://localhost:3306/employee_management_db
7      username : ${USER_NAME}
8      password : ${PASSWORD}
9
10   jpa:
11     hibernate :
12       ddl-auto: update
13     show-sql: true
14
15   springdoc:
16     api-docs:
17       path: /v3/api-docs
18       enabled: true
19     swagger-ui:
20       path: /swagger-ui.html
21       enabled: true
22       operations-sorter: method
23       tags-sorter: alpha
24       try-it-out-enabled: true
25       filter: true
26     show-actuator: true
27   mvc:
28     static-path-pattern: /**
29   session:
30     tracking-modes: COOKIE
31   web:
32     resources:
33       static-locations: classpath:/static/
34       add-mappings: true
35   session:
36     timeout: 86400s # 24 hours in seconds (was 1440m which is incorrect format)
37     store-type: none # Use default cookie-based session
38
39   servlet:
40     session:
41       cookie:
42         http-only: true
43         same-site: strict
44         secure: false # set true in production with HTTPS
45
46   security:
47     debug: true
48     oauth2:
49       client:
50         registration:
51           google:
52             client-id: ${client_id}
53             client-secret: ${client_secret}
54             scope:
55               - email
56               - profile
57
58   logging:
59     level:
60       org.springframework.security: DEBUG
61       com.example.EmployeeManagementSystem: DEBUG
62   jwt:
63     secret: ${JWT_SECRET}
64     # Add this to your application.yaml
65   api:
66     key:
67       enabled: true
68       header-name: X-API-Key
69
```

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>EMS - Admin Console</title>
7      <link
href="https://fonts.googleapis.com/css2?family=DM+Sans:wght@400;500;600;700&family=DM+Mono:wght@400;500&display=
swap" rel="stylesheet">
8      <link href="https://cdn.jsdelivr.net/npm/fullcalendar@6.1.8/index.global.min.css" rel="stylesheet">
9      <script src="https://cdn.jsdelivr.net/npm/fullcalendar@6.1.8/index.global.min.js"></script>
10     <style>
11         * { margin: 0; padding: 0; box-sizing: border-box; }
12         :root {
13             --bg: #0d0f14; --bg2: #131720; --bg3: #1a2030;
14             --panel: #1e2436; --panel2: #252c40;
15             --border: rgba(255,255,255,0.07); --border2: rgba(255,255,255,0.12);
16             --text: #e0e0e0; --text2: #8b92a8; --text3: #5557fa;
17             --accent: #4f8cff; --accent-dim: rgba(79,140,255,0.12);
18             --green: #36d399; --green-dim: rgba(54,211,153,0.12);
19             --amber: #f9c74f; --amber-dim: rgba(249,199,79,0.12);
20             --red: #f87171; --red-dim: rgba(248,113,113,0.12);
21             --violet: #a78bfa; --violet-dim: rgba(167,139,250,0.12);
22             --font: 'DM Sans', sans-serif; --mono: 'DM Mono', monospace;
23         }
24         body { font-family: var(--font); background: var(--bg); color: var(--text); font-size: 14px; line-
height: 1.5; overflow: hidden; }
25         .app { display: flex; height: 100vh; }
26         .sidebar { width: 260px; background: var(--bg2); border-right: 1px solid var(--border); display:
flex; flex-direction: column; overflow-y: auto; }
27         .logo { padding: 20px; border-bottom: 1px solid var(--border); }
28         .logo h2 { font-size: 20px; color: var(--text); }
29         .logo span { color: var(--accent); }
30         .logo p { font-size: 11px; color: var(--text3); margin-top: 4px; }
31         .nav-item { padding: 12px 20px; margin: 4px 12px; border-radius: 8px; cursor: pointer; transition:
all 0.2s; color: var(--text2); display: flex; align-items: center; gap: 10px; }
32         .nav-item:hover, .nav-item.active { background: var(--accent-dim); color: var(--accent); }
33         .main-content { flex: 1; display: flex; flex-direction: column; overflow: hidden; }
34         .topbar { background: var(--bg2); padding: 16px 24px; display: flex; justify-content: space-between;
align-items: center; border-bottom: 1px solid var(--border); }
35         .page-title { font-size: 20px; font-weight: 600; }
36         .user-info { display: flex; align-items: center; gap: 16px; }
37         .logout-btn { padding: 8px 16px; background: var(--red-dim); border: 1px solid
rgba(248,113,113,0.3); border-radius: 6px; color: var(--red); cursor: pointer; }
38         .content { flex: 1; overflow-y: auto; padding: 24px; }
39         .view { display: none; }
40         .view.active { display: block; }
41         .stats-grid { display: grid; grid-template-columns: repeat(4, 1fr); gap: 16px; margin-bottom: 24px;
}
42         .stat-card { background: var(--panel); padding: 20px; border-radius: 12px; border: 1px solid var(--
border); }
43         .stat-label { font-size: 11px; color: var(--text3); text-transform: uppercase; margin-bottom: 8px; }
44         .stat-value { font-size: 28px; font-weight: 600; }
45         .form-card { background: var(--panel); border-radius: 12px; border: 1px solid var(--border);
padding: 24px; max-width: 600px; }
46         .form-grid { display: grid; grid-template-columns: 1fr 1fr; gap: 16px; }
47         .form-group { display: flex; flex-direction: column; gap: 6px; }
48         .form-group.full { grid-column: 1 / -1; }
49         label { font-size: 11px; font-weight: 600; color: var(--text3); text-transform: uppercase; }
50         input, select, textarea { padding: 10px 12px; background: var(--bg3); border: 1px solid var(--
border2); border-radius: 8px; color: var(--text); font-family: var(--font); font-size: 13px; }
51         input:focus, select:focus, textarea:focus { outline: none; border-color: var(--accent); }
52         .table-wrap { background: var(--panel); border-radius: 12px; border: 1px solid var(--border);
overflow-x: auto; }
53         table { width: 100%; border-collapse: collapse; }
54         th { text-align: left; padding: 12px 16px; background: var(--bg3); color: var(--text3); font-size:
11px; font-weight: 600; text-transform: uppercase; }
55         td { padding: 12px 16px; border-top: 1px solid var(--border); }
56         .chip { padding: 4px 10px; border-radius: 20px; font-size: 11px; font-weight: 600; display: inline-b
lock; }
57         .chip.active, .chip.approved, .chip.delivered, .chip.repair_done { background: var(--green-dim);
color: var(--green); }

```

```

58     .chip.pending, .chip.scheduled, .chip.sent_for_repair { background: var(--amber-dim); color: var(--
amber); }
59     .chip.open { background: var(--accent-dim); color: var(--accent); }
60     .chip.inactive, .chip.rejected, .chip.cancelled, .chip.expired { background: var(--red-dim); color:
var(--red); }
61     .chip.on_leave { background: var(--violet-dim); color: var(--violet); }
62     .chip.employee { background: var(--accent-dim); color: var(--accent); }
63     .chip.manager { background: var(--violet-dim); color: var(--violet); }
64     .chip.vendor { background: var(--red-dim); color: var(--red); }
65     .chip.under_repair { background: var(--amber-dim); color: var(--amber); }
66     .chip.unpaid, .chip.UNPAID { background: var(--violet-dim); color: var(--violet); }
67     .chip.assigned { background: var(--green-dim); color: var(--green); }
68     .chip.condemned { background: var(--red-dim); color: var(--red); }
69     .chip.admin { background: var(--amber-dim); color: var(--amber); }
70     .btn { padding: 8px 16px; border-radius: 6px; border: none; font-family: var(--font); font-size:
13px; font-weight: 500; cursor: pointer; transition: all 0.2s; }
71     .btn-primary { background: var(--accent); color: white; }
72     .btn-primary:hover { background: #6ba0ff; }
73     .btn-secondary { background: var(--bg3); color: var(--text2); border: 1px solid var(--border2); }
74     .btn-danger { background: var(--red-dim); color: var(--red); border: 1px solid
rgba(248,113,113,0.3); }
75     .btn-sm { padding: 4px 10px; font-size: 11px; margin: 2px; }
76     .section-head { display: flex; justify-content: space-between; align-items: center; margin-bottom:
16px; }
77     .section-title { font-size: 16px; font-weight: 600; }
78     .empty-state { text-align: center; padding: 40px; color: var(--text3); }
79     .modal-overlay { display: none; position: fixed; top: 0; left: 0; right: 0; bottom: 0; background:
rgba(0,0,0,0.7); z-index: 1000; align-items: center; justify-content: center; }
80     .modal-overlay.open { display: flex; }
81     .modal { background: var(--panel); border-radius: 12px; padding: 24px; width: 450px; max-width: 90%;
}
82     .modal-title { font-size: 18px; font-weight: 600; margin-bottom: 16px; }
83     .modal-actions { display: flex; gap: 12px; margin-top: 20px; justify-content: flex-end; }
84     .alert { position: fixed; top: 20px; right: 20px; padding: 12px 20px; border-radius: 8px; z-index:
1100; animation: slideIn 0.3s ease; }
85     .alert-success { background: var(--green-dim); color: var(--green); border: 1px solid var(--green);
}
86     .alert-error { background: var(--red-dim); color: var(--red); border: 1px solid var(--red); }
87     @keyframes slideIn { from { transform: translateX(100%); opacity: 0; } to { transform:
translateX(0); opacity: 1; } }
88     .action-row { display: flex; gap: 6px; flex-wrap: wrap; }
89     .notif-wrapper { position: relative; cursor: pointer; }
90
91     .notif-badge {
92         position: absolute; top: -5px; right: -6px;
93         background: #e53e3e; color: white;
94         font-size: 10px; font-weight: 600;
95         min-width: 16px; height: 16px;
96         border-radius: 50%; display: flex;
97         align-items: center; justify-content: center;
98         padding: 0 3px;
99     }
100    .notif-panel {
101        position: absolute; top: 48px; right: 0;
102        width: 320px; max-height: 400px; overflow-y: auto;
103        background: var(--panel);
104        border: 1px solid var(--border2);
105        border-radius: 10px;
106        box-shadow: 0 4px 24px rgba(0,0,0,0.4);
107        z-index: 999;
108    }
109    .notif-header {
110        padding: 12px 16px; font-weight: 600;
111        color: var(--text);
112        border-bottom: 1px solid var(--border);
113    }
114    .notif-item {
115        padding: 12px 16px; font-size: 13px;
116        color: var(--text2);
117        border-bottom: 1px solid var(--border);
118    }
119    .notif-item.unread { background: var(--accent-dim); color: var(--text); }
120    .notif-time { font-size: 11px; color: var(--text3); margin-top: 4px; }
121
122    /* ===== CALENDAR STYLES ===== */
123    .leave-balance-grid {

```

```

124     display: grid;
125     grid-template-columns: repeat(auto-fit, minmax(160px, 1fr));
126     gap: 14px; padding: 20px;
127     border-bottom: 1px solid var(--border);
128 }
129 .leave-bal-card {
130     background: var(--bg3); border: 1px solid var(--border);
131     border-radius: 10px; padding: 16px 18px;
132     display: flex; flex-direction: column; gap: 6px;
133     position: relative; overflow: hidden; transition: border-color 0.2s;
134 }
135 .leave-bal-card:hover { border-color: var(--border2); }
136 .leave-bal-card::before {
137     content: ''; position: absolute;
138     left: 0; top: 0; bottom: 0; width: 3px;
139     border-radius: 3px 0 0 3px;
140 }
141 .leave-bal-card.sick::before { background: var(--red); }
142 .leave-bal-card.casual::before { background: var(--amber); }
143 .leave-bal-card.mat::before { background: var(--accent); }
144 .leave-bal-card.total::before { background: var(--green); }
145 .lbc-icon { font-size: 18px; }
146 .lbc-label { font-size: 10px; color: var(--text3); text-transform: uppercase; letter-spacing: 1px; font-weight: 600; }
147 .lbc-count { font-size: 24px; font-weight: 700; color: var(--text); font-family: var(--mono); line-height: 1; }
148 .lbc-sub { font-size: 11px; color: var(--text3); }
149 .cal-legend {
150     display: flex; align-items: center; gap: 20px;
151     padding: 12px 20px; border-bottom: 1px solid var(--border); flex-wrap: wrap;
152 }
153 .legend-label { font-size: 11px; color: var(--text3); font-weight: 600; text-transform: uppercase; letter-spacing: 0.8px; margin-right: 4px; }
154 .legend-item { display: flex; align-items: center; gap: 6px; font-size: 12px; color: var(--text2); }
155 .legend-dot { width: 10px; height: 10px; border-radius: 50%; flex-shrink: 0; }
156 .cal-section { background: var(--panel); border: 1px solid var(--border); border-radius: 12px; margin-bottom: 20px; overflow: hidden; }
157 .cal-section-head { padding: 16px 20px; border-bottom: 1px solid var(--border); display: flex; justify-content: space-between; align-items: center; }
158 .cal-section-title { font-size: 16px; font-weight: 600; color: var(--text); }
159 .cal-section-sub { font-size: 12px; color: var(--text2); margin-top: 2px; }
160 #employee-calendar { padding: 16px 20px 20px; }
161 #employee-calendar .fc .fc-toolbar-title { font-family: var(--font); font-size: 15px; font-weight: 600; color: var(--text); }
162 #employee-calendar .fc .fc-button {
163     background: var(--panel2); border: 1px solid var(--border2);
164     color: var(--text2); font-family: var(--font); font-size: 12px;
165     font-weight: 600; border-radius: 6px; padding: 5px 12px;
166     transition: all 0.2s; box-shadow: none; text-transform: capitalize;
167 }
168 #employee-calendar .fc .fc-button:hover,
169 #employee-calendar .fc .fc-button-active,
170 #employee-calendar .fc .fc-button:not(:disabled):active {
171     background: var(--accent-dim); border-color: var(--accent); color: var(--accent); box-shadow: none;
172 }
173 #employee-calendar .fc .fc-button:focus { box-shadow: none; outline: none; }
174 #employee-calendar .fc-theme-standard td,
175 #employee-calendar .fc-theme-standard th,
176 #employee-calendar .fc-theme-standard .fc-scrollgrid { border-color: var(--border); }
177 #employee-calendar .fc .fc-col-header-cell-cushion {
178     font-family: var(--font); font-size: 11px; font-weight: 600;
179     color: var(--text3); text-transform: uppercase; letter-spacing: 0.8px; padding: 8px 4px;
180 }
181 #employee-calendar .fc .fc-daygrid-day-number { font-family: var(--mono); font-size: 12px; color: var(--text3); padding: 6px 8px; }
182 #employee-calendar .fc .fc-daygrid-day.fc-day-today { background: var(--accent-dim) !important; }
183 #employee-calendar .fc .fc-daygrid-day.fc-day-today .fc-daygrid-day-number { color: var(--accent); font-weight: 700; }
184 #employee-calendar .fc-daygrid-day-frame { background: var(--bg3); }
185 #employee-calendar .fc .fc-day-other .fc-daygrid-day-frame { background: var(--bg2); }
186 #employee-calendar .fc-event {
187     border: none !important; border-radius: 4px;
188     font-family: var(--font); font-size: 11px; font-weight: 600; padding: 2px 6px; cursor: pointer;
189 }
190 .cal-tooltip {
191     position: fixed; background: var(--panel2); border: 1px solid var(--border2);

```

```

192     border-radius: 8px; padding: 10px 14px; font-size: 12px; color: var(--text);
193     z-index: 9999; pointer-events: none; max-width: 200px;
194     box-shadow: 0 8px 24px rgba(0,0,0,0.4);
195 }
196 .cal-tooltip .tt-title { font-weight: 600; margin-bottom: 4px; font-size: 13px; }
197 .cal-tooltip .tt-row { color: var(--text2); margin-top: 2px; }
198     </style>
199 </head>
200 <body>
201 <div class="app">
202     <!-- Sidebar -->
203     <div class="sidebar">
204         <div class="logo">
205             <h2>E<span>M</span>S</h2>
206             <p>Admin Control Center</p>
207         </div>
208         <div style="flex: 1;">
209             <div class="nav-item active" onclick="showView('dashboard', event)">&#9632; Dashboard</div>
210             <div class="nav-item" onclick="showView('employees', event)">&#9632; Employees</div>
211             <div class="nav-item" onclick="showView('add-employee', event)">&#9632; Add Employee</div>
212             <div class="nav-item" onclick="showView('add-manager', event)">&#9632; Add Manager</div>
213             <div class="nav-item" onclick="showView('add-vendor', event)">&#9632; Add Vendor</div>
214             <div class="nav-item" onclick="window.location.href='/leave_management.html'">&#9632; Leave
Management</div>
215             <div class="nav-item" onclick="showView('holidays', event)">&#9632; Holidays</div>
216             <div class="nav-item" onclick="showView('restaurants', event)">&#9632; Restaurants</div>
217             <div class="nav-item" onclick="showView('subscriptions', event)">&#9632; Subscriptions</div>
218             <div class="nav-item" onclick="showView('add-subscription', event)">&#9632; Add
Subscription</div>
219             <div class="nav-item" onclick="showView('vendors', event)">&#9632; Vendors</div>
220             <div class="nav-item" onclick="showView('devices', event)">&#9632; Devices</div>
221             <div class="nav-item" onclick="showView('my-devices', event)">&#9632; My Devices</div>
222             <div class="nav-item" onclick="showView('service-requests', event)">&#9632; Service
Requests</div>
223             <div class="nav-item" onclick="showView('admin-service-requests', event)">&#9632; All Service
Requests</div>
224             <div class="nav-item" onclick="showView('my-calendar', event)">&#9632; My Calendar</div>
225             <div class="nav-item" onclick="showView('my-profile', event)">&#9632; My Profile</div>
226
227         </div>
228     </div>
229
230     <!-- Main Content -->
231     <div class="main-content">
232         <div class="topbar">
233             <div class="page-title" id="pageTitle">Dashboard</div>
234             <!-- Bell icon with badge -->
235             <div class="notif-wrapper" onclick="toggleNotifPanel()">
236                 <svg width="22" height="22" viewBox="0 0 24 24" fill="none"
237                     stroke="currentColor" stroke-width="2" stroke-linecap="round">
238                     <path d="M18 8A6 6 0 0 0 6 8c0 7-3 9-3 9h18s-3-2-3-9"/>
239                     <path d="M13.73 21a2 2 0 0 1-3.46 0"/>
240                 </svg>
241                 <span id="notif-badge" class="notif-badge" style="display:none"></span>
242             </div>
243
244             <!-- Dropdown panel -->
245             <div id="notif-panel" class="notif-panel" style="display:none">
246                 <div class="notif-header">Notifications</div>
247                 <div id="notif-list"></div>
248             </div>
249             <div class="user-info">
250                 <span id="username-display"></span>
251                 <button class="logout-btn" onclick="logout()">Logout</button>
252             </div>
253         </div>
254         <div class="content" id="content">
255
256             <!-- DASHBOARD VIEW -->
257             <div id="dashboard-view" class="view active">
258                 <div class="stats-grid">
259                     <div class="stat-card"><div class="stat-label">Total Employees</div><div class="stat-
value" id="total-employees">--</div></div>
260                     <div class="stat-card"><div class="stat-label">Active</div><div class="stat-value"
id="active-employees">--</div></div>
261                     <div class="stat-card"><div class="stat-label">On Leave</div><div class="stat-value"

```



```

id="onleave-employees">--</div></div>
262         <div class="stat-card"><div class="stat-label">Pending Leaves</div><div class="stat-
value" id="pending-leaves">--</div></div>
263         </div>
264         <div class="section-head"><div class="section-title">Recent Leave Requests</div><button
class="btn btn-secondary btn-sm" onclick="loadDashboard()">Refresh</button></div>
265         <div class="table-
wrap"><table><thead><tr><th>Employee</th><th>Type</th><th>Start</th><th>End</th><th>Status</th></tr></thead><tbo
dy id="recent-leaves"></tbody></table></div>
266         </div>
267
268         <!-- EMPLOYEES VIEW -->
269         <div id="employees-view" class="view">
270             <div class="section-head"><div class="section-title">All Employees</div><button class="btn
btn-primary btn-sm" onclick="loadEmployees()">Refresh</button></div>
271             <div class="table-
wrap"><table><thead><tr><th>ID</th><th>Name</th><th>Email</th><th>Department</th><th>Role</th><th>Status</th><th>
Timezone</th><th>Actions</th></tr></thead><tbody i...
272             </div>
273
274             <div id="add-employee-view" class="view">
275                 <div class="section-title" style="margin-bottom: 20px;">Add Employee</div>
276                 <div class="form-card">
277                     <div class="form-grid">
278                         <div class="form-group"><label>Name</label><input type="text" id="employee-name"
placeholder="Employee name"></div>
279                         <div class="form-group"><label>Email</label><input type="email" id="employee-email"
placeholder="employee@company.com"></div>
280                         <div class="form-group"><label>Password</label><input type="password" id="employee-
password" placeholder="Temporary password"></div>
281                         <div class="form-group">
282                             <label>Gender</label>
283                             <select id="employee-gender">
284                                 <option value="M">Male</option>
285                                 <option value="F">Female</option>
286                                 <option value="O">Other</option>
287                             </select>
288                         </div>
289                         <div class="form-group full">
290                             <label>Manager</label>
291                             <select id="employee-manager-select">
292                                 <option value="">-- Select Manager --</option>
293                             </select>
294                         </div>
295                         <div class="form-group full"><label>Timezone</label>
296                             <select id="employee-timezone">
297                                 <option value="Asia/Kolkata">India – IST UTC+5:30</option>
298                                 <option value="UTC">UTC</option>
299                                 <option value="America/New_York">New York – EST UTC-5</option>
300                                 <option value="America/Los_Angeles">Los Angeles – PST UTC-8</option>
301                                 <option value="Europe/London">London – GMT UTC+0</option>
302                                 <option value="Europe/Paris">Paris – CET UTC+1</option>
303                                 <option value="Asia/Tokyo">Tokyo – JST UTC+9</option>
304                                 <option value="Asia/Dubai">Dubai – GST UTC+4</option>
305                                 <option value="Australia/Sydney">Sydney – AEDT UTC+11</option>
306                                 <option value="Asia/Singapore">Singapore – SGT UTC+8</option>
307                             </select>
308                         </div>
309                     </div>
310                     <div class="modal-actions" style="margin-top: 20px;">
311                         <button class="btn btn-primary" onclick="createEmployee()">Create Employee</button>
312                         <button class="btn btn-secondary"
onclick="clearEmployeeForm('employee')">Clear</button>
313                     </div>
314                 </div>
315             </div>
316
317             <div id="add-manager-view" class="view">
318                 <div class="section-title" style="margin-bottom: 20px;">Add Manager</div>
319                 <div class="form-card">
320                     <div class="form-grid">
321                         <div class="form-group"><label>Name</label><input type="text" id="manager-name-
create" placeholder="Manager name"></div>
322                         <div class="form-group"><label>Email</label><input type="email" id="manager-email-
create" placeholder="manager@company.com"></div>
323                         <div class="form-group"><label>Password</label><input type="password" id="manager-

```

```

password-create" placeholder="Temporary password"></div>
324         <div class="form-group"><label>Department</label><input type="text" id="manager-
dept-create" placeholder="Department"></div>
325         <div class="form-group full"><label>Timezone</label>
326             <select id="manager-timezone-create">
327                 <option value="Asia/Kolkata">India – IST UTC+5:30</option>
328                 <option value="UTC">UTC</option>
329                 <option value="America/New_York">New York – EST UTC-5</option>
330                 <option value="America/Los_Angeles">Los Angeles – PST UTC-8</option>
331                 <option value="Europe/London">London – GMT UTC+0</option>
332                 <option value="Europe/Paris">Paris – CET UTC+1</option>
333                 <option value="Asia/Tokyo">Tokyo – JST UTC+9</option>
334                 <option value="Asia/Dubai">Dubai – GST UTC+4</option>
335                 <option value="Australia/Sydney">Sydney – AEDT UTC+11</option>
336                 <option value="Asia/Singapore">Singapore – SGT UTC+8</option>
337             </select>
338         </div>
339         <div class="form-group"><label>Gender</label>
340             <select id="manager-gender">
341                 <option value="M">Male</option>
342                 <option value="F">Female</option>
343                 <option value="O">Other</option>
344             </select>
345         </div>
346     </div>
347     <div class="modal-actions" style="margin-top: 20px;"><button class="btn btn-primary"
onclick="createManager()">Create Manager</button><button class="btn btn-secondary" onclick="...
348     </div>
349 </div>
350
351     <div id="add-vendor-view" class="view">
352         <div class="section-title" style="margin-bottom: 20px;">Add Vendor</div>
353         <div class="form-card">
354             <div class="form-grid">
355                 <div class="form-group"><label>Name</label><input type="text" id="vendor-name-
create" placeholder="Vendor name"></div>
356                 <div class="form-group"><label>Email</label><input type="email" id="vendor-email-
create" placeholder="vendor@company.com"></div>
357                 <div class="form-group"><label>Password</label><input type="password" id="vendor-
password-create" placeholder="Temporary password"></div>
358                 <div class="form-group"><label>Phone</label><input type="text" id="vendor-phone-
create" placeholder="+91 90000 00000"></div>
359                 <div class="form-group">
360                     <label>Role</label>
361                     <select id="vendor-role">
362                         <option value="TECH_VENDOR">tech vendor</option>
363                         <option value="FOOD_VENDOR">Food Vendor</option>
364                     </select>
365                 </div>
366             </div>
367             <div class="modal-actions" style="margin-top: 20px;"><button class="btn btn-primary"
onclick="createVendor()">Create Vendor</button><button class="btn btn-secondary" onclick="cl...
368             </div>
369         </div>
370
371     <!-- APPLY LEAVE VIEW -->
372     <div id="apply-leave-view" class="view">
373         <div class="section-title" style="margin-bottom: 20px;">Apply for Leave</div>
374         <div class="form-card">
375             <div class="form-grid">
376                 <div class="form-group full"><label>Logged In User</label><input type="email"
id="leave-email" placeholder="your.email@company.com" readonly></div>
377                 <div class="form-group"><label>Leave Type</label><select id="leave-type"><option
value="SICK">Sick Leave</option><option value="CASUAL">Casual Leave</option><option value="M...
378                     Sick leave is limited to <strong>1 day per month</strong>. If already used
this month, please select Unpaid Leave.
379                 </div>
380                 <div id="casual-leave-hint" style="display:none; margin-top:6px; font-
size:11px; color:var(--amber); background:var(--amber-dim); border:1px solid rgba(251,191,36,0.2); ...
381                     Casual leave is limited to <strong>1 day per month</strong>. If already
used this month, it will be automatically recorded as <strong>Unpaid Leave</strong>.
382                 </div>
383             </div>
384             <div class="form-group"><label>Start Date</label><input type="date" id="leave-
start"></div>
385             <div class="form-group"><label>End Date</label><input type="date" id="leave-

```

```

end"></div>
386             <div class="form-group full"><label>Reason</label><textarea id="leave-reason"
rows="3" placeholder="Please provide reason for leave..."></textarea></div>
387         </div>
388         <div class="modal-actions" style="margin-top: 20px;"><button class="btn btn-primary"
onclick="applyLeave()">Submit Leave Request</button><button class="btn btn-secondary" onclie...
389     </div>
390 </div>
391
392 <!-- HOLIDAYS VIEW -->
393 <div id="holidays-view" class="view">
394     <div class="section-head">
395         <div class="section-title">Fixed Holidays</div>
396         <button class="btn btn-primary btn-sm" onclick="loadHolidays()">Refresh</button>
397     </div>
398
399 <!-- Add Holiday Form -->
400 <div class="form-card" style="margin-bottom: 24px;">
401     <div class="form-grid">
402         <div class="form-group">
403             <label>Holiday Name</label>
404             <input type="text" id="h-name" placeholder="e.g. Diwali, Christmas">
405         </div>
406         <div class="form-group">
407             <label>Date</label>
408             <input type="date" id="h-date">
409         </div>
410         <div class="form-group full">
411             <label>Description (optional)</label>
412             <input type="text" id="h-desc" placeholder="Brief description">
413         </div>
414     </div>
415     <div class="modal-actions" style="margin-top: 20px;">
416         <button class="btn btn-primary" onclick="addHoliday()">Add Holiday</button>
417         <button class="btn btn-secondary" onclick="clearHolidayForm()">Clear</button>
418     </div>
419 </div>
420
421 <!-- Holidays Table -->
422 <div class="table-wrap">
423     <table>
424         <thead>
425             <tr>
426                 <th>ID</th>
427                 <th>Name</th>
428                 <th>Date</th>
429                 <th>Description</th>
430                 <th>Action</th>
431             </tr>
432         </thead>
433         <tbody id="holidays-list">
434             <tr><td colspan="5" class="empty-state">Loading...</td></tr>
435         </tbody>
436     </table>
437 </div>
438 </div>
439
440 <!-- MY LEAVES VIEW -->
441 <div id="my-leaves-view" class="view">
442     <div class="section-head"><div class="section-title">My Leave Requests</div><button
class="btn btn-primary btn-sm" onclick="loadMyLeaves()">Refresh</button></div>
443     <div class="table-wrap"><table><thead><tr><th>ID</th><th>Type</th><th>Start
Date</th><th>End Date</th><th>Status</th><th>Reason</th><th>Action</th></tr></thead><tbody id="my-leaves-...
444 </div>
445
446 <!-- PENDING LEAVES VIEW -->
447 <div id="pending-leaves-view" class="view">
448     <div class="section-head"><div class="section-title">Pending Leave Approvals</div><button
class="btn btn-primary btn-sm" onclick="loadPendingLeaves()">Refresh</button></div>
449     <div class="table-
wrap"><table><thead><tr><th>ID</th><th>Employee</th><th>Type</th><th>Start</th><th>End</th><th>Reason</th><th>Ac
tions</th></tr></thead><tbody id="pending-leaves-li...
450 </div>
451
452 <!-- RESTAURANTS VIEW -->
453 <div id="restaurants-view" class="view">

```

```

454         <div class="section-head"><div class="section-title">Restaurants</div><div><select
id="slot-filter" onchange="loadRestaurants()"><option value="">All Slots</option><option value="BR...
455         <div class="table-wrap"><table><thead><tr><th>Name</th><th>Address</th><th>Meal
Slots</th><th>Status</th><th>Vendor</th></tr></thead><tbody id="restaurants-list"></tbody></table></div>
456     </div>
457
458     <!-- MY SUBSCRIPTIONS VIEW -->
459     <div id="subscriptions-view" class="view">
460         <div class="section-head"><div class="section-title">My Meal Subscriptions</div><button
class="btn btn-primary btn-sm" onclick="loadSubscriptions()">Refresh</button></div>
461         <div class="table-wrap"><table><thead><tr><th>ID</th><th>Restaurant</th><th>Meal
Slot</th><th>Schedule</th><th>Status</th><th>Next Delivery</th><th>Actions</th></tr></thead><tbody i...
462     </div>
463
464     <!-- ADD SUBSCRIPTION VIEW -->
465     <div id="add-subscription-view" class="view">
466         <div class="section-title" style="margin-bottom: 20px;">Create Meal Subscription</div>
467         <div class="form-card">
468             <div class="form-grid">
469                 <div class="form-group full">
470                     <label>Employee Email</label>
471                     <input type="email" id="sub-email" placeholder="employee@company.com">
472                 </div>
473                 <div class="form-group full">
474                     <label>Restaurant</label>
475                     <select id="sub-restaurant-select">
476                         <option value="">-- Select Restaurant --</option>
477                     </select>
478                 </div>
479                 <div class="form-group full">
480                     <label>Meal Slots</label>
481                     <div id="meal-slot-checkboxes" style="display:flex; gap:16px; flex-wrap:wrap;
margin-top:6px;">
482                         <label style="display:flex;align-items:center;gap:6px;text-
transform:none;font-size:13px;font-weight:400;color:var(--text);">
483                             <input type="checkbox" value="BREAKFAST"
style="width:15px;height:15px;padding:0;background:var(--bg3);"> Breakfast
484                         </label>
485                         <label style="display:flex;align-items:center;gap:6px;text-
transform:none;font-size:13px;font-weight:400;color:var(--text);">
486                             <input type="checkbox" value="LUNCH"
style="width:15px;height:15px;padding:0;background:var(--bg3);"> Lunch
487                         </label>
488                         <label style="display:flex;align-items:center;gap:6px;text-
transform:none;font-size:13px;font-weight:400;color:var(--text);">
489                             <input type="checkbox" value="DINNER"
style="width:15px;height:15px;padding:0;background:var(--bg3);"> Dinner
490                         </label>
491                     </div>
492                 </div>
493                 <div class="form-group">
494                     <label>Schedule Type</label>
495                     <select id="sub-schedule">
496                         <option value="DAILY">Daily</option>
497                         <option value="WEEKLY">Weekly</option>
498                     </select>
499                 </div>
500                 <div class="form-group" id="day-of-week-group" style="display:none;">
501                     <label>Day of Week</label>
502                     <select id="sub-day">
503                         <option value="MONDAY">Monday</option>
504                         <option value="TUESDAY">Tuesday</option>
505                         <option value="WEDNESDAY">Wednesday</option>
506                         <option value="THURSDAY">Thursday</option>
507                         <option value="FRIDAY">Friday</option>
508                         <option value="SATURDAY">Saturday</option>
509                         <option value="SUNDAY">Sunday</option>
510                     </select>
511                 </div>
512             </div>
513             <div class="modal-actions" style="margin-top: 20px;">
514                 <button class="btn btn-primary" onclick="addSubscription()">Create
Subscription</button>
515                 <button class="btn btn-secondary" onclick="clearSubscriptionForm()">Clear</button>
516             </div>
517         </div>

```

```

518         </div>
519
520         <!-- DELIVERIES VIEW -->
521         <div id="deliveries-view" class="view">
522             <div class="section-head"><div class="section-title">My Deliveries</div><button class="btn
523 btn-primary btn-sm" onclick="loadDeliveries()">Refresh</button></div>
524             <div class="table-wrap"><table><thead><tr><th>ID</th><th>Subscription ID</th><th>Meal
525 Slot</th><th>Scheduled Time</th><th>Status</th></tr></thead><tbody id="deliveries-list"></tbody>...
526         </div>
527
528         <!-- VENDORS VIEW -->
529         <div id="vendors-view" class="view">
530             <div class="section-head"><div class="section-title">Vendors</div><button class="btn btn-
531 primary btn-sm" onclick="loadVendors()">Refresh</button></div>
532             <div class="table-
533 wrap"><table><thead><tr><th>ID</th><th>Name</th><th>Email</th><th>Phone</th><th>Registered</th><th>Actions</th><
534 /tr></thead><tbody id="vendors-list"></tbody></table>...
535         </div>
536
537         <!-- DEVICES VIEW -->
538         <div id="devices-view" class="view">
539             <div class="section-head">
540                 <div class="section-title">Unassigned Devices</div>
541                 <button class="btn btn-primary btn-sm"
542 onclick="loadUnassignedDevices()">Refresh</button>
543             </div>
544             <div class="table-wrap">
545                 <table>
546                     <thead>
547                         <tr>
548                             <th>ID</th>
549                             <th>Device Name</th>
550                             <th>Brand</th>
551                             <th>Type</th>
552                             <th>Warranty</th>
553                             <th>Vendor</th>
554                             <th>Actions</th>
555                         </tr>
556                     </thead>
557                     <tbody id="devices-list"></tbody>
558                 </table>
559             </div>
560         </div>
561
562         <!-- ASSIGN DEVICE MODAL -->
563         <div id="assign-modal" class="modal-overlay">
564             <div class="modal">
565                 <div class="modal-title">Assign Device to Employee</div>
566                 <input type="hidden" id="assign-device-id">
567                 <div class="form-group" style="margin-bottom:12px">
568                     <label>Device</label>
569                     <input type="text" id="assign-device-name" readonly style="color:var(--text2)">
570                 </div>
571                 <div class="form-group" style="margin-bottom:12px">
572                     <label>Employee</label>
573                     <select id="assign-employee-select">
574                         <option value="">-- Select Employee --</option>
575                     </select>
576                 </div>
577                 <div class="modal-actions">
578                     <button class="btn btn-primary" onclick="confirmAssign()">Assign</button>
579                     <button class="btn btn-secondary" onclick="closeAssignModal()">Cancel</button>
580                 </div>
581             </div>
582         </div>
583
584         <!-- MY DEVICES VIEW -->
585         <div id="my-devices-view" class="view">
586             <div class="section-head">
587                 <div class="section-title">My Assigned Devices</div>
588                 <button class="btn btn-primary btn-sm"
589 onclick="loadMyAssignedDevices()">Refresh</button>
590             </div>
591             <div class="table-wrap">
592                 <table>
593                     <thead>

```

```

587         <tr>
588             <th>ID</th>
589             <th>Device Name</th>
590             <th>Brand</th>
591             <th>Type</th>
592             <th>Warranty</th>
593             <th>Assigned On</th>
594             <th>Status</th>
595         </tr>
596     </thead>
597     <tbody id="my-devices-list"></tbody>
598 </table>
599 </div>
600 </div>
601
602 <!-- MY SERVICE REQUESTS VIEW -->
603 <div id="service-requests-view" class="view">
604     <div class="section-head">
605         <div class="section-title">My Service Requests</div>
606         <button class="btn btn-primary btn-sm" onclick="loadServiceRequests()">Refresh</button>
607     </div>
608     <div class="table-wrap" style="margin-bottom:24px">
609         <table>
610             <thead><tr>
611                 <th>ID</th><th>Device</th><th>Type</th>
612                 <th>Description</th><th>Urgent</th><th>Status</th><th>Raised At</th>
613             </tr></thead>
614             <tbody id="service-requests-list"></tbody>
615         </table>
616     </div>
617
618     <div class="section-title" style="margin-bottom:16px">Raise a New Request</div>
619     <div class="form-card">
620         <div class="form-grid">
621             <div class="form-group full">
622                 <label>Device</label>
623                 <select id="sr-device-select">
624                     <option value="">-- Select your device --</option>
625                 </select>
626             </div>
627             <div class="form-group">
628                 <label>Request Type</label>
629                 <select id="sr-type">
630                     <option value="REPAIR">Repair</option>
631                     <option value="REPLACEMENT">Replacement</option>
632                     <option value="UPGRADE">Upgrade</option>
633                     <option value="MAINTENANCE">Maintenance</option>
634                     <option value="RETURN">Return</option>
635                 </select>
636             </div>
637             <div class="form-group" style="display:flex;align-items:center;gap:10px;padding-top:20px">
638                 <input type="checkbox" id="sr-urgent" style="width:16px;height:16px;padding:0">
639                 <label style="text-transform:none;font-size:13px;font-weight:400;color:var(--text);cursor:pointer" for="sr-urgent">Mark as Urgent</label>
640             </div>
641             <div class="form-group full">
642                 <label>Issue Description</label>
643                 <textarea id="sr-description" rows="3" placeholder="Describe the issue in detail..."></textarea>
644             </div>
645         </div>
646         <div class="modal-actions" style="margin-top:20px">
647             <button class="btn btn-primary" onclick="submitServiceRequest()">Submit
Request</button>
648             <button class="btn btn-secondary"
onclick="clearServiceRequestForm()">Clear</button>
649         </div>
650     </div>
651 </div>
652
653 <!-- MY CALENDAR VIEW -->
654 <div id="my-calendar-view" class="view">
655     <div class="cal-section">
656         <div class="cal-section-head">
657             <div>

```

```

658             <div class="cal-section-title">My Leave Calendar</div>
659             <div class="cal-section-sub">All approved leaves and public holidays</div>
660         </div>
661         <button class="btn btn-secondary btn-sm" onclick="refreshCalendar()">
Refresh</button>
662     </div>
663
664     <!-- Balance Cards -->
665     <div class="leave-balance-grid">
666         <div class="leave-bal-card sick">
667             <span class="lbc-icon"></span>
668             <span class="lbc-label">Sick Leave</span>
669             <span class="lbc-count" id="cal-sick-remaining">--</span>
670             <span class="lbc-sub" id="cal-sick-sub">loading...</span>
671         </div>
672         <div class="leave-bal-card casual">
673             <span class="lbc-icon"></span>
674             <span class="lbc-label">Casual Leave</span>
675             <span class="lbc-count" id="cal-casual-remaining">--</span>
676             <span class="lbc-sub" id="cal-casual-sub">loading...</span>
677         </div>
678         <div class="leave-bal-card mat">
679             <span class="lbc-icon"></span>
680             <span class="lbc-label">Maternity Leave</span>
681             <span class="lbc-count" id="cal-mat-remaining">--</span>
682             <span class="lbc-sub" id="cal-mat-sub">loading...</span>
683         </div>
684         <div class="leave-bal-card total">
685             <span class="lbc-icon"></span>
686             <span class="lbc-label">Total Used</span>
687             <span class="lbc-count" id="cal-total-used">--</span>
688             <span class="lbc-sub" id="cal-total-sub">loading...</span>
689         </div>
690     </div>
691
692     <!-- Legend -->
693     <div class="cal-legend">
694         <span class="legend-label">Legend:</span>
695         <div class="legend-item"><div class="legend-dot"
style="background:#36d399"></div>Approved</div>
696         <div class="legend-item"><div class="legend-dot"
style="background:#f9c74f"></div>Pending</div>
697         <div class="legend-item"><div class="legend-dot"
style="background:#f87171"></div>Rejected</div>
698         <div class="legend-item"><div class="legend-dot"
style="background:#a78bfa"></div>Holiday</div>
699     </div>
700
701     <!-- Calendar -->
702     <div id="employee-calendar"></div>
703 </div>
704 </div>
705
706 <!-- MY PROFILE VIEW -->
707 <div id="my-profile-view" class="view">
708     <div class="section-title" style="margin-bottom:20px">My Profile</div>
709
710     <!-- Profile Info -->
711     <div class="form-card" style="max-width:100%;margin-bottom:24px">
712         <div class="form-grid">
713             <div class="form-group">
714                 <label>Name</label>
715                 <input type="text" id="p-name" readonly style="color:var(--text2)">
716             </div>
717             <div class="form-group">
718                 <label>Email</label>
719                 <input type="text" id="p-email" readonly style="color:var(--text2)">
720             </div>
721             <div class="form-group">
722                 <label>Department</label>
723                 <input type="text" id="p-dept" readonly style="color:var(--text2)">
724             </div>
725             <div class="form-group">
726                 <label>Role</label>
727                 <input type="text" id="p-role" readonly style="color:var(--text2)">
728             </div>

```

```

729         <div class="form-group">
730             <label>Status</label>
731             <input type="text" id="p-status" readonly style="color:var(--text2)">
732         </div>
733         <div class="form-group">
734             <label>Timezone</label>
735             <input type="text" id="p-tz" readonly style="color:var(--text2)">
736         </div>
737     </div>
738 </div>
739
740 <!-- Maternity Section – only visible for female admins -->
741 <div id="maternity-apply-btn" style="display:none">
742     <div class="form-card" style="max-width:100%">
743         <div class="section-title" style="margin-bottom:20px"> Maternity Leave</div>
744         <div class="form-grid">
745             <div class="form-group">
746                 <label>Start Date</label>
747                 <input type="date" id="mat-start-date">
748             </div>
749             <div class="form-group">
750                 <label>End Date (Auto)</label>
751                 <input type="text" id="mat-end-date"
752                     placeholder="Auto: start + 180 days"
753                     disabled style="color:var(--text2)">
754             </div>
755             <div class="form-group full">
756                 <label>Reason / Notes</label>
757                 <textarea id="mat-reason" rows="3"
758                     placeholder="Optional notes..."></textarea>
759             </div>
760             <div class="form-group full">
761                 <div style="background:var(--accent-dim);
762                     border:1px solid rgba(79,140,255,0.2);
763                     border-radius:8px;padding:12px 16px;
764                     font-size:12px;color:var(--text2)">
765                     Maternity leave is fixed at
766                     <strong style="color:var(--accent)">180 days</strong>.
767                     End date is auto-calculated. You can apply
768                     <strong style="color:var(--accent)">once per year</strong>.
769                 </div>
770             </div>
771         </div>
772         <div class="modal-actions" style="margin-top:20px">
773             <button class="btn btn-primary" onclick="applyMaternityLeave()">
774                 Submit Maternity Leave
775             </button>
776         </div>
777     </div>
778 </div>
779 </div>
780
781 <!-- ===== ADMIN SERVICE REQUESTS VIEW ===== -->
782 <div id="admin-service-requests-view" class="view">
783     <div class="section-head">
784         <div class="section-title">All Open Service Requests</div>
785         <button class="btn btn-primary btn-sm"
786             onclick="loadAdminServiceRequests()">Refresh</button>
787     </div>
788     <div class="table-wrap">
789         <table>
790             <thead>
791                 <tr>
792                     <th>ID</th>
793                     <th>Employee</th>
794                     <th>Device</th>
795                     <th>Type</th>
796                     <th>Description</th>
797                     <th>Urgent</th>
798                     <th>Status</th>
799                     <th>Raised At</th>
800                     <th>Actions</th>
801                 </tr>
802             </thead>
803             <tbody id="admin-service-requests-list"></tbody>
804         </table>

```



```

804         </div>
805     </div>
806
807 </div>
808 </div>
809 </div>
810
811 <!-- Approve/Reject Modal -->
812 <div id="action-modal" class="modal-overlay">
813     <div class="modal">
814         <div class="modal-title" id="modal-title">Approve Leave Request</div>
815         <input type="hidden" id="action-leave-id">
816         <input type="hidden" id="action-type">
817         <div class="form-group"><label>Reviewed By</label><input type="email" id="manager-email"
placeholder="admin@company.com" readonly></div>
818         <div class="form-group"><label>Remarks</label><textarea id="action-remarks" rows="3"
placeholder="Add remarks..."></textarea></div>
819         <div class="modal-actions"><button class="btn btn-primary" id="action-btn"
onclick="submitApproval()">Approve</button><button class="btn btn-secondary"
onclick="closeModal()">Cancel</button>...
820     </div>
821 </div>
822
823 <!-- Cancel Leave Modal -->
824 <div id="cancel-modal" class="modal-overlay">
825     <div class="modal">
826         <div class="modal-title">Cancel Leave Request</div>
827         <input type="hidden" id="cancel-leave-id">
828         <div class="form-group"><label>Cancelled By</label><input type="email" id="cancel-email"
placeholder="admin@company.com" readonly></div>
829         <div class="modal-actions"><button class="btn btn-danger" onclick="confirmCancelLeave()">Cancel
Leave</button><button class="btn btn-secondary" onclick="closeCancelModal()">Close</button></div>
830     </div>
831 </div>
832
833 <!-- Admin Service Request Action Modal -->
834 <div id="admin-sr-modal" class="modal-overlay">
835     <div class="modal">
836         <div class="modal-title">Update Service Request <span id="admin-sr-modal-id" style="color:var(--
accent)"></span></div>
837         <input type="hidden" id="admin-sr-id">
838
839         <div class="form-group" style="margin-bottom:14px">
840             <label>Device</label>
841             <input type="text" id="admin-sr-device-display" readonly style="color:var(--text2)">
842         </div>
843         <div class="form-group" style="margin-bottom:14px">
844             <label>Employee</label>
845             <input type="text" id="admin-sr-employee-display" readonly style="color:var(--text2)">
846         </div>
847         <div class="form-group" style="margin-bottom:14px">
848             <label>Update Status</label>
849             <select id="admin-sr-status">
850                 <option value="SENT_FOR_REPAIR">Sent for Repair – device will be marked Under
Repair</option>
851                 <option value="REPAIR_DONE">Repair Done</option>
852                 <option value="REJECTED">Rejected</option>
853             </select>
854         </div>
855         <div class="form-group" style="margin-bottom:4px">
856             <label>Admin Remarks</label>
857             <textarea id="admin-sr-remarks" rows="3" placeholder="Add remarks or instructions for the
vendor..."></textarea>
858         </div>
859         <div id="admin-sr-repair-hint" style="font-size:11px;color:var(--amber);margin-
top:6px;display:none;">
860             Selecting "Sent for Repair" will automatically mark the device as <strong>Under
Repair</strong>.
861         </div>
862
863         <div class="modal-actions">
864             <button class="btn btn-primary" onclick="submitAdminSRUpdate()">Update Request</button>
865             <button class="btn btn-secondary" onclick="closeAdminSRModal()">Cancel</button>
866         </div>
867     </div>
868 </div>

```

```

869
870 <div class="cal-tooltip" id="cal-tooltip" style="display:none"></div>
871
872 <script>
873     const API = 'http://localhost:8080';
874     let currentUser = null;
875     const ROLE_DASHBOARDS = {
876         EMPLOYEE: '/employee-dashboard.html',
877         MANAGER: '/manager-dashboard.html',
878         VENDOR: '/vendor-dashboard.html',
879         ADMIN: '/dashboard.html'
880     };
881
882     (async function initAuth() {
883         const token = localStorage.getItem('jwt_token');
884         const authType = localStorage.getItem('auth_type');
885         if (!token && authType !== 'session') {
886             window.location.href = '/login.html';
887             return;
888         }
889
890         try {
891             const response = await fetch(`${API}/employee/me`, {
892                 headers: getAuthHeader(),
893                 credentials: 'include'
894             });
895
896             if (response.status === 401) { window.location.href = '/login.html'; return; }
897             if (!response.ok) { window.location.href = '/login.html'; return; }
898
899             const employee = await response.json();
900             const role = employee.role || 'EMPLOYEE';
901             if (role !== 'ADMIN') {
902                 window.location.href = ROLE_DASHBOARDS[role] || '/employee-dashboard.html';
903                 return;
904             }
905
906             currentUser = employee;
907             localStorage.setItem('last_role', role);
908             document.getElementById('username-display').textContent = employee.email || employee.name ||
909 'admin';
910             document.getElementById('leave-email').value = employee.email || '';
911             document.getElementById('manager-email').value = employee.email || '';
912             document.getElementById('cancel-email').value = employee.email || '';
913             loadDashboard();
914         } catch (e) {
915             window.location.href = '/login.html';
916         }
917     })();
918
919     function getAuthHeader() {
920         const token = localStorage.getItem('jwt_token');
921         return token ? { 'Authorization': `Bearer ${token}` } : {};
922     }
923
924     async function apiFetch(path, opts = {}) {
925         try {
926             const response = await fetch(`${API}${path}`, {
927                 ...opts,
928                 headers: {
929                     'Content-Type': 'application/json',
930                     ...getAuthHeader(),
931                     ...opts.headers
932                 },
933                 credentials: 'include'
934             });
935
936             if (response.status === 401) {
937                 localStorage.removeItem('jwt_token');
938                 localStorage.removeItem('auth_type');
939                 showAlert('Session expired. Please login again.', 'error');
940                 setTimeout(() => window.location.href = '/login.html', 1500);
941                 throw new Error('Unauthorized');
942             }
943
944             if (!response.ok) {

```

```

944         const error = await response.text();
945         throw new Error(error || 'Request failed');
946     }
947
948     const text = await response.text();
949     if (!text) return null;
950     try { return JSON.parse(text); } catch { return text; }
951 } catch (e) {
952     if (!e.message.includes('Unauthorized')) showAlert(e.message, 'error');
953     throw e;
954 }
955 }
956
957 function showAlert(message, type) {
958     const alert = document.createElement('div');
959     alert.className = `alert alert-${type}`;
960     alert.textContent = message;
961     document.body.appendChild(alert);
962     setTimeout(() => alert.remove(), 3000);
963 }
964
965 function showView(viewName, event) {
966     document.querySelectorAll('.view').forEach(v => v.classList.remove('active'));
967     document.getElementById(`${viewName}-view`).classList.add('active');
968     document.querySelectorAll('.nav-item').forEach(n => n.classList.remove('active'));
969     if (event && event.target) event.target.classList.add('active');
970     document.getElementById('pageTitle').textContent = viewName.split('-').map(w =>
971         w.charAt(0).toUpperCase() + w.slice(1)).join(' ');
972     const loaders = {
973         'dashboard': loadDashboard,
974         'employees': loadEmployees,
975         'add-employee': loadManagersDropdown,
976         'holidays': loadHolidays,
977         'add-manager': () => {},
978         'add-vendor': () => {},
979         'my-leaves': loadMyLeaves,
980         'pending-leaves': loadPendingLeaves,
981         'restaurants': loadRestaurants,
982         'subscriptions': loadSubscriptions,
983         'add-subscription': loadRestaurantDropdown,
984         'deliveries': loadDeliveries,
985         'vendors': loadVendors,
986         'devices': loadUnassignedDevices,
987         'my-devices': loadMyAssignedDevices,
988         'service-requests': loadServiceRequests,
989         'admin-service-requests': loadAdminServiceRequests,
990         'my-profile': loadAdminProfile,
991         'my-calendar': loadMyCalendar// ADD THIS
992     };
993     if (loaders[viewName]) loaders[viewName]();
994 }
995
996 // ===== DASHBOARD =====
997 async function loadDashboard() {
998     try {
999         const [employees, leaves] = await Promise.all([
1000             apiFetch('/employee'),
1001             apiFetch('/leave_requests')
1002         ]);
1003         document.getElementById('total-employees').textContent = employees.length;
1004         document.getElementById('active-employees').textContent = employees.filter(e => e.status ===
1005 'ACTIVE').length;
1006         document.getElementById('onleave-employees').textContent = employees.filter(e => e.status ===
1007 'ON_LEAVE').length;
1008         document.getElementById('pending-leaves').textContent = leaves.filter(l => l.status ===
1009 'PENDING').length;
1010         const recent = leaves.slice(-5).reverse();
1011         const tbody = document.getElementById('recent-leaves');
1012         if (!recent.length) {
1013             tbody.innerHTML = '<tr><td colspan="5" class="empty-state">No leave requests</td></tr>';
1014         } else {
1015             tbody.innerHTML = recent.map(l => `<tr>
1016                 <td>${l.employeeId || 'N/A'}</td>
1017                 <td><span class="chip">${l.leaveType || 'N/A'}</span></td>
1018                 <td>${l.startDate || 'N/A'}</td>
1019                 <td>${l.endDate || 'N/A'}</td>

```

```

1017         <td><span class="chip ${l.status?.toLowerCase()}">${l.status || 'N/A'}</span></td>
1018     </tr>`).join('');
1019     }
1020     } catch (e) { console.error(e); }
1021 }
1022
1023 // ===== EMPLOYEES =====
1024 async function loadEmployees() {
1025     try {
1026         const employees = await apiFetch('/employee');
1027         const tbody = document.getElementById('employees-list');
1028         if (!employees.length) {
1029             tbody.innerHTML = '<tr><td colspan="8" class="empty-state">No employees found</td></tr>';
1030         } else {
1031             tbody.innerHTML = employees.map(e => `<tr>
1032                 <td>${e.employeeId}</td>
1033                 <td>${e.name || 'N/A'}</td>
1034                 <td>${e.email || 'N/A'}</td>
1035                 <td>${e.dept || 'N/A'}</td>
1036                 <td><span class="chip ${e.role?.toLowerCase()}">${e.role || 'N/A'}</span></td>
1037                 <td><span class="chip ${e.status?.toLowerCase()}">${e.status || 'N/A'}</span></td>
1038                 <td>${e.timezone || 'N/A'}</td>
1039                 <td><button class="btn btn-danger btn-sm"
onclick="deleteEmployee(${e.employeeId})">Delete</button></td>
1040             </tr>`).join('');
1041         }
1042     } catch (e) { console.error(e); }
1043 }
1044
1045 async function loadManagersDropdown() {
1046     try {
1047         const managers = await apiFetch('/admin/managers');
1048         const select = document.getElementById('employee-manager-select');
1049         select.innerHTML = '<option value="">-- Select Manager --</option>';
1050         (managers || []).forEach(m => {
1051             const opt = document.createElement('option');
1052             opt.value = m.managerId; // matches ManagerDTO field
1053             opt.textContent = `${m.name} - ${m.dept || 'N/A'} (${m.email})`;
1054             select.appendChild(opt);
1055         });
1056     } catch (e) {
1057         showAlert('Failed to load managers', 'error');
1058     }
1059 }
1060
1061
1062
1063 async function createEmployee() {
1064     const managerId = document.getElementById('employee-manager-select').value;
1065     const body = {
1066         name: document.getElementById('employee-name').value.trim(),
1067         email: document.getElementById('employee-email').value.trim(),
1068         password: document.getElementById('employee-password').value,
1069         gender: document.getElementById('employee-gender').value,
1070         timezone: document.getElementById('employee-timezone').value || 'UTC',
1071         managerId: parseInt(managerId)
1072     };
1073     if (!body.name || !body.email || !body.password) {
1074         showAlert('Please fill all employee fields', 'error');
1075         return;
1076     }
1077     if (!managerId) {
1078         showAlert('Please select a manager', 'error');
1079         return;
1080     }
1081     try {
1082         await apiFetch('/admin/employees', { method: 'POST', body: JSON.stringify(body) });
1083         showAlert('Employee created successfully!', 'success');
1084         clearEmployeeForm('employee');
1085         loadEmployees();
1086     } catch (e) {
1087         showAlert('Failed to create employee: ' + e.message, 'error');
1088     }
1089 }
1090
1091 async function createManager() {

```

```

1092     const body = {
1093         name: document.getElementById('manager-name-create').value.trim(),
1094         email: document.getElementById('manager-email-create').value.trim(),
1095         password: document.getElementById('manager-password-create').value,
1096         dept: document.getElementById('manager-dept-create').value.trim(),
1097         gender: document.getElementById('manager-gender').value,
1098         timezone: document.getElementById('manager-timezone-create').value || 'UTC'
1099     };
1100     if (!body.name || !body.email || !body.password || !body.dept || !body.gender) {
1101         showAlert('Please fill all manager fields', 'error');
1102         return;
1103     }
1104     try {
1105         await apiFetch('/admin/employees/manager', { method: 'POST', body: JSON.stringify(body) });
1106         showAlert('Manager created successfully!', 'success');
1107         clearEmployeeForm('manager');
1108         loadEmployees();
1109     } catch (e) { showAlert('Failed to create manager: ' + e.message, 'error'); }
1110 }
1111
1112 function clearEmployeeForm(type) {
1113     const fields = type === 'manager'
1114         ? ['manager-name-create', 'manager-email-create', 'manager-password-create', 'manager-dept-
1115 create', 'manager-timezone-create']
1116         : ['employee-name', 'employee-email', 'employee-password', 'employee-timezone'];
1117     fields.forEach(id => document.getElementById(id).value = '');
1118     if (type === 'employee') {
1119         document.getElementById('employee-manager-select').value = '';
1120     }
1121 }
1122
1123 async function deleteEmployee(employeeId) {
1124     if (!confirm('Delete employee ${employeeId}?')) return;
1125     try {
1126         await apiFetch(`/admin/employee/${employeeId}`, { method: 'DELETE' });
1127         showAlert('Employee deleted successfully!', 'success');
1128         loadEmployees();
1129         loadDashboard();
1130     } catch (e) { showAlert('Failed to delete employee: ' + e.message, 'error'); }
1131 }
1132
1133 // ===== LEAVE REQUESTS =====
1134 async function applyLeave() {
1135     const leaveType = document.getElementById('leave-type').value;
1136     const startDate = document.getElementById('leave-start').value;
1137     const endDate = document.getElementById('leave-end').value;
1138     const reason = document.getElementById('leave-reason').value.trim();
1139     if (!startDate || !endDate) { showAlert('Please fill all required fields', 'error'); return; }
1140     try {
1141         const data = await apiFetch('/leave_requests', {
1142             method: 'POST',
1143             body: JSON.stringify({ leaveType, startDate, endDate, reason })
1144         });
1145         if (data && data.warning) {
1146             showAlert(data.warning, 'warning'); // amber toast
1147         } else {
1148             showAlert('Leave request submitted successfully!', 'success');
1149         }
1150         clearLeaveForm();
1151         loadMyLeaves();
1152     } catch (e) { showAlert('Failed to submit: ' + e.message, 'error'); }
1153 }
1154
1155 document.getElementById('leave-type').addEventListener('change', function() {
1156     document.getElementById('sick-leave-hint').style.display =
1157         this.value === 'SICK' ? 'block' : 'none';
1158     document.getElementById('casual-leave-hint').style.display =
1159         this.value === 'CASUAL' ? 'block' : 'none';
1160 });
1161
1162 async function loadMyLeaves() {
1163     try {
1164         const data = await apiFetch('/leave_requests/employee');
1165         const leaves = data.requests || [];
1166         const tbody = document.getElementById('my-leaves-list');
1167         if (!leaves.length) {
1168             tbody.innerHTML = '<tr><td colspan="7" class="empty-state">No leave requests

```

```

found</td></tr>';
1167         } else {
1168             tbody.innerHTML = leaves.map(l => `<tr>
1169                 <td>${l.leaveRequestId}</td>
1170                 <td><span class="chip">${l.leaveType}</span></td>
1171                 <td>${l.startDate}</td>
1172                 <td>${l.endDate}</td>
1173                 <td><span class="chip ${l.status?.toLowerCase()}>${l.status}</span></td>
1174                 <td style="max-width:200px;overflow:hidden;text-overflow:ellipsis;">${l.reason || '-
1175                 <td>${l.status === 'PENDING' ? `<button class="btn btn-danger btn-sm"
onclick="openCancelModal(${l.leaveRequestId})">Cancel</button>` : '-'}</td>
1176                 </tr>`).join('');
1177         }
1178     } catch (e) { console.error(e); }
1179 }
1180
1181 async function loadPendingLeaves() {
1182     try {
1183         const leaves = await apiFetch('/leave_requests/pending');
1184         const tbody = document.getElementById('pending-leaves-list');
1185         if (!leaves.length) {
1186             tbody.innerHTML = `<tr><td colspan="7" class="empty-state">No pending leave
requests</td></tr>`;
1187         } else {
1188             tbody.innerHTML = leaves.map(l => `<tr>
1189                 <td>${l.leaveRequestId}</td>
1190                 <td>${l.employeeName}</td>
1191                 <td><span class="chip">${l.leaveType}</span></td>
1192                 <td>${l.startDate}</td>
1193                 <td>${l.endDate}</td>
1194                 <td style="max-width:150px;overflow:hidden;text-overflow:ellipsis;">${l.reason || '-
1195                 <td class="action-row">
1196                     <button class="btn btn-primary btn-sm"
onclick="openActionModal(${l.leaveRequestId}, 'APPROVED')">Approve</button>
1197                     <button class="btn btn-danger btn-sm"
onclick="openActionModal(${l.leaveRequestId}, 'REJECTED')">Reject</button>
1198                 </td>
1199                 </tr>`).join('');
1200         }
1201     } catch (e) { console.error(e); }
1202 }
1203
1204 function openActionModal(leaveId, action) {
1205     document.getElementById('action-leave-id').value = leaveId;
1206     document.getElementById('action-type').value = action;
1207     document.getElementById('modal-title').textContent = `${action} Leave Request #${leaveId}`;
1208     document.getElementById('action-btn').textContent = action;
1209     document.getElementById('action-btn').className = action === 'APPROVED' ? 'btn btn-primary' : 'btn
btn-danger';
1210     document.getElementById('action-modal').classList.add('open');
1211 }
1212
1213 async function submitApproval() {
1214     const leaveRequestId = parseInt(document.getElementById('action-leave-id').value);
1215     const action = document.getElementById('action-type').value;
1216     const remarks = document.getElementById('action-remarks').value;
1217     try {
1218         await apiFetch('/leave_requests/approval', {
1219             method: 'PUT',
1220             body: JSON.stringify({ leaveRequestId, action, remarks })
1221         });
1222         showAlert(`Leave request ${action.toLowerCase()} successfully!`, 'success');
1223         closeModal();
1224         loadPendingLeaves();
1225     } catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1226 }
1227
1228 function openCancelModal(leaveId) {
1229     document.getElementById('cancel-leave-id').value = leaveId;
1230     document.getElementById('cancel-modal').classList.add('open');
1231 }
1232
1233 async function confirmCancelLeave() {
1234     const leaveId = document.getElementById('cancel-leave-id').value;

```

```

1235     try {
1236         await apiFetch(`/leave_requests/cancel/${leaveId}`, { method: 'PUT' });
1237         showAlert('Leave cancelled successfully!', 'success');
1238         closeCancelModal();
1239         loadMyLeaves();
1240     } catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1241 }
1242
1243 function clearLeaveForm() {
1244     document.getElementById('leave-start').value = '';
1245     document.getElementById('leave-end').value = '';
1246     document.getElementById('leave-reason').value = '';
1247 }
1248
1249 // ===== RESTAURANTS =====
1250 async function loadRestaurants() {
1251     try {
1252         const slot = document.getElementById('slot-filter').value;
1253         const path = slot ? `/restaurants/by-slot?slot=${slot}` : '/restaurants';
1254         const restaurants = await apiFetch(path);
1255         const tbody = document.getElementById('restaurants-list');
1256         if (!restaurants.length) {
1257             tbody.innerHTML = '<tr><td colspan="5" class="empty-state">No restaurants
found</td></tr>';
1258         } else {
1259             tbody.innerHTML = restaurants.map(r => `<tr>
1260                 <td><strong>${r.name}</strong></td>
1261                 <td>${r.address || 'N/A'}</td>
1262                 <td>${r.supportedMealSlots ? r.supportedMealSlots.map(s => `<span
class="chip">${s}</span>`) : 'N/A'}</td>
1263                 <td><span class="chip ${r.active ? 'active' : 'inactive'}">${r.active ? 'ACTIVE' :
'INACTIVE'}</span></td>
1264                 <td>${r.vendorName || r.vendorId || 'N/A'}</td>
1265             </tr>`).join('');
1266         }
1267     } catch (e) { console.error(e); }
1268 }
1269
1270 // ===== SUBSCRIPTIONS =====
1271 async function loadRestaurantDropdown() {
1272     try {
1273         const restaurants = await apiFetch('/restaurants');
1274         const arr = Array.isArray(restaurants) ? restaurants : [];
1275         const select = document.getElementById('sub-restaurant-select');
1276         select.innerHTML = '<option value="">-- Select Restaurant --</option>';
1277         arr.filter(r => r.active).forEach(r => {
1278             const opt = document.createElement('option');
1279             opt.value = r.id || r.restaurantId;
1280             opt.textContent = r.name;
1281             opt.dataset.slots = JSON.stringify(r.supportedMealSlots || []);
1282             select.appendChild(opt);
1283         });
1284     } catch (e) { console.error('Failed to load restaurants:', e); }
1285 }
1286
1287 document.getElementById('sub-restaurant-select')?.addEventListener('change', function () {
1288     const selected = this.options[this.selectedIndex];
1289     const supported = selected?.dataset?.slots ? JSON.parse(selected.dataset.slots) : [];
1290     const boxes = document.querySelectorAll('#meal-slot-checkboxes input[type=checkbox]');
1291     boxes.forEach(cb => {
1292         const wrapper = cb.parentElement;
1293         if (!supported.length || supported.includes(cb.value)) {
1294             wrapper.style.display = 'flex'; wrapper.style.opacity = '1'; cb.disabled = false;
1295         } else {
1296             cb.checked = false; cb.disabled = true; wrapper.style.opacity = '0.3';
1297         }
1298     });
1299 });
1300
1301 async function loadSubscriptions() {
1302     try {
1303         const subscriptions = await apiFetch('/subscription/user');
1304         const arr = Array.isArray(subscriptions) ? subscriptions : [];
1305         const tbody = document.getElementById('subscriptions-list');
1306         tbody.innerHTML = arr.length
1307             ? arr.map(s => `<tr>

```

```

1308         <td>${s.subscriptionId}</td>
1309         <td>${s.restaurantName || 'N/A'}</td>
1310         <td><span class="chip">${s.mealSlot}</span></td>
1311         <td>${s.scheduleType}</td>
1312         <td><span class="chip ${s.status?.toLowerCase()}>${s.status}</span></td>
1313         <td>${s.nextDeliveryTime ? new Date(s.nextDeliveryTime).toLocaleDateString() : 'Not
scheduled'}</td>
1314         <td class="action-row">
1315             ${s.status === 'ACTIVE' ? `<button class="btn btn-secondary btn-sm"
onclick="pauseSubscription(${s.subscriptionId})">Pause</button>` : ''}
1316             ${s.status === 'PAUSED' ? `<button class="btn btn-primary btn-sm"
onclick="resumeSubscription(${s.subscriptionId})">Resume</button>` : ''}
1317             <button class="btn btn-danger btn-sm"
onclick="expireSubscription(${s.subscriptionId})">Expire</button>
1318         </td>
1319     </tr>`).join('')
1320     : `<tr><td colspan="7" class="empty-state">No subscriptions found</td></tr>`;
1321 } catch (e) { console.error(e); }
1322 }
1323
1324 async function addSubscription() {
1325     const email = document.getElementById('sub-email').value.trim();
1326     const restaurantId = parseInt(document.getElementById('sub-restaurant-select').value);
1327     const scheduleType = document.getElementById('sub-schedule').value;
1328     const dayOfWeek = document.getElementById('sub-day').value;
1329     const selectedSlots = [...document.querySelectorAll('#meal-slot-checkboxes
input[type=checkbox]:checked')].map(cb => cb.value);
1330     if (!email) { showAlert('Please enter employee email', 'error'); return; }
1331     if (!restaurantId) { showAlert('Please select a restaurant', 'error'); return; }
1332     if (!selectedSlots.length) { showAlert('Please select at least one meal slot', 'error'); return; }
1333     const body = {
1334         scheduleType,
1335         mealSlots: selectedSlots,
1336         slotOrders: selectedSlots.map(slot => ({ mealSlot: slot, restaurantId }))
1337     };
1338     if (scheduleType === 'WEEKLY') body.dayOfWeek = dayOfWeek;
1339     try {
1340         await apiFetch('/subscription', { method: 'POST', body: JSON.stringify(body) });
1341         showAlert('Subscription created successfully!', 'success');
1342         clearSubscriptionForm();
1343         loadSubscriptions();
1344     } catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1345 }
1346
1347 async function pauseSubscription(id) {
1348     try { await apiFetch(`/subscription/${id}/pause`, { method: 'PUT' }); showAlert('Subscription
paused', 'success'); loadSubscriptions(); }
1349     catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1350 }
1351
1352 async function resumeSubscription(id) {
1353     try { await apiFetch(`/subscription/${id}/resume`, { method: 'PUT' }); showAlert('Subscription
resumed', 'success'); loadSubscriptions(); }
1354     catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1355 }
1356
1357 async function expireSubscription(id) {
1358     try { await apiFetch(`/subscription/${id}/expire`, { method: 'PUT' }); showAlert('Subscription
expired', 'success'); loadSubscriptions(); }
1359     catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1360 }
1361
1362 function clearSubscriptionForm() {
1363     document.getElementById('sub-email').value = '';
1364     document.getElementById('sub-restaurant-select').value = '';
1365     document.getElementById('sub-schedule').value = 'DAILY';
1366     document.getElementById('day-of-week-group').style.display = 'none';
1367     document.querySelectorAll('#meal-slot-checkboxes input[type=checkbox]').forEach(cb => {
1368         cb.checked = false; cb.disabled = false;
1369         cb.parentElement.style.opacity = '1'; cb.parentElement.style.display = 'flex';
1370     });
1371 }
1372
1373 document.getElementById('sub-schedule')?.addEventListener('change', function () {
1374     document.getElementById('day-of-week-group').style.display = this.value === 'WEEKLY' ? 'block' :
'none';

```



```

1375     });
1376
1377     // ===== DELIVERIES =====
1378     async function loadDeliveries() {
1379         try {
1380             const subscriptions = await apiFetch('/subscription/user');
1381             let allDeliveries = [];
1382             for (const sub of subscriptions) {
1383                 try {
1384                     const deliveries = await apiFetch(`/delivery/subscription/${sub.subscriptionId}`);
1385                     allDeliveries.push(...deliveries);
1386                 } catch (e) {}
1387             }
1388             const tbody = document.getElementById('deliveries-list');
1389             if (!allDeliveries.length) {
1390                 tbody.innerHTML = '<tr><td colspan="5" class="empty-state">No deliveries found</td></tr>';
1391             } else {
1392                 tbody.innerHTML = allDeliveries.map(d => `<tr>
1393                     <td>${d.id}</td>
1394                     <td>${d.subscription?.id || 'N/A'}</td>
1395                     <td><span class="chip">${d.mealSlot || 'N/A'}</span></td>
1396                     <td>${d.scheduledDeliveryTime ? new Date(d.scheduledDeliveryTime).toLocaleString() :
1397 'N/A'}</td>
1398                     <td><span class="chip ${d.status?.toLowerCase()}>${d.status ||
1399 'SCHEDULED'}</span></td>
1400                 </tr>`).join('');
1401             } catch (e) { console.error(e); }
1402         }
1403
1404     // ===== VENDORS =====
1405     async function loadVendors() {
1406         try {
1407             const vendors = await apiFetch('/vendors');
1408             const tbody = document.getElementById('vendors-list');
1409             if (!vendors.length) {
1410                 tbody.innerHTML = '<tr><td colspan="6" class="empty-state">No vendors found</td></tr>';
1411             } else {
1412                 tbody.innerHTML = vendors.map(v => `<tr>
1413                     <td>${v.id}</td>
1414                     <td><strong>${v.name}</strong></td>
1415                     <td>${v.email}</td>
1416                     <td>${v.phone || 'N/A'}</td>
1417                     <td>${v.registeredAt || 'N/A'}</td>
1418                     <td><button class="btn btn-danger btn-sm"
1419 onclick="deleteVendor(${v.id})">Delete</button></td>
1420                 </tr>`).join('');
1421             } catch (e) { console.error(e); }
1422         }
1423
1424     async function createVendor() {
1425         const body = {
1426             name: document.getElementById('vendor-name-create').value.trim(),
1427             email: document.getElementById('vendor-email-create').value.trim(),
1428             password: document.getElementById('vendor-password-create').value,
1429             phone: document.getElementById('vendor-phone-create').value.trim(),
1430             role: document.getElementById('vendor-role').value
1431         };
1432         if (!body.name || !body.email || !body.password || !body.phone) {
1433             showAlert('Please fill all vendor fields', 'error'); return;
1434         }
1435         try {
1436             await apiFetch('/vendors/register', { method: 'POST', body: JSON.stringify(body) });
1437             showAlert('Vendor created successfully!', 'success');
1438             clearVendorForm();
1439             loadVendors();
1440         } catch (e) { showAlert('Failed to create vendor: ' + e.message, 'error'); }
1441     }
1442
1443     function clearVendorForm() {
1444         ['vendor-name-create', 'vendor-email-create', 'vendor-password-create', 'vendor-phone-create']
1445             .forEach(id => document.getElementById(id).value = '');
1446     }
1447
1448     async function deleteVendor(vendorId) {

```

```

1448     if (!confirm(`Delete vendor #${vendorId}?`)) return;
1449     try {
1450         await apiFetch(`/vendors/${vendorId}`, { method: 'DELETE' });
1451         showAlert('Vendor deleted successfully!', 'success');
1452         loadVendors();
1453     } catch (e) { showAlert('Failed to delete vendor: ' + e.message, 'error'); }
1454 }
1455
1456 // ===== MODAL HELPERS =====
1457 function closeModal() {
1458     document.getElementById('action-modal').classList.remove('open');
1459     document.getElementById('action-remarks').value = '';
1460     document.getElementById('manager-email').value = currentUser?.email || '';
1461 }
1462
1463 function closeCancelModal() {
1464     document.getElementById('cancel-modal').classList.remove('open');
1465     document.getElementById('cancel-email').value = currentUser?.email || '';
1466 }
1467
1468 // ===== DEVICES =====
1469 async function loadUnassignedDevices() {
1470     try {
1471         const devices = await apiFetch('/devices/unassigned');
1472         const tbody = document.getElementById('devices-list');
1473         if (!devices || !devices.length) {
1474             tbody.innerHTML = '<tr><td colspan="7" class="empty-state">No unassigned
devices</td></tr>';
1475             return;
1476         }
1477         const today = new Date();
1478         tbody.innerHTML = devices.map(d => {
1479             const warrantyExpiry = d.warrantyExpiryDate ? new Date(d.warrantyExpiryDate) : null;
1480             const warrantyDisplay = warrantyExpiry
1481                 ? (warrantyExpiry > today
1482                     ? `<span style="color:var(--green);font-size:11px">
${d.warrantyExpiryDate}</span>`
1483                     : `<span style="color:var(--red);font-size:11px"> ${d.warrantyExpiryDate}</span>`)
1484                 : `<span style="color:var(--text3);font-size:11px">--</span>`;
1485             return `<tr>
<td>#${d.id}</td>
<td><strong>${d.deviceName || '-'}</strong></td>
<td>${d.brand || '-'}</td>
<td><span class="chip">${d.deviceType || '-'}</span></td>
<td>${warrantyDisplay}</td>
<td>${d.vendorName || '-'}</td>
<td><button class="btn btn-primary btn-sm" onclick="openAssignModal(${d.id},
'${d.deviceName}')">Assign</button></td>
</tr>`;
1493         }).join('');
1494     } catch (e) { console.error(e); }
1495 }
1496
1497
1498 async function openAssignModal(deviceId, deviceName) {
1499     document.getElementById('assign-device-id').value = deviceId;
1500     document.getElementById('assign-device-name').value = deviceName;
1501     try {
1502         const employees = await apiFetch('/employee');
1503         const select = document.getElementById('assign-employee-select');
1504         select.innerHTML = '<option value="">-- Select Employee --</option>';
1505         employees.filter(e => e.status === 'ACTIVE').forEach(e => {
1506             const opt = document.createElement('option');
1507             opt.value = e.employeeId;
1508             opt.textContent = `${e.name} (${e.email}) - ${e.dept || 'N/A'}`;
1509             select.appendChild(opt);
1510         });
1511     } catch (e) { showAlert('Failed to load employees', 'error'); return; }
1512     document.getElementById('assign-modal').classList.add('open');
1513 }
1514
1515 async function confirmAssign() {
1516     const deviceId = document.getElementById('assign-device-id').value;
1517     const employeeId = document.getElementById('assign-employee-select').value;
1518     if (!employeeId) { showAlert('Please select an employee', 'error'); return; }
1519     try {
1520         const message = await apiFetch(`/devices/${deviceId}/assign`, {

```

```

1521         method: 'POST',
1522         body: JSON.stringify({ employeeId: parseInt(employeeId) })
1523     });
1524     showAlert(message || 'Device assigned successfully!', 'success');
1525     closeAssignModal();
1526     loadUnassignedDevices();
1527 } catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1528 }
1529
1530 function closeAssignModal() {
1531     document.getElementById('assign-modal').classList.remove('open');
1532     document.getElementById('assign-employee-select').value = '';
1533     document.getElementById('assign-device-id').value = '';
1534     document.getElementById('assign-device-name').value = '';
1535 }
1536
1537 // ===== MY DEVICES =====
1538 async function loadMyAssignedDevices() {
1539     try {
1540         const devices = await apiFetch('/devices/my');
1541         const tbody = document.getElementById('my-devices-list');
1542         if (!devices || !devices.length) {
1543             tbody.innerHTML = '<tr><td colspan="7" class="empty-state">No devices assigned to
you</td></tr>';
1544             return;
1545         }
1546         const today = new Date();
1547         tbody.innerHTML = devices.map(d => {
1548             const warrantyExpiry = d.warrantyExpiryDate ? new Date(d.warrantyExpiryDate) : null;
1549             const warrantyDisplay = warrantyExpiry
1550                 ? (warrantyExpiry > today
1551                     ? `<span style="color:var(--green);font-size:11px">
${d.warrantyExpiryDate}</span>`
1552                     : `<span style="color:var(--red);font-size:11px"> Expired
${d.warrantyExpiryDate}</span>`)
1553                 : `<span style="color:var(--text3);font-size:11px">--</span>`;
1554             return `<tr>
1555                 <td>#${d.id}</td>
1556                 <td><strong>${d.deviceName || '-'}</strong></td>
1557                 <td>${d.brand || '-'}</td>
1558                 <td><span class="chip">${(d.deviceType || '').toLowerCase()}</span></td>
1559                 <td>${warrantyDisplay}</td>
1560                 <td style="font-size:12px;color:var(--text2)">${d.assignedDate || '-'}</td>
1561                 <td><span class="chip ${((d.deviceStatus || '').toLowerCase())}>${d.deviceStatus || '-'}</span></td>
1562             </tr>`;
1563         }).join('');
1564     } catch (e) { console.error(e); }
1565 }
1566
1567 // ===== MY SERVICE REQUESTS =====
1568 async function loadServiceRequests() {
1569     await Promise.all([loadServiceRequestsList(), loadMyDevicesForSR()]);
1570 }
1571
1572 async function loadServiceRequestsList() {
1573     try {
1574         const requests = await apiFetch('/service-requests/my');
1575         const tbody = document.getElementById('service-requests-list');
1576         if (!requests || !requests.length) {
1577             tbody.innerHTML = '<tr><td colspan="7" class="empty-state">No service requests
yet</td></tr>';
1578             return;
1579         }
1580         tbody.innerHTML = requests.map(r => `<tr>
1581             <td>#${r.id}</td>
1582             <td>${r.deviceName || '-'}</td>
1583             <td><span class="chip">${r.requestType}</span></td>
1584             <td style="max-width:200px;overflow:hidden;text-overflow:ellipsis;white-
space:nowrap">${r.issueDescription || '-'}</td>
1585             <td>${r.urgent ? `<span class="chip pending">YES</span>` : `<span style="color:var(--
text2)">No</span>`}</td>
1586             <td><span class="chip ${r.status?.toLowerCase()}>${r.status}</span></td>
1587             <td style="font-size:12px;color:var(--text2)">${r.raisedAt ? new
Date(r.raisedAt).toLocaleDateString() : '-'}</td>
1588         </tr>`).join('');
1589     } catch (e) { console.error(e); }

```

```

1590     }
1591
1592     async function loadMyDevicesForSR() {
1593         try {
1594             const devices = await apiFetch('/devices/my');
1595             const select = document.getElementById('sr-device-select');
1596             select.innerHTML = '<option value="">-- Select your device --</option>';
1597             (devices || []).forEach(d => {
1598                 const opt = document.createElement('option');
1599                 opt.value = d.id;
1600                 opt.textContent = `${d.deviceName} (${d.brand || d.deviceType || 'Device'})`;
1601                 select.appendChild(opt);
1602             });
1603         } catch (e) { console.error('Failed to load devices for SR', e); }
1604     }
1605
1606     async function submitServiceRequest() {
1607         const deviceId = parseInt(document.getElementById('sr-device-select').value);
1608         const requestType = document.getElementById('sr-type').value;
1609         const issueDescription = document.getElementById('sr-description').value.trim();
1610         const urgent = document.getElementById('sr-urgent').checked;
1611         if (!deviceId) { showAlert('Please select a device', 'error'); return; }
1612         if (!issueDescription) { showAlert('Please describe the issue', 'error'); return; }
1613         try {
1614             await apiFetch('/service-requests', {
1615                 method: 'POST',
1616                 body: JSON.stringify({ deviceId, requestType, issueDescription, urgent })
1617             });
1618             showAlert('Service request submitted!', 'success');
1619             clearServiceRequestForm();
1620             loadServiceRequestsList();
1621         } catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1622     }
1623
1624     function clearServiceRequestForm() {
1625         document.getElementById('sr-device-select').value = '';
1626         document.getElementById('sr-type').value = 'REPAIR';
1627         document.getElementById('sr-description').value = '';
1628         document.getElementById('sr-urgent').checked = false;
1629     }
1630
1631     // ===== ADMIN SERVICE REQUESTS =====
1632     async function loadAdminServiceRequests() {
1633         try {
1634             const requests = await apiFetch('/service-requests/open');
1635             const tbody = document.getElementById('admin-service-requests-list');
1636             if (!requests || !requests.length) {
1637                 tbody.innerHTML = '<tr><td colspan="9" class="empty-state">No open service
requests</td></tr>';
1638                 return;
1639             }
1640             tbody.innerHTML = requests.map(r => `<tr>
1641                 <td>#${r.id}</td>
1642                 <td style="font-size:12px;color:var(--text2)">${r.raisedByName || r.employeeId ||
'-'}</td>
1643                 <td><strong>${r.deviceName || '-'}</strong></td>
1644                 <td><span class="chip">${r.requestType}</span></td>
1645                 <td style="max-width:180px;overflow:hidden;text-overflow:ellipsis;white-space:nowrap;font-
size:12px;color:var(--text2)" title="${r.issueDescription || ''}">${r.issueDescription || '...
1646                 <td>${r.urgent ? '<span class="chip pending">YES</span>' : '<span style="color:var(--
text2);font-size:12px">No</span>'}</td>
1647                 <td><span class="chip ${r.status?.toLowerCase()}>${r.status}</span></td>
1648                 <td style="font-size:12px;color:var(--text2)">${r.raisedAt ? new
Date(r.raisedAt).toLocaleDateString() : '-'}</td>
1649                 <td>
1650                     <button class="btn btn-primary btn-sm" onclick="openAdminSRModal(${r.id},
'${(r.deviceName || '').replace(/'/g, '\\')}', '${(r.raisedByName || r.employeeId || '').replace(/'/g,...
1651                     Update
1652                     </button>
1653                 </td>
1654             </tr>`).join('');
1655         } catch (e) { console.error(e); }
1656     }
1657
1658     function openAdminSRModal(requestId, deviceName, employeeName) {
1659         document.getElementById('admin-sr-id').value = requestId;

```

```

1660     document.getElementById('admin-sr-modal-id').textContent = `#${requestId}`;
1661     document.getElementById('admin-sr-device-display').value = deviceName;
1662     document.getElementById('admin-sr-employee-display').value = employeeName;
1663     document.getElementById('admin-sr-status').value = 'SENT_FOR_REPAIR';
1664     document.getElementById('admin-sr-remarks').value = '';
1665     // Show hint for default selection
1666     document.getElementById('admin-sr-repair-hint').style.display = 'block';
1667     document.getElementById('admin-sr-modal').classList.add('open');
1668 }
1669
1670 // Show/hide the repair hint based on status selection
1671 document.getElementById('admin-sr-status')?.addEventListener('change', function () {
1672     document.getElementById('admin-sr-repair-hint').style.display =
1673         this.value === 'SENT_FOR_REPAIR' ? 'block' : 'none';
1674 });
1675
1676 async function submitAdminSRUpdate() {
1677     const serviceRequestId = parseInt(document.getElementById('admin-sr-id').value);
1678     const status = document.getElementById('admin-sr-status').value;
1679     const adminRemarks = document.getElementById('admin-sr-remarks').value.trim();
1680
1681     if (!adminRemarks) {
1682         showAlert('Please add remarks before updating', 'error');
1683         return;
1684     }
1685
1686     try {
1687         await apiFetch('/service-requests/admin', {
1688             method: 'PUT',
1689             body: JSON.stringify({ serviceRequestId, status, adminRemarks })
1690         });
1691         const statusLabel = status.replace(/_/g, ' ').toLowerCase();
1692         showAlert('Service request marked as "${statusLabel}" successfully!', 'success');
1693         closeAdminSRModal();
1694         loadAdminServiceRequests();
1695     } catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1696 }
1697
1698 function closeAdminSRModal() {
1699     document.getElementById('admin-sr-modal').classList.remove('open');
1700     document.getElementById('admin-sr-id').value = '';
1701     document.getElementById('admin-sr-remarks').value = '';
1702     document.getElementById('admin-sr-repair-hint').style.display = 'none';
1703 }
1704
1705 // ===== LOGOUT =====
1706 function logout() {
1707     localStorage.removeItem('jwt_token');
1708     localStorage.removeItem('refresh_token');
1709     localStorage.removeItem('auth_type');
1710     localStorage.removeItem('last_role');
1711     fetch(`${API}/session/logout`, { method: 'POST', credentials: 'include' })
1712         .finally(() => {
1713             document.cookie = 'JSESSIONID=; expires=Thu, 01 Jan 1970 00:00:00 UTC; path=/;';
1714             window.location.href = '/google.html';
1715         });
1716 }
1717
1718 async function loadNotifCount() {
1719     try {
1720         const data = await apiFetch('/notifications/unread-count');
1721         const badge = document.getElementById('notif-badge');
1722
1723         // Handles: plain number, { count: N }, or { unreadCount: N }
1724         const count = typeof data === 'number'
1725             ? data
1726             : (data?.count ?? data?.unreadCount ?? 0);
1727
1728         if (count > 0) {
1729             badge.textContent = count;
1730             badge.style.display = 'flex';
1731         } else {
1732             badge.style.display = 'none';
1733         }
1734     } catch (e) { console.warn('Notif count error', e); }
1735 }

```

```

1736     async function toggleNotifPanel() {
1737         const panel = document.getElementById('notif-panel');
1738         if (panel.style.display === 'none') {
1739             panel.style.display = 'block';
1740             await loadNotifications();
1741             try { await apiFetch('/notifications/mark-read', { method: 'POST' }); } catch(e) {}
1742             document.getElementById('notif-badge').style.display = 'none';
1743         } else {
1744             panel.style.display = 'none';
1745         }
1746     }
1747
1748     async function loadNotifications() {
1749         try {
1750             const data = await apiFetch('/notifications');
1751             const list = document.getElementById('notif-list');
1752             list.innerHTML = (data && data.length)
1753                 ? data.map(n => `
1754                     <div class="notif-item ${n.read ? '' : 'unread'}">
1755                         <div>${n.message}</div>
1756                         <div class="notif-time">${new Date(n.createdAt).toLocaleString()}</div>
1757                     </div>`).join('')
1758                 : '<div class="notif-item">No notifications yet.</div>';
1759         } catch(e) { console.warn('Notif load error', e); }
1760     }
1761
1762     loadNotifCount();
1763     setInterval(loadNotifCount, 30000);
1764
1765     document.addEventListener('click', e => {
1766         const panel = document.getElementById('notif-panel');
1767         const wrapper = document.querySelector('.notif-wrapper');
1768         if (panel && wrapper && !panel.contains(e.target) && !wrapper.contains(e.target)) {
1769             panel.style.display = 'none';
1770         }
1771     });
1772
1773     // Set today's date as default for leave form
1774     document.getElementById('leave-start').valueAsDate = new Date();
1775     document.getElementById('leave-end').valueAsDate = new Date();
1776
1777     // ===== HOLIDAYS =====
1778     async function loadHolidays() {
1779         try {
1780             const year = new Date().getFullYear();
1781             const holidays = await apiFetch(`/holidays?year=${year}`);
1782             const tbody = document.getElementById('holidays-list');
1783             if (!holidays || !holidays.length) {
1784                 tbody.innerHTML = '<tr><td colspan="5" class="empty-state">No holidays added yet</td></tr>';
1785                 return;
1786             }
1787             tbody.innerHTML = holidays.map(h => `<tr>
1788                 <td>#${h.id}</td>
1789                 <td><strong>${h.name}</strong></td>
1790                 <td>${h.date}</td>
1791                 <td>${h.description || '-'}</td>
1792                 <td>
1793                     <button class="btn btn-danger btn-sm" onclick="deleteHoliday(${h.id})">Delete</button>
1794                 </td>
1795             </tr>`).join('');
1796         } catch(e) { console.error(e); }
1797     }
1798
1799     async function addHoliday() {
1800         const name = document.getElementById('h-name').value.trim();
1801         const date = document.getElementById('h-date').value;
1802         const description = document.getElementById('h-desc').value.trim();
1803         if (!name || !date) { showAlert('Please enter name and date', 'error'); return; }
1804         try {
1805             await apiFetch('/holidays', {
1806                 method: 'POST',
1807                 body: JSON.stringify({ name, date, description })
1808             });
1809             showAlert('Holiday added!', 'success');
1810             clearHolidayForm();
1811             loadHolidays();

```

```

1812     } catch(e) { showAlert('Failed: ' + e.message, 'error'); }
1813 }
1814
1815 async function deleteHoliday(id) {
1816     if (!confirm('Delete this holiday?')) return;
1817     try {
1818         await apiFetch(`/holidays/${id}`, { method: 'DELETE' });
1819         showAlert('Holiday deleted', 'success');
1820         loadHolidays();
1821     } catch(e) { showAlert('Failed: ' + e.message, 'error'); }
1822 }
1823
1824 function clearHolidayForm() {
1825     document.getElementById('h-name').value = '';
1826     document.getElementById('h-date').value = '';
1827     document.getElementById('h-desc').value = '';
1828 }
1829
1830 // ===== MY PROFILE =====
1831 async function loadAdminProfile() {
1832     try {
1833         const me = await apiFetch('/employee/me');
1834         if(me) {
1835             document.getElementById('p-name').value = me.name || '-';
1836             document.getElementById('p-email').value = me.email || '-';
1837             document.getElementById('p-dept').value = me.dept || '-';
1838             document.getElementById('p-role').value = me.role || 'ADMIN';
1839             document.getElementById('p-status').value = me.status || '-';
1840             document.getElementById('p-tz').value = me.timezone || '-';
1841
1842             // Show maternity section only for female admins
1843             document.getElementById('maternity-apply-btn').style.display =
1844                 me.gender === 'F' ? 'block' : 'none';
1845         }
1846     } catch(e) {
1847         showAlert('Could not load profile', 'error');
1848     }
1849 }
1850
1851 // Auto calculate maternity end date
1852 document.getElementById('mat-start-date').addEventListener('change', function(){
1853     if(this.value) {
1854         const end = new Date(this.value);
1855         end.setDate(end.getDate() + 179);
1856         document.getElementById('mat-end-date').value =
1857             end.toISOString().split('T')[0];
1858     } else {
1859         document.getElementById('mat-end-date').value = '';
1860     }
1861 });
1862
1863 // Submit maternity leave
1864 async function applyMaternityLeave() {
1865     const startDate = document.getElementById('mat-start-date').value;
1866     const reason = document.getElementById('mat-reason').value.trim();
1867
1868     if(!startDate) {
1869         showAlert('Please select a start date', 'error');
1870         return;
1871     }
1872
1873     try {
1874         await apiFetch('/leave_requests/maternity/apply', {
1875             method: 'POST',
1876             body: JSON.stringify({ startDate, reason })
1877         });
1878         showAlert('Maternity leave submitted successfully!', 'success');
1879         document.getElementById('mat-start-date').value = '';
1880         document.getElementById('mat-end-date').value = '';
1881         document.getElementById('mat-reason').value = '';
1882         loadMyLeaves();
1883     } catch(e) {
1884         showAlert('Failed: ' + e.message, 'error');
1885     }
1886 }
1887

```

```

1888 // ===== CALENDAR =====
1889 let employeeCalendar = null;
1890 let calendarInitialized = false;
1891
1892 const STATUS_COLORS = {
1893   APPROVED: { bg:'rgba(54,211,153,0.25)', border:'#36d399', text:'#36d399' },
1894   PENDING: { bg:'rgba(249,199,79,0.25)', border:'#f9c74f', text:'#f9c74f' },
1895   REJECTED: { bg:'rgba(248,113,113,0.25)', border:'#f87171', text:'#f87171' },
1896   HOLIDAY: { bg:'rgba(167,139,250,0.25)', border:'#a78bfa', text:'#a78bfa' },
1897 };
1898 const TYPE_LABEL = {
1899   SICK:' Sick', CASUAL:' Casual',
1900   MATERNITY:' Maternity', UNPAID:' Unpaid'
1901 };
1902
1903 async function loadMyCalendar() {
1904   await loadCalendarBalanceCards();
1905   if(!calendarInitialized) {
1906     initFullCalendar();
1907   } else {
1908     await refreshCalendarEvents();
1909   }
1910 }
1911
1912 async function loadCalendarBalanceCards() {
1913   ['cal-sick-remaining','cal-casual-remaining','cal-mat-remaining','cal-total-used']
1914     .forEach(id => document.getElementById(id).textContent = '--');
1915   try {
1916     const dashboard = await apiFetch('/api/employees/me/leave-dashboard');
1917     const balances = dashboard?.leaveBalances || {};
1918     let totalUsed = 0, totalAllowed = 0;
1919
1920     const sick = balances['SICK'] || {};
1921     const sickRem = Number(sick.available || 0);
1922     const sickUsed = Number(sick.total || 0) - sickRem;
1923     document.getElementById('cal-sick-remaining').textContent = sickRem;
1924     document.getElementById('cal-sick-sub').textContent = `${sickUsed} used of
1925     ${Number(sick.total||0)} days`;
1926
1927     const cas = balances['CASUAL'] || {};
1928     const casRem = Number(cas.available || 0);
1929     const casUsed = Number(cas.total || 0) - casRem;
1930     document.getElementById('cal-casual-remaining').textContent = casRem;
1931     document.getElementById('cal-casual-sub').textContent = `${casUsed} used of
1932     ${Number(cas.total||0)} days`;
1933
1934     const mat = balances['MATERNITY'] || {};
1935     const matRem = Number(mat.available || 0);
1936     const matUsed = Number(mat.total || 0) - matRem;
1937     document.getElementById('cal-mat-remaining').textContent = matRem;
1938     document.getElementById('cal-mat-sub').textContent = `${matUsed} used of ${Number(mat.total||0)}
1939     days`;
1940
1941     Object.values(balances).forEach(b => {
1942       totalUsed += (Number(b.total||0) - Number(b.available||0));
1943       totalAllowed += Number(b.total||0);
1944     });
1945     document.getElementById('cal-total-used').textContent = totalUsed;
1946     document.getElementById('cal-total-sub').textContent = `out of ${totalAllowed} days total`;
1947   } catch(e) {
1948     ['cal-sick-sub','cal-casual-sub','cal-mat-sub','cal-total-sub']
1949       .forEach(id => document.getElementById(id).textContent = 'unavailable');
1950   }
1951 }
1952
1953 async function buildCalendarEvents() {
1954   const events = [];
1955   try {
1956     const data = await apiFetch('/leave_requests/employee');
1957     const leaves = data?.requests || data || [];
1958     leaves.forEach(l => {
1959       const s = (l.status || 'PENDING').toUpperCase();
1960       const c = STATUS_COLORS[s] || STATUS_COLORS.PENDING;
1961       let endDate = l.endDate;
1962       if(endDate) {

```



```

1961         const d = new Date(endDate);
1962         d.setDate(d.getDate() + 1);
1963         endDate = d.toISOString().split('T')[0];
1964     }
1965     events.push({
1966         id: `leave-${l.leaveRequestId}`,
1967         title: `${TYPE_LABEL[l.leaveType] || l.leaveType}
1968         (${s.charAt(0)+s.slice(1).toLowerCase()})`,
1969         start: l.startDate, end: endDate, allDay: true,
1970         backgroundColor: c.bg, borderColor: c.border, textColor: c.text,
1971         extendedProps: { type:'leave', status:s, reason:l.reason||'-', leaveType:l.leaveType }
1972     });
1973 } catch(e) { console.warn('Could not load leaves for calendar'); }
1974
1975 try {
1976     const holidays = await apiFetch('/holidays');
1977     (holidays || []).forEach(h => {
1978         const c = STATUS_COLORS.HOLIDAY;
1979         events.push({
1980             id: `holiday-${h.id||Math.random()}`,
1981             title: ` ${h.name || 'Holiday'}`,
1982             start: h.date || h.holidayDate, allDay: true,
1983             backgroundColor: c.bg, borderColor: c.border, textColor: c.text,
1984             extendedProps: { type:'holiday', description: h.description||'' }
1985         });
1986     });
1987 } catch(e) { console.warn('Could not load holidays for calendar'); }
1988
1989 return events;
1990 }
1991
1992 function initFullCalendar() {
1993     employeeCalendar = new FullCalendar.Calendar(
1994         document.getElementById('employee-calendar'), {
1995             initialView: 'dayGridMonth',
1996             height: 'auto',
1997             headerToolbar: {
1998                 left:'prev,next today', center:'title', right:'dayGridMonth,dayGridWeek,listMonth'
1999             },
2000             buttonText: { today:'Today', month:'Month', week:'Week', listMonth:'List' },
2001             dayMaxEvents: 3,
2002             navLinks: true,
2003             events: [],
2004             eventMouseEnter: function(info) {
2005                 const ep = info.event.extendedProps;
2006                 const tt = document.getElementById('cal-tooltip');
2007                 let html = `<div class="tt-title">${info.event.title}</div>`;
2008                 if(ep.type === 'leave') {
2009                     html += `<div class="tt-row"> ${info.event.startStr}</div>`;
2010                     if(ep.reason && ep.reason !== '-')
2011                         html += `<div class="tt-row"> ${ep.reason.substring(0,60)}</div>`;
2012                     html += `<div class="tt-row">Status: <strong
2013 style="color:${STATUS_COLORS[ep.status]?.text||'#fff'}">${ep.status}</strong></div>`;
2014                 } else if(ep.description) {
2015                     html += `<div class="tt-row">${ep.description}</div>`;
2016                 }
2017                 tt.innerHTML = html;
2018                 tt.style.display = 'block';
2019             },
2020             eventMouseLeave: function() {
2021                 document.getElementById('cal-tooltip').style.display = 'none';
2022             },
2023             eventClick: function(info) {
2024                 if(info.event.extendedProps.type === 'leave') {
2025                     showView('my-leaves', null);
2026                 }
2027             }
2028         });
2029     employeeCalendar.render();
2030     calendarInitialized = true;
2031     refreshCalendarEvents();
2032 }
2033
2034 async function refreshCalendarEvents() {
2035     if(!employeeCalendar) return;

```

```
2035     const events = await buildCalendarEvents();
2036     employeeCalendar.removeAllEvents();
2037     events.forEach(e => employeeCalendar.addEvent(e));
2038 }
2039
2040 async function refreshCalendar() {
2041     await loadCalendarBalanceCards();
2042     await refreshCalendarEvents();
2043     showAlert('Calendar refreshed!', 'success');
2044 }
2045
2046 document.addEventListener('mousemove', function(e) {
2047     const tt = document.getElementById('cal-tooltip');
2048     if(tt && tt.style.display === 'block') {
2049         tt.style.left = (e.clientX + 14) + 'px';
2050         tt.style.top  = (e.clientY + 14) + 'px';
2051         const rect = tt.getBoundingClientRect();
2052         if(rect.right > window.innerWidth)
2053             tt.style.left = (e.clientX - rect.width - 10) + 'px';
2054         if(rect.bottom > window.innerHeight)
2055             tt.style.top  = (e.clientY - rect.height - 10) + 'px';
2056     }
2057 });
2058 </script>
2059 </body>
2060 </html>
2061
```

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>EMS – Employee Portal</title>
7      <link
href="https://fonts.googleapis.com/css2?family=Sora:wght@300;400;500;600;700&family=JetBrains+Mono:wght@400;500&
display=swap" rel="stylesheet">
8      <!-- FullCalendar CDN -->
9      <link href="https://cdn.jsdelivr.net/npm/fullcalendar@6.1.8/index.global.min.css" rel="stylesheet">
10     <script src="https://cdn.jsdelivr.net/npm/fullcalendar@6.1.8/index.global.min.js"></script>
11     <style>
12         *{margin:0;padding:0;box-sizing:border-box}
13         :root{
14             --bg:#080c10;--bg2:#0d1117;--bg3:#111820;
15             --panel:#141c26;--panel2:#1a2332;
16             --border:rgba(99,179,237,0.08);--border2:rgba(99,179,237,0.15);
17             --text:#d4e6f1;--text2:#7a9bb5;--text3:#4a6d87;
18             --accent:#38bdf8;--accent-dim:rgba(56,189,248,0.1);
19             --green:#34d399;--green-dim:rgba(52,211,153,0.1);
20             --amber:#fbbf24;--amber-dim:rgba(251,191,36,0.1);
21             --red:#f87171;--red-dim:rgba(248,113,113,0.1);
22             --font:'Sora', sans-serif;--mono:'JetBrains Mono', monospace;
23             --sidebar:240px;
24         }
25         body{font-family:var(--font);background:var(--bg);color:var(--text);font-
size:14px;overflow:hidden;height:100vh}
26         .app{display:flex;height:100vh}
27
28         /* SIDEBAR */
29         .sidebar{width:var(--sidebar);background:var(--bg2);border-right:1px solid var(--
border);display:flex;flex-direction:column;position:relative;flex-shrink:0}
30         .sidebar::before{content:'';position:absolute;top:0;left:0;right:0;height:1px;background:linear-
gradient(90deg,transparent, var(--accent), transparent)}
31         .logo{padding:24px 20px;border-bottom:1px solid var(--border)}
32         .logo-mark{display:flex;align-items:center;gap:10px;margin-bottom:6px}
33         .logo-icon{width:32px;height:32px;background:linear-gradient(135deg, var(--accent), #0ea5e9);border-
radius:8px;display:flex;align-items:center;justify-content:center;font-weight:700;font-size...
34         .logo h2{font-size:16px;font-weight:600;color:var(--text);letter-spacing:0.5px}
35         .logo p{font-size:11px;color:var(--text3);font-family:var(--mono);margin-top:2px}
36         .role-badge{display:inline-flex;align-items:center;gap:5px;padding:4px 10px;background:var(--accent-dim);border:1px solid rgba(56,189,248,0.25);border-radius:20px;font-size:10px;font-weight...
37         .role-badge::before{content:'';width:6px;height:6px;background:var(--accent);border-
radius:50%;animation:pulse 2s infinite}
38         @keyframes pulse{0%,100%{opacity:1}50%{opacity:0.4}}
39         .nav{flex:1;padding:12px 0;overflow-y:auto}
40         .nav-section{padding:4px 20px 8px;font-size:10px;font-weight:600;color:var(--text3);letter-
spacing:1.5px;text-transform:uppercase;margin-top:8px}
41         .nav-item{display:flex;align-items:center;gap:10px;padding:10px 20px;margin:2px 8px;border-
radius:8px;cursor:pointer;transition:all 0.2s;color:var(--text2);font-size:13px;font-weight:500}
42         .nav-item:hover{background:var(--accent-dim);color:var(--accent)}
43         .nav-item.active{background:var(--accent-dim);color:var(--accent);border:1px solid
rgba(56,189,248,0.2)}
44         .nav-item .icon{width:20px;text-align:center;font-size:14px;flex-shrink:0}
45         .sidebar-footer{padding:16px 20px;border-top:1px solid var(--border)}
46         .user-card{display:flex;align-items:center;gap:10px}
47         .avatar{width:32px;height:32px;background:linear-gradient(135deg, #0ea5e9, var(--accent));border-
radius:50%;display:flex;align-items:center;justify-content:center;font-size:13px;font-weight:6...
48         .user-info-side .name{font-size:12px;font-weight:600;color:var(--text)}
49         .user-info-side .email{font-size:10px;color:var(--text3);font-family:var(--mono);white-
space:nowrap;overflow:hidden;text-overflow:ellipsis;max-width:140px}
50
51         /* MAIN */
52         .main{flex:1;display:flex;flex-direction:column;overflow:hidden}
53         .topbar{background:var(--bg2);padding:14px 24px;display:flex;justify-content:space-between;align-
items:center;border-bottom:1px solid var(--border);flex-shrink:0}
54         .page-title{font-size:16px;font-weight:600;color:var(--text)}
55         .topbar-right{display:flex;align-items:center;gap:12px}
56         .logout-btn{padding:7px 16px;background:transparent;border:1px solid var(--border2);border-
radius:6px;color:var(--text2);font-family:var(--font);font-size:12px;cursor:pointer;transition:all...
57         .logout-btn:hover{background:var(--red-dim);border-color:var(--red);color:var(--red)}

```

```

58     .notif-wrapper { position: relative; cursor: pointer; }
59
60     .notif-badge {
61         position: absolute; top: -5px; right: -6px;
62         background: #e53e3e; color: white;
63         font-size: 10px; font-weight: 600;
64         min-width: 16px; height: 16px;
65         border-radius: 50%; display: flex;
66         align-items: center; justify-content: center;
67         padding: 0 3px;
68     }
69
70     .notif-panel {
71         position: absolute; top: 48px; right: 16px;
72         width: 320px; max-height: 400px; overflow-y: auto;
73         background: white; border: 1px solid #e2e8f0;
74         border-radius: 10px; box-shadow: 0 4px 16px rgba(0,0,0,0.1);
75         z-index: 999;
76     }
77
78     .notif-header {
79         padding: 12px 16px; font-weight: 600;
80         border-bottom: 1px solid #e2e8f0;
81     }
82
83     .notif-item {
84         padding: 12px 16px; font-size: 14px;
85         border-bottom: 1px solid #f1f5f9;
86     }
87
88     .notif-item.unread { background: #eff6ff; }
89     .notif-time { font-size: 11px; color: #94a3b8; margin-top: 4px; }
90
91     /* CONTENT */
92     .content{flex:1;overflow-y:auto;padding:24px}
93     .view{display:none}
94     .view.active{display:block;animation:fadeIn 0.3s ease}
95     @keyframes fadeIn{from{opacity:0;transform:translateY(8px)}to{opacity:1;transform:translateY(0)}}
96
97     /* CARDS */
98     .stats-grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(160px,1fr));gap:16px;margin-
bottom:24px}
99     .stat-card{background:var(--panel);border:1px solid var(--border);border-
radius:12px;padding:20px;position:relative;overflow:hidden;transition:border-color 0.2s}
100     .stat-card:hover{border-color:var(--border2)}
101     .stat-card::after{content:'';position:absolute;top:0;left:0;right:0;height:2px}
102     .stat-card.blue::after{background:var(--accent)}
103     .stat-card.green::after{background:var(--green)}
104     .stat-card.amber::after{background:var(--amber)}
105     .stat-card.red::after{background:var(--red)}
106     .stat-label{font-size:11px;color:var(--text3);text-transform:uppercase;letter-spacing:1px;margin-
bottom:10px;font-weight:500}
107     .stat-value{font-size:28px;font-weight:700;color:var(--text);font-family:var(--mono)}
108     .stat-sub{font-size:11px;color:var(--text3);margin-top:4px}
109
110     /* SECTION */
111     .section{background:var(--panel);border:1px solid var(--border);border-radius:12px;margin-
bottom:20px;overflow:hidden}
112     .section-head{padding:16px 20px;border-bottom:1px solid var(--border);display:flex;justify-
content:space-between;align-items:center}
113     .section-title{font-size:14px;font-weight:600;color:var(--text)}
114     .section-sub{font-size:12px;color:var(--text3)}
115
116     /* TABLE */
117     .tablewrap{overflow-x:auto}
118     table{width:100%;border-collapse:collapse}
119     th{padding:10px 16px;text-align:left;font-size:11px;color:var(--text3);font-weight:600;letter-
spacing:0.8px;text-transform:uppercase;background:var(--bg3);border-bottom:1px solid var(--bord...
120     td{padding:12px 16px;border-bottom:1px solid var(--border);font-size:13px;color:var(--text2)}
121     tr:last-child td{border-bottom:none}
122     tr:hover td{background:rgba(56,189,248,0.03);color:var(--text)}
123
124     /* CHIPS */
125     .chip{display:inline-flex;align-items:center;padding:3px 10px;border-radius:20px;font-
size:11px;font-weight:600;letter-spacing:0.5px}
126     .chip.pending{background:var(--amber-dim);color:var(--amber);border:1px solid rgba(251,191,36,0.2)}

```

```

127     .chip.open{background:var(--accent-dim);color:var(--accent)}
128     .chip.approved{background:var(--green-dim);color:var(--green);border:1px solid
rgba(52,211,153,0.2)}
129     .chip.rejected{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.2)}
130     .chip.active{background:var(--green-dim);color:var(--green);border:1px solid rgba(52,211,153,0.2)}
131     .chip.sick{background:var(--red-dim);color:var(--red)}
132     .chip.casual{background:var(--amber-dim);color:var(--amber)}
133     .chip.maternity{background:var(--accent-dim);color:var(--accent)}
134     .chip.under_repair { background: var(--amber-dim); color: var(--amber); }
135     .chip.unpaid { background: rgba(139,92,246,0.15); color: #a78bfa; border: 1px solid
rgba(139,92,246,0.2); }
136     .chip.assigned{background:var(--green-dim);color:var(--green)}
137     .chip.condemned{background:var(--red-dim);color:var(--red)}
138
139     /* FORM */
140     .form-card{padding:24px}
141     .form-grid{display:grid;grid-template-columns:1fr 1fr;gap:16px}
142     .form-group{display:flex;flex-direction:column;gap:6px}
143     .form-group.full{grid-column:1/-1}
144     label{font-size:11px;font-weight:600;color:var(--text3);text-transform:uppercase;letter-
spacing:0.8px}
145     input,select,textarea{background:var(--bg3);border:1px solid var(--border);border-
radius:8px;padding:10px 14px;color:var(--text);font-family:var(--font);font-size:13px;transition:border-col...
146     input:focus,select:focus,textarea:focus{outline:none;border-color:var(--accent);background:var(--
bg2)}
147     input::placeholder,textarea::placeholder{color:var(--text3)}
148     select option{background:var(--bg2)}
149
150     /* BUTTONS */
151     .btn{padding:9px 18px;border-radius:8px;border:none;font-family:var(--font);font-size:13px;font-
weight:600;cursor:pointer;transition:all 0.2s}
152     .btn-primary{background:var(--accent);color:#fff}
153     .btn-primary:hover{background:#0ea5e9;transform:translateY(-1px);box-shadow:0 4px 12px
rgba(56,189,248,0.3)}
154     .btn-secondary{background:var(--panel2);color:var(--text2);border:1px solid var(--border)}
155     .btn-secondary:hover{border-color:var(--border2);color:var(--text)}
156     .btn-sm{padding:6px 12px;font-size:12px}
157     .btn-danger{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.2)}
158     .btn-danger:hover{background:var(--red);color:#fff}
159     .form-actions{display:flex;gap:10px;margin-top:20px}
160
161     /* ALERT */
162     .alert{position:fixed;top:20px;right:20px;padding:12px 20px;border-radius:10px;z-
index:1100;animation:slideIn 0.3s ease;font-size:13px;font-weight:500}
163     .alert-success{background:var(--green-dim);color:var(--green);border:1px solid
rgba(52,211,153,0.3)}
164     .alert-error{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.3)}
165     @keyframes slideIn{from{transform:translateX(120%);opacity:0}to{transform:translateX(0);opacity:1}}
166
167     .empty-state{text-align:center;color:var(--text3);font-style:italic;padding:30px}
168     .profile-grid{display:grid;grid-template-columns:1fr 1fr;gap:16px;padding:24px}
169     .profile-field{display:flex;flex-direction:column;gap:4px}
170     .profile-field .field-label{font-size:10px;color:var(--text3);text-transform:uppercase;letter-
spacing:0.8px;font-weight:600}
171     .profile-field .field-value{font-size:14px;color:var(--text);padding:10px 14px;background:var(--
bg3);border-radius:8px;border:1px solid var(--border);font-family:var(--mono)}
172
173     .subscription-card{display:grid;grid-template-columns:repeat(auto-
fill,minmax(200px,1fr));gap:12px;padding:20px}
174     .sub-item{background:var(--bg3);border:1px solid var(--border);border-
radius:10px;padding:16px;transition:border-color 0.2s}
175     .sub-item:hover{border-color:var(--border2)}
176     .sub-item .meal-name{font-weight:600;color:var(--text);margin-bottom:6px}
177     .sub-item .meal-meta{font-size:11px;color:var(--text3)}
178
179     .chip.paused{background:var(--amber-dim);color:var(--amber);border:1px solid rgba(251,191,36,0.2)}
180     .chip.expired{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.2)}
181
182     /* ===== */
183     /* CALENDAR VIEW STYLES */
184     /* ===== */
185
186     /* Leave balance summary cards above the calendar */
187     .leave-balance-grid {
188         display: grid;
189         grid-template-columns: repeat(auto-fit, minmax(160px, 1fr));

```

```

190         gap: 14px;
191         padding: 20px;
192         border-bottom: 1px solid var(--border);
193     }
194     .leave-bal-card {
195         background: var(--bg3);
196         border: 1px solid var(--border);
197         border-radius: 10px;
198         padding: 16px 18px;
199         display: flex;
200         flex-direction: column;
201         gap: 6px;
202         position: relative;
203         overflow: hidden;
204         transition: border-color 0.2s;
205     }
206     .leave-bal-card:hover { border-color: var(--border2); }
207     .leave-bal-card::before {
208         content: '';
209         position: absolute;
210         left: 0; top: 0; bottom: 0;
211         width: 3px;
212         border-radius: 3px 0 0 3px;
213     }
214     .leave-bal-card.sick::before { background: var(--red); }
215     .leave-bal-card.casual::before { background: var(--amber); }
216     .leave-bal-card.mat::before { background: var(--accent); }
217     .leave-bal-card.total::before { background: var(--green); }
218     .lbc-icon { font-size: 18px; }
219     .lbc-label { font-size: 10px; color: var(--text3); text-transform: uppercase; letter-spacing: 1px;
font-weight: 600; }
220     .lbc-count { font-size: 24px; font-weight: 700; color: var(--text); font-family: var(--mono); line-
height: 1; }
221     .lbc-sub { font-size: 11px; color: var(--text3); }
222
223     /* Legend row */
224     .cal-legend {
225         display: flex;
226         align-items: center;
227         gap: 20px;
228         padding: 12px 20px;
229         border-bottom: 1px solid var(--border);
230         flex-wrap: wrap;
231     }
232     .legend-label { font-size: 11px; color: var(--text3); font-weight: 600; text-transform: uppercase;
letter-spacing: 0.8px; margin-right: 4px; }
233     .legend-item { display: flex; align-items: center; gap: 6px; font-size: 12px; color: var(--text2);
}
234     .legend-dot { width: 10px; height: 10px; border-radius: 50%; flex-shrink: 0; }
235
236     /* FullCalendar dark-theme overrides */
237     #employee-calendar {
238         padding: 16px 20px 20px;
239     }
240     /* Toolbar */
241     #employee-calendar .fc .fc-toolbar-title {
242         font-family: var(--font);
243         font-size: 15px;
244         font-weight: 600;
245         color: var(--text);
246     }
247     #employee-calendar .fc .fc-button {
248         background: var(--panel2);
249         border: 1px solid var(--border2);
250         color: var(--text2);
251         font-family: var(--font);
252         font-size: 12px;
253         font-weight: 600;
254         border-radius: 6px;
255         padding: 5px 12px;
256         transition: all 0.2s;
257         box-shadow: none;
258         text-transform: capitalize;
259     }
260     #employee-calendar .fc .fc-button:hover,
261     #employee-calendar .fc .fc-button-active,

```

```

262     #employee-calendar .fc .fc-button:not(:disabled):active {
263         background: var(--accent-dim);
264         border-color: var(--accent);
265         color: var(--accent);
266         box-shadow: none;
267     }
268     #employee-calendar .fc .fc-button:focus { box-shadow: none; outline: none; }
269
270     /* Grid */
271     #employee-calendar .fc-theme-standard td,
272     #employee-calendar .fc-theme-standard th,
273     #employee-calendar .fc-theme-standard .fc-scrollgrid {
274         border-color: var(--border);
275     }
276     #employee-calendar .fc .fc-col-header-cell-cushion {
277         font-family: var(--font);
278         font-size: 11px;
279         font-weight: 600;
280         color: var(--text3);
281         text-transform: uppercase;
282         letter-spacing: 0.8px;
283         padding: 8px 4px;
284     }
285     #employee-calendar .fc .fc-daygrid-day-number {
286         font-family: var(--mono);
287         font-size: 12px;
288         color: var(--text3);
289         padding: 6px 8px;
290     }
291     #employee-calendar .fc .fc-daygrid-day.fc-day-today {
292         background: var(--accent-dim) !important;
293     }
294     #employee-calendar .fc .fc-daygrid-day.fc-day-today .fc-daygrid-day-number {
295         color: var(--accent);
296         font-weight: 700;
297     }
298     #employee-calendar .fc .fc-daygrid-day:hover {
299         background: rgba(56,189,248,0.03);
300     }
301     #employee-calendar .fc-daygrid-day-frame {
302         background: var(--bg3);
303     }
304     #employee-calendar .fc .fc-day-other .fc-daygrid-day-frame {
305         background: var(--bg2);
306     }
307
308     /* Events */
309     #employee-calendar .fc-event {
310         border: none !important;
311         border-radius: 4px;
312         font-family: var(--font);
313         font-size: 11px;
314         font-weight: 600;
315         padding: 2px 6px;
316         cursor: pointer;
317     }
318     #employee-calendar .fc-event-title { font-weight: 600; }
319
320     /* Event tooltip */
321     .cal-tooltip {
322         position: fixed;
323         background: var(--panel2);
324         border: 1px solid var(--border2);
325         border-radius: 8px;
326         padding: 10px 14px;
327         font-size: 12px;
328         color: var(--text);
329         z-index: 9999;
330         pointer-events: none;
331         max-width: 200px;
332         box-shadow: 0 8px 24px rgba(0,0,0,0.4);
333     }
334     .cal-tooltip .tt-title { font-weight: 600; margin-bottom: 4px; font-size: 13px; }
335     .cal-tooltip .tt-row { color: var(--text2); margin-top: 2px; }
336
337     /* balance loading state */

```

```
338         .lbc-count.loading { color: var(--text3); font-size: 16px; }
339     </style>
340 </head>
341 <body>
342     <div class="app">
343         <!-- SIDEBAR -->
344         <div class="sidebar">
345             <div class="logo">
346                 <div class="logo-mark">
347                     <div class="logo-icon">E</div>
348                     <h2>EMS Portal</h2>
349                 </div>
350                 <p>Employee Management</p>
351                 <div class="role-badge">Employee</div>
352             </div>
353             <nav class="nav">
354                 <div class="nav-section">Overview</div>
355                 <div class="nav-item active" onclick="showView('dashboard',this)"><span class="icon"></span>
Dashboard</div>
356                 <div class="nav-section">Leave</div>
357                 <div class="nav-item" onclick="showView('apply-leave',this)"><span class="icon"></span> Apply
Leave</div>
358                 <div class="nav-item" onclick="showView('my-leaves',this)"><span class="icon"></span> My Leave
History</div>
359                 <div class="nav-item" onclick="showView('my-calendar',this)"><span class="icon"></span> My
Calendar</div>
360                 <div class="nav-section">Meals</div>
361                 <div class="nav-item" onclick="showView('restaurants',this)"><span class="icon"></span>
Restaurants</div>
362                 <div class="nav-item" onclick="showView('subscriptions',this)"><span class="icon"></span> My
Subscriptions</div>
363                 <div class="nav-item" onclick="showView('add-subscription',this)"><span class="icon"></span>
Add Subscription</div>
364                 <div class="nav-section">Account</div>
365                 <div class="nav-item" onclick="showView('profile',this)"><span class="icon"></span> My
Profile</div>
366                 <div class="nav-item" onclick="showView('my-devices',this)"><span class="icon"></span> My
Devices</div>
367                 <div class="nav-item" onclick="showView('service-requests',this)"><span class="icon"></span>
Service Requests</div>
368             </nav>
369             <div class="sidebar-footer">
370                 <div class="user-card">
371                     <div class="avatar" id="avatar-initials">?</div>
372                     <div class="user-info-side">
373                         <div class="name" id="sidebar-name">Loading...</div>
374                         <div class="email" id="sidebar-email"></div>
375                     </div>
376                 </div>
377             </div>
378         </div>
379
380         <!-- MAIN -->
381         <div class="main">
382             <div class="topbar">
383                 <div class="page-title" id="pageTitle">Dashboard</div>
384                 <!-- Bell icon with badge -->
385                 <div class="notif-wrapper" onclick="toggleNotifPanel()">
386                     <svg width="22" height="22" viewBox="0 0 24 24" fill="none"
387                         stroke="currentColor" stroke-width="2" stroke-linecap="round">
388                         <path d="M18 8A6 6 0 0 0 6 8c0 7-3 9-3 9h18s-3-2-3-9"/>
389                         <path d="M13.73 21a2 2 0 0 1-3.46 0"/>
390                     </svg>
391                     <span id="notif-badge" class="notif-badge" style="display:none"></span>
392                 </div>
393
394                 <!-- Dropdown panel -->
395                 <div id="notif-panel" class="notif-panel" style="display:none">
396                     <div class="notif-header">Notifications</div>
397                     <div id="notif-list"></div>
398                 </div>
399                 <div class="topbar-right">
400                     <span style="font-size:12px;color:var(--text3);font-family:var(--mono)" id="topbar-
email"></span>
401                     <button class="logout-btn" onclick="logout()">Sign Out</button>
402                 </div>

```



```

403     </div>
404     <div class="content">
405
406         <!-- DASHBOARD -->
407         <div id="dashboard-view" class="view active">
408             <div class="stats-grid">
409                 <div class="stat-card blue">
410                     <div class="stat-label">Leave Balance</div>
411                     <div class="stat-value" id="stat-balance">--</div>
412                     <div class="stat-sub">days remaining</div>
413                 </div>
414                 <div class="stat-card amber">
415                     <div class="stat-label">Pending Leaves</div>
416                     <div class="stat-value" id="stat-pending">--</div>
417                     <div class="stat-sub">awaiting approval</div>
418                 </div>
419                 <div class="stat-card green">
420                     <div class="stat-label">Approved Leaves</div>
421                     <div class="stat-value" id="stat-approved">--</div>
422                     <div class="stat-sub">this year</div>
423                 </div>
424                 <div class="stat-card red">
425                     <div class="stat-label">Rejected Leaves</div>
426                     <div class="stat-value" id="stat-rejected">--</div>
427                     <div class="stat-sub">this year</div>
428                 </div>
429             </div>
430             <div class="section">
431                 <div class="section-head">
432                     <div>
433                         <div class="section-title">Recent Leave Requests</div>
434                         <div class="section-sub">Your last 5 requests</div>
435                     </div>
436                     <button class="btn btn-secondary btn-sm" onclick="loadDashboard()">
Refresh</button>
437                 </div>
438                 <div class="tablewrap">
439                     <table>
440
441                         <thead><tr><th>Type</th><th>From</th><th>To</th><th>Reason</th><th>Status</th></tr></thead>
442                         <tbody id="recent-leaves"><tr><td colspan="5" class="empty-
state">Loading...</td></tr></tbody>
443                     </table>
444                 </div>
445                 <div class="section">
446                     <div class="section-head">
447                         <div class="section-title">Active Subscriptions</div>
448                     </div>
449                     <div id="dashboard-subs" class="subscription-card"></div>
450                 </div>
451             </div>
452
453             <!-- APPLY LEAVE -->
454             <div id="apply-leave-view" class="view">
455                 <div class="section">
456                     <div class="section-head"><div class="section-title">Apply for Leave</div></div>
457                     <div class="form-card">
458                         <div class="form-grid">
459                             <div class="form-group">
460                                 <label>Leave Type</label>
461                                 <select id="leave-type">
462                                     <option value="SICK">Sick Leave</option>
463                                     <option value="CASUAL">Casual Leave</option>
464                                     <option value="UNPAID">Unpaid Leave</option>
465                                 </select>
466                                 <div id="sick-leave-hint" style="display:none;margin-top:6px;font-
size:11px;color:var(--amber);background:var(--amber-dim);border:1px solid rgba(251,191,36,0.2);bord...
467                                     Sick leave is limited to <strong>1 day per month</strong>. If already
used this month, please select Unpaid Leave.
468                                 </div>
469                                 <div id="casual-leave-hint" style="display:none; margin-top:6px; font-
size:11px; color:var(--amber); background:var(--amber-dim); border:1px solid rgba(251,191,36,0...
470                                     Casual leave is limited to <strong>1 day per month</strong>. If already
used this month, it will be automatically recorded as <strong>Unpaid Leave</strong>.
471                                 </div>

```

```
472             </div>
473             <div class="form-group">
474                 <label>Start Date</label>
475                 <input type="date" id="leave-start">
476             </div>
477             <div class="form-group">
478                 <label>End Date</label>
479                 <input type="date" id="leave-end">
480             </div>
481             <div class="form-group full">
482                 <label>Reason</label>
483                 <textarea id="leave-reason" rows="3" placeholder="Please describe the
reason for your leave..."></textarea>
484             </div>
485         </div>
486         <div class="form-actions">
487             <button class="btn btn-primary" onclick="applyLeave()">Submit Request</button>
488             <button class="btn btn-secondary" onclick="clearLeaveForm()">Clear</button>
489         </div>
490     </div>
491 </div>
492 </div>
493
494 <!-- MY LEAVES -->
495 <div id="my-leaves-view" class="view">
496     <div class="section">
497         <div class="section-head">
498             <div><div class="section-title">My Leave History</div><div class="section-sub">All
your leave requests</div></div>
499             <button class="btn btn-secondary btn-sm" onclick="loadMyLeaves()"> Refresh</button>
500         </div>
501         <div class="tablewrap">
502             <table>
503 <thead><tr><th>Type</th><th>From</th><th>To</th><th>Days</th><th>Reason</th><th>Status</th><th>Action</th></tr><
/thead>
504             <tbody id="my-leaves-list"><tr><td colspan="7" class="empty-
state">Loading...</td></tr></tbody>
505             </table>
506         </div>
507     </div>
508 </div>
509
510 <!-- ===== -->
511 <!-- MY CALENDAR VIEW (NEW) -->
512 <!-- ===== -->
513 <div id="my-calendar-view" class="view">
514     <div class="section">
515         <div class="section-head">
516             <div>
517                 <div class="section-title">My Leave Calendar</div>
518                 <div class="section-sub">All approved leaves and public holidays</div>
519             </div>
520             <button class="btn btn-secondary btn-sm" onclick="refreshCalendar()">
Refresh</button>
521         </div>
522
523 <!-- Leave Balance Summary Cards -->
524 <div class="leave-balance-grid">
525     <!-- Sick Leave Card -->
526     <div class="leave-bal-card sick">
527         <span class="lbc-icon"></span>
528         <span class="lbc-label">Sick Leave</span>
529         <span class="lbc-count" id="cal-sick-remaining">--</span>
530         <span class="lbc-sub" id="cal-sick-sub">loading...</span>
531     </div>
532     <!-- Casual Leave Card -->
533     <div class="leave-bal-card casual">
534         <span class="lbc-icon"></span>
535         <span class="lbc-label">Casual Leave</span>
536         <span class="lbc-count" id="cal-casual-remaining">--</span>
537         <span class="lbc-sub" id="cal-casual-sub">loading...</span>
538     </div>
539     <!-- Maternity Leave Card -->
540     <div class="leave-bal-card mat">
541         <span class="lbc-icon"></span>
```

```

542         <span class="lbc-label">Maternity Leave</span>
543         <span class="lbc-count" id="cal-mat-remaining">--</span>
544         <span class="lbc-sub" id="cal-mat-sub">loading...</span>
545     </div>
546     <!-- Total Used Card -->
547     <div class="leave-bal-card total">
548         <span class="lbc-icon"></span>
549         <span class="lbc-label">Total Used</span>
550         <span class="lbc-count" id="cal-total-used">--</span>
551         <span class="lbc-sub" id="cal-total-sub">loading...</span>
552     </div>
553 </div>
554
555     <!-- Legend -->
556     <div class="cal-legend">
557         <span class="legend-label">Legend:</span>
558         <div class="legend-item">
559             <div class="legend-dot" style="background:#34d399"></div>
560             Approved Leave
561         </div>
562         <div class="legend-item">
563             <div class="legend-dot" style="background:#fbbf24"></div>
564             Pending Leave
565         </div>
566         <div class="legend-item">
567             <div class="legend-dot" style="background:#f87171"></div>
568             Rejected Leave
569         </div>
570         <div class="legend-item">
571             <div class="legend-dot" style="background:#38bdf8"></div>
572             Public Holiday
573         </div>
574     </div>
575
576     <!-- FullCalendar Mount Point -->
577     <div id="employee-calendar"></div>
578 </div>
579 </div>
580 <!-- END CALENDAR VIEW -->
581
582 <!-- RESTAURANTS -->
583 <div id="restaurants-view" class="view">
584     <div class="section">
585         <div class="section-head">
586             <div class="section-title">Available Restaurants</div>
587             <button class="btn btn-secondary btn-sm" onclick="loadRestaurants()">
Refresh</button>
588         </div>
589         <div class="tablewrap">
590             <table>
591                 <thead><tr><th>Name</th><th>Meal
Slot</th><th>Status</th><th>Action</th></tr></thead>
592                 <tbody id="restaurants-list"><tr><td colspan="4" class="empty-
state">Loading...</td></tr></tbody>
593             </table>
594         </div>
595     </div>
596 </div>
597
598 <!-- SUBSCRIPTIONS -->
599 <div id="subscriptions-view" class="view">
600     <div class="section">
601         <div class="section-head">
602             <div class="section-title">My Meal Subscriptions</div>
603             <button class="btn btn-secondary btn-sm" onclick="loadSubscriptions()">
Refresh</button>
604         </div>
605         <div class="tablewrap">
606             <table>
607                 <thead>
608                     <tr>
609                         <th>Restaurant</th><th>Meal Slot</th><th>Schedule</th>
610                         <th>Next Delivery</th><th>Status</th><th>Action</th>
611                     </tr>
612                 </thead>
613                 <tbody id="subscriptions-list"><tr><td colspan="6" class="empty-

```

```
state">Loading...</td></tr></tbody>
614         </table>
615     </div>
616 </div>
617 </div>
618
619 <!-- ADD SUBSCRIPTION -->
620 <div id="add-subscription-view" class="view">
621     <div class="section">
622         <div class="section-head"><div class="section-title">Subscribe to Meal Plan</div></div>
623         <div class="form-card">
624             <div class="form-grid">
625                 <div class="form-group">
626                     <label>Meal Slot</label>
627                     <select id="sub-meal-slot">
628                         <option value="BREAKFAST">Breakfast</option>
629                         <option value="LUNCH">Lunch</option>
630                         <option value="DINNER">Dinner</option>
631                     </select>
632                 </div>
633                 <div class="form-group">
634                     <label>Restaurant</label>
635                     <select id="sub-restaurant-id">
636                         <option value="">Select a restaurant</option>
637                     </select>
638                 </div>
639                 <div class="form-group">
640                     <label>Schedule Type</label>
641                     <select id="sub-schedule-type">
642                         <option value="DAILY">Daily</option>
643                         <option value="WEEKLY">Weekly</option>
644                     </select>
645                 </div>
646                 <div class="form-group" id="day-of-week-group" style="display:none">
647                     <label>Day of Week</label>
648                     <select id="sub-day-of-week">
649                         <option value="MONDAY">Monday</option>
650                         <option value="TUESDAY">Tuesday</option>
651                         <option value="WEDNESDAY">Wednesday</option>
652                         <option value="THURSDAY">Thursday</option>
653                         <option value="FRIDAY">Friday</option>
654                         <option value="SATURDAY">Saturday</option>
655                         <option value="SUNDAY">Sunday</option>
656                     </select>
657                 </div>
658             </div>
659             <div class="form-actions">
660                 <button class="btn btn-primary" onclick="addSubscription()">Subscribe</button>
661             </div>
662         </div>
663     </div>
664 </div>
665
666 <!-- MY DEVICES -->
667 <div id="my-devices-view" class="view">
668     <div class="section">
669         <div class="section-head">
670             <div>
671                 <div class="section-title">My Assigned Devices</div>
672                 <div class="section-sub">Devices currently assigned to you</div>
673             </div>
674             <button class="btn btn-secondary btn-sm" onclick="loadMyAssignedDevices()">
Refresh</button>
675         </div>
676         <div class="tablewrap">
677             <table>
678                 <thead>
679                     <tr>
680                         <th>ID</th><th>Device Name</th><th>Brand</th>
681                         <th>Type</th><th>Warranty</th><th>Assigned On</th><th>Status</th>
682                     </tr>
683                 </thead>
684                 <tbody id="my-devices-list"></tbody>
685             </table>
686         </div>
687     </div>
```

```

688         </div>
689
690         <!-- SERVICE REQUESTS -->
691         <div id="service-requests-view" class="view">
692             <div class="section" style="margin-bottom:20px">
693                 <div class="section-head">
694                     <div>
695                         <div class="section-title">My Service Requests</div>
696                         <div class="section-sub">All requests you have raised</div>
697                     </div>
698                     <button class="btn btn-secondary btn-sm" onclick="loadServiceRequestsList()">
Refresh</button>
699                 </div>
700                 <div class="tablewrap">
701                     <table>
702                         <thead>
703                             <tr>
704                                 <th>ID</th><th>Device</th><th>Type</th>
705                                 <th>Description</th><th>Urgent</th><th>Status</th><th>Raised At</th>
706                             </tr>
707                         </thead>
708                         <tbody id="service-requests-list">
709                             <tr><td colspan="7" class="empty-state">Loading...</td></tr>
710                         </tbody>
711                     </table>
712                 </div>
713             </div>
714             <div class="section">
715                 <div class="section-head"><div class="section-title">Raise a New Request</div></div>
716                 <div class="form-card">
717                     <div class="form-grid">
718                         <div class="form-group full">
719                             <label>Device</label>
720                             <select id="sr-device-select">
721                                 <option value="">-- Select your device --</option>
722                             </select>
723                         </div>
724                         <div class="form-group">
725                             <label>Request Type</label>
726                             <select id="sr-type">
727                                 <option value="REPAIR">Repair</option>
728                                 <option value="REPLACEMENT">Replacement</option>
729                                 <option value="UPGRADE">Upgrade</option>
730                                 <option value="MAINTENANCE">Maintenance</option>
731                                 <option value="RETURN">Return</option>
732                             </select>
733                         </div>
734                         <div class="form-group" style="display:flex;align-
items:center;gap:10px;padding-top:22px">
735                             <input type="checkbox" id="sr-urgent"
style="width:16px;height:16px;padding:0;flex-shrink:0">
736                             <label for="sr-urgent" style="text-transform:none;font-size:13px;font-
weight:500;color:var(--text);cursor:pointer;letter-spacing:0">Mark as Urgent</label>
737                         </div>
738                         <div class="form-group full">
739                             <label>Issue Description</label>
740                             <textarea id="sr-description" rows="3" placeholder="Describe the issue in
detail..."></textarea>
741                         </div>
742                     </div>
743                     <div class="form-actions">
744                         <button class="btn btn-primary" onclick="submitServiceRequest()">Submit
Request</button>
745                         <button class="btn btn-secondary"
onclick="clearServiceRequestForm()">Clear</button>
746                     </div>
747                 </div>
748             </div>
749         </div>
750
751         <!-- PROFILE -->
752         <div id="profile-view" class="view">
753             <div class="section">
754                 <div class="section-head"><div class="section-title">My Profile</div></div>
755                 <div class="profile-grid" id="profile-data">
756                     <div class="profile-field"><div class="field-label">Name</div><div class="field-

```

```

value" id="p-name"></div></div>
757         <div class="profile-field"><div class="field-label">Email</div><div class="field-
value" id="p-email"></div></div>
758         <div class="profile-field"><div class="field-label">Department</div><div
class="field-value" id="p-dept"></div></div>
759         <div class="profile-field"><div class="field-label">Role</div><div class="field-
value" id="p-role"></div></div>
760         <div class="profile-field"><div class="field-label">Status</div><div class="field-
value" id="p-status"></div></div>
761         <div class="profile-field"><div class="field-label">Timezone</div><div
class="field-value" id="p-tz"></div></div>
762         </div>
763     </div>
764
765     <div class="section" id="maternity-apply-btn" style="display:none">
766         <div class="section-head">
767             <div>
768                 <div class="section-title"> Maternity Leave</div>
769                 <div class="section-sub">Apply for 180 days maternity leave</div>
770             </div>
771         </div>
772         <div class="form-card">
773             <div class="form-grid">
774                 <div class="form-group">
775                     <label>Start Date</label>
776                     <input type="date" id="mat-start-date">
777                 </div>
778                 <div class="form-group">
779                     <label>End Date (Auto)</label>
780                     <input type="text" id="mat-end-date"
781                         placeholder="Auto: start + 180 days"
782                         disabled
783                         style="color:var(--text3);cursor:not-allowed">
784                 </div>
785                 <div class="form-group full">
786                     <label>Reason / Notes</label>
787                     <textarea id="mat-reason" rows="3"
788                         placeholder="Optional notes..."></textarea>
789                 </div>
790                 <!-- Info box -->
791                 <div class="form-group full">
792                     <div style="background:var(--accent-dim);border:1px solid
rgba(56,189,248,0.2);
793                         border-radius:8px;padding:12px 16px;font-size:12px;color:var(--text2)">
794                         Maternity leave is fixed at <strong style="color:var(--accent)">180
days</strong>.
795                         The end date will be automatically calculated.
796                         You can apply <strong style="color:var(--accent)">once per
year</strong>.
797                     </div>
798                 </div>
799             </div>
800             <div class="form-actions">
801                 <button class="btn btn-primary" onclick="applyMaternityLeave()">
802                     Submit Maternity Leave
803                 </button>
804             </div>
805         </div>
806     </div>
807
808 </div>
809
810 </div><!-- /content -->
811 </div><!-- /main -->
812 </div><!-- /app -->
813
814 <!-- Tooltip for calendar events -->
815 <div class="cal-tooltip" id="cal-tooltip" style="display:none"></div>
816
817 <script>
818     const API = 'http://localhost:8080';
819     let availableRestaurants = [];
820
821     /* =====
822     CALENDAR GLOBALS
823     ===== */

```

```

824     let employeeCalendar = null;    // FullCalendar instance
825     let calendarInitialized = false;
826     let currentEmployeeGender = null;
827     let currentEmployeeId = null;
828
829     // Event color map
830     const STATUS_COLORS = {
831         APPROVED : { bg:'rgba(52,211,153,0.25)', border:'#34d399', text:'#34d399' },
832         PENDING  : { bg:'rgba(251,191,36,0.25)',  border:'#fbbf24', text:'#fbbf24' },
833         REJECTED : { bg:'rgba(248,113,113,0.25)', border:'#f87171', text:'#f87171' },
834         HOLIDAY  : { bg:'rgba(56,189,248,0.25)', border:'#38bdf8', text:'#38bdf8' },
835     };
836
837     const TYPE_LABEL = { SICK:' Sick', CASUAL:' Casual', MATERNITY:' Maternity', UNPAID:' Unpaid'
838     };
839
840     /* =====
841     AUTH / INIT
842     ===== */
843     function extractRoleFromToken(token) {
844         try {
845             const payload = JSON.parse(atob(token.split('.')[1]));
846             return payload.role || payload.roles || payload.authorities || '';
847         } catch(e) { return ''; }
848     }
849
850     (function(){
851         const token = localStorage.getItem('jwt_token');
852         const authType = localStorage.getItem('auth_type');
853         if(!token && authType !== 'session') { window.location.href = '/google.html'; return; }
854         if(token) {
855             try {
856                 const roles = String(extractRoleFromToken(token));
857                 if(roles.includes('ROLE_MANAGER')) { window.location.href='/manager-dashboard.html';
858 return; }
859                 if(roles.includes('ROLE_VENDOR')) { window.location.href='/vendor-dashboard.html';
860 return; }
861                 if(roles.includes('ROLE_ADMIN') || roles.includes('ADMIN')) {
862 window.location.href='/dashboard.html'; return; }
863             } catch(e) { console.warn('Could not decode JWT for role check'); }
864         }
865         initUser();
866     })();
867
868     function getAuthHeader(){
869         const token = localStorage.getItem('jwt_token');
870         return token ? {'Authorization':`Bearer ${token}`} : {};
871     }
872
873     async function apiFetch(path, opts={}){
874         const token = localStorage.getItem('jwt_token');
875         const authType = localStorage.getItem('auth_type');
876         const res = await fetch(`${API}${path}`, {
877             ...opts,
878             headers: {'Content-Type': 'application/json', ...getAuthHeader(), ...(opts.headers||{})},
879             credentials: (!token && authType==='session') ? 'include' : 'omit'
880         });
881         if(res.status===401){
882             localStorage.removeItem('jwt_token'); localStorage.removeItem('auth_type');
883             showAlert('Session expired. Please login again.','error');
884             setTimeout(()=>window.location.href='/google.html',1500);
885             throw new Error('Unauthorized');
886         }
887         if(res.status===403) throw new Error('ACCESS_DENIED');
888         if(!res.ok){
889             const errText = await res.text();
890             throw new Error(errText || 'Request failed');
891         }
892         const text = await res.text();
893         try { return text ? JSON.parse(text) : null; }
894         catch { return text; }
895     }
896
897     function asArray(value){ return Array.isArray(value) ? value : []; }
898
899     function daysBetween(start,end){

```

```

897     if(!start||!end) return '-';
898     const d=(new Date(end)-new Date(start))/86400000+1;
899     return d>0?d:'-';
900 }
901
902 async function initUser(){
903     try {
904         let email='', name='';
905         const token = localStorage.getItem('jwt_token');
906         if(token){
907             try{ const p=JSON.parse(atob(token.split('.')[1])); email=p.sub||p.email||''; }catch(e){}
908         }
909         try{
910             const me = await apiFetch('/employee/me');
911             if(me){
912                 name=me.name||email; email=me.email||email;
913                 currentEmployeeGender = me.gender; // store gender
914                 currentEmployeeId = me.employeeId;
915                 document.getElementById('p-name').textContent=me.name||'-';
916                 document.getElementById('p-email').textContent=me.email||'-';
917                 document.getElementById('p-dept').textContent=me.dept||'-';
918                 document.getElementById('p-role').textContent=me.role||'EMPLOYEE';
919                 document.getElementById('p-status').textContent=me.status||'-';
920                 document.getElementById('p-tz').textContent=me.timezone||'-';
921
922                 const maternityBtn = document.getElementById('maternity-apply-btn');
923                 if(maternityBtn) {
924                     maternityBtn.style.display = me.gender === 'F' ? 'block' : 'none';
925                 }
926             }
927             }catch(e){ console.warn('Could not load profile'); }
928             const initials=(name||email||'?').charAt(0).toUpperCase();
929             document.getElementById('avatar-initials').textContent=initials;
930             document.getElementById('sidebar-name').textContent=name||email||'Employee';
931             document.getElementById('sidebar-email').textContent=email;
932             document.getElementById('topbar-email').textContent=email;
933         }catch(e){ console.error(e); }
934         loadDashboard();
935     }
936
937     /* =====
938     VIEW SWITCHING
939     ===== */
940     function showView(name, el){
941         document.querySelectorAll('.view').forEach(v=>v.classList.remove('active'));
942         document.getElementById(`${name}-view`).classList.add('active');
943         document.querySelectorAll('.nav-item').forEach(n=>n.classList.remove('active'));
944         if(el) el.classList.add('active');
945         document.getElementById('pageTitle').textContent=
946             name.split('-').map(w=>w.charAt(0).toUpperCase()+w.slice(1)).join(' ');
947
948         const loaders={
949             dashboard:loadDashboard,
950             'my-leaves':loadMyLeaves,
951             'apply-leave':()=>{},
952             'my-calendar':loadMyCalendar,
953             restaurants:loadRestaurants,
954             subscriptions:loadSubscriptions,
955             'add-subscription':()=>{},
956             profile:()=>{},
957             'my-devices':loadMyAssignedDevices,
958             'service-requests':loadServiceRequests
959         };
960         if(loaders[name]) loaders[name]();
961         if(name==='add-subscription') loadRestaurantChoices();
962     }
963
964     /* =====
965     DASHBOARD
966     ===== */
967     async function loadDashboard(){
968         const [leavesResult, dashboardResult] = await Promise.allSettled([
969             apiFetch('/leave_requests/employee'),
970             apiFetch('/api/employees/me/leave-dashboard')
971         ]);
972         const leavesPayload = leavesResult.status==='fulfilled' ? leavesResult.value : null;

```



```

973     const dashboard      = dashboardResult.status==='fulfilled' ? dashboardResult.value : null;
974     const arr = asArray(leavesPayload?.requests || leavesPayload);
975     const pending  = arr.filter(l=>l.status==='PENDING').length;
976     const approved = arr.filter(l=>l.status==='APPROVED').length;
977     const rejected = arr.filter(l=>l.status==='REJECTED').length;
978     document.getElementById('stat-pending').textContent=pending;
979     document.getElementById('stat-approved').textContent=approved;
980     document.getElementById('stat-rejected').textContent=rejected;
981     const balances  = dashboard?.leaveBalances ? Object.values(dashboard.leaveBalances) : [];
982     const available = balances.reduce((t,b)=>t+Number(b.available||0),0);
983     document.getElementById('stat-balance').textContent=available;
984     const recent=arr.slice(-5).reverse();
985     document.getElementById('recent-leaves').innerHTML=recent.length
986         ? recent.map(l=>`<tr>
987             <td><span class="chip ${l.leaveType||''}.toLowerCase()>${l.leaveType||'N/A'}</span></td>
988             <td>${l.startDate||'-'}</td><td>${l.endDate||'-'}</td>
989             <td>${(l.reason||'-').substring(0,30)}</td>
990             <td><span class="chip ${l.status||''}.toLowerCase()>${l.status||'-'}</span></td>
991         </tr>`).join('')
992     : leavesResult.status==='rejected'
993     ? '<tr><td colspan="5" class="empty-state">Could not load leave data</td></tr>'
994     : '<tr><td colspan="5" class="empty-state">No leave requests yet</td></tr>';
995     try{
996         const subs = await apiFetch('/subscription/user');
997         const arr2 = subs || [];
998         document.getElementById('dashboard-sub').innerHTML = arr2.length
999             ? arr2.filter(s=>s.status==='ACTIVE').slice(0,4).map(s=>`
1000                 <div class="sub-item">
1001                     <div class="meal-name">${s.restaurantName||'Restaurant'}</div>
1002                     <div class="meal-meta">${s.mealSlot||''} · ${s.scheduleType||''}${s.dayOfWeek?' ·
1003 '+s.dayOfWeek:''}</div>
1004                     <div class="meal-meta" style="margin-top:4px;color:var(--accent)">Next:
1005                     ${s.nextDeliveryTime?new Date(s.nextDeliveryTime).toLocaleString():'N/A'}</div>
1006                 </div>`).join('')
1007             : '<div style="padding:16px;color:var(--text3);font-style:italic">No active
subscriptions</div>';
1008     }catch(e){
1009         document.getElementById('dashboard-sub').innerHTML='<div style="padding:16px;color:var(--
text3)">Could not load subscriptions</div>';
1010     }
1011 }
1012
1013 /* =====
1014 MY LEAVES
1015 ===== */
1016 async function loadMyLeaves(){
1017     try{
1018         const data=await apiFetch('/leave_requests/employee');
1019         const leaves=data?.requests||data||[];
1020         document.getElementById('my-leaves-list').innerHTML=leaves.length
1021             ? leaves.map(l=>`<tr>
1022                 <td><span class="chip
1023                 ${l.leaveType||''}.toLowerCase()>${l.leaveType||'N/A'}</span></td>
1024                 <td>${l.startDate||'-'}</td><td>${l.endDate||'-'}</td>
1025                 <td>${l.numberOfDays||daysBetween(l.startDate,l.endDate)}</td>
1026                 <td>${(l.reason||'-').substring(0,30)}</td>
1027                 <td><span class="chip ${l.status||''}.toLowerCase()>${l.status}</span></td>
1028                 <td>${l.status==='PENDING'?`<button class="btn btn-danger btn-sm"
1029                 onclick="cancelLeave(${l.leaveRequestId})">Cancel</button>`:'-'}</td>
1030             </tr>`).join('')
1031             : '<tr><td colspan="7" class="empty-state">No leave requests found</td></tr>';
1032     }catch(e){
1033         document.getElementById('my-leaves-list').innerHTML='<tr><td colspan="7" class="empty-
state">Could not load leave requests</td></tr>';
1034     }
1035 }
1036
1037 async function applyLeave(){
1038     const leaveType=document.getElementById('leave-type').value;
1039     const startDate=document.getElementById('leave-start').value;
1040     const endDate =document.getElementById('leave-end').value;
1041     const reason =document.getElementById('leave-reason').value.trim();
1042     if(!startDate||!endDate){showAlert('Please fill all required fields','error');return;}
1043     try{
1044         const data = await apiFetch('/leave_requests', {
1045             method: 'POST',

```

```

1042         body: JSON.stringify({ leaveType, startDate, endDate, reason })
1043     });
1044     if (data && data.warning) {
1045         showAlert(data.warning, 'warning'); // amber toast
1046     } else {
1047         showAlert('Leave request submitted successfully!', 'success');
1048     }
1049     clearLeaveForm();
1050     loadDashboard();
1051     loadMyLeaves();
1052 }catch(e){showAlert('Failed to submit: '+e.message,'error');}
1053 }
1054 document.getElementById('leave-type').addEventListener('change', function() {
1055     document.getElementById('sick-leave-hint').style.display =
1056     this.value === 'SICK' ? 'block' : 'none';
1057     document.getElementById('casual-leave-hint').style.display =
1058     this.value === 'CASUAL' ? 'block' : 'none';
1059 });
1060
1061 async function cancelLeave(id){
1062     if(!confirm('Cancel this leave request?')) return;
1063     try{
1064         await apiFetch(`/leave_requests/cancel/${id}`, {method: 'PUT'});
1065         showAlert('Request cancelled successfully', 'success');
1066         loadMyLeaves();
1067     }catch(e){
1068         if(e.message==='ACCESS_DENIED') showAlert('You do not have permission to cancel this
leave', 'error');
1069         else showAlert('Failed to cancel: '+e.message,'error');
1070     }
1071 }
1072
1073 function clearLeaveForm(){
1074     ['leave-start', 'leave-end', 'leave-reason'].forEach(id=>document.getElementById(id).value='');
1075 }
1076
1077 /* =====
1078 MY CALENDAR (NEW)
1079 ===== */
1080 async function loadMyCalendar(){
1081     // 1. Load balance cards
1082     await loadCalendarBalanceCards();
1083     // 2. Build or refresh FullCalendar
1084     if(!calendarInitialized){
1085         initFullCalendar();
1086     } else {
1087         await refreshCalendarEvents();
1088     }
1089 }
1090
1091 async function loadCalendarBalanceCards(){
1092     // Default state
1093     ['cal-sick-remaining', 'cal-casual-remaining', 'cal-mat-remaining', 'cal-total-used']
1094     .forEach(id=>{ document.getElementById(id).textContent='--'; });
1095
1096     try{
1097         const dashboard = await apiFetch('/api/employees/me/leave-dashboard');
1098         const balances = dashboard?.leaveBalances || {};
1099
1100         let totalUsed=0, totalAllowed=0;
1101
1102         // SICK
1103         const sick = balances['SICK'] || balances['sick'] || {};
1104         const sickRem = Number(sick.available || 0);
1105         const sickTotal = Number(sick.total || 0);
1106         const sickUsed = sickTotal - sickRem;
1107         document.getElementById('cal-sick-remaining').textContent = sickRem;
1108         document.getElementById('cal-sick-sub').textContent = `${sickUsed} used of ${sickTotal}
days`;
1109
1110         // CASUAL
1111         const cas = balances['CASUAL'] || balances['casual'] || {};
1112         const casRem = Number(cas.available || 0);
1113         const casTotal = Number(cas.total || 0);
1114         const casUsed = casTotal - casRem;
1115         document.getElementById('cal-casual-remaining').textContent = casRem;

```

```

1116         document.getElementById('cal-casual-sub').textContent      = `${casUsed} used of ${casTotal}
days`;
1117
1118         // MATERNITY
1119         const mat = balances['MATERNITY'] || balances['maternity'] || {};
1120         const matRem = Number(mat.available || 0);
1121         const matTotal = Number(mat.total || 0);
1122         const matUsed = matTotal - matRem;
1123         document.getElementById('cal-mat-remaining').textContent = matRem;
1124         document.getElementById('cal-mat-sub').textContent      = `${matUsed} used of ${matTotal}
days`;
1125
1126         // TOTAL
1127         Object.values(balances).forEach(b=>{
1128             totalUsed += (Number(b.total||0) - Number(b.available||0));
1129             totalAllowed += Number(b.total||0);
1130         });
1131         document.getElementById('cal-total-used').textContent = totalUsed;
1132         document.getElementById('cal-total-sub').textContent  = `out of ${totalAllowed} days total`;
1133
1134     }catch(e){
1135         console.error('Could not load leave balance for calendar:', e);
1136         ['cal-sick-sub', 'cal-casual-sub', 'cal-mat-sub', 'cal-total-sub']
1137             .forEach(id=>{ document.getElementById(id).textContent='unavailable'; });
1138     }
1139 }
1140
1141 async function buildCalendarEvents(){
1142     const events = [];
1143     try{
1144         // - Employee leaves -
1145         const data = await apiFetch('/leave_requests/employee');
1146         const leaves = data?.requests || data || [];
1147         leaves.forEach(l=>{
1148             const s = (l.status||'PENDING').toUpperCase();
1149             const c = STATUS_COLORS[s] || STATUS_COLORS.PENDING;
1150             const typeLabel = TYPE_LABEL[l.leaveType] || l.leaveType || 'Leave';
1151
1152             // FullCalendar end date is exclusive, so add 1 day for multi-day events
1153             let endDate = l.endDate;
1154             if(endDate){
1155                 const d = new Date(endDate);
1156                 d.setDate(d.getDate()+1);
1157                 endDate = d.toISOString().split('T')[0];
1158             }
1159
1160             events.push({
1161                 id      : `leave-${l.leaveRequestId}`,
1162                 title   : `${typeLabel} (${s.charAt(0)+s.slice(1).toLowerCase()})`,
1163                 start   : l.startDate,
1164                 end     : endDate,
1165                 allDay  : true,
1166                 backgroundColor : c.bg,
1167                 borderColor  : c.border,
1168                 textColor   : c.text,
1169                 extendedProps : {
1170                     type    : 'leave',
1171                     status  : s,
1172                     reason  : l.reason || '-',
1173                     leaveType: l.leaveType
1174                 }
1175             });
1176         });
1177     }catch(e){ console.warn('Could not load leaves for calendar:', e); }
1178
1179     try{
1180         // - Public holidays (admin-added) -
1181         const holidays = await apiFetch('/holidays');
1182         (holidays||[]).forEach(h=>{
1183             const c = STATUS_COLORS.HOLIDAY;
1184             events.push({
1185                 id      : `holiday-${h.id||h.holidayId||Math.random()}`,
1186                 title   : `${h.name||h.holidayName||'Holiday'}`,
1187                 start   : h.date||h.holidayDate,
1188                 allDay  : true,
1189                 backgroundColor : c.bg,

```

```

1190         borderColor      : c.borderColor,
1191         textColor         : c.textColor,
1192         extendedProps     : { type:'holiday', description: h.description||'' }
1193     });
1194 });
1195 }catch(e){ console.warn('Could not load holidays for calendar:', e); }
1196
1197     return events;
1198 }
1199
1200 function initFullCalendar(){
1201     const calendarEl = document.getElementById('employee-calendar');
1202
1203     employeeCalendar = new FullCalendar.Calendar(calendarEl, {
1204         initialView: 'dayGridMonth',
1205         height      : 'auto',
1206         headerToolbar:{
1207             left : 'prev,next today',
1208             center: 'title',
1209             right : 'dayGridMonth,dayGridWeek,listMonth'
1210         },
1211         buttonText:{
1212             today      : 'Today',
1213             month       : 'Month',
1214             week        : 'Week',
1215             listMonth   : 'List'
1216         },
1217         dayMaxEvents: 3,      // "+N more" link if overflowing
1218         navLinks      : true, // click day number day view
1219         events         : [],   // start empty, populate below
1220
1221         // Event hover tooltip
1222         eventMouseEnter: function(info){
1223             const ep = info.event.extendedProps;
1224             const tooltip = document.getElementById('cal-tooltip');
1225             let html = `<div class="tt-title">${info.event.title}</div>`;
1226             if(ep.type==='leave'){
1227                 html += `<div class="tt-row"> ${info.event.startStr}
1228 ${info.event.endStr||info.event.startStr}</div>`;
1229                 if(ep.reason && ep.reason!=='-'){
1230                     html += `<div class="tt-row"> ${ep.reason.substring(0,60)}</div>`;
1231                     html += `<div class="tt-row">Status: <strong
1232 style="color:${STATUS_COLORS[ep.status]?.text||'#fff'}">${ep.status}</strong></div>`;
1233                 } else {
1234                     if(ep.description) html += `<div class="tt-row">${ep.description}</div>`;
1235                 }
1236                 tooltip.innerHTML = html;
1237                 tooltip.style.display = 'block';
1238             },
1239             eventMouseLeave: function(){
1240                 document.getElementById('cal-tooltip').style.display='none';
1241             },
1242             eventClick: function(info){
1243                 // Click navigates to leave history
1244                 const ep = info.event.extendedProps;
1245                 if(ep.type==='leave'){
1246                     showView('my-leaves', document.querySelector('.nav-item:nth-child(4)'));
1247                 }
1248             },
1249         });
1250
1251     employeeCalendar.render();
1252     calendarInitialized = true;
1253
1254     // Load events asynchronously after render
1255     refreshCalendarEvents();
1256 }
1257
1258 async function refreshCalendarEvents(){
1259     if(!employeeCalendar) return;
1260     const events = await buildCalendarEvents();
1261     // Remove all existing events and re-add
1262     employeeCalendar.removeAllEvents();
1263     events.forEach(e=>employeeCalendar.addEvent(e));
1264 }

```

```

1264     async function refreshCalendar(){
1265         await loadCalendarBalanceCards();
1266         await refreshCalendarEvents();
1267         showAlert('Calendar refreshed!', 'success');
1268     }
1269
1270     // Move tooltip with mouse
1271     document.addEventListener('mousemove', function(e){
1272         const tt = document.getElementById('cal-tooltip');
1273         if(tt.style.display==='block'){
1274             tt.style.left = (e.clientX+14)+'px';
1275             tt.style.top = (e.clientY+14)+'px';
1276             // Keep tooltip on screen
1277             const rect = tt.getBoundingClientRect();
1278             if(rect.right > window.innerWidth)
1279                 tt.style.left = (e.clientX - rect.width - 10)+'px';
1280             if(rect.bottom > window.innerHeight)
1281                 tt.style.top = (e.clientY - rect.height - 10)+'px';
1282         }
1283     });
1284
1285     /* =====
1286     RESTAURANTS
1287     ===== */
1288     async function loadRestaurants(){
1289         try{
1290             const data=await apiFetch('/restaurants');
1291             availableRestaurants=data||[];
1292             document.getElementById('restaurants-list').innerHTML=data?.length
1293                 ? data.map(r=>`<tr>
1294                     <td>${r.name}||'-'}</td>
1295                     <td>${r.supportedMealSlots?.join(', ')}||'-'}</td>
1296                     <td><span class="chip
1297 $${r.active?'active':'rejected'}>${r.active?'Active':'Inactive'}</span></td>
1298                     <td><button class="btn btn-secondary btn-sm"
1299 onclick='openSubscriptionForRestaurant(${r.restaurantId}||r.id},${JSON.stringify(r.supportedMealSlots)}||[]))'>
1300             Subscribe</button></td>
1301             </tr>`).join('')
1302             : `<tr><td colspan="4" class="empty-state">No restaurants available</td></tr>`;
1303         }catch(e){
1304             document.getElementById('restaurants-list').innerHTML=`<tr><td colspan="4" class="empty-
1305 state">Could not load restaurants</td></tr>`;
1306         }
1307     }
1308
1309     async function loadRestaurantChoices(){
1310         const select=document.getElementById('sub-restaurant-id');
1311         try{
1312             const data=await apiFetch('/restaurants');
1313             availableRestaurants=data||[];
1314             select.innerHTML=availableRestaurants.length
1315                 ? `<option value="">Select a restaurant</option>+
1316 availableRestaurants.map(r=>`<option
1317 value="${r.restaurantId}||r.id">${r.name}</option>`).join('')
1318                 : `<option value="">No restaurants available</option>`;
1319         }catch(e){ select.innerHTML=`<option value="">Could not load restaurants</option>`; }
1320     }
1321
1322     function openSubscriptionForRestaurant(restaurantId, supportedMealSlots){
1323         showView('add-subscription',null);
1324         if(supportedMealSlots?.length) document.getElementById('sub-meal-
1325 slot').value=supportedMealSlots[0];
1326         loadRestaurantChoices().then(()=>{ document.getElementById('sub-restaurant-
1327 id').value=String(restaurantId); });
1328     }
1329
1330     /* =====
1331     SUBSCRIPTIONS
1332     ===== */
1333     async function loadSubscriptions(){
1334         try{
1335             const data=await apiFetch('/subscription/user');
1336             const arr=data||[];
1337             document.getElementById('subscriptions-list').innerHTML=arr.length
1338                 ? arr.map(s=>`<tr>

```

```

1334         <td>${s.restaurantName||s.restaurantId||'-'}</td>
1335         <td>${s.mealSlot||'-'}</td>
1336         <td>${s.scheduleType||'-'}${s.dayOfWeek?' ' +s.dayOfWeek:''}</td>
1337         <td>${s.nextDeliveryTime?new Date(s.nextDeliveryTime).toLocaleString():'-'}</td>
1338         <td><span class="chip
${(s.status||'').toLowerCase()}>${s.status||'ACTIVE'}</span></td>
1339         <td><button class="btn btn-danger btn-sm"
onclick="cancelSub(${s.subscriptionId})">Cancel</button></td>
1340     </tr>` ).join('')
1341     : '<tr><td colspan="6" class="empty-state">No subscriptions found</td></tr>';
1342     }catch(e){
1343         document.getElementById('subscriptions-list').innerHTML='<tr><td colspan="6" class="empty-
state">Could not load subscriptions</td></tr>';
1344     }
1345 }
1346
1347 document.getElementById('sub-schedule-type').addEventListener('change',function(){
1348     document.getElementById('day-of-week-group').style.display=this.value==='WEEKLY'?'block':'none';
1349 });
1350 document.getElementById('sub-meal-slot').addEventListener('change', loadRestaurantChoices);
1351
1352 async function addSubscription(){
1353     const restaurantId=parseInt(document.getElementById('sub-restaurant-id').value);
1354     const mealSlot =document.getElementById('sub-meal-slot').value;
1355     const scheduleType=document.getElementById('sub-schedule-type').value;
1356     const dayOfWeek =document.getElementById('sub-day-of-week')?.value;
1357     if(!restaurantId||!mealSlot){showAlert('Please fill all fields','error');return;}
1358     const body={scheduleType,mealSlots:[mealSlot],slotOrders:[{mealSlot,restaurantId}]};
1359     if(scheduleType==='WEEKLY'&&dayOfWeek) body.dayOfWeek=dayOfWeek;
1360     try{
1361         await apiFetch('/subscription',{method:'POST',body:JSON.stringify(body)});
1362         showAlert('Subscribed successfully!','success');
1363         loadSubscriptions(); loadDashboard();
1364     }catch(e){ showAlert('Subscription failed: '+e.message,'error'); }
1365 }
1366
1367 async function cancelSub(id){
1368     if(!confirm('Cancel this subscription?')) return;
1369     try{
1370         await apiFetch(`/subscription/${id}/expire`,{method:'PUT'});
1371         showAlert('Subscription cancelled','success');
1372         loadSubscriptions();
1373     }catch(e){ showAlert('Failed to cancel: '+e.message,'error'); }
1374 }
1375
1376 /* =====
1377 MY DEVICES
1378 ===== */
1379 async function loadMyAssignedDevices(){
1380     try{
1381         const devices=await apiFetch('/devices/my');
1382         const tbody=document.getElementById('my-devices-list');
1383         if(!devices||!devices.length){
1384             tbody.innerHTML='<tr><td colspan="7" class="empty-state">No devices assigned to
you</td></tr>';
1385             return;
1386         }
1387         const today=new Date();
1388         tbody.innerHTML=devices.map(d=>{
1389             const we=d.warrantyExpiryDate?new Date(d.warrantyExpiryDate):null;
1390             const wd=we?(we>today
1391                 ?`<span style="color:var(--green);font-size:11px"> ${d.warrantyExpiryDate}</span>`
1392                 :`<span style="color:var(--red);font-size:11px"> Expired
${d.warrantyExpiryDate}</span>`)
1393                 :`<span style="color:var(--text3);font-size:11px">—</span>`;
1394             return `<tr>
1395                 <td>#${d.id}</td>
1396                 <td><strong>${d.deviceName||'-'}</strong></td>
1397                 <td>${d.brand||'-'}</td>
1398                 <td><span class="chip">${(d.deviceType||'').toLowerCase()}</span></td>
1399                 <td>${wd}</td>
1400                 <td style="font-size:12px;color:var(--text2)">${d.assignedDate||'-'}</td>
1401                 <td><span class="chip
${(d.deviceStatus||'').toLowerCase()}>${d.deviceStatus||'-'}</span></td>
1402             </tr>`;
1403         }).join('');

```

```

1404         }catch(e){ console.error(e); }
1405     }
1406
1407     /* =====
1408     SERVICE REQUESTS
1409     ===== */
1410     async function loadServiceRequests(){
1411         await Promise.all([loadServiceRequestsList(), loadMyDevicesForSR()]);
1412     }
1413
1414     async function loadServiceRequestsList(){
1415         try{
1416             const requests=await apiFetch('/service-requests/my');
1417             const tbody=document.getElementById('service-requests-list');
1418             if(!requests||!requests.length){
1419                 tbody.innerHTML=<tr><td colspan="7" class="empty-state">No service requests
yet</td></tr>';
1420                 return;
1421             }
1422             tbody.innerHTML=requests.map(r=>`<tr>
1423                 <td style="color:var(--text3);font-family:var(--mono)">#${r.id}</td>
1424                 <td>${r.deviceName||'-'}</td>
1425                 <td><span class="chip pending">${r.requestType}</span></td>
1426                 <td style="max-width:200px;overflow:hidden;text-overflow:ellipsis;white-
space:nowrap">${r.issueDescription||'-'}</td>
1427                 <td>${r.urgent?'<span class="chip rejected">YES</span>':''}<span style="color:var(--
text3)">No</span>'>}</td>
1428                 <td><span class="chip ${r.status||''}.toLowerCase())">${r.status||'-'}</span></td>
1429                 <td style="font-size:12px;color:var(--text3)">${r.raisedAt?new
Date(r.raisedAt).toLocaleDateString():'-'}</td>
1430                 </tr>`).join('');
1431         }catch(e){ console.error(e); }
1432     }
1433
1434     async function loadMyDevicesForSR(){
1435         try{
1436             const devices=await apiFetch('/devices/my');
1437             const select=document.getElementById('sr-device-select');
1438             select.innerHTML=<option value="">-- Select your device --</option>;
1439             (devices||[]).forEach(d=>{
1440                 const opt=document.createElement('option');
1441                 opt.value=d.id;
1442                 opt.textContent=`${d.deviceName} (${d.brand||d.deviceType||'Device'})`;
1443                 select.appendChild(opt);
1444             });
1445         }catch(e){ console.error('Failed to load devices for SR',e); }
1446     }
1447
1448     async function submitServiceRequest(){
1449         const deviceId      =parseInt(document.getElementById('sr-device-select').value);
1450         const requestType    =document.getElementById('sr-type').value;
1451         const issueDescription=document.getElementById('sr-description').value.trim();
1452         const urgent         =document.getElementById('sr-urgent').checked;
1453         if(!deviceId){showAlert('Please select a device','error');return;}
1454         if(!issueDescription){showAlert('Please describe the issue','error');return;}
1455         try{
1456             await apiFetch('/service-
requests',{method:'POST',body:JSON.stringify({deviceId,requestType,issueDescription,urgent})});
1457             showAlert('Service request submitted!','success');
1458             clearServiceRequestForm();
1459             loadServiceRequestsList();
1460         }catch(e){ showAlert('Failed: '+e.message,'error'); }
1461     }
1462
1463     function clearServiceRequestForm(){
1464         document.getElementById('sr-device-select').value='';
1465         document.getElementById('sr-type').value='REPAIR';
1466         document.getElementById('sr-description').value='';
1467         document.getElementById('sr-urgent').checked=false;
1468     }
1469
1470     /* =====
1471     LOGOUT + ALERT
1472     ===== */
1473     function logout(){
1474         localStorage.removeItem('jwt_token');

```

```

1475     localStorage.removeItem('refresh_token');
1476     localStorage.removeItem('auth_type');
1477     localStorage.removeItem('last_role');
1478     fetch(`${API}/session/logout`, {method: 'POST', credentials: 'include'}).finally(()=>{
1479         document.cookie='JSESSIONID=; expires=Thu, 01 Jan 1970 00:00:00 UTC; path=/;';
1480         window.location.href='/google.html';
1481     });
1482 }
1483 async function loadNotifCount() {
1484     try {
1485         const data = await apiFetch('/notifications/unread-count');
1486         const badge = document.getElementById('notif-badge');
1487         if (data && data.count > 0) {
1488             badge.textContent = data.count;
1489             badge.style.display = 'flex';
1490         } else {
1491             badge.style.display = 'none';
1492         }
1493     } catch(e) {
1494         console.warn('Could not load notification count:', e);
1495     }
1496 }
1497
1498 async function toggleNotifPanel() {
1499     const panel = document.getElementById('notif-panel');
1500     if (panel.style.display === 'none') {
1501         panel.style.display = 'block';
1502         try {
1503             await loadNotifications();
1504             await apiFetch('/notifications/mark-read', { method: 'POST' });
1505             document.getElementById('notif-badge').style.display = 'none';
1506         } catch(e) {
1507             console.warn('Notification panel error:', e);
1508         }
1509     } else {
1510         panel.style.display = 'none';
1511     }
1512 }
1513
1514 async function loadNotifications() {
1515     try {
1516         const data = await apiFetch('/notifications');
1517         const list = document.getElementById('notif-list');
1518         if (!data || data.length === 0) {
1519             list.innerHTML = '<div class="notif-item">No notifications yet.</div>';
1520             return;
1521         }
1522         list.innerHTML = data.map(n => `
1523         <div class="notif-item ${n.read ? '' : 'unread'}">
1524             <div>${n.message}</div>
1525             <div class="notif-time">${new Date(n.createdAt).toLocaleString()}</div>
1526         </div>
1527     `).join('');
1528     } catch(e) {
1529         document.getElementById('notif-list').innerHTML =
1530             '<div class="notif-item">Could not load notifications.</div>';
1531         console.warn('loadNotifications failed:', e);
1532     }
1533 }
1534
1535 // Load badge count on page load
1536 loadNotifCount();
1537 // Refresh count every 30 seconds
1538 setInterval(loadNotifCount, 30000);
1539
1540 document.getElementById('mat-start-date').addEventListener('change', function(){
1541     if(this.value) {
1542         const start = new Date(this.value);
1543         const end = new Date(start);
1544         end.setDate(end.getDate() + 179); // 180 days inclusive
1545         document.getElementById('mat-end-date').value =
1546             end.toISOString().split('T')[0];
1547     } else {
1548         document.getElementById('mat-end-date').value = '';
1549     }
1550 });

```



```

1551
1552     async function applyMaternityLeave() {
1553         const startDate = document.getElementById('mat-start-date').value;
1554         const reason     = document.getElementById('mat-reason').value.trim();
1555
1556         if(!startDate) {
1557             showAlert('Please select a start date', 'error');
1558             return;
1559         }
1560
1561         try {
1562             await apiFetch('/leave_requests/maternity/apply', {
1563                 method: 'POST',
1564                 body: JSON.stringify({ startDate, reason })
1565             });
1566             showAlert('Maternity leave request submitted successfully!', 'success');
1567             // Clear form
1568             document.getElementById('mat-start-date').value = '';
1569             document.getElementById('mat-end-date').value = '';
1570             document.getElementById('mat-reason').value = '';
1571             // Refresh dashboard
1572             loadDashboard();
1573         } catch(e) {
1574             showAlert('Failed to submit: ' + e.message, 'error');
1575         }
1576     }
1577
1578     // Close panel when clicking outside
1579     document.addEventListener('click', e => {
1580         const panel = document.getElementById('notif-panel');
1581         const wrapper = document.querySelector('.notif-wrapper');
1582         if (!panel.contains(e.target) && !wrapper.contains(e.target)) {
1583             panel.style.display = 'none';
1584         }
1585     });
1586
1587     function showAlert(msg,type){
1588         const el=document.createElement('div');
1589         el.className=`alert alert-${type}`;
1590         el.textContent=msg;
1591         document.body.appendChild(el);
1592         setTimeout(()=>el.remove(),3000);
1593     }
1594 </script>
1595 </body>
1596 </html>

```

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>EMS – Sign In</title>
7      <link
href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700&family=JetBrains+Mono:wght@400;500&display=swap" rel="stylesheet">
8      <style>
9          *{margin:0;padding:0;box-sizing:border-box}
10         :root{
11             --bg:#070910;
12             --panel:#0e1118;
13             --panel2:#131821;
14             --border:rgba(255,255,255,0.07);
15             --border-lit:rgba(255,255,255,0.14);
16             --text:#dde4f0;--text2:#6b7591;--text3:#3d4560;
17             --blue:#4f8cff;--blue-dim:rgba(79,140,255,0.12);
18             --violet:#a78bfa;--violet-dim:rgba(167,139,250,0.12);
19             --red:#f87171;--red-dim:rgba(248,113,113,0.12);
20             --orange:#f59e0b;--orange-dim:rgba(245,158,11,0.12);
21             --green:#34d399;--green-dim:rgba(52,211,153,0.12);
22             --font:'Outfit', sans-serif;--mono:'JetBrains Mono', monospace;
23         }
24
25         body{
26             font-family:var(--font);
27             background:var(--bg);
28             color:var(--text);
29             min-height:100vh;
30             display:flex;
31             overflow-y:auto;
32         }
33
34         /* ---- BACKGROUND ---- */
35         .bg-layer{
36             position:fixed;inset:0;z-index:0;
37             background:
38                 radial-gradient(ellipse 60% 50% at 20% 50%, rgba(79,140,255,0.06) 0%, transparent 70%),
39                 radial-gradient(ellipse 40% 60% at 80% 20%, rgba(167,139,250,0.05) 0%, transparent 60%),
40                 radial-gradient(ellipse 50% 40% at 70% 80%, rgba(52,211,153,0.04) 0%, transparent 60%);
41         }
42         .grid-overlay{
43             position:fixed;inset:0;z-index:0;
44             background-image:
45                 linear-gradient(rgba(255,255,255,0.025) 1px, transparent 1px),
46                 linear-gradient(90deg, rgba(255,255,255,0.025) 1px, transparent 1px);
47             background-size:40px 40px;
48             mask-image:radial-gradient(ellipse 80% 80% at center, black 20%, transparent 80%);
49         }
50
51         #oauth-loading {
52             display: none;
53             position: fixed; inset: 0;
54             background: linear-gradient(135deg, #0d0f14 0%, #131720 100%);
55             z-index: 9999;
56             justify-content: center;
57             align-items: center;
58             flex-direction: column;
59             gap: 20px;
60         }
61         #oauth-loading.visible { display: flex; }
62         .spinner {
63             width: 48px; height: 48px;
64             border: 3px solid #2a2f3f;
65             border-top-color: #4f8cff;
66             border-radius: 50%;
67             animation: spin 0.9s linear infinite;
68         }
69         @keyframes spin { to { transform: rotate(360deg); } }
70

```

```

71      /* ---- SPLIT LAYOUT ---- */
72      .left-panel{
73          flex:1;display:flex;flex-direction:column;justify-content:center;
74          padding:60px;position:relative;z-index:1;
75          animation:fadeLeft 0.8s ease both;
76      }
77      @keyframes fadeLeft{from{opacity:0;transform:translateX(24px)}to{opacity:1;transform:translateX(0)}}
78      .brand{margin-bottom:48px}
79      .brand-logo{display:flex;align-items:center;gap:12px;margin-bottom:20px}
80      .brand-icon{
81          width:44px;height:44px;background:linear-gradient(135deg,#4f8cff,#6366f1);
82          border-radius:12px;display:flex;align-items:center;justify-content:center;
83          font-weight:700;font-size:18px;color:#fff;
84          box-shadow:0 0 30px rgba(79,140,255,0.35);
85          flex-shrink:0;
86      }
87      .brand-name{font-size:22px;font-weight:700;color:var(--text);letter-spacing:-0.3px}
88      .brand-tagline{font-size:13px;color:var(--text2)}
89      .hero-text h1{
90          font-size:clamp(36px,4vw,52px);font-weight:700;
91          line-height:1.1;letter-spacing:-1px;color:var(--text);margin-bottom:16px;
92      }
93      .hero-text h1 .hl-blue{color:var(--blue)}
94      .hero-text h1 .hl-violet{color:var(--violet)}
95      .hero-text h1 .hl-orange{color:var(--orange)}
96      .hero-text p{font-size:15px;color:var(--text2);line-height:1.6;max-width:380px}
97      .feature-pills{display:flex;flex-wrap:wrap;gap:8px;margin-top:32px}
98      .pill{
99          display:inline-flex;align-items:center;gap:6px;
100         padding:6px 14px;border-radius:20px;font-size:12px;font-weight:500;
101         border:1px solid var(--border);background:var(--panel);color:var(--text2);
102     }
103     .pill .dot{width:6px;height:6px;border-radius:50%;flex-shrink:0}
104     .pill.blue .dot{background:var(--blue)} .pill.blue{border-
color:rgba(79,140,255,0.2);color:rgba(79,140,255,0.8)}
105     .pill.violet .dot{background:var(--violet)} .pill.violet{border-
color:rgba(167,139,250,0.2);color:rgba(167,139,250,0.8)}
106     .pill.orange .dot{background:var(--orange)} .pill.orange{border-
color:rgba(245,158,11,0.2);color:rgba(245,158,11,0.8)}
107
108     /* ---- RIGHT PANEL (FORM) ---- */
109     .right-panel{
110         width:460px;flex-shrink:0;
111         display:flex;align-items:flex-start;justify-content:center;
112         overflow-y:auto;
113         padding:32px 40px;position:relative;z-index:1;
114         border-left:1px solid var(--border);
115         background:rgba(14,17,24,0.8);
116         backdrop-filter:blur(20px);
117         animation:fadeRight 0.8s ease both;
118     }
119     @keyframes
fadeRight{from{opacity:0;transform:translateX(24px)}to{opacity:1;transform:translateX(0)}}
120     .form-box{width:100%}
121
122     /* ---- ROLE SELECTOR — 3 roles only: Employee | Manager | Admin ---- */
123     .role-label{font-size:10px;font-weight:600;color:var(--text3);letter-spacing:1.5px;text-
transform:uppercase;font-family:var(--mono);margin-bottom:10px}
124     .role-tabs{display:grid;grid-template-columns:repeat(3,1fr);gap:6px;margin-bottom:28px}
125     .role-tab{
126         padding:10px 8px;border-radius:10px;border:1.5px solid var(--border);
127         background:var(--bg);color:var(--text2);font-family:var(--font);
128         font-size:12px;font-weight:600;cursor:pointer;transition:all 0.2s;
129         display:flex;flex-direction:column;align-items:center;gap:4px;
130     }
131     .role-tab .role-icon{font-size:16px}
132     .role-tab:hover{border-color:var(--border-lit);color:var(--text)}
133     .role-tab.active-emp{border-color:var(--blue);background:var(--blue-dim);color:var(--blue)}
134     .role-tab.active-mgr{border-color:var(--violet);background:var(--violet-dim);color:var(--violet)}
135     .role-tab.active-adm{border-color:var(--orange);background:var(--orange-dim);color:var(--orange)}
136
137     /* ---- AUTH TABS ---- */
138     .auth-tabs{display:flex;background:var(--bg);border-radius:10px;padding:4px;gap:4px;margin-
bottom:24px;border:1px solid var(--border)}
139     .auth-tab{
140         flex:1;padding:9px;border:none;background:transparent;

```

```

141         color:var(--text2);font-family:var(--font);font-weight:600;
142         font-size:13px;cursor:pointer;border-radius:7px;transition:all 0.2s;
143     }
144     .auth-tab.active{background:var(--panel2);color:var(--text);box-shadow:0 1px 4px rgba(0,0,0,0.3)}
145
146     /* ---- FORM ELEMENTS ---- */
147     .form-group{margin-bottom:16px}
148     .form-label{display:block;font-size:10px;font-weight:600;color:var(--text2);text-
transform:uppercase;letter-spacing:0.8px;font-family:var(--mono);margin-bottom:7px}
149     .form-input{
150         width:100%;padding:11px 14px;
151         background:var(--bg);border:1px solid var(--border);
152         border-radius:9px;color:var(--text);
153         font-family:var(--font);font-size:14px;
154         transition:all 0.2s;
155     }
156     .form-input:focus{outline:none;border-color:var(--blue);box-shadow:0 0 3px rgba(79,140,255,0.08)}
157     .form-input::placeholder{color:var(--text3)}
158     .form-input.focus-violet:focus{border-color:var(--violet);box-shadow:0 0 3px
159     rgba(167,139,250,0.08)}
160     .form-input.focus-orange:focus{border-color:var(--orange);box-shadow:0 0 3px
161     rgba(245,158,11,0.08)}
162
163     /* ---- BUTTONS ---- */
164     .btn-login{
165         width:100%;padding:12px;border:none;border-radius:9px;
166         font-family:var(--font);font-size:14px;font-weight:600;
167         cursor:pointer;transition:all 0.2s;margin-top:4px;
168         position:relative;overflow:hidden;
169     }
170     .btn-login.blue{background:var(--blue);color:#fff}
171     .btn-login.blue:hover{background:#6ba0ff;box-shadow:0 6px 20px
172     rgba(79,140,255,0.35);transform:translateY(-1px)}
173     .btn-login.violet{background:var(--violet);color:#fff}
174     .btn-login.violet:hover{background:#b8a0fc;box-shadow:0 6px 20px
175     rgba(167,139,250,0.35);transform:translateY(-1px)}
176     .btn-login.orange{background:var(--orange);color:#fff}
177     .btn-login.orange:hover{background:#f7b23b;box-shadow:0 6px 20px
178     rgba(245,158,11,0.35);transform:translateY(-1px)}
179     .btn-login.active{transform:translateY(0)}
180     .btn-login.loading{opacity:0.7;pointer-events:none}
181
182     .divider{display:flex;align-items:center;gap:12px;margin:20px 0;color:var(--text3);font-
183     size:11px;font-family:var(--mono)}
184     .divider::before,.divider::after{content:'';flex:1;height:1px;background:var(--border)}
185
186     .btn-google{
187         width:100%;padding:11px;background:transparent;
188         border:1px solid var(--border-lit);border-radius:9px;
189         color:var(--text2);font-family:var(--font);font-size:13px;font-weight:500;
190         cursor:pointer;transition:all 0.2s;
191         display:flex;align-items:center;justify-content:center;gap:10px;
192     }
193     .btn-google:hover{background:rgba(255,255,255,0.04);border-color:rgba(255,255,255,0.2);color:var(--
194     text)}
195
196     /* ---- GOOGLE ROLE SELECT ---- */
197     .google-role-row{display:flex;gap:8px;margin-bottom:10px;align-items:center}
198     .google-role-label{font-size:11px;color:var(--text3);font-family:var(--mono);white-space:nowrap}
199     .google-role-select{
200         flex:1;padding:8px 10px;background:var(--bg);
201         border:1px solid var(--border);border-radius:8px;
202         color:var(--text);font-family:var(--font);font-size:13px;cursor:pointer;
203     }
204     .google-role-select:focus{outline:none;border-color:var(--border-lit)}
205     .google-role-select option{background:var(--panel)}
206
207     /* ---- VENDOR LINK ---- */
208     .vendor-link-row{
209         margin-top:18px;padding-top:16px;
210         border-top:1px solid var(--border);
211         display:flex;align-items:center;justify-content:space-between;
212     }
213     .vendor-link-row p{font-size:12px;color:var(--text3);}
214     .btn-vendor-link{
215         padding:7px 16px;border-radius:8px;

```

```

209         border:1px solid rgba(248,113,113,0.3);
210         background:var(--red-dim);color:var(--red);
211         font-family:var(--font);font-size:12px;font-weight:600;
212         cursor:pointer;text-decoration:none;transition:all 0.2s;
213         white-space:nowrap;
214     }
215     .btn-vendor-link:hover{background:rgba(248,113,113,0.2);border-color:var(--red);}
216
217     /* ---- ERROR / STATUS ---- */
218     .status-box{
219         border-radius:9px;padding:10px 14px;margin-top:14px;
220         font-size:13px;font-weight:500;display:none;
221         animation:fadeIn 0.3s ease;
222     }
223     @keyframes fadeIn{from{opacity:0;transform:translateY(-4px)}to{opacity:1;transform:translateY(0)}}
224     .status-box.error{background:var(--red-dim);color:var(--red);border:1px solid
225     rgba(248,113,113,0.2)}
226     .status-box.success{background:var(--green-dim);color:var(--green);border:1px solid
227     rgba(52,211,153,0.2)}
228     .status-box.loading{background:var(--blue-dim);color:var(--blue);border:1px solid
229     rgba(79,140,255,0.2)}
230
231     /* ---- FOOTER ---- */
232     .form-footer{margin-top:20px;padding-top:18px;border-top:1px solid var(--border)}
233     .tz-row{display:flex;align-items:center;gap:8px;margin-bottom:8px}
234     .tz-label{font-size:10px;color:var(--text3);font-family:var(--mono);flex-shrink:0}
235     .tz-select{
236         flex:1;padding:6px 8px;background:var(--bg);border:1px solid var(--border);
237         border-radius:7px;color:var(--text2);font-family:var(--mono);font-size:11px;cursor:pointer;
238     }
239     .tz-select:focus{outline:none;border-color:var(--border-lit)}
240     .tz-select option{background:var(--panel)}
241     .tz-time{font-size:10px;color:var(--blue);font-family:var(--mono)}
242
243     /* ---- RESPONSIVE ---- */
244     @media(max-width:900px){
245         .left-panel{display:none}
246         .right-panel{width:100%;border-left:none;background:var(--bg)}
247     }
248 </style>
249 </head>
250 <body>
251 <div id="oauth-loading">
252     <div class="spinner"></div>
253     <div style="text-align: center;">
254         <p style="color: #e0e0e0; font-size: 16px; font-weight: 600; margin: 0 0 6px; font-family:
255         'Outfit', sans-serif;">Signing you in...</p>
256         <p style="color: #8b92a8; font-size: 13px; margin: 0; font-family: 'Outfit', sans-serif;">Verifying
257         your Google account</p>
258     </div>
259 </div>
260 <div class="bg-layer"></div>
261 <div class="grid-overlay"></div>
262
263 <!-- LEFT HERO -->
264 <div class="left-panel">
265     <div class="brand">
266         <div class="brand-logo">
267             <div class="brand-icon">E</div>
268             <div>
269                 <div class="brand-name">EMS Portal</div>
270                 <div class="brand-tagline">Employee Management System</div>
271             </div>
272         </div>
273     </div>
274     <div class="hero-text">
275         <h1>Your workspace,<br><span class="hl-blue">one login</span><br>away.</h1>
276         <p>Employees, Managers, and Admins each get their own tailored experience. Sign in to access your
277         personalized dashboard.</p>
278     </div>
279     <div class="feature-pills">
280         <div class="pill blue"><span class="dot"></span>Employee Portal</div>
281         <div class="pill violet"><span class="dot"></span>Manager Console</div>
282         <div class="pill orange"><span class="dot"></span>Admin Control Center</div>
283         <div class="pill blue"><span class="dot"></span>Leave Management</div>
284         <div class="pill violet"><span class="dot"></span>Meal Subscriptions</div>

```

```

279     <div class="pill orange"><span class="dot"></span>Delivery Tracking</div>
280   </div>
281 </div>
282
283 <!-- RIGHT FORM -->
284 <div class="right-panel">
285   <div class="form-box">
286
287     <!-- ROLE SELECTOR: 3 roles only – Vendor removed -->
288     <div class="role-label">Sign in as</div>
289     <div class="role-tabs">
290       <button class="role-tab active-emp" id="role-emp" onclick="selectRole('EMPLOYEE')">
291         <span class="role-icon"></span>Employee
292       </button>
293       <button class="role-tab" id="role-mgr" onclick="selectRole('MANAGER')">
294         <span class="role-icon"></span>Manager
295       </button>
296       <button class="role-tab" id="role-adm" onclick="selectRole('ADMIN')">
297         <span class="role-icon"></span>Admin
298       </button>
299     </div>
300
301     <!-- AUTH METHOD TABS -->
302     <div class="auth-tabs">
303       <button class="auth-tab active" id="tab-jwt" onclick="switchTab('jwt')">JWT Login</button>
304       <button class="auth-tab" id="tab-session" onclick="switchTab('session')">Session Login</button>
305     </div>
306
307     <!-- JWT FORM -->
308     <div id="jwt-form">
309       <div class="form-group">
310         <label class="form-label">Enter your Email</label>
311         <input class="form-input" id="jwt-username" type="text"
placeholder="your.email@company.com" autocomplete="off">
312       </div>
313       <div class="form-group">
314         <label class="form-label">Password</label>
315         <input class="form-input" id="jwt-password" type="password" placeholder="....."
autocomplete="current-password">
316       </div>
317       <button class="btn-login blue" id="jwt-btn" onclick="jwtLogin()">Sign In</button>
318     </div>
319
320     <!-- SESSION FORM -->
321     <div id="session-form" style="display:none">
322       <div class="form-group">
323         <label class="form-label">Enter your Email</label>
324         <input class="form-input" id="session-username" type="text"
placeholder="your.email@company.com">
325       </div>
326       <div class="form-group">
327         <label class="form-label">Password</label>
328         <input class="form-input" id="session-password" type="password" placeholder=".....">
329       </div>
330       <button class="btn-login blue" id="session-btn" onclick="sessionLogin()">Sign In with
Session</button>
331     </div>
332
333     <!-- OAUTH – Vendor removed from Google role select -->
334     <div class="divider">or continue with</div>
335     <div class="google-role-row">
336       <span class="google-role-label">Sign in as</span>
337       <select class="google-role-select" id="oauth-role">
338         <option value="EMPLOYEE">Employee</option>
339         <option value="MANAGER">Manager</option>
340         <option value="ADMIN">Admin</option>
341       </select>
342     </div>
343     <button class="btn-google" onclick="googleLogin()">
344       <svg width="18" height="18" viewBox="0 0 24 24">
345         <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04
2.53-2.21 3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z"/>
346         <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23 1.06-3.71
1.06-2.86 0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 12 23z"/>
347         <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-
2.09V7.07H2.18c1.43 8.55 1 10.22 1 12s.43 3.45 1.18 4.93l2.85-2.22.81-.62z"/>

```

```

348         <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1
7.7 1 3.99 3.47 2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.53z"/>
349     </svg>
350     Continue with Google
351 </button>
352
353 <div class="status-box" id="status-box"></div>
354
355 <!-- Vendor Login Link -->
356 <div class="vendor-link-row">
357     <p>Are you a vendor?</p>
358     <a class="btn-vendor-link" href="/vendor-login.html">Vendor Login </a>
359 </div>
360
361 <!-- FOOTER -->
362 <div class="form-footer">
363     <div class="tz-row">
364         <span class="tz-label">TZ</span>
365         <select class="tz-select" id="tz-select" onchange="updateTz()">
366             <option value="Asia/Kolkata">India – IST UTC+5:30</option>
367             <option value="UTC">UTC</option>
368             <option value="America/New_York">New York – EST UTC-5</option>
369             <option value="America/Los_Angeles">Los Angeles – PST UTC-8</option>
370             <option value="Europe/London">London – GMT UTC+0</option>
371             <option value="Europe/Paris">Paris – CET UTC+1</option>
372             <option value="Asia/Tokyo">Tokyo – JST UTC+9</option>
373             <option value="Asia/Dubai">Dubai – GST UTC+4</option>
374             <option value="Australia/Sydney">Sydney – AEDT UTC+11</option>
375             <option value="Asia/Singapore">Singapore – SGT UTC+8</option>
376         </select>
377         <span class="tz-time" id="tz-time">--:--:--</span>
378     </div>
379 </div>
380
381 </div>
382 <!-- TOTP MODAL OVERLAY -->
383 <div id="totp-overlay" style="display:none;position:fixed;inset:0;z-
index:999;background:rgba(7,9,16,0.85);backdrop-filter:blur(8px);display:none;align-items:center;justify-
content:center;">
384     <div style="background:var(--panel);border:1px solid var(--border-lit);border-
radius:16px;padding:36px;width:340px;text-align:center;animation:fadeIn 0.25s ease;">
385         <div style="font-size:28px;margin-bottom:8px;"></div>
386         <h3 style="font-size:17px;font-weight:700;color:var(--text);margin-bottom:6px;">Two-Factor
Verification</h3>
387         <p style="font-size:13px;color:var(--text2);margin-bottom:24px;">Enter the 6-digit code from
your authenticator app.</p>
388         <input id="totp-code" class="form-input" type="text" inputmode="numeric" maxlength="6"
placeholder="000000"
389             style="text-align:center;font-size:22px;font-family:var(--mono);letter-
spacing:8px;padding:14px;"
390             oninput="this.value=this.value.replace(/\D/g,'')">
391         <div id="totp-status" style="display:none;margin-top:10px;font-size:13px;color:var(--
red);"></div>
392         <button id="totp-verify-btn" class="btn-login blue" style="margin-top:16px;"
onclick="submitTotp()">Verify</button>
393         <button onclick="cancelTotp()" style="margin-
top:10px;width:100%;padding:10px;border:none;background:transparent;color:var(--text2);font-family:var(--
font);font-size:13px;cursor:pointer...
394     </div>
395 </div>
396
397 </div>
398
399 <script>
400     const API = 'http://localhost:8080';
401     const GOOGLE_CLIENT_ID = '525324511556-s9eugd1o761n6cjje2nr60cv8ho6joq2.apps.googleusercontent.com';
402     const REDIRECT_URI = 'http://localhost:8080/google.html';
403
404     // Role dashboard mapping – VENDOR removed from this page
405     const DASHBOARDS = {
406         EMPLOYEE: '/employee-dashboard.html',
407         MANAGER: '/manager-dashboard.html',
408         ADMIN: '/dashboard.html',
409         USER: '/pending.html'
410     };
411
412     let currentRole = 'EMPLOYEE';

```

```

413
414     function buildAuthOptions(token, authType) {
415         const headers = {};
416         if (token) headers.Authorization = `Bearer ${token}`;
417         return {
418             headers,
419             credentials: authType === 'session' ? 'include' : 'same-origin'
420         };
421     }
422
423     async function resolveRoleFromServer(token, authType) {
424         const authOptions = buildAuthOptions(token, authType);
425
426         // Check employee/manager/admin endpoint – vendors are not expected here
427         const employeeResponse = await fetch(`${API}/employee/me`, authOptions);
428         if (employeeResponse.ok) {
429             const employee = await employeeResponse.json();
430             return employee.role || 'EMPLOYEE';
431         }
432
433         throw new Error('Unable to determine authenticated role');
434     }
435
436     async function redirectByRole(token, authType = localStorage.getItem('auth_type')) {
437         let role;
438
439         if (token) {
440             role = getRoleFromJWT(token);
441         } else {
442             try {
443                 const res = await fetch(`${API}/employee/me`, { credentials: 'include' });
444                 if (res.ok) {
445                     const emp = await res.json();
446                     role = emp.role || 'USER';
447                 } else {
448                     role = 'USER';
449                 }
450             } catch(e) {
451                 role = localStorage.getItem('last_role') || 'USER';
452             }
453         }
454
455         console.log('Final role for redirect:', role);
456         localStorage.setItem('last_role', role);
457
458         // Block ALL vendor types from using the main login page
459         if (role === 'FOOD_VENDOR' || role === 'TECH_VENDOR') {
460             localStorage.removeItem('jwt_token');
461             localStorage.removeItem('auth_type');
462             localStorage.removeItem('last_role');
463             // Reset button state
464             const jwtBtn = document.getElementById('jwt-btn');
465             const sesBtn = document.getElementById('session-btn');
466             if (jwtBtn) { jwtBtn.classList.remove('loading'); jwtBtn.textContent = 'Sign In'; }
467             if (sesBtn) { sesBtn.classList.remove('loading'); sesBtn.textContent = 'Sign In with Session'; }
468             showStatus('error', 'Vendors must use the Vendor Login page. ');
469             return;
470         }
471
472         const destination = DASHBOARDS[role];
473         if (!destination) {
474             // Unknown role – don't redirect anywhere, just show error
475             localStorage.removeItem('jwt_token');
476             localStorage.removeItem('auth_type');
477             showStatus('error', 'Unknown role: ' + role + '. Please contact your administrator. ');
478             const jwtBtn = document.getElementById('jwt-btn');
479             if (jwtBtn) { jwtBtn.classList.remove('loading'); jwtBtn.textContent = 'Sign In'; }
480             return;
481         }
482
483         console.log('Redirecting to:', destination);
484         window.location.href = destination;
485     }
486
487     // ---- Role selector (3 tabs: Employee | Manager | Admin) ----
488     function selectRole(role) {

```



```

489     currentRole = role;
490     document.getElementById('role-emp').className = 'role-tab';
491     document.getElementById('role-mgr').className = 'role-tab';
492     document.getElementById('role-adm').className = 'role-tab';
493
494     const classMap = { EMPLOYEE: 'active-emp', MANAGER: 'active-mgr', ADMIN: 'active-adm' };
495     const idMap = { EMPLOYEE: 'role-emp', MANAGER: 'role-mgr', ADMIN: 'role-adm' };
496     document.getElementById(idMap[role]).classList.add(classMap[role]);
497
498     document.getElementById('oauth-role').value = role;
499
500     const colorMap = { EMPLOYEE: 'blue', MANAGER: 'violet', ADMIN: 'orange' };
501     const col = colorMap[role];
502     document.getElementById('jwt-btn').className = `btn-login ${col}`;
503     document.getElementById('session-btn').className = `btn-login ${col}`;
504
505     document.querySelectorAll('.form-input').forEach(inp => {
506         inp.className = (`form-input focus-${col === 'blue' ? '' : col}`).trim();
507     });
508 }
509
510 // ---- Auth tab switching ----
511 function switchTab(type) {
512     document.getElementById('jwt-form').style.display = type === 'jwt' ? 'block' : 'none';
513     document.getElementById('session-form').style.display = type === 'session' ? 'block' : 'none';
514     document.getElementById('tab-jwt').classList.toggle('active', type === 'jwt');
515     document.getElementById('tab-session').classList.toggle('active', type === 'session');
516     hideStatus();
517 }
518
519 // ---- Status display ----
520 function showStatus(type, msg) {
521     const box = document.getElementById('status-box');
522     box.className = `status-box ${type}`;
523     box.textContent = msg;
524     box.style.display = 'block';
525 }
526 function hideStatus() {
527     document.getElementById('status-box').style.display = 'none';
528 }
529
530 // ---- JWT Login ----
531 let _preAuthToken = null; // holds token between step 1 and step 2
532
533 async function jwtLogin() {
534     const username = document.getElementById('jwt-username').value.trim();
535     const password = document.getElementById('jwt-password').value;
536     if (!username || !password) {
537         showStatus('error', 'Please enter your username and password');
538         return;
539     }
540
541     const btn = document.getElementById('jwt-btn');
542     btn.classList.add('loading'); btn.textContent = 'Signing in...';
543     showStatus('loading', 'Authenticating...');
544
545     try {
546         const res = await fetch(`${API}/Authenticate`, {
547             method: 'POST',
548             headers: { 'Content-Type': 'application/json' },
549             body: JSON.stringify({ username, password })
550         });
551
552         if (res.ok) {
553             const data = await res.json();
554
555             // --- TOTP required: show step-2 modal ---
556             if (data.requiresTotp) {
557                 _preAuthToken = data.preAuthToken;
558                 btn.classList.remove('loading'); btn.textContent = 'Sign In';
559                 hideStatus();
560                 openTotpModal();
561                 return;
562             }
563
564             // --- No TOTP: issue JWT directly ---

```

```

565         localStorage.setItem('jwt_token', data.accessToken);
566         localStorage.setItem('refresh_token', data.refreshToken || '');
567         localStorage.setItem('auth_type', 'jwt');
568         localStorage.setItem('last_role', currentRole);
569         localStorage.setItem('user_timezone', document.getElementById('tz-select').value);
570         showStatus('success', 'Login successful! Redirecting...');
571         setTimeout(() => redirectByRole(data.accessToken, 'jwt'), 600);
572
573     } else {
574         const err = await res.text();
575         showStatus('error', 'Login failed: ' + (err || 'Invalid credentials'));
576         btn.classList.remove('loading'); btn.textContent = 'Sign In';
577     }
578 } catch (e) {
579     showStatus('error', 'Connection error: ' + e.message);
580     btn.classList.remove('loading'); btn.textContent = 'Sign In';
581 }
582 }
583
584 function openTotpModal() {
585     const overlay = document.getElementById('totp-overlay');
586     overlay.style.display = 'flex';
587     document.getElementById('totp-code').value = '';
588     document.getElementById('totp-status').style.display = 'none';
589     setTimeout(() => document.getElementById('totp-code').focus(), 100);
590 }
591
592 function cancelTotp() {
593     _preAuthToken = null;
594     document.getElementById('totp-overlay').style.display = 'none';
595 }
596
597 async function submitTotp() {
598     const code = document.getElementById('totp-code').value.trim();
599     if (code.length !== 6) {
600         document.getElementById('totp-status').textContent = 'Please enter a 6-digit code.';
601         document.getElementById('totp-status').style.display = 'block';
602         return;
603     }
604
605     const verifyBtn = document.getElementById('totp-verify-btn');
606     verifyBtn.classList.add('loading'); verifyBtn.textContent = 'Verifying...';
607     document.getElementById('totp-status').style.display = 'none';
608
609     try {
610         const res = await fetch(`${API}/Authenticate/totp`, {
611             method: 'POST',
612             headers: { 'Content-Type': 'application/json' },
613             body: JSON.stringify({ preAuthToken: _preAuthToken, code })
614         });
615
616         if (res.ok) {
617             const data = await res.json();
618             _preAuthToken = null;
619             document.getElementById('totp-overlay').style.display = 'none';
620             localStorage.setItem('jwt_token', data.accessToken);
621             localStorage.setItem('refresh_token', data.refreshToken || '');
622             localStorage.setItem('auth_type', 'jwt');
623             localStorage.setItem('last_role', currentRole);
624             localStorage.setItem('user_timezone', document.getElementById('tz-select').value);
625             showStatus('success', 'Verified! Redirecting...');
626             setTimeout(() => redirectByRole(data.accessToken, 'jwt'), 600);
627         } else {
628             const err = await res.json().catch(() => ({}));
629             document.getElementById('totp-status').textContent = err.error || 'Invalid code. Try
again.';
630             document.getElementById('totp-status').style.display = 'block';
631             document.getElementById('totp-code').value = '';
632             document.getElementById('totp-code').focus();
633         }
634     } catch (e) {
635         document.getElementById('totp-status').textContent = 'Connection error: ' + e.message;
636         document.getElementById('totp-status').style.display = 'block';
637     } finally {
638         verifyBtn.classList.remove('loading'); verifyBtn.textContent = 'Verify';
639     }

```

```

640     }
641
642     // ---- Session Login ----
643     async function sessionLogin() {
644         const username = document.getElementById('session-username').value.trim();
645         const password = document.getElementById('session-password').value;
646         if (!username || !password) { showStatus('error', 'Please enter your username and password');
return; }
647
648         const btn = document.getElementById('session-btn');
649         btn.classList.add('loading'); btn.textContent = 'Signing in...';
650         showStatus('loading', 'Authenticating...');
651
652         try {
653             const res = await fetch(`${API}/session/login`, {
654                 method: 'POST',
655                 headers: { 'Content-Type': 'application/json' },
656                 body: JSON.stringify({ username, password }),
657                 credentials: 'include'
658             });
659             if (res.ok) {
660                 localStorage.setItem('auth_type', 'session');
661                 localStorage.setItem('last_role', currentRole);
662                 localStorage.setItem('user_timezone', document.getElementById('tz-select').value);
663                 showStatus('success', 'Login successful! Redirecting...');
664                 setTimeout(() => redirectByRole(null, 'session'), 600);
665             } else {
666                 const err = await res.json().catch(() => ({}));
667                 showStatus('error', 'Login failed: ' + (err.error || 'Invalid credentials'));
668                 btn.classList.remove('loading'); btn.textContent = 'Sign In with Session';
669             }
670         } catch(e) {
671             showStatus('error', 'Connection error: ' + e.message);
672             btn.classList.remove('loading'); btn.textContent = 'Sign In with Session';
673         }
674     }
675
676     // ---- Google OAuth – goes through backend /auth/google/init ----
677     function googleLogin() {
678         const role = document.getElementById('oauth-role').value;
679         const timezone = document.getElementById('tz-select').value;
680         window.location.href =
681             `/auth/google/init` +
682             `?role=${encodeURIComponent(role)}` +
683             `&timezone=${encodeURIComponent(timezone)}`;
684     }
685
686     function getRoleFromJWT(token) {
687         try {
688             const payload = JSON.parse(atob(token.split('.')[1]));
689             console.log('JWT payload:', payload);
690             const role = payload.role || 'USER';
691             // Strip ROLE_ prefix if accidentally present
692             return typeof role === 'string' ? role.replace(/^ROLE_/, '') : 'USER';
693         } catch (e) {
694             console.error('Failed to parse JWT:', e);
695             return 'USER';
696         }
697     }
698
699     // ---- Spring redirects back here with tokens as query params ----
700     async function handleOAuthCallback() {
701         const params = new URLSearchParams(window.location.search);
702         const accessToken = params.get('accessToken');
703         const refreshToken = params.get('refreshToken');
704
705         if (!accessToken) return;
706
707         window.history.replaceState({}, document.title, window.location.pathname);
708
709         localStorage.setItem('jwt_token', accessToken);
710         localStorage.setItem('refresh_token', refreshToken || '');
711         localStorage.setItem('auth_type', 'jwt');
712
713         const role = getRoleFromJWT(accessToken);
714         console.log('Authenticated role:', role);

```

```

715     localStorage.setItem('last_role', role);
716
717     showStatus('success', 'Signed in! Redirecting...');
718     setTimeout(() => {
719         window.location.href = DASHBOARDS[role] || '/google.html';
720     }, 800);
721 }
722
723 // ---- Timezone ----
724 function updateTz() {
725     localStorage.setItem('user_timezone', document.getElementById('tz-select').value);
726     refreshTzClock();
727 }
728 function refreshTzClock() {
729     const tz = document.getElementById('tz-select').value;
730     document.getElementById('tz-time').textContent =
731         new Date().toLocaleTimeString('en-GB', { timeZone: tz, hour12: false });
732 }
733
734 // ---- Enter key support ----
735 document.addEventListener('keydown', e => {
736     if (e.key !== 'Enter') return;
737     // If TOTP modal is open, submit TOTP
738     if (document.getElementById('totp-overlay').style.display === 'flex') {
739         submitTotp();
740         return;
741     }
742     if (document.getElementById('jwt-form').style.display !== 'none') jwtLogin();
743     else sessionLogin();
744 });
745 // ---- Init ----
746 window.onload = () => {
747     const savedTz = localStorage.getItem('user_timezone') || 'Asia/Kolkata';
748     document.getElementById('tz-select').value = savedTz;
749     refreshTzClock();
750     setInterval(refreshTzClock, 1000);
751
752     const params = new URLSearchParams(window.location.search);
753     const accessToken = params.get('accessToken');
754     if (accessToken) {
755         document.getElementById('oauth-loading').classList.add('visible');
756         document.querySelector('.right-panel').style.display = 'none';
757         document.querySelector('.left-panel').style.display = 'none';
758         handleOAuthCallback();
759     }
760 };
761 </script>
762 </body>
763 </html>
764

```

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>EMS - Leave Management</title>
7      <link
href="https://fonts.googleapis.com/css2?family=DM+Sans:wght@400;500;600;700&family=DM+Mono:wght@400;500&display=
swap" rel="stylesheet">
8      <style>
9          * { margin: 0; padding: 0; box-sizing: border-box; }
10         :root {
11             --bg: #0d0f14; --bg2: #131720; --bg3: #1a2030;
12             --panel: #1e2436; --panel2: #252c40;
13             --border: rgba(255,255,255,0.07); --border2: rgba(255,255,255,0.12);
14             --text: #e0e0e0; --text2: #8b92a8; --text3: #5557fa;
15             --accent: #4f8cff; --accent-dim: rgba(79,140,255,0.12);
16             --green: #36d399; --green-dim: rgba(54,211,153,0.12);
17             --amber: #f9c74f; --amber-dim: rgba(249,199,79,0.12);
18             --red: #f87171; --red-dim: rgba(248,113,113,0.12);
19             --violet: #a78bfa; --violet-dim: rgba(167,139,250,0.12);
20             --font: 'DM Sans', sans-serif; --mono: 'DM Mono', monospace;
21         }
22         body { font-family: var(--font); background: var(--bg); color: var(--text); font-size: 14px; line-
height: 1.5; overflow: hidden; }
23         .app { display: flex; height: 100vh; }
24
25         /* Sidebar */
26         .sidebar { width: 260px; background: var(--bg2); border-right: 1px solid var(--border); display:
flex; flex-direction: column; overflow-y: auto; }
27         .logo { padding: 20px; border-bottom: 1px solid var(--border); }
28         .logo h2 { font-size: 20px; color: var(--text); }
29         .logo span { color: var(--accent); }
30         .logo p { font-size: 11px; color: var(--text3); margin-top: 4px; }
31         .nav-section { padding: 12px 20px 4px; font-size: 10px; font-weight: 600; color: var(--text2); text-
transform: uppercase; letter-spacing: 0.08em; }
32         .nav-item { padding: 10px 20px; margin: 2px 12px; border-radius: 8px; cursor: pointer; transition:
all 0.2s; color: var(--text2); display: flex; align-items: center; gap: 10px; font-size: 1.1em; }
33         .nav-item svg { opacity: 0.6; flex-shrink: 0; }
34         .nav-item:hover, .nav-item.active { background: var(--accent-dim); color: var(--accent); }
35         .nav-item:hover svg, .nav-item.active svg { opacity: 1; }
36         .nav-item .badge-count { margin-left: auto; background: var(--amber-dim); color: var(--amber); font-
size: 10px; padding: 2px 6px; border-radius: 10px; font-weight: 600; }
37
38         /* Main */
39         .main-content { flex: 1; display: flex; flex-direction: column; overflow: hidden; }
40         .topbar { background: var(--bg2); padding: 16px 24px; display: flex; justify-content: space-between;
align-items: center; border-bottom: 1px solid var(--border); }
41         .page-title { font-size: 20px; font-weight: 600; }
42         .topbar-right { display: flex; align-items: center; gap: 16px; }
43         .user-pill { display: flex; align-items: center; gap: 8px; background: var(--bg3); border: 1px solid
var(--border2); border-radius: 20px; padding: 6px 12px; }
44         .user-avatar { width: 24px; height: 24px; border-radius: 50%; background: var(--accent-dim);
display: flex; align-items: center; justify-content: center; font-size: 10px; font-weight: 600; ... }
45         .user-name { font-size: 12px; color: var(--text2); }
46         .logout-btn { padding: 8px 16px; background: var(--red-dim); border: 1px solid
rgba(248,113,113,0.3); border-radius: 6px; color: var(--red); cursor: pointer; font-family: var(--font); font-
... }
47         .logout-btn:hover { background: rgba(248,113,113,0.2); }
48         .content { flex: 1; overflow-y: auto; padding: 24px; }
49
50         /* Views */
51         .view { display: none; }
52         .view.active { display: block; }
53
54         /* Stats */
55         .stats-grid { display: grid; grid-template-columns: repeat(4, 1fr); gap: 16px; margin-bottom: 24px;
}
56         .stat-card { background: var(--panel); padding: 20px; border-radius: 12px; border: 1px solid var(--
border); position: relative; overflow: hidden; }
57         .stat-card::before { content: ''; position: absolute; top: 0; left: 0; right: 0; height: 2px; }
58         .stat-card.blue::before { background: var(--accent); }

```

```

59     .stat-card.green::before { background: var(--green); }
60     .stat-card.amber::before { background: var(--amber); }
61     .stat-card.red::before { background: var(--red); }
62     .stat-label { font-size: 11px; color: var(--text2); text-transform: uppercase; letter-spacing:
0.05em; margin-bottom: 8px; }
63     .stat-value { font-size: 28px; font-weight: 600; }
64     .stat-value.blue { color: var(--accent); }
65     .stat-value.green { color: var(--green); }
66     .stat-value.amber { color: var(--amber); }
67     .stat-value.red { color: var(--red); }
68
69     /* Section header */
70     .section-head { display: flex; justify-content: space-between; align-items: center; margin-bottom:
16px; flex-wrap: wrap; gap: 10px; }
71     .section-title { font-size: 16px; font-weight: 600; }
72     .section-actions { display: flex; gap: 8px; align-items: center; }
73
74     /* Table */
75     .table-wrap { background: var(--panel); border-radius: 12px; border: 1px solid var(--border);
overflow: hidden; }
76     table { width: 100%; border-collapse: collapse; }
77     th { text-align: left; padding: 12px 16px; background: var(--bg3); color: var(--text2); font-size:
11px; font-weight: 600; text-transform: uppercase; letter-spacing: 0.04em; border-bottom: ...
78     td { padding: 12px 16px; border-top: 1px solid var(--border); font-size: 13px; }
79     tr:hover td { background: rgba(255,255,255,0.02); }
80     .empty-state { text-align: center; padding: 48px; color: var(--text2); font-size: 13px; }
81
82     /* Chips */
83     .chip { padding: 4px 10px; border-radius: 20px; font-size: 11px; font-weight: 600; display: inline-
block; }
84     .chip.pending, .chip.PENDING { background: var(--amber-dim); color: var(--amber); }
85     .chip.approved, .chip.APPROVED { background: var(--green-dim); color: var(--green); }
86     .chip.rejected, .chip.REJECTED { background: var(--red-dim); color: var(--red); }
87     .chip.cancelled, .chip.CANCELLED { background: rgba(139,146,168,0.12); color: var(--text2); }
88     .chip.sick, .chip.SICK { background: var(--red-dim); color: var(--red); }
89     .chip.casual, .chip.CASUAL { background: var(--accent-dim); color: var(--accent); }
90     .chip.maternity, .chip.MATERNITY { background: var(--violet-dim); color: var(--violet); }
91
92     /* Buttons */
93     .btn { padding: 8px 16px; border-radius: 6px; border: none; font-family: var(--font); font-size:
13px; font-weight: 500; cursor: pointer; transition: all 0.2s; }
94     .btn-primary { background: var(--accent); color: white; }
95     .btn-primary:hover { background: #6ba0ff; }
96     .btn-secondary { background: var(--bg3); color: var(--text2); border: 1px solid var(--border2); }
97     .btn-secondary:hover { color: var(--text); }
98     .btn-danger { background: var(--red-dim); color: var(--red); border: 1px solid
rgba(248,113,113,0.3); }
99     .btn-danger:hover { background: rgba(248,113,113,0.2); }
100    .btn-success { background: var(--green-dim); color: var(--green); border: 1px solid
rgba(54,211,153,0.3); }
101    .btn-success:hover { background: rgba(54,211,153,0.2); }
102    .btn-sm { padding: 4px 10px; font-size: 11px; }
103    .action-row { display: flex; gap: 6px; flex-wrap: wrap; }
104
105    /* Form */
106    .form-card { background: var(--panel); border-radius: 12px; border: 1px solid var(--border);
padding: 24px; max-width: 640px; }
107    .form-grid { display: grid; grid-template-columns: 1fr 1fr; gap: 16px; }
108    .form-group { display: flex; flex-direction: column; gap: 6px; }
109    .form-group.full { grid-column: 1 / -1; }
110    label { font-size: 11px; font-weight: 600; color: var(--text2); text-transform: uppercase; letter-
spacing: 0.04em; }
111    input, select, textarea { padding: 10px 12px; background: var(--bg3); border: 1px solid var(--
border2); border-radius: 8px; color: var(--text); font-family: var(--font); font-size: 13px; tr...
112    input:focus, select:focus, textarea:focus { outline: none; border-color: var(--accent); }
113    input[readonly] { opacity: 0.5; cursor: not-allowed; }
114    select option { background: var(--bg3); }
115
116    /* Balance cards */
117    .balance-grid { display: grid; grid-template-columns: repeat(auto-fill, minmax(200px, 1fr)); gap:
16px; margin-bottom: 24px; }
118    .balance-card { background: var(--panel); border-radius: 12px; border: 1px solid var(--border);
padding: 20px; }
119    .balance-name { font-size: 12px; color: var(--text2); text-transform: uppercase; letter-spacing:
0.05em; margin-bottom: 4px; }
120    .balance-row { display: flex; align-items: baseline; gap: 6px; margin-bottom: 10px; }

```

```

121     .balance-big { font-size: 28px; font-weight: 600; }
122     .balance-of { font-size: 13px; color: var(--text2); }
123     .balance-bar { height: 4px; background: var(--border2); border-radius: 2px; overflow: hidden; }
124     .balance-fill { height: 100%; border-radius: 2px; transition: width 0.4s ease; }
125
126     /* Tabs */
127     .tab-bar { display: flex; gap: 2px; background: var(--bg3); border-radius: 8px; padding: 4px;
margin-bottom: 20px; width: fit-content; }
128     .tab-btn { padding: 7px 16px; border-radius: 6px; font-size: 12px; font-weight: 500; cursor:
pointer; color: var(--text2); border: none; background: transparent; font-family: var(--font); t...
129     .tab-btn.active { background: var(--panel); color: var(--text); }
130     .tab-btn:hover:not(.active) { color: var(--text); }
131
132     /* Modal */
133     .modal-overlay { display: none; position: fixed; top: 0; left: 0; right: 0; bottom: 0; background:
rgba(0,0,0,0.7); z-index: 1000; align-items: center; justify-content: center; }
134     .modal-overlay.open { display: flex; }
135     .modal { background: var(--panel); border-radius: 12px; border: 1px solid var(--border2); padding:
24px; width: 460px; max-width: 90%; }
136     .modal-title { font-size: 18px; font-weight: 600; margin-bottom: 16px; }
137     .modal-actions { display: flex; gap: 12px; margin-top: 20px; justify-content: flex-end; }
138
139     /* Alert */
140     .alert { position: fixed; top: 20px; right: 20px; padding: 12px 20px; border-radius: 8px; z-index:
1100; animation: slideIn 0.3s ease; font-size: 13px; font-weight: 500; }
141     .alert-success { background: var(--green-dim); color: var(--green); border: 1px solid
rgba(54,211,153,0.3); }
142     .alert-error { background: var(--red-dim); color: var(--red); border: 1px solid
rgba(248,113,113,0.3); }
143     @keyframes slideIn { from { transform: translateX(100%); opacity: 0; } to { transform:
translateX(0); opacity: 1; } }
144
145     /* Pending count indicator */
146     .pending-dot { width: 7px; height: 7px; border-radius: 50%; background: var(--amber); display:
inline-block; margin-left: 4px; animation: pulse 2s infinite; }
147     @keyframes pulse { 0%,100% { opacity: 1; } 50% { opacity: 0.4; } }
148 </style>
149 </head>
150 <body>
151 <div class="app">
152
153     <!-- Sidebar -->
154     <div class="sidebar">
155         <div class="logo">
156             <h2>E<span>M</span>S</h2>
157             <p>Leave Management</p>
158         </div>
159         <div style="flex:1; padding: 8px 0;">
160             <div class="nav-section">Overview</div>
161             <div class="nav-item active" onclick="showView('dashboard',this)">
162                 <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-
width="2"><rect x="3" y="3" width="7" height="7"/><rect x="14" y="3" width="7" height="7"/><...
163                 Dashboard
164             </div>
165             <div class="nav-section">My Leave</div>
166             <div class="nav-item" onclick="showView('apply',this)">
167                 <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-
width="2"><circle cx="12" cy="12" r="10"/><line x1="12" y1="8" x2="12" y2="16"/><line x1="8"...
168                 Apply for Leave
169             </div>
170             <div class="nav-item" onclick="showView('my-leaves',this)">
171                 <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-
width="2"><path d="M14 2H6a2 2 0 0 0 2 2V16a2 2 0 0 0 2 2h12a2 2 0 0 0 2 2V8z"/><polyline po...
172                 My Requests
173             </div>
174             <div class="nav-item" onclick="showView('balance',this)">
175                 <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-
width="2"><line x1="18" y1="20" x2="18" y2="10"/><line x1="12" y1="20" x2="12" y2="4"/><line...
176                 Leave Balance
177             </div>
178             <div class="nav-section">Admin</div>
179             <div class="nav-item" id="nav-pending" onclick="showView('pending',this)">
180                 <svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-
width="2"><polyline points="9 11 12 14 22 4"/><path d="M21 12v7a2 2 0 0 1 2 2H5a2 2 0 0 1 2-...
181                 Pending Approvals
182                 <span class="badge-count" id="pending-count" style="display:none">0</span>

```

[illegible]


```

250         <select id="leave-priority" style="color:var(--text2);">
251             <option value=""> Optional </option>
252             <option value="NORMAL">Normal</option>
253             <option value="URGENT">Urgent</option>
254         </select>
255     </div>
256     <div class="form-group">
257         <label>Start Date</label>
258         <input type="date" id="leave-start">
259     </div>
260     <div class="form-group">
261         <label>End Date</label>
262         <input type="date" id="leave-end">
263     </div>
264     <div class="form-group full">
265         <label>Reason</label>
266         <textarea id="leave-reason" rows="3" placeholder="Please provide a brief reason
for your leave request..."></textarea>
267     </div>
268 </div>
269     <div style="display:flex;gap:12px;margin-top:20px;">
270         <button class="btn btn-primary" onclick="applyLeave()">Submit Leave
Request</button>
271         <button class="btn btn-secondary" onclick="clearLeaveForm()">Clear</button>
272     </div>
273 </div>
274 </div>
275
276 <!-- MY LEAVES VIEW -->
277 <div id="my-leaves-view" class="view">
278     <div class="section-head">
279         <div class="section-title">My Leave Requests</div>
280         <button class="btn btn-secondary btn-sm" onclick="loadMyLeaves()"> Refresh</button>
281     </div>
282     <div class="table-wrap">
283         <table>
284             <thead><tr><th>ID</th><th>Type</th><th>Start Date</th><th>End
Date</th><th>Days</th><th>Status</th><th>Reason</th><th>Action</th></tr></thead>
285             <tbody id="my-leaves-list"></tbody>
286         </table>
287     </div>
288 </div>
289
290 <!-- LEAVE BALANCE VIEW -->
291 <div id="balance-view" class="view">
292     <div class="section-head">
293         <div class="section-title">Leave Balance</div>
294         <button class="btn btn-secondary btn-sm" onclick="loadBalance()"> Refresh</button>
295     </div>
296     <div class="balance-grid" id="balance-grid">
297         <div class="balance-card" style="color:var(--text2);text-
align:center;padding:40px;">Loading balance...</div>
298     </div>
299     <div class="section-head" style="margin-top:8px;">
300         <div class="section-title">Leave History</div>
301     </div>
302     <div class="table-wrap">
303         <table>
304             <thead><tr><th>ID</th><th>Type</th><th>Start Date</th><th>End
Date</th><th>Days</th><th>Status</th><th>Remarks</th></tr></thead>
305             <tbody id="balance-history-list"></tbody>
306         </table>
307     </div>
308 </div>
309
310 <!-- PENDING APPROVALS VIEW -->
311 <div id="pending-view" class="view">
312     <div class="section-head">
313         <div class="section-title">Pending Approvals</div>
314         <button class="btn btn-secondary btn-sm" onclick="loadPendingLeaves()">
Refresh</button>
315     </div>
316     <div class="table-wrap">
317         <table>
318             <thead><tr><th>ID</th><th>Employee
ID</th><th>Type</th><th>Start</th><th>End</th><th>Days</th><th>Reason</th><th>Actions</th></tr></thead>

```

```

319         <tbody id="pending-leaves-list"></tbody>
320     </table>
321 </div>
322 </div>
323
324 <!-- ALL LEAVES VIEW -->
325 <div id="all-leaves-view" class="view">
326     <div class="section-head">
327         <div class="section-title">All Leave Requests</div>
328         <div class="section-actions">
329             <select id="status-filter" onchange="filterAllLeaves()" style="padding:6px
10px;font-size:12px;border-radius:6px;">
330                 <option value="">All Statuses</option>
331                 <option value="PENDING">Pending</option>
332                 <option value="APPROVED">Approved</option>
333                 <option value="REJECTED">Rejected</option>
334                 <option value="CANCELLED">Cancelled</option>
335             </select>
336             <button class="btn btn-secondary btn-sm" onclick="loadAllLeaves()">
Refresh</button>
337         </div>
338     </div>
339     <div class="table-wrap">
340         <table>
341             <thead><tr><th>ID</th><th>Employee
ID</th><th>Type</th><th>Start</th><th>End</th><th>Days</th><th>Status</th><th>Actions</th></tr></thead>
342             <tbody id="all-leaves-list"></tbody>
343         </table>
344     </div>
345 </div>
346
347 </div><!-- /content -->
348 </div><!-- /main-content -->
349 </div><!-- /app -->
350
351 <!-- Approval Modal -->
352 <div class="modal-overlay" id="action-modal">
353     <div class="modal">
354         <div class="modal-title" id="action-modal-title">Review Leave Request</div>
355         <input type="hidden" id="action-leave-id">
356         <input type="hidden" id="action-type">
357         <div class="form-group" style="margin-bottom:12px;">
358             <label>Remarks (optional)</label>
359             <textarea id="action-remarks" rows="3" placeholder="Add remarks for the
employee..."></textarea>
360         </div>
361         <div class="modal-actions">
362             <button class="btn btn-secondary" onclick="closeModal('action-modal')">Cancel</button>
363             <button class="btn btn-primary" id="action-submit-btn"
onclick="submitApproval()">Approve</button>
364         </div>
365     </div>
366 </div>
367
368 <!-- Cancel Modal -->
369 <div class="modal-overlay" id="cancel-modal">
370     <div class="modal">
371         <div class="modal-title">Cancel Leave Request</div>
372         <p style="color:var(--text2);font-size:13px;margin-bottom:16px;">Are you sure you want to cancel
this leave request? This action cannot be undone.</p>
373         <input type="hidden" id="cancel-leave-id">
374         <div class="form-group" style="margin-bottom:12px;">
375             <label>Reason for cancellation (optional)</label>
376             <textarea id="cancel-remarks" rows="2" placeholder="Reason..."></textarea>
377         </div>
378         <div class="modal-actions">
379             <button class="btn btn-secondary" onclick="closeModal('cancel-modal')">Keep Request</button>
380             <button class="btn btn-danger" onclick="confirmCancel()">Yes, Cancel</button>
381         </div>
382     </div>
383 </div>
384
385 <script>
386     const API = '';
387     let currentUser = null;
388     let allLeavesCache = [];

```

```

389
390 // Auth
391 function getAuthHeader() {
392     const token = localStorage.getItem('jwt_token');
393     return token ? { 'Authorization': `Bearer ${token}` } : {};
394 }
395
396 async function apiFetch(path, opts = {}) {
397     const response = await fetch(`${API}${path}`, {
398         ...opts,
399         headers: { 'Content-Type': 'application/json', ...getAuthHeader(), ...opts.headers },
400         credentials: 'include'
401     });
402     if (response.status === 401) {
403         localStorage.removeItem('jwt_token');
404         localStorage.removeItem('auth_type');
405         showAlert('Session expired. Please login again.', 'error');
406         setTimeout(() => window.location.href = '/google.html', 1500);
407         throw new Error('Unauthorized');
408     }
409     if (!response.ok) {
410         const err = await response.json().catch(() => ({ message: response.statusText }));
411         throw new Error(err.message || `Error ${response.status}`);
412     }
413     const text = await response.text();
414     return text ? JSON.parse(text) : {};
415 }
416
417 function logout() {
418     localStorage.removeItem('jwt_token');
419     localStorage.removeItem('auth_type');
420     window.location.href = '/google.html';
421 }
422
423 (async function initAuth() {
424     const token = localStorage.getItem('jwt_token');
425     const authType = localStorage.getItem('auth_type');
426     if (!token && authType !== 'session') { window.location.href = '/google.html'; return; }
427     try {
428         const employee = await apiFetch('/employee/me');
429         currentUser = employee;
430         const initials = (employee.name || employee.email || 'U').split(' ').map(w =>
w[0]).join('').substring(0,2).toUpperCase();
431         document.getElementById('user-initials').textContent = initials;
432         document.getElementById('username-display').textContent = employee.name || employee.email ||
'User';
433         document.getElementById('leave-email').value = employee.email || '';
434         loadDashboard();
435         loadPendingCount();
436     } catch(e) {
437         if (e.message !== 'Unauthorized') window.location.href = '/google.html';
438     }
439 })();
440
441 // Navigation
442 const viewTitles = {
443     dashboard: 'Leave Dashboard',
444     apply: 'Apply for Leave',
445     'my-leaves': 'My Leave Requests',
446     balance: 'Leave Balance',
447     pending: 'Pending Approvals',
448     'all-leaves': 'All Leave Requests'
449 };
450 const viewLoaders = {
451     dashboard: loadDashboard,
452     apply: () => {},
453     'my-leaves': loadMyLeaves,
454     balance: loadBalance,
455     pending: loadPendingLeaves,
456     'all-leaves': loadAllLeaves
457 };
458
459 function showView(name, el) {
460     document.querySelectorAll('.view').forEach(v => v.classList.remove('active'));
461     document.querySelectorAll('.nav-item').forEach(n => n.classList.remove('active'));
462     document.getElementById(name + '-view').classList.add('active');

```

```

463     if (el) el.classList.add('active');
464     document.getElementById('pageTitle').textContent = viewTitles[name] || name;
465     if (viewLoaders[name]) viewLoaders[name]();
466 }
467
468 // Helpers
469 function daysBetween(start, end) {
470     if (!start || !end) return '-';
471     const d = (new Date(end) - new Date(start)) / 86400000 + 1;
472     return d > 0 ? d : '-';
473 }
474
475 function chip(val) {
476     if (!val) return '-';
477     const cls = val.toLowerCase();
478     return `${val}</span>`;
479 }
480
481 function showAlert(msg, type = 'success') {
482     const el = document.createElement('div');
483     el.className = `alert alert-${type}`;
484     el.textContent = msg;
485     document.body.appendChild(el);
486     setTimeout(() => el.remove(), 3000);
487 }
488
489 function closeModal(id) {
490     document.getElementById(id).classList.remove('open');
491 }
492
493 document.querySelectorAll('.modal-overlay').forEach(m => {
494     m.addEventListener('click', e => { if (e.target === m) m.classList.remove('open'); });
495 });
496
497 // Dashboard
498 async function loadDashboard() {
499     try {
500         const [all, mine] = await Promise.all([
501             apiFetch('/leave_requests').catch(() => []),
502             apiFetch('/leave_requests/employee').catch(() => ({ requests: [] }))
503         ]);
504         const leaves = Array.isArray(all) ? all : [];
505         document.getElementById('s-total').textContent = leaves.length;
506         document.getElementById('s-pending').textContent = leaves.filter(l => l.status ===
507 'PENDING').length;
507         document.getElementById('s-approved').textContent = leaves.filter(l => l.status ===
508 'APPROVED').length;
508         document.getElementById('s-rejected').textContent = leaves.filter(l => l.status ===
509 'REJECTED').length;
509         const recent = leaves.slice(-8).reverse();
510         const tbody = document.getElementById('recent-leaves-body');
511         tbody.innerHTML = recent.length
512             ? recent.map(l => `|
513 <td>${l.employeeId || '-'}</td>
514 <td>${chip(l.leaveType)}</td>
515 <td>${l.startDate || '-'}</td>
516 <td>${l.endDate || '-'}</td>
517 <td>${daysBetween(l.startDate, l.endDate)}</td>
518 <td>${chip(l.status)}</td>
519 </tr>`).join('')
520             : `|<td colspan="6" class="empty-state">No leave requests yet</td></tr>`;
521     } catch(e) { showAlert('Failed to load dashboard: ' + e.message, 'error'); }
522 }
523
524 async function loadPendingCount() {
525     try {
526         const leaves = await apiFetch('/leave_requests/pending').catch(() => []);
527         const count = Array.isArray(leaves) ? leaves.filter(l => l.status === 'PENDING').length : 0;
528         const el = document.getElementById('pending-count');
529         if (count > 0) { el.textContent = count; el.style.display = 'inline'; }
530         else el.style.display = 'none';
531     } catch(e) {}
532 }
533
534 // Apply Leave
535 async function applyLeave() {

|  |

|  |

```

```

536     const leaveType = document.getElementById('leave-type').value;
537     const startDate = document.getElementById('leave-start').value;
538     const endDate = document.getElementById('leave-end').value;
539     const reason = document.getElementById('leave-reason').value.trim();
540     if (!startDate || !endDate) { showAlert('Please select both start and end dates.', 'error');
return; }
541     if (new Date(endDate) < new Date(startDate)) { showAlert('End date cannot be before start date.',
'error'); return; }
542     try {
543         await apiFetch('/leave_requests', {
544             method: 'POST',
545             body: JSON.stringify({ leaveType, startDate, endDate, reason })
546         });
547         showAlert('Leave request submitted successfully!', 'success');
548         clearLeaveForm();
549         loadPendingCount();
550     } catch(e) { showAlert('Failed to submit: ' + e.message, 'error'); }
551 }
552
553 function clearLeaveForm() {
554     document.getElementById('leave-start').value = '';
555     document.getElementById('leave-end').value = '';
556     document.getElementById('leave-reason').value = '';
557 }
558
559 // My Leaves
560 async function loadMyLeaves() {
561     try {
562         const data = await apiFetch('/leave_requests/employee');
563         const leaves = data.requests || (Array.isArray(data) ? data : []);
564         const tbody = document.getElementById('my-leaves-list');
565         tbody.innerHTML = leaves.length
566             ? leaves.map(l => `<tr>
567 <td>${l.leaveRequestId}</td>
568 <td>${chip(l.leaveType)}</td>
569 <td>${l.startDate || '-'}</td>
570 <td>${l.endDate || '-'}</td>
571 <td>${daysBetween(l.startDate, l.endDate)}</td>
572 <td>${chip(l.status)}</td>
573 <td style="max-width:180px;overflow:hidden;text-overflow:ellipsis;white-space:nowrap;"
title="${l.reason || ''}">${l.reason || '-'}</td>
574 <td>
575     ${l.status === 'PENDING'
576         ? `<button class="btn btn-danger btn-sm"
onclick="openCancelModal('${l.leaveRequestId}')>Cancel</button>`
577         : '-'}
578     </td>
579 </tr>`).join('')
580         : `<tr><td colspan="8" class="empty-state">No leave requests found</td></tr>`;
581     } catch(e) { showAlert('Failed to load your leaves: ' + e.message, 'error'); }
582 }
583
584 function openCancelModal(id) {
585     document.getElementById('cancel-leave-id').value = id;
586     document.getElementById('cancel-remarks').value = '';
587     document.getElementById('cancel-modal').classList.add('open');
588 }
589
590 async function confirmCancel() {
591     const id = document.getElementById('cancel-leave-id').value;
592     try {
593         await apiFetch(`/leave_requests/cancel/${id}`, { method: 'PUT' });
594         showAlert('Leave request cancelled.', 'success');
595         closeModal('cancel-modal');
596         loadMyLeaves();
597         loadPendingCount();
598     } catch(e) { showAlert('Failed to cancel: ' + e.message, 'error'); }
599 }
600
601 // Leave Balance
602 const balanceColors = {
603     SICK: '#f87171', CASUAL: '#4f8cff', MATERNITY: '#a78bfa', UNPAID: '#8b92a8'
604 };
605
606 function normalizeDashboardBalances(data) {
607     if (!data) return [];

```

```

608     if (data.leaveBalances) {
609         return Object.values(data.leaveBalances).map(balance => ({
610             type: balance.leaveType,
611             opening: Number(balance.opening ?? 0),
612             accrued: Number(balance.accrued ?? 0),
613             used: Number(balance.used ?? 0),
614             available: Number(balance.available ?? 0)
615         }));
616     }
617     return ['sick', 'casual', 'maternity']
618         .map(key => data[key])
619         .filter(Boolean)
620         .map(balance => ({
621             type: balance.leaveType,
622             opening: Number(balance.opening ?? 0),
623             accrued: Number(balance.accrued ?? 0),
624             used: Number(balance.used ?? 0),
625             available: Number(balance.available ?? 0)
626         }));
627 }
628
629 async function loadBalance() {
630     try {
631         const data = await apiFetch('/api/employees/me/leave-dashboard');
632         const grid = document.getElementById('balance-grid');
633         const balances = normalizeDashboardBalances(data);
634
635         if (balances.length) {
636             grid.innerHTML = balances.map(info => {
637                 const type = info.type;
638                 const used = info.used;
639                 const total = info.opening + info.accrued;
640                 const left = info.available;
641                 const pct = total ? Math.min(100, Math.round((used / total) * 100)) : 0;
642                 const color = balanceColors[type] || '#4f8cff';
643                 return `<div class="balance-card">
644                     <div class="balance-name">${type.replace(/_/g, ' ')}</div>
645                     <div class="balance-row">
646                         <span class="balance-big" style="color:${color}">${left}</span>
647                         <span class="balance-of">/${total} days left</span>
648                     </div>
649                     <div class="balance-bar"><div class="balance-fill"
650 style="width:${pct}%;background:${color}"></div></div>
651                 </div>`;
652             }).join('');
653         } else {
654             grid.innerHTML = `<div class="balance-card" style="color:var(--text2);grid-column:1/-
655 1;text-align:center;padding:32px;">
656                 Leave balance data not available from the API. Check <code>/api/employees/me/leave-dashboard</code>
657                 endpoint.
658             </div>`;
659         }
660     } catch (e) {
661         showAlert('Failed to load balance: ' + e.message, 'error');
662     }
663 }
664
665 // Pending Approvals
666 async function loadPendingLeaves() {
667     try {
668         const leaves = await apiFetch('/leave_requests/pending');
669         const arr = Array.isArray(leaves) ? leaves : [];
670         const count = arr.filter(l => l.status === 'PENDING').length;

```

```

681         const el = document.getElementById('pending-count');
682         if (count > 0) { el.textContent = count; el.style.display = 'inline'; }
683         else el.style.display = 'none';
684         const tbody = document.getElementById('pending-leaves-list');
685         tbody.innerHTML = arr.length
686             ? arr.map(l => `<tr>
687                 <td>${l.leaveRequestId}</td>
688                 <td>${l.employeeName || '-'}</td>
689                 <td>${chip(l.leaveType)}</td>
690                 <td>${l.startDate || '-'}</td>
691                 <td>${l.endDate || '-'}</td>
692                 <td>${daysBetween(l.startDate, l.endDate)}</td>
693                 <td style="max-width:140px;overflow:hidden;text-overflow:ellipsis;white-space:nowrap;"
title="${l.reason||''}">${l.reason || '-'}</td>
694                 <td class="action-row">
695                     <button class="btn btn-success btn-sm"
onclick="openActionModal(${l.leaveRequestId}, 'APPROVED')">Approve</button>
696                     <button class="btn btn-danger btn-sm"
onclick="openActionModal(${l.leaveRequestId}, 'REJECTED')">Reject</button>
697                 </td>
698             </tr>`).join('')
699         : `<tr><td colspan="8" class="empty-state">No pending leave requests</td></tr>`;
700     } catch(e) { showAlert('Failed to load pending: ' + e.message, 'error'); }
701 }
702
703 function openActionModal(id, action) {
704     document.getElementById('action-leave-id').value = id;
705     document.getElementById('action-type').value = action;
706     document.getElementById('action-remarks').value = '';
707     document.getElementById('action-modal-title').textContent = `${action === 'APPROVED' ? 'Approve' :
'Reject'} Leave Request #${id}`;
708     const btn = document.getElementById('action-submit-btn');
709     btn.textContent = action === 'APPROVED' ?
710
711     'Approve' : 'Reject';
712     btn.className = action === 'APPROVED' ? 'btn btn-success' : 'btn btn-danger';
713     document.getElementById('action-modal').classList.add('open');
714 }
715
716 async function submitApproval() {
717     const leaveRequestId = parseInt(document.getElementById('action-leave-id').value);
718     const action = document.getElementById('action-type').value;
719     const remarks = document.getElementById('action-remarks').value;
720     try {
721         await apiFetch('/leave_requests/approval', {
722             method: 'PUT',
723             body: JSON.stringify({ leaveRequestId, action, remarks })
724         });
725         showAlert(`Leave request ${action.toLowerCase()} successfully!`, 'success');
726         closeModal('action-modal');
727         loadPendingLeaves();
728         loadDashboard();
729     } catch(e) { showAlert('Failed: ' + e.message, 'error'); }
730 }
731
732 // All Leaves
733 async function loadAllLeaves() {
734     try {
735         const leaves = await apiFetch('/leave_requests');
736         allLeavesCache = Array.isArray(leaves) ? leaves : [];
737         renderAllLeaves(allLeavesCache);
738     } catch(e) { showAlert('Failed to load all leaves: ' + e.message, 'error'); }
739 }
740
741 function filterAllLeaves() {
742     const status = document.getElementById('status-filter').value;
743     const filtered = status ? allLeavesCache.filter(l => l.status === status) : allLeavesCache;
744     renderAllLeaves(filtered);
745 }
746
747 function renderAllLeaves(leaves) {
748     const tbody = document.getElementById('all-leaves-list');
749     tbody.innerHTML = leaves.length
750         ? leaves.map(l => `<tr>
751             <td>${l.leaveRequestId}</td>
752             <td>${l.employeeName || '-'}</td>

```

```

753         <td>${chip(l.leaveType)}</td>
754         <td>${l.startDate || '-'}</td>
755         <td>${l.endDate || '-'}</td>
756         <td>${daysBetween(l.startDate, l.endDate)}</td>
757         <td>${chip(l.status)}</td>
758         <td class="action-row">
759             ${l.status === 'PENDING'
760                 ? `<button class="btn btn-success btn-sm"
onclick="openActionModal(${l.leaveRequestId}, 'APPROVED')">Approve</button>
761                 <button class="btn btn-danger btn-sm"
onclick="openActionModal(${l.leaveRequestId}, 'REJECTED')">Reject</button>`
762                 : '-'}
763         </td>
764     </tr>`.join('')
765     : `<tr><td colspan="8" class="empty-state">No leave requests found</td></tr>`;
766 }
767 </script>
768 </body>
769 </html>
770

```



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <title>Title</title>
6 </head>
7 <body>
8 <h1>hi</h1>
9 </body>
10 </html>
```

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>EMS – Manager Console</title>
7      <link
href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@300;400;500;600;700&family=IBM+Plex+Mono:w
ght@400;500&display=swap" rel="stylesheet">
8      <link href="https://cdn.jsdelivr.net/npm/fullcalendar@6.1.8/index.global.min.css" rel="stylesheet">
9      <script src="https://cdn.jsdelivr.net/npm/fullcalendar@6.1.8/index.global.min.js"></script>
10     <style>
11         *{margin:0;padding:0;box-sizing:border-box}
12         :root{
13             --bg:#0a0b0f;--bg2:#0f1117;--bg3:#14171f;
14             --panel:#171c28;--panel2:#1d2336;
15             --border:rgba(167,139,250,0.08);--border2:rgba(167,139,250,0.18);
16             --text:#e8e0f5;--text2:#8b82a8;--text3:#504d68;
17             --accent:#a78bfa;--accent-dim:rgba(167,139,250,0.1);
18             --green:#34d399;--green-dim:rgba(52,211,153,0.1);
19             --amber:#fbbf24;--amber-dim:rgba(251,191,36,0.1);
20             --red:#f87171;--red-dim:rgba(248,113,113,0.1);
21             --blue:#60a5fa;--blue-dim:rgba(96,165,250,0.1);
22             --font:'Plus Jakarta Sans',sans-serif;--mono:'IBM Plex Mono',monospace;
23             --sidebar:250px;
24         }
25         body{font-family:var(--font);background:var(--bg);color:var(--text);font-
size:14px;overflow:hidden;height:100vh}
26         .app{display:flex;height:100vh}
27
28         /* SIDEBAR */
29         .sidebar{width:var(--sidebar);background:var(--bg2);border-right:1px solid var(--
border);display:flex;flex-direction:column;flex-shrink:0;position:relative;overflow:hidden}
30         .sidebar::after{content:'';position:absolute;bottom:0;left:0;right:0;height:200px;background:linear-
gradient(to top,rgba(167,139,250,0.04),transparent);pointer-events:none}
31         .logo{padding:22px 20px;border-bottom:1px solid var(--border);position:relative}
32         .logo-row{display:flex;align-items:center;gap:10px;margin-bottom:4px}
33         .logo-icon{width:34px;height:34px;background:linear-gradient(135deg,var(--accent),#7c3aed);border-
radius:10px;display:flex;align-items:center;justify-content:center;font-weight:700;font-siz...
34         .logo h2{font-size:16px;font-weight:700;color:var(--text)}
35         .logo p{font-size:11px;color:var(--text3);font-family:var(--mono)}
36         .role-badge{display:inline-flex;align-items:center;gap:6px;padding:4px 12px;background:linear-
gradient(90deg,rgba(167,139,250,0.15),rgba(124,58,237,0.08));border:1px solid rgba(167,139,250,...
37         .role-dot{width:6px;height:6px;background:var(--accent);border-radius:50%;animation:glow 2s
infinite}
38         @keyframes glow{0%,100%{box-shadow:0 0 4px var(--accent)}50%{box-shadow:0 0 10px var(--accent),0 0
20px rgba(167,139,250,0.4)}}
39         .nav{flex:1;padding:10px 0;overflow-y:auto}
40         .nav-section{padding:12px 20px 6px;font-size:9px;font-weight:700;color:var(--text3);letter-
spacing:2px;text-transform:uppercase}
41         .nav-item{display:flex;align-items:center;gap:10px;padding:10px 20px;margin:1px 8px;border-
radius:8px;cursor:pointer;transition:all 0.2s;color:var(--text2);font-size:13px;font-weight:500}
42         .nav-item:hover{background:var(--accent-dim);color:var(--accent)}
43         .nav-item.active{background:linear-gradient(90deg,var(--accent-
dim),rgba(124,58,237,0.06));color:var(--accent);border:1px solid rgba(167,139,250,0.2)}
44         .nav-badge{margin-left:auto;background:var(--red);color:#fff;font-size:10px;font-
weight:700;padding:2px 7px;border-radius:10px;min-width:18px;text-align:center}
45         .nav-badge.hidden{display:none}
46         .sidebar-footer{padding:16px 20px;border-top:1px solid var(--border)}
47         .user-card{display:flex;align-items:center;gap:10px}
48         .avatar{width:34px;height:34px;background:linear-gradient(135deg,#7c3aed,var(--accent));border-
radius:50%;display:flex;align-items:center;justify-content:center;font-size:14px;font-weight:7...
49         .user-info-side .name{font-size:12px;font-weight:600;color:var(--text)}
50         .user-info-side .role-text{font-size:10px;color:var(--accent);font-family:var(--mono);text-
transform:uppercase;letter-spacing:0.8px}
51
52         /* MAIN */
53         .main{flex:1;display:flex;flex-direction:column;overflow:hidden}
54         .topbar{background:var(--bg2);padding:14px 24px;display:flex;justify-content:space-between;align-
items:center;border-bottom:1px solid var(--border);flex-shrink:0}
55         .page-title{font-size:16px;font-weight:700;color:var(--text)}
56         .topbar-right{display:flex;align-items:center;gap:12px}

```

```

57     .logout-btn{padding:7px 16px;background:transparent;border:1px solid var(--border2);border-
radius:6px;color:var(--text2);font-family:var(--font);font-size:12px;cursor:pointer;transition:all...
58     .logout-btn:hover{background:var(--red-dim);border-color:var(--red);color:var(--red)}
59     .content{flex:1;overflow-y:auto;padding:24px}
60     .view{display:none}
61     .view.active{display:block;animation:fadeIn 0.3s ease}
62     @keyframes fadeIn{from{opacity:0;transform:translateY(8px)}to{opacity:1;transform:translateY(0)}}
63     .notif-wrapper { position: relative; cursor: pointer; }
64
65     .notif-badge {
66         position: absolute; top: -5px; right: -6px;
67         background: #e53e3e; color: white;
68         font-size: 10px; font-weight: 600;
69         min-width: 16px; height: 16px;
70         border-radius: 50%; display: flex;
71         align-items: center; justify-content: center;
72         padding: 0 3px;
73     }
74
75     .notif-panel {
76         position: absolute; top: 48px; right: 16px;
77         width: 320px; max-height: 400px; overflow-y: auto;
78         background: white; border: 1px solid #e2e8f0;
79         border-radius: 10px; box-shadow: 0 4px 16px rgba(0,0,0,0.1);
80         z-index: 999;
81     }
82
83     .notif-header {
84         padding: 12px 16px; font-weight: 600;
85         border-bottom: 1px solid #e2e8f0;
86     }
87
88     .notif-item {
89         padding: 12px 16px; font-size: 14px;
90         border-bottom: 1px solid #f1f5f9;
91     }
92
93     .notif-item.unread { background: #eff6ff; }
94     .notif-time { font-size: 11px; color: #94a3b8; margin-top: 4px; }
95
96     /* STATS */
97     .stats-grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(160px,1fr));gap:16px;margin-
bottom:24px}
98     .stat-card{background:var(--panel);border:1px solid var(--border);border-
radius:14px;padding:20px;position:relative;overflow:hidden;transition:all 0.2s;cursor:default}
99     .stat-card:hover{border-color:var(--border2);transform:translateY(-1px)}
100     .stat-card::before{content:'';position:absolute;top:0;left:0;right:0;height:3px}
101     .stat-card.purple::before{background:linear-gradient(90deg,#7c3aed,var(--accent))}
102     .stat-card.green::before{background:var(--green)}
103     .stat-card.amber::before{background:var(--amber)}
104     .stat-card.blue::before{background:var(--blue)}
105     .stat-label{font-size:11px;color:var(--text3);text-transform:uppercase;letter-spacing:0.8px;margin-
bottom:10px;font-weight:600}
106     .stat-value{font-size:30px;font-weight:700;color:var(--text);font-family:var(--mono);line-height:1}
107     .stat-sub{font-size:11px;color:var(--text3);margin-top:6px}
108
109     /* SECTION */
110     .section{background:var(--panel);border:1px solid var(--border);border-radius:14px;margin-
bottom:20px;overflow:hidden}
111     .section-head{padding:16px 20px;border-bottom:1px solid var(--border);display:flex;justify-
content:space-between;align-items:center}
112     .section-title{font-size:14px;font-weight:700;color:var(--text)}
113     .section-sub{font-size:12px;color:var(--text3);margin-top:2px}
114
115     /* TABLE */
116     .tablewrap{overflow-x:auto}
117     table{width:100%;border-collapse:collapse}
118     th{padding:10px 16px;text-align:left;font-size:10px;color:var(--text3);font-weight:700;letter-
spacing:1px;text-transform:uppercase;background:var(--bg3);border-bottom:1px solid var(--border)}
119     td{padding:12px 16px;border-bottom:1px solid var(--border);font-size:13px;color:var(--text2)}
120     tr:last-child td{border-bottom:none}
121     tr:hover td{background:rgba(167,139,250,0.03);color:var(--text)}
122
123     /* CHIPS */
124     .chip{display:inline-flex;align-items:center;padding:3px 10px;border-radius:20px;font-
size:11px;font-weight:600}

```

```

125     .chip.pending{background:var(--amber-dim);color:var(--amber);border:1px solid rgba(251,191,36,0.2)}
126     .chip.approved{background:var(--green-dim);color:var(--green);border:1px solid
rgba(52,211,153,0.2)}
127     .chip.rejected{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.2)}
128     .chip.active{background:var(--green-dim);color:var(--green);border:1px solid rgba(52,211,153,0.2)}
129     .chip.open { background: var(--accent-dim); color: var(--accent); }
130     .chip.sick{background:var(--red-dim);color:var(--red)}
131     .chip.casual{background:var(--amber-dim);color:var(--amber)}
132     .chip.maternity{background:var(--accent-dim);color:var(--accent)}
133     .chip.employee{background:var(--blue-dim);color:var(--blue)}
134     .chip.manager{background:var(--accent-dim);color:var(--accent)}
135     .chip.under_repair { background: var(--amber-dim); color: var(--amber); }
136     .chip.unpaid { background: rgba(139,92,246,0.15); color: #a78bfa; border: 1px solid
rgba(139,92,246,0.2); }
137     .chip.assigned { background: var(--green-dim); color: var(--green);}
138     .chip.condemned { background: var(--red-dim); color: var(--red);}
139
140     /* BUTTONS */
141     .btn{padding:8px 16px;border-radius:8px;border:none;font-family:var(--font);font-size:12px;font-
weight:600;cursor:pointer;transition:all 0.2s}
142     .btn-primary{background:var(--accent);color:#fff}
143     .btn-primary:hover{background:#7c3aed;box-shadow:0 4px 12px rgba(167,139,250,0.3)}
144     .btn-approve{background:var(--green-dim);color:var(--green);border:1px solid rgba(52,211,153,0.2)}
145     .btn-approve:hover{background:var(--green);color:#fff}
146     .btn-reject{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.2)}
147     .btn-reject:hover{background:var(--red);color:#fff}
148     .btn-secondary{background:var(--panel2);color:var(--text2);border:1px solid var(--border)}
149     .btn-secondary:hover{border-color:var(--border2);color:var(--text)}
150     .btn-sm{padding:5px 12px;font-size:11px}
151     .action-row{display:flex;gap:6px}
152
153     /* FORM */
154     .form-card{padding:24px}
155     .form-grid{display:grid;grid-template-columns:1fr 1fr;gap:16px}
156     .form-group{display:flex;flex-direction:column;gap:6px}
157     .form-group.full{grid-column:1/-1}
158     label{font-size:10px;font-weight:700;color:var(--text3);text-transform:uppercase;letter-
spacing:0.8px}
159     input,select,textarea{background:var(--bg3);border:1px solid var(--border);border-
radius:8px;padding:10px 14px;color:var(--text);font-family:var(--font);font-size:13px;transition:border-col...
160     input:focus,select:focus,textarea:focus{outline:none;border-color:var(--accent)}
161     input::placeholder{color:var(--text3)}
162     select option{background:var(--bg2)}
163     .form-actions{display:flex;gap:10px;margin-top:20px}
164
165     /* ALERT */
166     .alert{position:fixed;top:20px;right:20px;padding:12px 20px;border-radius:10px;z-
index:1100;animation:slideIn 0.3s ease;font-size:13px;font-weight:500}
167     .alert-success{background:var(--green-dim);color:var(--green);border:1px solid
rgba(52,211,153,0.3)}
168     .alert-error{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.3)}
169     .alert-warning{background:var(--amber-dim);color:var(--amber);border:1px solid
rgba(251,191,36,0.3)}
170     @keyframes slideIn{from{transform:translateX(120%);opacity:0}to{transform:translateX(0);opacity:1}}
171     .empty-state{text-align:center;color:var(--text3);font-style:italic;padding:30px}
172
173     /* GRID DASHBOARD */
174     .dash-grid{display:grid;grid-template-columns:1fr 1fr;gap:20px;margin-bottom:0}
175
176     /* SEARCH */
177     .search-bar{display:flex;align-items:center;gap:10px;margin-bottom:16px}
178     .search-input{flex:1;background:var(--bg3);border:1px solid var(--border);border-
radius:8px;padding:9px 14px;color:var(--text);font-family:var(--font);font-size:13px}
179     .search-input:focus{outline:none;border-color:var(--accent)}
180     .search-input::placeholder{color:var(--text3)}
181
182     /* ===== */
183     /* CALENDAR VIEW STYLES */
184     /* ===== */
185
186     /* Leave balance summary cards above the calendar */
187     .leave-balance-grid {
188         display: grid;
189         grid-template-columns: repeat(auto-fit, minmax(160px, 1fr));
190         gap: 14px;
191         padding: 20px;

```

```

192         border-bottom: 1px solid var(--border);
193     }
194     .leave-bal-card {
195         background: var(--bg3);
196         border: 1px solid var(--border);
197         border-radius: 10px;
198         padding: 16px 18px;
199         display: flex;
200         flex-direction: column;
201         gap: 6px;
202         position: relative;
203         overflow: hidden;
204         transition: border-color 0.2s;
205     }
206     .leave-bal-card:hover { border-color: var(--border2); }
207     .leave-bal-card::before {
208         content: '';
209         position: absolute;
210         left: 0; top: 0; bottom: 0;
211         width: 3px;
212         border-radius: 3px 0 0 3px;
213     }
214     .leave-bal-card.sick::before { background: var(--red); }
215     .leave-bal-card.casual::before { background: var(--amber); }
216     .leave-bal-card.mat::before { background: var(--accent); }
217     .leave-bal-card.total::before { background: var(--green); }
218     .lbc-icon { font-size: 18px; }
219     .lbc-label { font-size: 10px; color: var(--text3); text-transform: uppercase; letter-spacing: 1px;
font-weight: 600; }
220     .lbc-count { font-size: 24px; font-weight: 700; color: var(--text); font-family: var(--mono); line-
height: 1; }
221     .lbc-sub { font-size: 11px; color: var(--text3); }
222
223     /* Legend row */
224     .cal-legend {
225         display: flex;
226         align-items: center;
227         gap: 20px;
228         padding: 12px 20px;
229         border-bottom: 1px solid var(--border);
230         flex-wrap: wrap;
231     }
232     .legend-label { font-size: 11px; color: var(--text3); font-weight: 600; text-transform: uppercase;
letter-spacing: 0.8px; margin-right: 4px; }
233     .legend-item { display: flex; align-items: center; gap: 6px; font-size: 12px; color: var(--text2);
}
234     .legend-dot { width: 10px; height: 10px; border-radius: 50%; flex-shrink: 0; }
235
236     /* FullCalendar dark-theme overrides */
237     #employee-calendar {
238         padding: 16px 20px 20px;
239     }
240     /* Toolbar */
241     #employee-calendar .fc .fc-toolbar-title {
242         font-family: var(--font);
243         font-size: 15px;
244         font-weight: 600;
245         color: var(--text);
246     }
247     #employee-calendar .fc .fc-button {
248         background: var(--panel2);
249         border: 1px solid var(--border2);
250         color: var(--text2);
251         font-family: var(--font);
252         font-size: 12px;
253         font-weight: 600;
254         border-radius: 6px;
255         padding: 5px 12px;
256         transition: all 0.2s;
257         box-shadow: none;
258         text-transform: capitalize;
259     }
260     #employee-calendar .fc .fc-button:hover,
261     #employee-calendar .fc .fc-button-active,
262     #employee-calendar .fc .fc-button:not(:disabled):active {
263         background: var(--accent-dim);

```

```

264         border-color: var(--accent);
265         color: var(--accent);
266         box-shadow: none;
267     }
268     #employee-calendar .fc .fc-button:focus { box-shadow: none; outline: none; }
269
270     /* Grid */
271     #employee-calendar .fc-theme-standard td,
272     #employee-calendar .fc-theme-standard th,
273     #employee-calendar .fc-theme-standard .fc-scrollgrid {
274         border-color: var(--border);
275     }
276     #employee-calendar .fc .fc-col-header-cell-cushion {
277         font-family: var(--font);
278         font-size: 11px;
279         font-weight: 600;
280         color: var(--text3);
281         text-transform: uppercase;
282         letter-spacing: 0.8px;
283         padding: 8px 4px;
284     }
285     #employee-calendar .fc .fc-daygrid-day-number {
286         font-family: var(--mono);
287         font-size: 12px;
288         color: var(--text3);
289         padding: 6px 8px;
290     }
291     #employee-calendar .fc .fc-daygrid-day.fc-day-today {
292         background: var(--accent-dim) !important;
293     }
294     #employee-calendar .fc .fc-daygrid-day.fc-day-today .fc-daygrid-day-number {
295         color: var(--accent);
296         font-weight: 700;
297     }
298     #employee-calendar .fc .fc-daygrid-day:hover {
299         background: rgba(56,189,248,0.03);
300     }
301     #employee-calendar .fc-daygrid-day-frame {
302         background: var(--bg3);
303     }
304     #employee-calendar .fc .fc-day-other .fc-daygrid-day-frame {
305         background: var(--bg2);
306     }
307
308     /* Events */
309     #employee-calendar .fc-event {
310         border: none !important;
311         border-radius: 4px;
312         font-family: var(--font);
313         font-size: 11px;
314         font-weight: 600;
315         padding: 2px 6px;
316         cursor: pointer;
317     }
318     #employee-calendar .fc-event-title { font-weight: 600; }
319
320     /* Event tooltip */
321     .cal-tooltip {
322         position: fixed;
323         background: var(--panel2);
324         border: 1px solid var(--border2);
325         border-radius: 8px;
326         padding: 10px 14px;
327         font-size: 12px;
328         color: var(--text);
329         z-index: 9999;
330         pointer-events: none;
331         max-width: 200px;
332         box-shadow: 0 8px 24px rgba(0,0,0,0.4);
333     }
334     .cal-tooltip .tt-title { font-weight: 600; margin-bottom: 4px; font-size: 13px; }
335     .cal-tooltip .tt-row { color: var(--text2); margin-top: 2px; }
336
337     /* balance loading state */
338     .lbc-count.loading { color: var(--text3); font-size: 16px; }
339 </style>

```

```
340 </head>
341 <body>
342 <div class="app">
343   <!-- SIDEBAR -->
344   <div class="sidebar">
345     <div class="logo">
346       <div class="logo-row">
347         <div class="logo-icon">M</div>
348         <h2>EMS Console</h2>
349       </div>
350       <p>Management Portal</p>
351       <div class="role-badge"><span class="role-dot"></span>Manager</div>
352     </div>
353     <nav class="nav">
354       <div class="nav-section">Overview</div>
355       <div class="nav-item active" onclick="showView('dashboard',this)">
356         <span></span> Dashboard
357       </div>
358       <div class="nav-section">Team</div>
359       <div class="nav-item" onclick="showView('employees',this)"><span></span> All Employees</div>
360       <div class="nav-item" onclick="showView('add-employee',this)"><span></span> Add Employee</div>
361       <div class="nav-item" onclick="showView('promote-users',this)"><span></span> Promote Users
362       <span class="nav-badge" id="users-badge">0</span></div>
363       <div class="nav-section">Leave Management</div>
364       <div class="nav-item" onclick="showView('pending-leaves',this)">
365         <span></span> Pending Approvals
366         <span class="nav-badge" id="pending-badge">0</span>
367       </div>
368       <div class="nav-item" onclick="showView('all-leaves',this)"><span></span> All Leave
369       Requests</div>
370       <div class="nav-section">Personal</div>
371       <div class="nav-item" onclick="showView('apply-leave',this)"><span></span> Apply Leave</div>
372       <div class="nav-item" onclick="showView('my-leaves',this)"><span></span> My Leaves</div>
373       <div class="nav-item" onclick="showView('my-calendar',this)"><span class="icon"></span> My
374       Calendar</div>
375       <div class="nav-item" onclick="showView('profile',this)"><span></span> My Profile</div>
376       <div class="nav-item" onclick="showView('my-subscriptions',this)"><span></span> My
377       Subscriptions</div>
378       <div class="nav-item" onclick="showView('add-subscription',this)"><span></span> Subscribe to
379       Meal</div>
380       <div class="nav-item" onclick="showView('restaurants',this)"><span></span> Restaurants</div>
381       <div class="nav-item" onclick="showView('my-devices',this)"><span></span> My Devices</div>
382       <div class="nav-item" onclick="showView('service-requests', this)"><span class="icon"></span>
383       Service Requests</div>
384       <div class="nav-item" onclick="showView('search-employee',this)"><span></span> Search
385       Employee</div>
386     </nav>
387     <div class="sidebar-footer">
388       <div class="user-card">
389         <div class="avatar" id="avatar-initials">M</div>
390         <div class="user-info-side">
391           <div class="name" id="sidebar-name">Manager</div>
392           <div class="role-text">Manager</div>
393         </div>
394       </div>
395     </div>
396   </div>
397   <!-- MAIN -->
398   <div class="main">
399     <div class="topbar">
400       <div class="page-title" id="pageTitle">Dashboard</div>
401       <!-- Bell icon with badge -->
402       <div class="notif-wrapper" onclick="toggleNotifPanel()">
403         <svg width="22" height="22" viewBox="0 0 24 24" fill="none"
404           stroke="currentColor" stroke-width="2" stroke-linecap="round">
405           <path d="M18 8A6 6 0 0 0 6 8c0 7-3 9-3 9h18s-3-2-3-9"/>
406           <path d="M13.73 21a2 2 0 0 1-3.46 0"/>
407         </svg>
408         <span id="notif-badge" class="notif-badge" style="display:none"></span>
409       </div>
410       <!-- Dropdown panel -->
411       <div id="notif-panel" class="notif-panel" style="display:none">
412         <div class="notif-header">Notifications</div>
413         <div id="notif-list"></div>
414       </div>
415     </div>
416   </div>
417 </body>
418 </html>
```

```

409         </div>
410         <div class="topbar-right">
411             <span style="font-size:12px;color:var(--text3);font-family:var(--mono)" id="topbar-
email"></span>
412             <button class="logout-btn" onclick="logout()">Sign Out</button>
413         </div>
414     </div>
415     <div class="content">
416
417         <!-- DASHBOARD -->
418         <div id="dashboard-view" class="view active">
419             <div class="stats-grid">
420                 <div class="stat-card purple">
421                     <div class="stat-label">Total Employees</div>
422                     <div class="stat-value" id="stat-total">--</div>
423                     <div class="stat-sub">in your organization</div>
424                 </div>
425                 <div class="stat-card green">
426                     <div class="stat-label">Active Now</div>
427                     <div class="stat-value" id="stat-active">--</div>
428                     <div class="stat-sub">currently working</div>
429                 </div>
430                 <div class="stat-card amber">
431                     <div class="stat-label">Pending Approvals</div>
432                     <div class="stat-value" id="stat-pending">--</div>
433                     <div class="stat-sub">need your action</div>
434                 </div>
435                 <div class="stat-card blue">
436                     <div class="stat-label">On Leave Today</div>
437                     <div class="stat-value" id="stat-on-leave">--</div>
438                     <div class="stat-sub">employees absent</div>
439                 </div>
440             </div>
441             <div class="dash-grid">
442                 <div class="section">
443                     <div class="section-head">
444                         <div><div class="section-title"> Needs Attention</div><div class="section-
sub">Pending leave requests</div></div>
445                         <button class="btn btn-secondary btn-sm" onclick="showView('pending-
leaves',null)">View All </button>
446                     </div>
447                     <div class="tablewrap">
448                         <table>
449
450                             <thead><tr><th>Employee</th><th>Type</th><th>Dates</th><th>Action</th></tr></thead>
451                             <tbody id="dash-pending"><tr><td colspan="4" class="empty-
state">Loading...</td></tr></tbody>
452                         </table>
453                     </div>
454                 </div>
455                 <div class="section">
456                     <div class="section-head">
457                         <div><div class="section-title"> Team Overview</div><div class="section-
sub">Recent employees</div></div>
458                         <button class="btn btn-secondary btn-sm"
onclick="showView('employees',null)">View All </button>
459                     </div>
460                     <div class="tablewrap">
461                         <table>
462                             <thead><tr><th>Name</th><th>Dept</th><th>Status</th></tr></thead>
463                             <tbody id="dash-employees"><tr><td colspan="3" class="empty-
state">Loading...</td></tr></tbody>
464                         </table>
465                     </div>
466                 </div>
467             </div>
468
469         <!-- ALL EMPLOYEES -->
470         <div id="employees-view" class="view">
471             <div class="section">
472                 <div class="section-head">
473                     <div><div class="section-title">All Employees</div><div class="section-sub">Manage
your team</div></div>
474                     <button class="btn btn-secondary btn-sm" onclick="loadEmployees()">
Refresh</button>

```



```

475         </div>
476         <div style="padding:16px 20px;border-bottom:1px solid var(--border)">
477             <div class="search-bar">
478                 <input class="search-input" id="emp-search" placeholder="Search by name, email
or department..." oninput="filterEmployees()">
479             </div>
480         </div>
481         <div class="tablewrap">
482             <table>
483 <thead><tr><th>ID</th><th>Name</th><th>Email</th><th>Department</th><th>Role</th><th>Status</th><th>Actions</th>
</tr></thead>
484             <tbody id="employees-list"><tr><td colspan="7" class="empty-
state">Loading...</td></tr></tbody>
485             </table>
486         </div>
487     </div>
488 </div>
489
490     <!-- ADD EMPLOYEE -->
491     <div id="add-employee-view" class="view">
492         <div class="section">
493             <div class="section-head"><div class="section-title">Add New Employee</div></div>
494             <div class="form-card">
495                 <div class="form-grid">
496                     <div class="form-group"><label>Full Name</label><input id="emp-name"
placeholder="John Doe"></div>
497                     <div class="form-group"><label>Email</label><input type="email" id="emp-email"
placeholder="john@company.com"></div>
498                     <div class="form-group"><label>Password</label><input type="password" id="emp-
pass" placeholder="Temporary password"></div>
499                     <div class="form-group"><label>Gender</label>
500                     <select id="emp-gender">
501                         <option value="M">Male</option>
502                         <option value="F">Female</option>
503                         <option value="O">Other</option>
504                     </select>
505                     </div>
506                     <div class="form-group"><label>Timezone</label>
507                     <select id="emp-timezone">
508                         <option value="UTC">UTC</option>
509                         <option value="Asia/Kolkata">Asia/Kolkata (IST)</option>
510                         <option value="America/New_York">America/New_York (EST)</option>
511                         <option value="America/Los_Angeles">America/Los_Angeles (PST)</option>
512                         <option value="Europe/London">Europe/London (GMT)</option>
513                         <option value="Asia/Singapore">Asia/Singapore (SGT)</option>
514                     </select>
515                     </div>
516                 </div>
517                 <div class="form-actions">
518                     <button class="btn btn-primary" onclick="addEmployee()">Add Employee</button>
519                     <button class="btn btn-secondary" onclick="clearEmpForm()">Clear</button>
520                 </div>
521             </div>
522         </div>
523     </div>
524
525     <!-- SEARCH EMPLOYEE -->
526     <div id="search-employee-view" class="view">
527         <div class="section">
528             <div class="section-head">
529                 <div><div class="section-title"> Search Employee</div><div class="section-sub">Look
up any employee across the organisation</div></div>
530             </div>
531             <div style="padding:20px;border-bottom:1px solid var(--border)">
532                 <div style="display:flex;gap:10px">
533                     <input class="search-input" id="org-search-input" placeholder="Enter exact
employee name..."
534                         style="flex:1" onkeydown="if(event.key==='Enter')searchEmployee()">
535                     <button class="btn btn-primary" onclick="searchEmployee()">Search</button>
536                 </div>
537                 <div id="org-search-error" style="font-size:12px;color:var(--red);margin-
top:8px;display:none"></div>
538             </div>
539             <div id="org-search-results" style="padding:20px;display:none">
540

```

```

541         <!-- Employee Info Card -->
542         <div style="display:grid;grid-template-columns:1fr 1fr;gap:16px;margin-
bottom:20px">
543             <div style="background:var(--bg3);border:1px solid var(--border);border-
radius:10px;padding:16px">
544                 <div style="font-size:10px;font-weight:700;color:var(--text3);text-
transform:uppercase;letter-spacing:0.8px;margin-bottom:12px">Employee Info</div>
545                 <div style="display:flex;flex-direction:column;gap:8px">
546                     <div style="display:flex;justify-content:space-between">
547                         <span style="font-size:12px;color:var(--text3)">Name</span>
548                         <span style="font-size:13px;font-weight:600;color:var(--text)"
id="sr-name"></span>
549                     </div>
550                     <div style="display:flex;justify-content:space-between">
551                         <span style="font-size:12px;color:var(--text3)">ID</span>
552                         <span style="font-size:12px;font-family:var(--mono);color:var(--
accent)" id="sr-id"></span>
553                     </div>
554                     <div style="display:flex;justify-content:space-between">
555                         <span style="font-size:12px;color:var(--text3)">Email</span>
556                         <span style="font-size:12px;font-family:var(--mono);color:var(--
text2)" id="sr-email"></span>
557                     </div>
558                     <div style="display:flex;justify-content:space-between">
559                         <span style="font-size:12px;color:var(--text3)">Department</span>
560                         <span style="font-size:13px;color:var(--text)" id="sr-
dept"></span>
561                     </div>
562                 </div>
563             </div>
564             <div style="background:var(--bg3);border:1px solid var(--border);border-
radius:10px;padding:16px">
565                 <div style="font-size:10px;font-weight:700;color:var(--text3);text-
transform:uppercase;letter-spacing:0.8px;margin-bottom:12px">Status</div>
566                 <div style="display:flex;flex-direction:column;gap:8px">
567                     <div style="display:flex;justify-content:space-between;align-
items:center">
568                         <span style="font-size:12px;color:var(--text3)">Work Status</span>
569                         <span id="sr-status"></span>
570                     </div>
571                     <div style="display:flex;justify-content:space-between;align-
items:center">
572                         <span style="font-size:12px;color:var(--text3)">Attendance</span>
573                         <span style="font-size:13px;font-weight:600;color:var(--text)"
id="sr-attendance"></span>
574                     </div>
575                 </div>
576             </div>
577         </div>
578
579         <!-- Devices -->
580         <div style="background:var(--bg3);border:1px solid var(--border);border-
radius:10px;overflow:hidden">
581             <div style="padding:12px 16px;border-bottom:1px solid var(--border)">
582                 <span style="font-size:12px;font-weight:700;color:var(--text3);text-
transform:uppercase;letter-spacing:0.8px">Assigned Devices</span>
583             </div>
584             <table style="width:100%;border-collapse:collapse">
585                 <thead>
586                     <tr>
587                         <th style="padding:10px 16px;text-align:left;font-size:10px;color:var(-
-text3);font-weight:700;letter-spacing:1px;text-transform:uppercase;background:var(--bg3)"...
588                         <th style="padding:10px 16px;text-align:left;font-size:10px;color:var(-
-text3);font-weight:700;letter-spacing:1px;text-transform:uppercase;background:var(--bg3)"...
589                         <th style="padding:10px 16px;text-align:left;font-size:10px;color:var(-
-text3);font-weight:700;letter-spacing:1px;text-transform:uppercase;background:var(--bg3)"...
590                         <th style="padding:10px 16px;text-align:left;font-size:10px;color:var(-
-text3);font-weight:700;letter-spacing:1px;text-transform:uppercase;background:var(--bg3)"...
591                         <th style="padding:10px 16px;text-align:left;font-size:10px;color:var(-
-text3);font-weight:700;letter-spacing:1px;text-transform:uppercase;background:var(--bg3)"...
592                         <th style="padding:10px 16px;text-align:left;font-size:10px;color:var(-
-text3);font-weight:700;letter-spacing:1px;text-transform:uppercase;background:var(--bg3)"...
593                     </tr>
594                 </thead>
595                 <tbody id="sr-devices"></tbody>
596             </table>

```

```

597             </div>
598         </div>
599
600         <!-- Empty / initial state -->
601         <div id="org-search-empty" style="padding:40px;text-align:center;color:var(--
text3);font-style:italic">
602             Enter a name above to look up an employee
603         </div>
604     </div>
605 </div>
606
607 <!-- PROMOTE USERS -->
608 <div id="promote-users-view" class="view">
609     <div class="section">
610         <div class="section-head">
611             <div><div class="section-title"> Promote Users</div><div class="section-
sub">Onboard pending user registrations to your department</div></div>
612             <button class="btn btn-secondary btn-sm" onclick="loadUsers()"> Refresh</button>
613         </div>
614         <div class="tablewrap">
615             <table>
616                 <thead><tr><th>Name</th><th>Email</th><th>Timezone</th><th>Temp
Password</th><th>Action</th></tr></thead>
617                 <tbody id="users-list"><tr><td colspan="5" class="empty-
state">Loading...</td></tr></tbody>
618             </table>
619         </div>
620     </div>
621 </div>
622
623 <!-- PENDING LEAVE APPROVALS -->
624 <div id="pending-leaves-view" class="view">
625     <div class="section">
626         <div class="section-head">
627             <div><div class="section-title"> Pending Leave Approvals</div><div class="section-
sub">Review and take action</div></div>
628             <button class="btn btn-secondary btn-sm" onclick="loadPendingLeaves()">
Refresh</button>
629         </div>
630         <div class="tablewrap">
631             <table>
632                 <thead><tr><th>Employee</th><th>Type</th><th>From</th><th>To</th><th>Days</th><th>Reason</th><th>Actions</th></tr></thead>
633                 <tbody id="pending-leaves-list"><tr><td colspan="7" class="empty-
state">Loading...</td></tr></tbody>
634             </table>
635         </div>
636     </div>
637 </div>
638
639
640
641 <!-- ALL LEAVES -->
642 <div id="all-leaves-view" class="view">
643     <div class="section">
644         <div class="section-head">
645             <div><div class="section-title">All Leave Requests</div></div>
646             <button class="btn btn-secondary btn-sm" onclick="loadAllLeaves()">
Refresh</button>
647         </div>
648         <div class="tablewrap">
649             <table>
650                 <thead><tr><th>Employee</th><th>Type</th><th>From</th><th>To</th><th>Reason</th><th>Status</th></tr></thead>
651                 <tbody id="all-leaves-list"><tr><td colspan="7" class="empty-
state">Loading...</td></tr></tbody>
652             </table>
653         </div>
654     </div>
655 </div>
656
657 <!-- APPLY LEAVE -->
658 <div id="apply-leave-view" class="view">
659     <div class="section">
660         <div class="section-head">

```

```

661         <div>
662             <div class="section-title"> Apply for Leave</div>
663             <div class="section-sub">Submit a new leave request</div>
664         </div>
665     </div>
666     <div class="form-card">
667         <div class="form-grid">
668             <div class="form-group">
669                 <label>Leave Type</label>
670                 <select id="leave-type">
671                     <option value="SICK">Sick Leave</option>
672                     <option value="CASUAL">Casual Leave</option>
673                     <option value="UNPAID">Unpaid Leave</option>
674                 </select>
675                 <div id="sick-leave-hint" style="display:none;margin-top:6px;font-
size:11px;color:var(--amber);background:var(--amber-dim);border:1px solid rgba(251,191,36,0.2);bord...
676                     Sick leave is limited to <strong>1 day per month</strong>. If already
used this month, please select Unpaid Leave.
677                 </div>
678                 <div id="casual-leave-hint" style="display:none; margin-top:6px; font-
size:11px; color:var(--amber); background:var(--amber-dim); border:1px solid rgba(251,191,36,0...
679                     Casual leave is limited to <strong>1 day per month</strong>. If already
used this month, it will be automatically recorded as <strong>Unpaid Leave</strong>.
680                 </div>
681             </div>
682             <div class="form-group">
683                 <label>Reason</label>
684                 <input id="leave-reason" placeholder="Brief reason for leave">
685             </div>
686             <div class="form-group">
687                 <label>Start Date</label>
688                 <input type="date" id="leave-start">
689             </div>
690             <div class="form-group">
691                 <label>End Date</label>
692                 <input type="date" id="leave-end">
693             </div>
694         </div>
695         <div class="form-actions">
696             <button class="btn btn-primary" onclick="applyLeave()">Submit Request</button>
697             <button class="btn btn-secondary" onclick="clearLeaveForm()">Clear</button>
698         </div>
699     </div>
700 </div>
701 </div>
702
703 <!-- MY LEAVES -->
704 <div id="my-leaves-view" class="view">
705     <div class="section">
706         <div class="section-head">
707             <div class="section-title">My Leave Requests</div>
708             <button class="btn btn-secondary btn-sm" onclick="loadMyLeaves()"> Refresh</button>
709         </div>
710         <div class="tablewrap">
711             <table>
712
713 <thead><tr><th>Type</th><th>From</th><th>To</th><th>Days</th><th>Status</th></tr></thead>
714 <tbody id="my-leaves-list"><tr><td colspan="5" class="empty-
state">Loading...</td></tr></tbody>
715         </table>
716     </div>
717 </div>
718
719 <!-- ===== -->
720 <!-- MY CALENDAR VIEW (NEW) -->
721 <!-- ===== -->
722 <div id="my-calendar-view" class="view">
723     <div class="section">
724         <div class="section-head">
725             <div>
726                 <div class="section-title">My Leave Calendar</div>
727                 <div class="section-sub">All approved leaves and public holidays</div>
728             </div>
729             <button class="btn btn-secondary btn-sm" onclick="refreshCalendar()">
Refresh</button>

```

```
730         </div>
731
732         <!-- Leave Balance Summary Cards -->
733         <div class="leave-balance-grid">
734             <!-- Sick Leave Card -->
735             <div class="leave-bal-card sick">
736                 <span class="lbc-icon"></span>
737                 <span class="lbc-label">Sick Leave</span>
738                 <span class="lbc-count" id="cal-sick-remaining">--</span>
739                 <span class="lbc-sub" id="cal-sick-sub">loading...</span>
740             </div>
741             <!-- Casual Leave Card -->
742             <div class="leave-bal-card casual">
743                 <span class="lbc-icon"></span>
744                 <span class="lbc-label">Casual Leave</span>
745                 <span class="lbc-count" id="cal-casual-remaining">--</span>
746                 <span class="lbc-sub" id="cal-casual-sub">loading...</span>
747             </div>
748             <!-- Maternity Leave Card -->
749             <div class="leave-bal-card mat">
750                 <span class="lbc-icon"></span>
751                 <span class="lbc-label">Maternity Leave</span>
752                 <span class="lbc-count" id="cal-mat-remaining">--</span>
753                 <span class="lbc-sub" id="cal-mat-sub">loading...</span>
754             </div>
755             <!-- Total Used Card -->
756             <div class="leave-bal-card total">
757                 <span class="lbc-icon"></span>
758                 <span class="lbc-label">Total Used</span>
759                 <span class="lbc-count" id="cal-total-used">--</span>
760                 <span class="lbc-sub" id="cal-total-sub">loading...</span>
761             </div>
762         </div>
763
764         <!-- Legend -->
765         <div class="cal-legend">
766             <span class="legend-label">Legend:</span>
767             <div class="legend-item">
768                 <div class="legend-dot" style="background:#34d399"></div>
769                 Approved Leave
770             </div>
771             <div class="legend-item">
772                 <div class="legend-dot" style="background:#fbbf24"></div>
773                 Pending Leave
774             </div>
775             <div class="legend-item">
776                 <div class="legend-dot" style="background:#f87171"></div>
777                 Rejected Leave
778             </div>
779             <div class="legend-item">
780                 <div class="legend-dot" style="background:#38bdf8"></div>
781                 Public Holiday
782             </div>
783         </div>
784
785         <!-- FullCalendar Mount Point -->
786         <div id="employee-calendar"></div>
787     </div>
788 </div>
789 <!-- END CALENDAR VIEW -->
790
791 <!-- MY SUBSCRIPTIONS -->
792 <div id="my-subscriptions-view" class="view">
793     <div class="section">
794         <div class="section-head">
795             <div><div class="section-title"> My Subscriptions</div><div class="section-
796 sub">Your active meal subscriptions</div></div>
797             <button class="btn btn-secondary btn-sm" onclick="loadMySubscriptions()">
Refresh</button>
798         </div>
799         <div class="tablewrap">
800             <table>
801 <thead><tr><th>Slot</th><th>Restaurant</th><th>Address</th><th>Schedule</th><th>Day</th><th>Status</th><th>Next
Delivery</th></tr></thead>
802             <tbody id="my-subscriptions-list"><tr><td colspan="7" class="empty-
```

```
state">Loading...</td></tr></tbody>
802         </table>
803     </div>
804 </div>
805 </div>
806
807 <!-- ADD SUBSCRIPTION -->
808 <div id="add-subscription-view" class="view">
809     <div class="section">
810         <div class="section-head">
811             <div><div class="section-title"> Subscribe to Meal</div><div class="section-
812 sub">Add a new meal slot subscription</div></div>
813         </div>
814         <div class="form-card">
815             <div class="form-grid">
816                 <div class="form-group">
817                     <label>Schedule Type</label>
818                     <select id="sub-schedule" onchange="toggleDayOfWeek()">
819                         <option value="DAILY">Daily</option>
820                         <option value="WEEKLY">Weekly</option>
821                     </select>
822                 </div>
823                 <div class="form-group" id="day-of-week-group" style="display:none">
824                     <label>Day of Week</label>
825                     <select id="sub-day">
826                         <option value="MONDAY">Monday</option>
827                         <option value="TUESDAY">Tuesday</option>
828                         <option value="WEDNESDAY">Wednesday</option>
829                         <option value="THURSDAY">Thursday</option>
830                         <option value="FRIDAY">Friday</option>
831                         <option value="SATURDAY">Saturday</option>
832                         <option value="SUNDAY">Sunday</option>
833                     </select>
834                 </div>
835             </div>
836
837 <!-- Slot Orders -->
838 <div style="margin-top:20px">
839     <div style="display:flex;justify-content:space-between;align-
840 items:center;margin-bottom:12px">
841         <label style="font-size:11px;font-weight:700;color:var(--text3);letter-
842 spacing:0.8px;text-transform:uppercase">Meal Slots & Restaurants</label>
843         <button class="btn btn-secondary btn-sm" onclick="addSlotRow()"> Add
844 Slot</button>
845     </div>
846     <div id="slot-rows"></div>
847 </div>
848
849 <div class="form-actions">
850     <button class="btn btn-primary"
851 onclick="submitSubscription()">Subscribe</button>
852     <button class="btn btn-secondary"
853 onclick="clearSubscriptionForm()">Clear</button>
854 </div>
855 </div>
856 </div>
857 <!-- RESTAURANTS -->
858 <div id="restaurants-view" class="view">
859     <div class="section">
860         <div class="section-head">
861             <div><div class="section-title"> Restaurants</div><div class="section-sub">All
862 available restaurants</div></div>
863             <button class="btn btn-secondary btn-sm" onclick="loadRestaurants()">
864 Refresh</button>
865         </div>
866         <div class="tablewrap">
867             <table>
868                 <thead><tr><th>ID</th><th>Name</th><th>Address</th><th>Status</th></tr></thead>
869                 <tbody id="restaurants-list"><tr><td colspan="4" class="empty-
870 state">Loading...</td></tr></tbody>
871             </table>
872         </div>
873     </div>
874 </div>
```

```

868
869     <!-- MY DEVICES -->
870     <div id="my-devices-view" class="view">
871         <div class="section">
872             <div class="section-head">
873                 <div>
874                     <div class="section-title"> My Assigned Devices</div>
875                     <div class="section-sub">Devices currently assigned to you</div>
876                 </div>
877                 <button class="btn btn-secondary btn-sm" onclick="loadMyAssignedDevices()">
Refresh</button>
878             </div>
879             <div class="tablewrap">
880                 <table>
881                     <thead>
882                         <tr>
883                             <th>ID</th>
884                             <th>Device Name</th>
885                             <th>Brand</th>
886                             <th>Type</th>
887                             <th>Warranty</th>
888                             <th>Assigned On</th>
889                             <th>Status</th>
890                         </tr>
891                     </thead>
892                     <tbody id="my-devices-list">
893                         <tr><td colspan="7" class="empty-state">Loading...</td></tr>
894                     </tbody>
895                 </table>
896             </div>
897         </div>
898     </div>
899
900     <!-- SERVICE REQUESTS -->
901     <div id="service-requests-view" class="view">
902
903         <!-- List -->
904         <div class="section" style="margin-bottom:20px">
905             <div class="section-head">
906                 <div>
907                     <div class="section-title">My Service Requests</div>
908                     <div class="section-sub">All requests you have raised</div>
909                 </div>
910                 <button class="btn btn-secondary btn-sm" onclick="loadServiceRequestsList()">
Refresh</button>
911             </div>
912             <div class="tablewrap">
913                 <table>
914                     <thead>
915                         <tr>
916                             <th>ID</th>
917                             <th>Device</th>
918                             <th>Type</th>
919                             <th>Description</th>
920                             <th>Urgent</th>
921                             <th>Status</th>
922                             <th>Raised At</th>
923                         </tr>
924                     </thead>
925                     <tbody id="service-requests-list">
926                         <tr><td colspan="7" class="empty-state">Loading...</td></tr>
927                     </tbody>
928                 </table>
929             </div>
930         </div>
931
932         <!-- Raise form -->
933         <div class="section">
934             <div class="section-head"><div class="section-title">Raise a New Request</div></div>
935             <div class="form-card">
936                 <div class="form-grid">
937                     <div class="form-group full">
938                         <label>Device</label>
939                         <select id="sr-device-select">
940                             <option value="">-- Select your device --</option>
941                         </select>

```

```

942         </div>
943         <div class="form-group">
944             <label>Request Type</label>
945             <select id="sr-type">
946                 <option value="REPAIR">Repair</option>
947                 <option value="REPLACEMENT">Replacement</option>
948                 <option value="UPGRADE">Upgrade</option>
949                 <option value="MAINTENANCE">Maintenance</option>
950                 <option value="RETURN">Return</option>
951             </select>
952         </div>
953         <div class="form-group" style="display:flex;align-
items:center;gap:10px;padding-top:22px">
954             <input type="checkbox" id="sr-urgent"
style="width:16px;height:16px;padding:0;flex-shrink:0">
955             <label for="sr-urgent" style="text-transform:none;font-size:13px;font-
weight:500;color:var(--text);cursor:pointer;letter-spacing:0">
956                 Mark as Urgent
957             </label>
958         </div>
959         <div class="form-group full">
960             <label>Issue Description</label>
961             <textarea id="sr-description" rows="3" placeholder="Describe the issue in
detail..."></textarea>
962         </div>
963     </div>
964     <div class="form-actions">
965         <button class="btn btn-primary" onclick="submitServiceRequest()">Submit
Request</button>
966         <button class="btn btn-secondary"
onclick="clearServiceRequestForm()">Clear</button>
967     </div>
968 </div>
969 </div>
970 </div>
971 <!-- PROFILE -->
972 <div id="profile-view" class="view">
973     <div class="section">
974         <div class="section-head">
975             <div class="section-title">My Profile</div>
976         </div>
977         <div style="display:grid;grid-template-columns:1fr 1fr;gap:16px;padding:24px">
978             <div style="display:flex;flex-direction:column;gap:4px">
979                 <div style="font-size:10px;color:var(--text3);text-transform:uppercase;
letter-spacing:0.8px;font-weight:700">Name</div>
980                 <div style="font-size:14px;color:var(--text);padding:10px 14px;
background:var(--bg3);border-radius:8px;border:1px solid var(--border);
font-family:var(--mono)" id="p-name"></div>
981             </div>
982             <div style="display:flex;flex-direction:column;gap:4px">
983                 <div style="font-size:10px;color:var(--text3);text-transform:uppercase;
letter-spacing:0.8px;font-weight:700">Email</div>
984                 <div style="font-size:14px;color:var(--text);padding:10px 14px;
background:var(--bg3);border-radius:8px;border:1px solid var(--border);
font-family:var(--mono)" id="p-email"></div>
985             </div>
986             <div style="display:flex;flex-direction:column;gap:4px">
987                 <div style="font-size:10px;color:var(--text3);text-transform:uppercase;
letter-spacing:0.8px;font-weight:700">Department</div>
988                 <div style="font-size:14px;color:var(--text);padding:10px 14px;
background:var(--bg3);border-radius:8px;border:1px solid var(--border);
font-family:var(--mono)" id="p-dept"></div>
989             </div>
990             <div style="display:flex;flex-direction:column;gap:4px">
991                 <div style="font-size:10px;color:var(--text3);text-transform:uppercase;
letter-spacing:0.8px;font-weight:700">Role</div>
992                 <div style="font-size:14px;color:var(--text);padding:10px 14px;
background:var(--bg3);border-radius:8px;border:1px solid var(--border);
font-family:var(--mono)" id="p-role"></div>
993             </div>
994             <div style="display:flex;flex-direction:column;gap:4px">
995                 <div style="font-size:10px;color:var(--text3);text-transform:uppercase;
letter-spacing:0.8px;font-weight:700">Status</div>
996                 <div style="font-size:14px;color:var(--text);padding:10px 14px;
background:var(--bg3);border-radius:8px;border:1px solid var(--border);
font-family:var(--mono)" id="p-status"></div>
997             </div>
998         </div>
999     </div>
1000 </div>

```



```

1012         font-family:var(--mono)" id="p-status"></div>
1013     </div>
1014     <div style="display:flex;flex-direction:column;gap:4px">
1015         <div style="font-size:10px;color:var(--text3);text-transform:uppercase;
1016             letter-spacing:0.8px;font-weight:700">Timezone</div>
1017         <div style="font-size:14px;color:var(--text);padding:10px 14px;
1018             background:var(--bg3);border-radius:8px;border:1px solid var(--border);
1019             font-family:var(--mono)" id="p-tz"></div>
1020     </div>
1021 </div>
1022 </div>
1023
1024 <!-- MATERNITY SECTION – only visible for female managers -->
1025 <div class="section" id="maternity-apply-btn" style="display:none;margin-top:0">
1026     <div class="section-head">
1027         <div>
1028             <div class="section-title"> Maternity Leave</div>
1029             <div class="section-sub">Apply for 180 days maternity leave</div>
1030         </div>
1031     </div>
1032     <div class="form-card">
1033         <div class="form-grid">
1034             <div class="form-group">
1035                 <label>Start Date</label>
1036                 <input type="date" id="mat-start-date">
1037             </div>
1038             <div class="form-group">
1039                 <label>End Date (Auto)</label>
1040                 <input type="text" id="mat-end-date"
1041                     placeholder="Auto: start + 180 days"
1042                     disabled
1043                     style="color:var(--text3);cursor:not-allowed">
1044             </div>
1045             <div class="form-group full">
1046                 <label>Reason / Notes</label>
1047                 <textarea id="mat-reason" rows="3"
1048                     placeholder="Optional notes..."></textarea>
1049             </div>
1050             <div class="form-group full">
1051                 <div style="background:var(--accent-dim);
1052                     border:1px solid rgba(167,139,250,0.2);
1053                     border-radius:8px;padding:12px 16px;
1054                     font-size:12px;color:var(--text2)">
1055                     Maternity leave is fixed at
1056                     <strong style="color:var(--accent)">180 days</strong>.
1057                     End date is calculated automatically.
1058                     You can apply <strong style="color:var(--accent)">once per
1059 year</strong>.
1060                 </div>
1061             </div>
1062         </div>
1063         <div class="form-actions">
1064             <button class="btn btn-primary" onclick="applyMaternityLeave()">
1065                 Submit Maternity Leave
1066             </button>
1067         </div>
1068     </div>
1069 </div>
1070
1071 </div>
1072 </div>
1073 </div>
1074 <!-- Tooltip for calendar events -->
1075 <div class="cal-tooltip" id="cal-tooltip" style="display:none"></div>
1076 <script>
1077     const API='http://localhost:8080';
1078     let allEmployeesCache=[];
1079
1080     // Add these near the top of your <script>, right after: let allEmployeesCache=[];
1081
1082     let employeeCalendar = null;
1083     let calendarInitialized = false;
1084
1085     const STATUS_COLORS = {
1086         APPROVED : { bg:'rgba(52,211,153,0.25)', border:'#34d399', text:'#34d399' },

```

```

1087     PENDING : { bg:'rgba(251,191,36,0.25)', border:'#fbbf24', text:'#fbbf24' },
1088     REJECTED : { bg:'rgba(248,113,113,0.25)', border:'#f87171', text:'#f87171' },
1089     HOLIDAY : { bg:'rgba(167,139,250,0.25)', border:'#a78bfa', text:'#a78bfa' },
1090 };
1091
1092 const TYPE_LABEL = { SICK:' Sick', CASUAL:' Casual', MATERNITY:' Maternity', UNPAID:' Unpaid'
1093 };
1094
1095 (function(){
1096     const token=localStorage.getItem('jwt_token');
1097     const authType=localStorage.getItem('auth_type');
1098     if(!token&&authType!=='session'){window.location.href='/login.html';return;}
1099     if(token){
1100         try{
1101             const p=JSON.parse(atob(token.split('.')[1]));
1102             const rawRole = p.role || p.roles || p.authorities || '';
1103             const normalizedRoles = Array.isArray(rawRole)
1104                 ? rawRole.map(v => String(v).replace(/^ROLE_/, ''))
1105                 : [String(rawRole).replace(/^ROLE_/, '')];
1106             if(normalizedRoles.includes('MANAGER')) { initUser(); return; }
1107             if(normalizedRoles.includes('ADMIN')){window.location.href='/dashboard.html';return;}
1108             if(normalizedRoles.includes('EMPLOYEE')){window.location.href='/employee-
dashboard.html';return;}
1109             if(normalizedRoles.includes('VENDOR')){window.location.href='/vendor-
dashboard.html';return;}
1110         }catch(e){}
1111     }
1112     initUser();
1113 })();
1114
1115 function getAuthHeader(){
1116     const t=localStorage.getItem('jwt_token');
1117     return t?{'Authorization':`Bearer ${t}`}:{};
1118 }
1119 async function apiFetch(path, opts={}){
1120     const res = await fetch(`${API}${path}`, {
1121         ...opts,
1122         headers: {'Content-Type':'application/json',...getAuthHeader(),...(opts.headers||{})},
1123         credentials: 'include'
1124     });
1125     if(res.status===401){
1126         localStorage.removeItem('jwt_token');
1127         localStorage.removeItem('auth_type');
1128         showAlert('Session expired','error');
1129         setTimeout(()=>window.location.href='/google.html',1500);
1130         throw new Error('Unauthorized');
1131     }
1132     const text = await res.text();
1133     if(!res.ok){
1134         let message = res.statusText || `Error ${res.status}`;
1135         try {
1136             const body = text ? JSON.parse(text) : null;
1137             message = body?.message || body?.error || message;
1138         } catch {
1139             message = text || message;
1140         }
1141         throw new Error(message);
1142     }
1143     if(!text) return null;
1144     try { return JSON.parse(text); } // try JSON first
1145     catch { return text; } // fall back to plain string
1146 }
1147
1148 function asArray(value){
1149     return Array.isArray(value) ? value : [];
1150 }
1151
1152 async function initUser(){
1153     const token=localStorage.getItem('jwt_token');
1154     let email='';
1155     if(token){try{const p=JSON.parse(atob(token.split('.')[1]));email=p.sub||p.email||'';}catch(e){}}
1156     document.getElementById('avatar-initials').textContent=(email||'M').charAt(0).toUpperCase();
1157     document.getElementById('sidebar-name').textContent=email||'Manager';
1158     document.getElementById('topbar-email').textContent=email;
1159     loadDashboard();
1160     loadUsers();

```

```

1161     }
1162
1163     function showView(name,el){
1164         document.querySelectorAll('.view').forEach(v=>v.classList.remove('active'));
1165         document.getElementById(`${name}-view`).classList.add('active');
1166         document.querySelectorAll('.nav-item').forEach(n=>n.classList.remove('active'));
1167         if(el)el.classList.add('active');
1168         document.getElementById('pageTitle').textContent=name.split('-
1169 ')
1170         .map(w=>w.charAt(0).toUpperCase()+w.slice(1)).join(' ');
1171         const loaders = {
1172             dashboard: loadDashboard,
1173             employees: loadEmployees,
1174             'pending-leaves': loadPendingLeaves,
1175             'all-leaves': loadAllLeaves,
1176             'my-leaves': loadMyLeaves,
1177             'my-calendar': loadMyCalendar,
1178             'add-employee': () => {},
1179             'promote-users': loadUsers,
1180             'my-subscriptions': loadMySubscriptions,
1181             'add-subscription': () => {},
1182             restaurants: loadRestaurants,
1183             'my-devices': loadMyAssignedDevices,
1184             'service-requests': loadServiceRequests,
1185             'search-employee': () => {},
1186             'profile': loadProfile, // ADD THIS
1187         };
1188         if(loaders[name])loaders[name]();
1189     }
1190
1191     async function loadDashboard(){
1192         const [empsResult, leavesResult] = await Promise.allSettled([
1193             apiFetch('/manager/employees'),
1194             apiFetch('/manager/pending')
1195         ]);
1196
1197         const emps = asArray(empsResult.status === 'fulfilled' ? empsResult.value : []);
1198         const leaves = asArray(leavesResult.status === 'fulfilled' ? leavesResult.value : []);
1199
1200         if (empsResult.status === 'rejected') {
1201             console.error('Failed to load manager employees:', empsResult.reason);
1202             document.getElementById('dash-employees').innerHTML =
1203                 '<tr><td colspan="3" class="empty-state">Could not load employees</td></tr>';
1204         }
1205         if (leavesResult.status === 'rejected') {
1206             console.error('Failed to load pending leaves:', leavesResult.reason);
1207             document.getElementById('dash-pending').innerHTML =
1208                 '<tr><td colspan="4" class="empty-state">Could not load pending requests</td></tr>';
1209         }
1210
1211         // Stats
1212         document.getElementById('stat-total').textContent = emps.length;
1213         document.getElementById('stat-active').textContent = emps.filter(e => e.status ===
1214 'ACTIVE').length;
1215         document.getElementById('stat-on-leave').textContent = emps.filter(e => e.status ===
1216 'ON_LEAVE').length;
1217         const pending = leaves.filter(l => l.status === 'PENDING');
1218         document.getElementById('stat-pending').textContent = pending.length;
1219         document.getElementById('pending-badge').textContent = pending.length;
1220         document.getElementById('pending-badge').classList.toggle('hidden', pending.length === 0);
1221
1222         // Build employeeId name lookup from employees list
1223         const empMap = {};
1224         emps.forEach(e => { empMap[e.employeeId] = e.name || '-'; });
1225
1226         // Dash pending
1227         if (leavesResult.status === 'fulfilled') {
1228             document.getElementById('dash-pending').innerHTML = pending.length
1229             ? pending.slice(0, 5).map(l => {
1230                 const leaveId = l.leaveRequestId || 0;
1231                 const empName = empMap[l.employeeId] || `#${l.employeeId}`;
1232                 return `<tr>
1233                     <td>${empName}</td>
1234                     <td><span class="chip ${l.leaveType||''}.toLowerCase()">${l.leaveType}</span></td>
1235                     <td>${l.startDate} ${l.endDate}</td>
1236                     <td><div class="action-row">
1237                         <button class="btn btn-approve btn-sm"

```

```

onclick="approveLeave(${leaveId})"></button>
1234         <button class="btn btn-reject btn-sm" onclick="rejectLeave(${leaveId})"></button>
1235     </div></td>
1236 </tr>`;
1237 }).join('')
1238 : '<tr><td colspan="4" class="empty-state">No pending requests </td></tr>';
1239 }
1240
1241 // Dash employees
1242 if (empsResult.status === 'fulfilled') {
1243     document.getElementById('dash-employees').innerHTML = emps.length
1244     ? emps.slice(0, 6).map(e => `<tr>
1245         <td>${e.name || '-'}</td>
1246         <td>${e.dept || '-'}</td>
1247         <td><span class="chip ${e.status || ''}.toLowerCase()>${e.status || '-'}</span></td>
1248     </tr>`).join('')
1249     : '<tr><td colspan="3" class="empty-state">No employees</td></tr>';
1250 }
1251 }
1252
1253 async function loadEmployees(){
1254     try{
1255         const emps=await apiFetch('/manager/employees');
1256         allEmployeesCache=emps||[];
1257         renderEmployees(allEmployeesCache);
1258     }catch(e){document.getElementById('employees-list').innerHTML='<tr><td colspan="7" class="empty-
state">Could not load employees</td></tr>';}
1259 }
1260
1261 function renderEmployees(emps){
1262     document.getElementById('employees-list').innerHTML=emps.length
1263     ? emps.map(e=>`<tr><td style="font-family:var(--mono);font-
size:12px">#${e.employeeId}</td><td>${e.name||'-'}</td><td style="font-family:var(--mono);font-
size:12px">${e.email||'-'}</td>...
1264     : '<tr><td colspan="7" class="empty-state">No employees found</td></tr>';
1265 }
1266
1267 function filterEmployees(){
1268     const q=document.getElementById('emp-search').value.toLowerCase();
1269     renderEmployees(allEmployeesCache.filter(e=>(e.name||'').toLowerCase().includes(q)||e.email||'').toLowerCase().
includes(q)||e.dept||'').toLowerCase().includes(q)));
1270 }
1271
1272 async function addEmployee(){
1273     const name = document.getElementById('emp-name').value.trim();
1274     const email = document.getElementById('emp-email').value.trim();
1275     const password = document.getElementById('emp-pass').value;
1276     const gender = document.getElementById('emp-gender').value;
1277     const timezone = document.getElementById('emp-timezone').value;
1278     if(!name || !email || !password){
1279         showAlert('Please fill all required fields','error');
1280         return;
1281     }
1282     try{
1283         await apiFetch('/manager/employees', {
1284             method: 'POST',
1285             body: JSON.stringify({ name, email, password, timezone, gender })
1286         });
1287         showAlert('Employee added successfully!','success');
1288         clearEmpForm();
1289         loadEmployees();
1290     }catch(e){ showAlert('Failed: '+e.message,'error'); }
1291 }
1292
1293 function clearEmpForm(){
1294     ['emp-name', 'emp-email', 'emp-pass'].forEach(id=>document.getElementById(id).value='');
1295     document.getElementById('emp-timezone').value = 'UTC';
1296     document.getElementById('emp-gender').selectedIndex = 0;
1297 }
1298
1299 async function deleteEmployee(id){
1300     if(!confirm('Remove this employee?'))return;
1301     try{await apiFetch(`/employee/${id}`, {method:'DELETE'});showAlert('Employee
removed', 'success');loadEmployees();}
1302     catch(e){
1303         console.log(e);

```

```

1303     showAlert('Failed to remove employee','error');
1304     }
1305 }
1306
1307 async function loadPendingLeaves(){
1308     try{
1309         const leaves = await apiFetch('/manager/pending');
1310         console.log('Leave sample:', leaves?.[0]); // remove after confirming
1311         const pending=(leaves||[]).filter(l=>l.status==='PENDING');
1312         document.getElementById('pending-leaves-list').innerHTML=pending.length
1313             ? pending.map(l=>{
1314                 // Try all possible ID field names your DTO might use
1315                 const leaveId = l.leaveRequestId || l.leaveId || l.id || 0;
1316                 return `<tr>
1317                     <td>${l.employeeName||l.employeeId||'-'}</td>
1318                     <td><span class="chip ${l.leaveType||''}.toLowerCase()">${l.leaveType}</span></td>
1319                     <td>${l.startDate}</td>
1320                     <td>${l.endDate}</td>
1321                     <td>${l.numberOfDays||'-'}</td>
1322                     <td>${(l.reason||'-').substring(0,40)}</td>
1323                     <td><div class="action-row">
1324                         <button class="btn btn-approve btn-sm" onclick="approveLeave(${leaveId})">
Approve</button>
1325                         <button class="btn btn-reject btn-sm" onclick="rejectLeave(${leaveId})">
Reject</button>
1326                     </div></td>
1327                 </tr>`;
1328             }).join('')
1329             : `<tr><td colspan="7" class="empty-state">No pending approvals </td></tr>`;
1330     }catch(e){
1331         document.getElementById('pending-leaves-list').innerHTML=`<tr><td colspan="7" class="empty-
state">Could not load</td></tr>`;
1332     }
1333 }
1334
1335 async function approveLeave(id) {
1336     console.log('Approving leaveRequestId:', id); // verify this is not 0
1337     try {
1338         const res = await fetch(`${API}/leave_requests/approval`, {
1339             method: 'PUT',
1340             headers: { 'Content-Type': 'application/json', ...getAuthHeader() },
1341             credentials: 'include',
1342             body: JSON.stringify({
1343                 leaveRequestId: id, // matches ActionDTO exactly
1344                 action: 'APPROVED', // check if your service expects uppercase or lowercase
1345                 remarks: ''
1346             })
1347         });
1348         const text = await res.text();
1349         if (res.ok) {
1350             showAlert('Leave approved ', 'success');
1351             loadPendingLeaves(); loadDashboard(); loadAllLeaves();
1352         } else {
1353             showAlert('Error: ' + text, 'error');
1354         }
1355     } catch(e) { showAlert(e.message, 'error'); }
1356 }
1357
1358 async function rejectLeave(id) {
1359     console.log('Rejecting leaveRequestId:', id); // verify this is not 0
1360     try {
1361         const res = await fetch(`${API}/leave_requests/approval`, {
1362             method: 'PUT',
1363             headers: { 'Content-Type': 'application/json', ...getAuthHeader() },
1364             credentials: 'include',
1365             body: JSON.stringify({
1366                 leaveRequestId: id, // matches ActionDTO exactly
1367                 action: 'REJECTED', // check if your service expects uppercase or lowercase
1368                 remarks: ''
1369             })
1370         });
1371         const text = await res.text();
1372         if (res.ok) {
1373             showAlert('Leave rejected', 'success');
1374             loadPendingLeaves(); loadDashboard(); loadAllLeaves();
1375         } else {
1376             showAlert('Error: ' + text, 'error');
1377         }
1378     }

```

```

1376     }
1377   } catch(e) { showAlert('Failed: ' + e.message, 'error'); }
1378 }
1379
1380 async function loadAllLeaves(){
1381   try{
1382     const leaves=await apiFetch('/manager/requests');
1383     document.getElementById('all-leaves-list').innerHTML=(leaves||[]).length
1384       ? (leaves).map(l=><tr>
1385         <td>${l.employeeName||'-'}</td>
1386         <td><span class="chip ${l.leaveType||''}.toLowerCase()>${l.leaveType||'-'}</span></td>
1387         <td>${l.startDate||'-'}</td>
1388         <td>${l.endDate||'-'}</td>
1389         <td>${l.reason||'-'}.substring(0,50}</td>
1390         <td><span class="chip ${l.status||''}.toLowerCase()>${l.status||'-'}</span></td>
1391       </tr>`)
1392     : <tr><td colspan="7" class="empty-state">No leave requests</td></tr>;
1393   }catch(e){document.getElementById('all-leaves-list').innerHTML=<tr><td colspan="7" class="empty-
state">Could not load</td></tr>;}
1394 }
1395
1396 async function applyLeave() {
1397   const leaveType = document.getElementById('leave-type').value;
1398   const reason = document.getElementById('leave-reason').value.trim();
1399   const startDate = document.getElementById('leave-start').value;
1400   const endDate = document.getElementById('leave-end').value;
1401
1402   if (!reason || !startDate || !endDate) {
1403     showAlert('Please fill all fields', 'error');
1404     return;
1405   }
1406   if (endDate < startDate) {
1407     showAlert('End date cannot be before start date', 'error');
1408     return;
1409   }
1410
1411   try {
1412     const res = await fetch(`${API}/leave_requests`, {
1413       method: 'POST',
1414       headers: { 'Content-Type': 'application/json', ...getAuthHeader() },
1415       credentials: 'include',
1416       body: JSON.stringify({ leaveType, reason, startDate, endDate })
1417     });
1418
1419     const text = await res.text();
1420
1421     if (res.ok) {
1422       let data = null;
1423       try { data = JSON.parse(text); } catch {}
1424
1425       if (data && data.warning) {
1426         showAlert(data.warning, 'warning');
1427       } else {
1428         showAlert('Leave request submitted successfully!', 'success');
1429       }
1430       clearLeaveForm();
1431       loadMyLeaves();
1432     } else {
1433       showAlert('Failed: ' + text, 'error');
1434     }
1435   } catch(e) {
1436     showAlert('Error: ' + e.message, 'error');
1437   }
1438 }
1439
1440 document.getElementById('leave-type').addEventListener('change', function() {
1441   document.getElementById('sick-leave-hint').style.display =
1442     this.value === 'SICK' ? 'block' : 'none';
1443   document.getElementById('casual-leave-hint').style.display =
1444     this.value === 'CASUAL' ? 'block' : 'none';
1445 });
1446
1447 function clearLeaveForm() {
1448   document.getElementById('leave-type').value = 'SICK';
1449   document.getElementById('leave-reason').value = '';
1450   document.getElementById('leave-start').value = '';
1451   document.getElementById('leave-end').value = '';

```

```

1451 }
1452
1453 async function loadMyLeaves(){
1454     try{
1455         const data=await apiFetch('/leave_requests/employee');
1456         const leaves=data?.requests||data||[];
1457         document.getElementById('my-leaves-list').innerHTML=leaves.length
1458             ? leaves.map(l=><tr><td><span class="chip
1459 ${l.leaveType||''}.toLowerCase()">${l.leaveType}</span></td><td>${l.startDate}</td><td>${l.endDate}</td><td>${
1460 l.numberOfDays||'-'}</td><td><...
1461 : <tr><td colspan="5" class="empty-state">No leave requests</td></tr>';
1462     }catch(e){document.getElementById('my-leaves-list').innerHTML='<tr><td colspan="5" class="empty-
1463 state">Could not load</td></tr>';}
1464 }
1465
1466 async function loadUsers(){
1467     try{
1468         const users = await apiFetch('/manager/Users');
1469         const badge = document.getElementById('users-badge');
1470         if(badge){ badge.textContent = (users||[]).length;
1471 badge.classList.toggle('hidden',(users||[]).length===0); }
1472         document.getElementById('users-list').innerHTML = (users||[]).length
1473             ? users.map(u=><tr>
1474                 <td>${u.name||'-'}</td>
1475                 <td style="font-family:var(--mono);font-size:12px">${u.email||'-'}</td>
1476                 <td style="font-family:var(--mono);font-size:12px">${u.timezone||'-'}</td>
1477                 <td><input type="password" placeholder="Set password" id="pwd-${CSS.escape(u.email)}"
1478                     style="padding:6px 10px;font-size:12px;width:160px"></td>
1479                 <td><button class="btn btn-approve btn-sm" onclick="promoteUser('${u.email}')">
1480 Promote</button></td>
1481             </tr>`).join('')
1482             : <tr><td colspan="5" class="empty-state">No pending user registrations</td></tr>';
1483     }catch(e){
1484         document.getElementById('users-list').innerHTML='<tr><td colspan="5" class="empty-state">Could not
1485 load</td></tr>';
1486     }
1487 }
1488
1489 async function promoteUser(email){
1490     const pwdInput = document.getElementById('pwd-'+CSS.escape(email));
1491     const password = pwdInput?.value?.trim();
1492     if(!password){ showAlert('Please set a password before promoting','error'); return; }
1493     try{
1494         const res = await fetch(`${API}/manager/promote`,{
1495             method:'PUT',
1496             headers:{'Content-Type':'application/json',...getAuthHeader()},
1497             credentials:'include',
1498             body: JSON.stringify({ email, password })
1499         });
1500         const text = await res.text();
1501         if(res.ok){
1502             showAlert(`${email} promoted to Employee `, 'success');
1503             loadUsers();
1504         } else {
1505             showAlert('Error: '+text, 'error');
1506         }
1507     }catch(e){ showAlert('Failed: '+e.message, 'error'); }
1508 }
1509
1510 async function loadRestaurants(){
1511     try{
1512         const data = await apiFetch('/restaurants');
1513         document.getElementById('restaurants-list').innerHTML = (data||[]).length
1514             ? data.map(r=><tr>
1515                 <td style="font-family:var(--mono);font-size:12px">#${r.restaurantId||r.id}</td>
1516                 <td>${r.name||'-'}</td>
1517                 <td style="font-size:12px;color:var(--text3)">${r.address||'-'}</td>
1518                 <td><span class="chip active">${r.status||'ACTIVE'}</span></td>
1519             </tr>`).join('')
1520             : <tr><td colspan="4" class="empty-state">No restaurants found</td></tr>';
1521     }catch(e){
1522         document.getElementById('restaurants-list').innerHTML='<tr><td colspan="4" class="empty-
1523 state">Could not load</td></tr>';
1524     }
1525 }
1526
1527 // SUBSCRIPTIONS

```

```

1520
1521 async function loadMySubscriptions(){
1522     try{
1523         const subs = await apiFetch('/subscription/user');
1524         document.getElementById('my-subscriptions-list').innerHTML = (subs||[]).length
1525             ? subs.map(s=><tr>
1526                 <td><span class="chip pending">${s.mealSlot||'-'}</span></td>
1527                 <td>${s.restaurantName||'-'}</td>
1528                 <td style="font-size:12px;color:var(--text3)">${s.restaurantAddress||'-'}</td>
1529                 <td>${s.scheduleType||'-'}</td>
1530                 <td>${s.dayOfWeek||'-'}</td>
1531                 <td><span class="chip ${s.status||''}.toLowerCase()">${s.status||'-'}</span></td>
1532                 <td style="font-family:var(--mono);font-size:11px">${s.nextDeliveryTime ? new
Date(s.nextDeliveryTime).toLocaleString() : '-'}</td>
1533             </tr>`).join('')
1534             : '<tr><td colspan="7" class="empty-state">No subscriptions yet</td></tr>';
1535     }catch(e){
1536         document.getElementById('my-subscriptions-list').innerHTML='<tr><td colspan="7" class="empty-
state">Could not load</td></tr>';
1537     }
1538 }
1539
1540 let slotRowCount = 0;
1541 async function addSlotRow(){
1542     slotRowCount++;
1543     const id = slotRowCount;
1544     const div = document.createElement('div');
1545     div.id = `slot-row-${id}`;
1546     div.style.cssText = 'display:grid;grid-template-columns:1fr 1fr auto;gap:12px;margin-
bottom:10px;align-items:end';
1547
1548     // Fetch restaurants for the dropdown
1549     let options = '<option value="">Loading...</option>';
1550     try{
1551         const data = await apiFetch('/restaurants');
1552         options = data.map(r => `<option
value="${r.restaurantId||r.id}">${r.name}</option>`).join('');
1553     }catch(e){ options = '<option value="">Could not load</option>'; }
1554
1555     div.innerHTML = `
1556     <div class="form-group" style="margin:0">
1557         <label>Meal Slot</label>
1558         <select id="slot-meal-${id}">
1559             <option value="BREAKFAST">Breakfast</option>
1560             <option value="LUNCH">Lunch</option>
1561             <option value="DINNER">Dinner</option>
1562         </select>
1563     </div>
1564     <div class="form-group" style="margin:0">
1565         <label>Restaurant</label>
1566         <select id="slot-restaurant-${id}">${options}</select>
1567     </div>
1568     <button class="btn btn-reject btn-sm" onclick="removeSlotRow(${id})" style="margin-
bottom:1px"></button>
1569 `;
1570     document.getElementById('slot-rows').appendChild(div);
1571 }
1572
1573 function removeSlotRow(id){
1574     document.getElementById(`slot-row-${id}`)?.remove();
1575 }
1576
1577 function toggleDayOfWeek(){
1578     const isWeekly = document.getElementById('sub-schedule').value === 'WEEKLY';
1579     document.getElementById('day-of-week-group').style.display = isWeekly ? 'flex' : 'none';
1580 }
1581
1582 async function submitSubscription(){
1583     const scheduleType = document.getElementById('sub-schedule').value;
1584     const dayOfWeek = scheduleType === 'WEEKLY' ? document.getElementById('sub-day').value : null;
1585
1586     const slotOrders = [];
1587     let valid = true;
1588
1589     document.querySelectorAll('[id^="slot-row-"]').forEach(row => {
1590         const idNum = row.id.split('-')[2];

```



```

1591         const mealSlot      = document.getElementById(`slot-meal-${idNum}`)?.value;
1592         const restaurantVal = document.getElementById(`slot-restaurant-${idNum}`)?.value;
1593
1594         if(!mealSlot || !restaurantVal){ valid = false; return; }
1595
1596         const restaurantId = parseInt(restaurantVal);
1597         if(isNaN(restaurantId)){ valid = false; return; }
1598
1599         slotOrders.push({ mealSlot, restaurantId });
1600     });
1601
1602     if(!valid || slotOrders.length === 0){
1603         showAlert('Please add at least one valid slot','error');
1604         return;
1605     }
1606
1607     // Derive mealSlots from slotOrders to satisfy @NotEmpty
1608     const mealSlots = slotOrders.map(s => s.mealSlot);
1609
1610     try{
1611         const res = await fetch(`${API}/subscription`, {
1612             method: 'POST',
1613             headers: {'Content-Type':'application/json', ...getAuthHeader()},
1614             credentials: 'include',
1615             body: JSON.stringify({ scheduleType, dayOfWeek, mealSlots, slotOrders })
1616         });
1617         const text = await res.text();
1618         if(res.ok){
1619             showAlert('Subscription added successfully! ','success');
1620             clearSubscriptionForm();
1621             loadMySubscriptions();
1622         } else {
1623             showAlert('Error: '+text,'error');
1624         }
1625     }catch(e){ showAlert('Failed: '+e.message,'error'); }
1626 }
1627
1628 function clearSubscriptionForm(){
1629     document.getElementById('sub-schedule').value = 'DAILY';
1630     document.getElementById('day-of-week-group').style.display = 'none';
1631     document.getElementById('slot-rows').innerHTML = '';
1632     slotRowCount = 0;
1633 }
1634
1635 /* =====
1636 MY CALENDAR (NEW)
1637 ===== */
1638 async function loadMyCalendar(){
1639     // 1. Load balance cards
1640     await loadCalendarBalanceCards();
1641     // 2. Build or refresh FullCalendar
1642     if(!calendarInitialized){
1643         initFullCalendar();
1644     } else {
1645         await refreshCalendarEvents();
1646     }
1647 }
1648
1649 async function loadCalendarBalanceCards(){
1650     // Default state
1651     ['cal-sick-remaining','cal-casual-remaining','cal-mat-remaining','cal-total-used']
1652     .forEach(id=>{ document.getElementById(id).textContent='--'; });
1653
1654     try{
1655         const dashboard = await apiFetch('/api/employees/me/leave-dashboard');
1656         const balances  = dashboard?.leaveBalances || {};
1657
1658         let totalUsed=0, totalAllowed=0;
1659
1660         // SICK
1661         const sick = balances['SICK'] || balances['sick'] || {};
1662         const sickRem  = Number(sick.available || 0);
1663         const sickTotal = Number(sick.total    || 0);
1664         const sickUsed  = sickTotal - sickRem;
1665         document.getElementById('cal-sick-remaining').textContent = sickRem;
1666         document.getElementById('cal-sick-sub').textContent      = `${sickUsed} used of ${sickTotal}

```

```

days`;
1667
1668         // CASUAL
1669         const cas = balances['CASUAL'] || balances['casual'] || {};
1670         const casRem = Number(cas.available || 0);
1671         const casTotal = Number(cas.total || 0);
1672         const casUsed = casTotal - casRem;
1673         document.getElementById('cal-casual-remaining').textContent = casRem;
1674         document.getElementById('cal-casual-sub').textContent = `${casUsed} used of ${casTotal}
days`;
1675
1676         // MATERNITY
1677         const mat = balances['MATERNITY'] || balances['maternity'] || {};
1678         const matRem = Number(mat.available || 0);
1679         const matTotal = Number(mat.total || 0);
1680         const matUsed = matTotal - matRem;
1681         document.getElementById('cal-mat-remaining').textContent = matRem;
1682         document.getElementById('cal-mat-sub').textContent = `${matUsed} used of ${matTotal}
days`;
1683
1684         // TOTAL
1685         Object.values(balances).forEach(b=>{
1686             totalUsed += (Number(b.total||0) - Number(b.available||0));
1687             totalAllowed += Number(b.total||0);
1688         });
1689         document.getElementById('cal-total-used').textContent = totalUsed;
1690         document.getElementById('cal-total-sub').textContent = `out of ${totalAllowed} days total`;
1691
1692     }catch(e){
1693         console.error('Could not load leave balance for calendar:', e);
1694         ['cal-sick-sub', 'cal-casual-sub', 'cal-mat-sub', 'cal-total-sub']
1695             .forEach(id=>{ document.getElementById(id).textContent='unavailable'; });
1696     }
1697 }
1698
1699 async function buildCalendarEvents(){
1700     const events = [];
1701     try{
1702         // - Employee leaves -
1703         const data = await apiFetch('/leave_requests/employee');
1704         const leaves = data?.requests || data || [];
1705         leaves.forEach(l=>{
1706             const s = (l.status||'PENDING').toUpperCase();
1707             const c = STATUS_COLORS[s] || STATUS_COLORS.PENDING;
1708             const typeLabel = TYPE_LABEL[l.leaveType] || l.leaveType || 'Leave';
1709
1710             // FullCalendar end date is exclusive, so add 1 day for multi-day events
1711             let endDate = l.endDate;
1712             if(endDate){
1713                 const d = new Date(endDate);
1714                 d.setDate(d.getDate()+1);
1715                 endDate = d.toISOString().split('T')[0];
1716             }
1717
1718             events.push({
1719                 id : `leave-${l.leaveRequestId}`,
1720                 title : `${typeLabel} (${s.charAt(0)+s.slice(1).toLowerCase()})`,
1721                 start : l.startDate,
1722                 end : endDate,
1723                 allDay : true,
1724                 backgroundColor : c.bg,
1725                 borderColor : c.border,
1726                 textColor : c.text,
1727                 extendedProps : {
1728                     type : 'leave',
1729                     status : s,
1730                     reason : l.reason || '-',
1731                     leaveType: l.leaveType
1732                 }
1733             });
1734         });
1735     }catch(e){ console.warn('Could not load leaves for calendar:', e); }
1736
1737     try{
1738         // - Public holidays (admin-added) -
1739         const holidays = await apiFetch('/holidays');

```

```

1740         (holidays||[]).forEach(h=>{
1741             const c = STATUS_COLORS.HOLIDAY;
1742             events.push({
1743                 id      : `holiday-${h.id}|h.holidayId|Math.random()`,
1744                 title   : `${h.name}|h.holidayName|'Holiday'}`,
1745                 start   : h.date|h.holidayDate,
1746                 allDay   : true,
1747                 backgroundColor : c.bg,
1748                 borderColor : c.border,
1749                 textColor  : c.text,
1750                 extendedProps : { type:'holiday', description: h.description||'' }
1751             });
1752         });
1753     }catch(e){ console.warn('Could not load holidays for calendar:', e); }
1754
1755     return events;
1756 }
1757
1758 function initFullCalendar(){
1759     const calendarEl = document.getElementById('employee-calendar');
1760
1761     employeeCalendar = new FullCalendar.Calendar(calendarEl, {
1762         initialView: 'dayGridMonth',
1763         height     : 'auto',
1764         headerToolbar:{
1765             left : 'prev,next today',
1766             center: 'title',
1767             right : 'dayGridMonth,dayGridWeek,listMonth'
1768         },
1769         buttonText:{
1770             today : 'Today',
1771             month : 'Month',
1772             week  : 'Week',
1773             listMonth: 'List'
1774         },
1775         dayMaxEvents: 3,      // "+N more" link if overflowing
1776         navLinks     : true,  // click day number day view
1777         events       : [],    // start empty, populate below
1778
1779         // Event hover tooltip
1780         eventMouseEnter: function(info){
1781             const ep = info.event.extendedProps;
1782             const tooltip = document.getElementById('cal-tooltip');
1783             let html = `
```

```

1814     async function refreshCalendarEvents(){
1815         if(!employeeCalendar) return;
1816         const events = await buildCalendarEvents();
1817         // Remove all existing events and re-add
1818         employeeCalendar.removeAllEvents();
1819         events.forEach(e=>employeeCalendar.addEvent(e));
1820     }
1821
1822     async function refreshCalendar(){
1823         await loadCalendarBalanceCards();
1824         await refreshCalendarEvents();
1825         showAlert('Calendar refreshed!', 'success');
1826     }
1827
1828     // Move tooltip with mouse
1829     document.addEventListener('mousemove', function(e){
1830         const tt = document.getElementById('cal-tooltip');
1831         if(tt.style.display==='block'){
1832             tt.style.left = (e.clientX+14)+'px';
1833             tt.style.top = (e.clientY+14)+'px';
1834             // Keep tooltip on screen
1835             const rect = tt.getBoundingClientRect();
1836             if(rect.right > window.innerWidth)
1837                 tt.style.left = (e.clientX - rect.width - 10)+'px';
1838             if(rect.bottom > window.innerHeight)
1839                 tt.style.top = (e.clientY - rect.height - 10)+'px';
1840         }
1841     });
1842
1843     // ===== MY DEVICES =====
1844     async function loadMyAssignedDevices() {
1845         try {
1846             const devices = await apiFetch('/devices/my');
1847             const tbody = document.getElementById('my-devices-list');
1848             if (!devices || !devices.length) {
1849                 tbody.innerHTML = '<tr><td colspan="7" class="empty-state">No devices assigned to
you</td></tr>';
1850                 return;
1851             }
1852             const today = new Date();
1853             tbody.innerHTML = devices.map(d => {
1854                 const warrantyExpiry = d.warrantyExpiryDate ? new Date(d.warrantyExpiryDate) : null;
1855                 const warrantyDisplay = warrantyExpiry
1856                     ? (warrantyExpiry > today
1857                       ? '<span style="color:var(--green);font-size:11px"> ${d.warrantyExpiryDate}</span>'
1858                       : '<span style="color:var(--red);font-size:11px"> Expired
${d.warrantyExpiryDate}</span>')
1859                   : '<span style="color:var(--text3);font-size:11px"></span>';
1860                 return `<tr>
1861 <td>#${d.id}</td>
1862 <td><strong>${d.deviceName || '-'}</strong></td>
1863 <td>${d.brand || '-'}</td>
1864 <td><span class="chip">${(d.deviceType || '').toLowerCase()}</span></td>
1865 <td>${warrantyDisplay}</td>
1866 <td style="font-size:12px;color:var(--text2)">${d.assignedDate || '-'}</td>
1867 <td><span class="chip">${(d.deviceStatus || '').toLowerCase()}</span>${d.deviceStatus || '-'}</td>
1868 </tr>`;
1869             }).join('');
1870         } catch (e) {
1871             document.getElementById('my-devices-list').innerHTML =
1872                 '<tr><td colspan="7" class="empty-state">Could not load devices</td></tr>';
1873         }
1874     }
1875
1876     // ===== SERVICE REQUESTS =====
1877     async function loadServiceRequests() {
1878         await Promise.all([loadServiceRequestsList(), loadMyDevicesForSR()]);
1879     }
1880
1881     async function loadServiceRequestsList() {
1882         try {
1883             const requests = await apiFetch('/service-requests/my');
1884             const tbody = document.getElementById('service-requests-list');
1885             if (!requests || !requests.length) {
1886                 tbody.innerHTML = '<tr><td colspan="7" class="empty-state">No service requests yet</td></tr>';
1887                 return;

```

```

1888     }
1889     tbody.innerHTML = requests.map(r => `<tr>
1890         <td style="color:var(--text3);font-family:var(--mono)">#${r.id}</td>
1891         <td>${r.deviceName || '-'}</td>
1892         <td><span class="chip pending">${r.requestType}</span></td>
1893         <td style="max-width:200px;overflow:hidden;text-overflow:ellipsis;white-space:nowrap">
1894             ${r.issueDescription || '-'}
1895         </td>
1896         <td>${r.urgent
1897             ? '<span class="chip rejected">YES</span>'
1898             : '<span style="color:var(--text3)">No</span>'}
1899         </td>
1900         <td><span class="chip ${r.status || ''}.toLowerCase()">${r.status || '-'}</span></td>
1901         <td style="font-size:12px;color:var(--text3)">
1902             ${r.raisedAt ? new Date(r.raisedAt).toLocaleDateString() : '-'}
1903         </td>
1904     </tr>`).join('');
1905 } catch (e) { console.error(e); }
1906 }
1907
1908 async function loadMyDevicesForSR() {
1909     try {
1910         const devices = await apiFetch('/devices/my');
1911         const select = document.getElementById('sr-device-select');
1912         select.innerHTML = '<option value="">-- Select your device --</option>';
1913         (devices || []).forEach(d => {
1914             const opt = document.createElement('option');
1915             opt.value = d.id;
1916             opt.textContent = `${d.deviceName} (${d.brand || d.deviceType || 'Device'})`;
1917             select.appendChild(opt);
1918         });
1919     } catch (e) { console.error('Failed to load devices for SR', e); }
1920 }
1921
1922 async function submitServiceRequest() {
1923     const deviceId = parseInt(document.getElementById('sr-device-select').value);
1924     const requestType = document.getElementById('sr-type').value;
1925     const issueDescription = document.getElementById('sr-description').value.trim();
1926     const urgent = document.getElementById('sr-urgent').checked;
1927
1928     if (!deviceId) { showAlert('Please select a device', 'error'); return; }
1929     if (!issueDescription) { showAlert('Please describe the issue', 'error'); return; }
1930
1931     try {
1932         await apiFetch('/service-requests', {
1933             method: 'POST',
1934             body: JSON.stringify({ deviceId, requestType, issueDescription, urgent })
1935         });
1936         showAlert('Service request submitted!', 'success');
1937         clearServiceRequestForm();
1938         loadServiceRequestsList();
1939     } catch (e) { showAlert('Failed: ' + e.message, 'error'); }
1940 }
1941
1942 function clearServiceRequestForm() {
1943     document.getElementById('sr-device-select').value = '';
1944     document.getElementById('sr-type').value = 'REPAIR';
1945     document.getElementById('sr-description').value = '';
1946     document.getElementById('sr-urgent').checked = false;
1947 }
1948
1949 async function searchEmployee() {
1950     const name = document.getElementById('org-search-input').value.trim();
1951     const errorEl = document.getElementById('org-search-error');
1952     const resultsEl = document.getElementById('org-search-results');
1953     const emptyEl = document.getElementById('org-search-empty');
1954
1955     errorEl.style.display = 'none';
1956     resultsEl.style.display = 'none';
1957     emptyEl.style.display = 'block';
1958
1959     if (!name) {
1960         errorEl.textContent = 'Please enter a name to search.';
1961         errorEl.style.display = 'block';
1962         return;
1963     }

```

```

1964
1965     try {
1966         const emp = await apiFetch(`/manager/employees/search?name=${encodeURIComponent(name)}`);
1967
1968         // Populate info card
1969         document.getElementById('sr-name').textContent = emp.name || '-';
1970         document.getElementById('sr-id').textContent = `#${emp.employeeId}`;
1971         document.getElementById('sr-email').textContent = emp.email || '-';
1972         document.getElementById('sr-dept').textContent = emp.dept || '-';
1973         document.getElementById('sr-attendance').textContent = emp.attendance || '-';
1974
1975         // Status chip
1976         const statusMap = { ACTIVE: 'approved', ON_LEAVE: 'pending', INACTIVE: 'rejected' };
1977         const statusKey = (emp.status || '').toString();
1978         document.getElementById('sr-status').innerHTML =
1979             `
1997                     <td style="padding:10px 16px;border-top:1px solid var(--border);font-
1998 size:13px;color:var(--text)"><strong>${d.deviceName || '-'}</strong></td>
1999                     <td style="padding:10px 16px;border-top:1px solid var(--border);font-
2000 size:13px;color:var(--text2)">${d.brand || '-'}</td>
2001                     <td style="padding:10px 16px;border-top:1px solid var(--border)"><span class="chip
2002 pending">${(d.deviceType || '').toLowerCase()}</span></td>
2003                     <td style="padding:10px 16px;border-top:1px solid var(--border)"><span class="chip
2004 ${statusCss[ds] || ''}">${ds || '-'}</span></td>
2005                     <td style="padding:10px 16px;border-top:1px solid var(--border)">${warranty}</td>
2006                     <td style="padding:10px 16px;border-top:1px solid var(--border);font-
2007 size:12px;color:var(--text3)">${d.assignedDate || '-'}</td>
2008                 </tr>
2009             }).join('')
2010             : `

```

```

2032     });
2033 }
2034 async function loadNotifCount() {
2035     try {
2036         const data = await apiFetch('/notifications/unread-count');
2037         const badge = document.getElementById('notif-badge');
2038         if (data.count > 0) {
2039             badge.textContent = data.count;
2040             badge.style.display = 'flex';
2041         } else {
2042             badge.style.display = 'none';
2043         }
2044     } catch(e) { console.warn('Could not load notif count', e); }
2045 }
2046
2047 async function toggleNotifPanel() {
2048     const panel = document.getElementById('notif-panel');
2049     if (panel.style.display === 'none') {
2050         panel.style.display = 'block';
2051         await loadNotifications();
2052         try { await apiFetch('/notifications/mark-read', { method: 'POST' }); } catch(e) {}
2053         document.getElementById('notif-badge').style.display = 'none';
2054     } else {
2055         panel.style.display = 'none';
2056     }
2057 }
2058
2059 async function loadNotifications() {
2060     try {
2061         const data = await apiFetch('/notifications');
2062         const list = document.getElementById('notif-list');
2063         list.innerHTML = data.length
2064             ? data.map(n => `
2065                 <div class="notif-item ${n.read ? '' : 'unread'}">
2066                     <div>${n.message}</div>
2067                     <div class="notif-time">${new Date(n.createdAt).toLocaleString()}</div>
2068                 </div>`).join('')
2069             : '<div class="notif-item">No notifications yet.</div>';
2070     } catch(e) { console.warn('Could not load notifications', e); }
2071 }
2072
2073 loadNotifCount();
2074 setInterval(loadNotifCount, 30000);
2075
2076 document.addEventListener('click', e => {
2077     const panel = document.getElementById('notif-panel');
2078     const wrapper = document.querySelector('.notif-wrapper');
2079     if (panel && wrapper && !panel.contains(e.target) && !wrapper.contains(e.target)) {
2080         panel.style.display = 'none';
2081     }
2082 });
2083 function showAlert(msg,type){
2084     const el=document.createElement('div');
2085     el.className=`alert alert-${type}`;el.textContent=msg;
2086     document.body.appendChild(el);setTimeout(()=>el.remove(),3000);
2087 }
2088
2089 // Gender store
2090 let currentManagerGender = null;
2091
2092 // Load profile data
2093 async function loadProfile() {
2094     try {
2095         const me = await apiFetch('/employee/me');
2096         if(me) {
2097             currentManagerGender = me.gender;
2098
2099             document.getElementById('p-name').textContent = me.name || '-';
2100             document.getElementById('p-email').textContent = me.email || '-';
2101             document.getElementById('p-dept').textContent = me.dept || '-';
2102             document.getElementById('p-role').textContent = me.role || 'MANAGER';
2103             document.getElementById('p-status').textContent = me.status || '-';
2104             document.getElementById('p-tz').textContent = me.timezone || '-';
2105
2106             // Show maternity section only for female managers
2107             const maternityBtn = document.getElementById('maternity-apply-btn');

```

```

2108         if(maternityBtn) {
2109             maternityBtn.style.display = me.gender === 'F' ? 'block' : 'none';
2110         }
2111
2112         // Also update sidebar name with real name
2113         document.getElementById('sidebar-name').textContent = me.name || '-';
2114         document.getElementById('avatar-initials').textContent =
2115             (me.name || me.email || 'M').charAt(0).toUpperCase();
2116     }
2117 } catch(e) {
2118     console.error('Could not load profile:', e);
2119 }
2120 }
2121
2122 // Auto calculate maternity end date
2123 document.getElementById('mat-start-date').addEventListener('change', function(){
2124     if(this.value) {
2125         const start = new Date(this.value);
2126         const end = new Date(start);
2127         end.setDate(end.getDate() + 179);
2128         document.getElementById('mat-end-date').value =
2129             end.toISOString().split('T')[0];
2130     } else {
2131         document.getElementById('mat-end-date').value = '';
2132     }
2133 });
2134
2135 // Submit maternity leave
2136 async function applyMaternityLeave() {
2137     const startDate = document.getElementById('mat-start-date').value;
2138     const reason = document.getElementById('mat-reason').value.trim();
2139
2140     if(!startDate) {
2141         showAlert('Please select a start date', 'error');
2142         return;
2143     }
2144
2145     try {
2146         await apiFetch('/leave_requests/maternity/apply', {
2147             method: 'POST',
2148             body: JSON.stringify({ startDate, reason })
2149         });
2150         showAlert('Maternity leave submitted successfully!', 'success');
2151         document.getElementById('mat-start-date').value = '';
2152         document.getElementById('mat-end-date').value = '';
2153         document.getElementById('mat-reason').value = '';
2154         loadMyLeaves();
2155     } catch(e) {
2156         showAlert('Failed: ' + e.message, 'error');
2157     }
2158 }
2159 </script>
2160 </body>
2161 </html>
2162

```



```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <title>Account Pending</title>
6      <style>
7          * { margin: 0; padding: 0; box-sizing: border-box; }
8          body {
9              font-family: 'Outfit', sans-serif;
10             background: #070910;
11             color: #dde4f0;
12             min-height: 100vh;
13             display: flex;
14             align-items: center;
15             justify-content: center;
16         }
17         .card {
18             background: #0e1118;
19             border: 1px solid rgba(255,255,255,0.07);
20             border-radius: 16px;
21             padding: 48px;
22             max-width: 420px;
23             text-align: center;
24         }
25         .icon { font-size: 48px; margin-bottom: 20px; }
26         h1 { font-size: 22px; font-weight: 700; margin-bottom: 12px; }
27         p { font-size: 14px; color: #6b7591; line-height: 1.6; margin-bottom: 24px; }
28         .email {
29             background: #131821;
30             border: 1px solid rgba(79,140,255,0.2);
31             border-radius: 8px;
32             padding: 10px 16px;
33             font-size: 13px;
34             color: #4f8cff;
35             margin-bottom: 28px;
36             font-family: monospace;
37         }
38         .btn {
39             padding: 10px 24px;
40             background: transparent;
41             border: 1px solid rgba(255,255,255,0.1);
42             border-radius: 8px;
43             color: #6b7591;
44             font-size: 13px;
45             cursor: pointer;
46         }
47         .btn:hover { border-color: rgba(255,255,255,0.2); color: #dde4f0; }
48     </style>
49 </head>
50 <body>
51 <div class="card">
52     <div class="icon"></div>
53     <h1>Account Pending Approval</h1>
54     <p>You've successfully signed in with Google. Your account is currently awaiting approval from an admin
or manager.</p>
55     <div class="email" id="user-email">Loading...</div>
56     <p>Once approved, you'll have full access to the portal. Please contact your manager or admin.</p>
57     <button class="btn" onclick="logout()">Sign out</button>
58 </div>
59
60 <script>
61     // Show the user their email from JWT
62     const token = localStorage.getItem('jwt_token');
63     if (token) {
64         try {
65             const payload = JSON.parse(atob(token.split('.')[1]));
66             document.getElementById('user-email').textContent = payload.sub || 'Unknown';
67         } catch(e) {}
68     }
69
70     function logout() {
71         localStorage.clear();

```

```
72         window.location.href = '/google.html';
73     }
74 </script>
75 </body>
76 </html>
```

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>TechVendor Hub</title>
7      <link
href="https://fonts.googleapis.com/css2?family=Syne:wght@400;500;600;700;800&family=DM+Mono:wght@400;500&display
=swap" rel="stylesheet">
8      <style>
9          *{margin:0;padding:0;box-sizing:border-box}
10         :root{
11             --bg:#080b10;--bg2:#0c1018;--bg3:#111620;--bg4:#161d2a;
12             --panel:#131a26;--panel2:#1a2235;
13             --border:rgba(0,210,255,0.08);--border2:rgba(0,210,255,0.18);--border3:rgba(0,210,255,0.35);
14             --text:#d4e8f5;--text2:#6b8aaa;--text3:#3a5270;
15             --cyan:#00d2ff;--cyan-dim:rgba(0,210,255,0.08);--cyan-glow:rgba(0,210,255,0.15);
16             --amber:#f59e0b;--amber-dim:rgba(245,158,11,0.1);
17             --green:#10d48e;--green-dim:rgba(16,212,142,0.1);
18             --red:#f05454;--red-dim:rgba(240,84,84,0.1);
19             --violet:#a78bfa;--violet-dim:rgba(167,139,250,0.1);
20             --orange:#fb923c;--orange-dim:rgba(251,146,60,0.1);
21             --font:'Syne',sans-serif;--mono:'DM Mono',monospace;
22             --sidebar:260px;
23         }
24         body{font-family:var(--font);background:var(--bg);color:var(--text);font-
size:14px;overflow:hidden;height:100vh}
25         .app{display:flex;height:100vh}
26
27         body::before{content:'';position:fixed;inset:0;background:repeating-linear-
gradient(0deg,transparent,transparent 2px,rgba(0,0,0,0.03) 2px,rgba(0,0,0,0.03) 4px);pointer-events:none;z-
index:9...
28
29         .sidebar{width:var(--sidebar);background:var(--bg2);border-right:1px solid var(--
border);display:flex;flex-direction:column;flex-shrink:0;overflow:hidden;position:relative}
30         .sidebar::after{content:'';position:absolute;bottom:0;left:0;right:0;height:300px;background:linear-
gradient(to top,rgba(0,210,255,0.03),transparent);pointer-events:none}
31
32         .logo{padding:24px 20px 20px;border-bottom:1px solid var(--border)}
33         .logo-mark{display:flex;align-items:center;gap:10px;margin-bottom:6px}
34         .logo-hex{width:36px;height:36px;background:linear-gradient(135deg,#00d2ff,#0066ff);clip-
path:polygon(50% 0%,100% 25%,100% 75%,50% 100%,0% 75%,0% 25%);display:flex;align-items:center;justifyf...
35         .logo-name{font-size:17px;font-weight:800;color:var(--text);letter-spacing:-0.5px}
36         .logo-sub{font-size:10px;color:var(--text3);font-family:var(--mono);letter-spacing:1px;text-
transform:uppercase}
37         .vendor-badge{display:inline-flex;align-items:center;gap:6px;margin-top:10px;padding:5px
12px;background:var(--cyan-dim);border:1px solid var(--border2);border-radius:4px;font-size:10px;font...
38         .badge-dot{width:5px;height:5px;background:var(--cyan);border-radius:50%;animation:pulse 2s
infinite}
39         @keyframes pulse{0%,100%{opacity:1;box-shadow:0 0 0 0 var(--cyan-glow)}50%{opacity:0.7;box-shadow:0
0 0 4px transparent}}
40
41         .nav{flex:1;padding:12px 0;overflow-y:auto}
42         .nav::-webkit-scrollbar{width:3px}
43         .nav::-webkit-scrollbar-thumb{background:var(--border2);border-radius:2px}
44         .nav-section{padding:14px 20px 5px;font-size:9px;font-weight:700;color:var(--text3);letter-
spacing:2.5px;text-transform:uppercase;font-family:var(--mono)}
45         .nav-item{display:flex;align-items:center;gap:10px;padding:10px 20px;margin:1px 8px;border-
radius:6px;cursor:pointer;transition:all 0.15s;color:var(--text2);font-size:13px;font-weight:500;p...
46         .nav-item:hover{background:var(--cyan-dim);color:var(--cyan)}
47         .nav-item.active{background:var(--cyan-dim);color:var(--cyan);border:1px solid var(--border2)}
48         .nav-item.active::before{content:'';position:absolute;left:-8px;top:50%;transform:translateY(-
50%);width:3px;height:60%;background:var(--cyan);border-radius:0 2px 2px 0}
49         .nav-icon{width:16px;height:16px;opacity:0.7;flex-shrink:0}
50         .nav-item.active .nav-icon,.nav-item:hover .nav-icon{opacity:1}
51         .nav-badge{margin-left:auto;background:var(--red);color:#fff;font-size:9px;font-
weight:700;padding:2px 6px;border-radius:3px;font-family:var(--mono)}
52         .nav-badge.amber{background:var(--amber)}
53
54         .sidebar-footer{padding:16px 20px;border-top:1px solid var(--border)}
55         .user-row{display:flex;align-items:center;gap:10px}
56         .avatar{width:34px;height:34px;background:linear-gradient(135deg,#00d2ff22,#0066ff22);border:1px

```

```

solid var(--border2);border-radius:6px;display:flex;align-items:center;justify-content:cente...
57 .user-name{font-size:12px;font-weight:600;color:var(--text)}
58 .user-role{font-size:10px;color:var(--cyan);font-family:var(--mono);text-transform:uppercase;letter-
spacing:0.8px}
59
60 .main{flex:1;display:flex;flex-direction:column;overflow:hidden}
61 .topbar{background:var(--bg2);padding:0 24px;height:56px;display:flex;justify-content:space-
between;align-items:center;border-bottom:1px solid var(--border);flex-shrink:0}
62 .page-title{font-size:15px;font-weight:700;color:var(--text);display:flex;align-
items:center;gap:8px}
63 .page-title-prefix{color:var(--cyan);font-family:var(--mono);font-size:12px;font-weight:400}
64 .topbar-right{display:flex;align-items:center;gap:10px}
65 .topbar-email{font-size:11px;color:var(--text3);font-family:var(--mono)}
66 .signout-btn{padding:6px 14px;background:transparent;border:1px solid var(--border2);border-
radius:5px;color:var(--text2);font-family:var(--font);font-size:11px;font-weight:600;cursor:point...
67 .signout-btn:hover{background:var(--red-dim);border-color:var(--red);color:var(--red)}
68
69 .content{flex:1;overflow-y:auto;padding:24px}
70 .content::-webkit-scrollbar{width:4px}
71 .content::-webkit-scrollbar-thumb{background:var(--border2)}
72 .view{display:none}
73 .view.active{display:block;animation:viewIn 0.25s ease}
74 @keyframes viewIn{from{opacity:0;transform:translateY(6px)}to{opacity:1;transform:translateY(0)}}
75
76 .stats-row{display:grid;grid-template-columns:repeat(4,1fr);gap:14px;margin-bottom:22px}
77 .stat{background:var(--panel);border:1px solid var(--border);border-radius:8px;padding:18px
20px;position:relative;overflow:hidden;cursor:default;transition:border-color 0.2s}
78 .stat:hover{border-color:var(--border2)}
79 .stat::after{content:'';position:absolute;top:0;left:0;right:0;height:2px}
80 .stat.c{--c:var(--cyan)} .stat.g{--c:var(--green)} .stat.a{--c:var(--amber)} .stat.r{--c:var(--red)}
.stat.v{--c:var(--violet)} .stat.o{--c:var(--orange)}
81 .stat::after{background:var(--c)}
82 .stat-label{font-size:10px;color:var(--text3);text-transform:uppercase;letter-spacing:1px;font-
weight:600;margin-bottom:8px;font-family:var(--mono)}
83 .stat-val{font-size:28px;font-weight:800;color:var(--text);line-height:1;font-family:var(--mono)}
84 .stat-sub{font-size:11px;color:var(--text3);margin-top:5px}
85 .stat-icon{position:absolute;right:16px;top:50%;transform:translateY(-50%);font-
size:24px;opacity:0.12}
86
87 .card{background:var(--panel);border:1px solid var(--border);border-radius:10px;margin-
bottom:18px;overflow:hidden}
88 .card-head{padding:16px 20px;border-bottom:1px solid var(--border);display:flex;justify-
content:space-between;align-items:center}
89 .card-title{font-size:13px;font-weight:700;color:var(--text);letter-spacing:0.2px}
90 .card-sub{font-size:11px;color:var(--text3);margin-top:2px;font-family:var(--mono)}
91 .card-body{padding:20px}
92 .dash-grid{display:grid;grid-template-columns:1fr 1fr;gap:18px}
93
94 .tablewrap{overflow-x:auto}
95 table{width:100%;border-collapse:collapse}
96 th{padding:9px 16px;text-align:left;font-size:9px;color:var(--text3);font-weight:700;letter-
spacing:1.5px;text-transform:uppercase;background:var(--bg3);border-bottom:1px solid var(--border...
97 td{padding:12px 16px;border-bottom:1px solid var(--border);font-size:12px;color:var(--text2);font-
family:var(--mono)}
98 tr:last-child td{border-bottom:none}
99 tr:hover td{background:rgba(0,210,255,0.02);color:var(--text)}
100 td.main-cell{font-family:var(--font);font-size:13px;color:var(--text);font-weight:500}
101
102 .chip{display:inline-flex;align-items:center;gap:5px;padding:3px 9px;border-radius:3px;font-
size:10px;font-weight:700;letter-spacing:0.8px;text-transform:uppercase;font-family:var(--mono)}
103 .chip::before{content:'';width:4px;height:4px;border-radius:50%;flex-shrink:0}
104 .chip.available{background:var(--green-dim);color:var(--green);border:1px solid
rgba(16,212,142,0.2)} .chip.available::before{background:var(--green)}
105 .chip.assigned{background:var(--cyan-dim);color:var(--cyan);border:1px solid var(--border2)}
.chip.assigned::before{background:var(--cyan)}
106 .chip.under_repair{background:var(--amber-dim);color:var(--amber);border:1px solid
rgba(245,158,11,0.2)} .chip.under_repair::before{background:var(--amber)}
107 .chip.condemned{background:var(--red-dim);color:var(--red);border:1px solid rgba(240,84,84,0.2)}
.chip.condemned::before{background:var(--red)}
108 .chip.returned_to_vendor{background:var(--violet-dim);color:var(--violet);border:1px solid
rgba(167,139,250,0.2)} .chip.returned_to_vendor::before{background:var(--violet)}
109 .chip.open{background:var(--amber-dim);color:var(--amber);border:1px solid rgba(245,158,11,0.2)}
.chip.open::before{background:var(--amber)}
110 .chip.acknowledged{background:var(--cyan-dim);color:var(--cyan);border:1px solid var(--border2)}
.chip.acknowledged::before{background:var(--cyan)}
111 .chip.sent_for_repair{background:var(--orange-dim);color:var(--orange);border:1px solid

```

```

111 rgba(251,146,60,0.2)} .chip.sent_for_repair::before{background:var(--orange)}
112 .chip.repair_done{background:var(--green-dim);color:var(--green);border:1px solid
113 rgba(16,212,142,0.2)} .chip.repair_done::before{background:var(--green)}
114 .chip.resolved{background:var(--green-dim);color:var(--green);border:1px solid
115 rgba(16,212,142,0.2)} .chip.resolved::before{background:var(--green)}
116 .chip.rejected{background:var(--red-dim);color:var(--red);border:1px solid rgba(240,84,84,0.2)}
117 .chip.rejected::before{background:var(--red)}
118 .chip.sent{background:var(--amber-dim);color:var(--amber);border:1px solid rgba(245,158,11,0.2)}
119 .chip.sent::before{background:var(--amber)}
120 .chip.in_progress{background:var(--orange-dim);color:var(--orange);border:1px solid
121 rgba(251,146,60,0.2)} .chip.in_progress::before{background:var(--orange)}
122 .chip.fixed{background:var(--green-dim);color:var(--green);border:1px solid rgba(16,212,142,0.2)}
123 .chip.fixed::before{background:var(--green)}
124 .chip.irreparable{background:var(--red-dim);color:var(--red);border:1px solid rgba(240,84,84,0.2)}
125 .chip.irreparable::before{background:var(--red)}
126 .chip.laptop{background:var(--cyan-dim);color:var(--cyan);border:1px solid var(--border2)}
127 .chip.laptop::before{background:var(--cyan)}
128 .chip.phone{background:var(--violet-dim);color:var(--violet);border:1px solid
129 rgba(167,139,250,0.2)} .chip.phone::before{background:var(--violet)}
130 .chip.tablet{background:var(--green-dim);color:var(--green);border:1px solid rgba(16,212,142,0.2)}
131 .chip.tablet::before{background:var(--green)}
132 .chip.monitor,.chip.other,.chip.desktop,.chip.keyboard,.chip.mouse,.chip.headset{background:var(--
133 amber-dim);color:var(--amber);border:1px solid rgba(245,158,11,0.2)} .chip.monitor::before,...
134 .chip.active_assign{background:var(--green-dim);color:var(--green);border:1px solid
135 rgba(16,212,142,0.2)} .chip.active_assign::before{background:var(--green)}
136 .chip.returned{background:var(--text3);color:var(--text2);border:1px solid var(--border)}
137 .chip.returned::before{background:var(--text2)}
138 .chip.not_fixable{background:var(--red-dim);color:var(--red);border:1px solid rgba(240,84,84,0.2)}
139 .chip.not_fixable::before{background:var(--red)}
140
141
142 .btn{padding:8px 16px;border-radius:6px;border:none;font-family:var(--font);font-size:12px;font-
143 weight:700;cursor:pointer;transition:all 0.2s;letter-spacing:0.3px}
144 .btn-primary{background:var(--cyan);color:#080b10}
145 .btn-primary:hover{background:#33dbff;box-shadow:0 0 20px var(--cyan-glow)}
146 .btn-ghost{background:transparent;color:var(--text2);border:1px solid var(--border2)}
147 .btn-ghost:hover{border-color:var(--border3);color:var(--text)}
148 .btn-danger{background:var(--red-dim);color:var(--red);border:1px solid rgba(240,84,84,0.2)}
149 .btn-danger:hover{background:var(--red);color:#fff}
150 .btn-warn{background:var(--amber-dim);color:var(--amber);border:1px solid rgba(245,158,11,0.2)}
151 .btn-warn:hover{background:var(--amber);color:#080b10}
152 .btn-success{background:var(--green-dim);color:var(--green);border:1px solid rgba(16,212,142,0.2)}
153 .btn-success:hover{background:var(--green);color:#080b10}
154 .btn-sm{padding:5px 10px;font-size:11px}
155 .btn-xs{padding:3px 8px;font-size:10px}
156 .action-row{display:flex;gap:6px;flex-wrap:wrap}
157
158
159 .form-grid{display:grid;grid-template-columns:1fr 1fr;gap:14px}
160 .form-group{display:flex;flex-direction:column;gap:6px}
161 .form-group.full{grid-column:1/-1}
162 .form-label{font-size:9px;font-weight:700;color:var(--text3);text-transform:uppercase;letter-
163 spacing:1.5px;font-family:var(--mono)}
164 .form-input{background:var(--bg3);border:1px solid var(--border);border-radius:6px;padding:10px
165 13px;color:var(--text);font-family:var(--mono);font-size:12px;transition:border-color 0.2s;wi...
166 .form-input:focus{outline:none;border-color:var(--cyan);box-shadow:0 0 3px var(--cyan-dim)}
167 .form-input:placeholder{color:var(--text3)}
168 select.form-input option{background:var(--bg2)}
169 .form-actions{display:flex;gap:10px;margin-top:18px}
170
171
172 .empty{text-align:center;padding:40px 20px;color:var(--text3);font-family:var(--mono);font-
173 size:12px}
174
175 .empty-icon{font-size:32px;margin-bottom:10px;opacity:0.4}
176
177 .alert{position:fixed;top:20px;right:20px;padding:12px 20px;border-radius:6px;z-
178 index:2000;animation:alertIn 0.25s ease;font-size:12px;font-weight:600;font-family:var(--mono);display:flex;a...
179 .alert-success{background:var(--green-dim);color:var(--green);border:1px solid
180 rgba(16,212,142,0.3)}
181 .alert-error{background:var(--red-dim);color:var(--red);border:1px solid rgba(240,84,84,0.3)}
182 @keyframes alertIn{from{transform:translateX(120%);opacity:0}to{transform:translateX(0);opacity:1}}
183
184
185 .search-row{display:flex;gap:10px;padding:14px 16px;border-bottom:1px solid var(--border)}
186 .search-input{flex:1;background:var(--bg3);border:1px solid var(--border);border-
187 radius:6px;padding:8px 13px;color:var(--text);font-family:var(--mono);font-size:12px}
188 .search-input:focus{outline:none;border-color:var(--cyan)}
189 .search-input:placeholder{color:var(--text3)}
190
191
192 .timeline{padding:20px;display:flex;flex-direction:column;gap:0}

```

```

166     .tl-item{display:flex;gap:14px;padding-bottom:20px;position:relative}
167     .tl-item:last-child{padding-bottom:0}
168     .tl-item:not(:last-
child)::after{content:'';position:absolute;left:14px;top:28px;bottom:0;width:1px;background:var(--border)}
169     .tl-dot{width:28px;height:28px;border-radius:50%;border:2px solid var(--border2);background:var(--
bg3);display:flex;align-items:center;justify-content:center;flex-shrink:0;font-size:11px;z-...
170     .tl-dot.cyan{border-color:var(--cyan);background:var(--cyan-dim)}
171     .tl-dot.amber{border-color:var(--amber);background:var(--amber-dim)}
172     .tl-dot.green{border-color:var(--green);background:var(--green-dim)}
173     .tl-dot.red{border-color:var(--red);background:var(--red-dim)}
174     .tl-content{flex:1;padding-top:4px}
175     .tl-title{font-size:12px;font-weight:600;color:var(--text);margin-bottom:2px}
176     .tl-meta{font-size:10px;color:var(--text3);font-family:var(--mono)}
177
178     /* Outcome hint box */
179     .outcome-hint{margin:12px 0 0;padding:10px 14px;border-radius:6px;font-size:11px;font-family:var(--
mono);transition:all 0.2s}
180     .outcome-hint.success{background:var(--green-dim);color:var(--green);border:1px solid
rgba(16,212,142,0.2)}
181     .outcome-hint.danger{background:var(--red-dim);color:var(--red);border:1px solid
rgba(240,84,84,0.2)}
182
183     /* Inline repair panel */
184     .repair-inline{background:var(--bg3);border:1px solid var(--border2);border-radius:8px;padding:18px
20px;margin:0 16px 16px;animation:viewIn 0.2s ease}
185
186     .modal-overlay{display:none;position:fixed;inset:0;background:rgba(8,11,16,0.85);z-
index:1500;align-items:center;justify-content:center;backdrop-filter:blur(4px)}
187     .modal-overlay.open{display:flex}
188     .modal{background:var(--panel2);border:1px solid var(--border2);border-radius:12px;width:560px;max-
width:95%;max-height:85vh;overflow-y:auto;animation:modalIn 0.2s ease}
189     @keyframes modalIn{from{opacity:0;transform:scale(0.96)}to{opacity:1;transform:scale(1)}}
190     .modal-head{padding:20px 24px;border-bottom:1px solid var(--border);display:flex;justify-
content:space-between;align-items:center}
191     .modal-title{font-size:16px;font-weight:700;color:var(--text)}
192     .modal-close{background:none;border:none;color:var(--text3);font-size:20px;cursor:pointer;padding:0
4px;transition:color 0.2s}
193     .modal-close:hover{color:var(--text)}
194     .modal-body{padding:24px}
195     .detail-grid{display:grid;grid-template-columns:1fr 1fr;gap:16px;margin-bottom:20px}
196     .detail-item{display:flex;flex-direction:column;gap:4px}
197     .detail-label{font-size:9px;font-weight:700;color:var(--text3);text-transform:uppercase;letter-
spacing:1.5px;font-family:var(--mono)}
198     .detail-value{font-size:13px;color:var(--text);font-family:var(--mono)}
199 </style>
200 </head>
201 <body>
202 <div class="app">
203
204     <!-- SIDEBAR -->
205     <div class="sidebar">
206         <div class="logo">
207             <div class="logo-mark">
208                 <div class="logo-hex">TV</div>
209                 <div>
210                     <div class="logo-name">TechVendor</div>
211                     <div class="logo-sub">Asset Hub</div>
212                 </div>
213             </div>
214             <div class="vendor-badge"><span class="badge-dot"></span>Tech Vendor</div>
215         </div>
216
217         <nav class="nav">
218             <div class="nav-section">Overview</div>
219             <div class="nav-item active" onclick="showView('dashboard',this)">
220                 <svg class="nav-icon" fill="none" viewBox="0 0 16 16"><rect x="1" y="1" width="6"
height="6" rx="1" stroke="currentColor" stroke-width="1.5"/><rect x="9" y="1" width="6" height="6" ...
221                 Dashboard
222             </div>
223
224             <div class="nav-section">Devices</div>
225             <div class="nav-item" onclick="showView('my-devices',this)">
226                 <svg class="nav-icon" fill="none" viewBox="0 0 16 16"><rect x="1" y="3" width="14"
height="10" rx="2" stroke="currentColor" stroke-width="1.5"/><path d="M5 13v2M11 13v2M3 15h10" str...
227                 My Devices
228             </div>

```

```

229         <div class="nav-item" onclick="showView('add-device',this)">
230             <svg class="nav-icon" fill="none" viewBox="0 0 16 16"><circle cx="8" cy="8" r="7"
stroke="currentColor" stroke-width="1.5"/><path d="M8 5v6M5 8h6" stroke="currentColor" stroke-width...
231             Add Device
232         </div>
233
234         <div class="nav-section">Service</div>
235         <div class="nav-item" onclick="showView('service-requests',this)">
236             <svg class="nav-icon" fill="none" viewBox="0 0 16 16"><path d="M8 11l1.5 4.5H14l-3.5 2.5 1.5 1.5
4.5L8 10l-4 2.5 1.5-4.5L2 5.5h4.5L8 1z" stroke="currentColor" stroke-width="1.5" stroke-l...
237             Service Requests
238             <span class="nav-badge amber" id="sr-badge" style="display:none">0</span>
239         </div>
240
241         <div class="nav-section">Assignments</div>
242         <div class="nav-item" onclick="showView('assignments',this)">
243             <svg class="nav-icon" fill="none" viewBox="0 0 16 16"><circle cx="6" cy="5" r="3"
stroke="currentColor" stroke-width="1.5"/><path d="M1 14c0-3 2-5 5-5" stroke="currentColor" stroke-...
244             Assignments
245         </div>
246
247         <div class="nav-section">Account</div>
248         <div class="nav-item" onclick="showView('profile',this)">
249             <svg class="nav-icon" fill="none" viewBox="0 0 16 16"><circle cx="8" cy="5" r="3"
stroke="currentColor" stroke-width="1.5"/><path d="M2 14c0-3.3 2.7-6 6-6s6 2.7 6 6" stroke="current...
250             My Profile
251         </div>
252     </nav>
253
254     <div class="sidebar-footer">
255         <div class="user-row">
256             <div class="avatar" id="sidebar-avatar">TV</div>
257             <div>
258                 <div class="user-name" id="sidebar-name">TechVendor</div>
259                 <div class="user-role">Tech Vendor</div>
260             </div>
261         </div>
262     </div>
263 </div>
264
265 <!-- MAIN -->
266 <div class="main">
267     <div class="topbar">
268         <div class="page-title">
269             <span class="page-title-prefix">// </span>
270             <span id="pageTitle">dashboard</span>
271         </div>
272         <div class="topbar-right">
273             <span class="topbar-email" id="topbar-email"></span>
274             <button class="signout-btn" onclick="logout()">Sign Out</button>
275         </div>
276     </div>
277
278     <div class="content">
279
280         <!-- DASHBOARD -->
281         <div id="dashboard-view" class="view active">
282             <div class="stats-row">
283                 <div class="stat c">
284                     <div class="stat-label">Total Devices</div>
285                     <div class="stat-val" id="stat-total">--</div>
286                     <div class="stat-sub">in catalog</div>
287                     <div class="stat-icon"></div>
288                 </div>
289                 <div class="stat g">
290                     <div class="stat-label">Available</div>
291                     <div class="stat-val" id="stat-avail">--</div>
292                     <div class="stat-sub">ready to assign</div>
293                     <div class="stat-icon"></div>
294                 </div>
295                 <div class="stat a">
296                     <div class="stat-label">Pending Repairs</div>
297                     <div class="stat-val" id="stat-repair">--</div>
298                     <div class="stat-sub">awaiting your update</div>
299                     <div class="stat-icon"></div>
300             </div>

```

```

301         <div class="stat r">
302             <div class="stat-label">Open Requests</div>
303             <div class="stat-val" id="stat-open">--</div>
304             <div class="stat-sub">sent for repair</div>
305             <div class="stat-icon">!</div>
306         </div>
307     </div>
308
309     <div class="dash-grid">
310         <div class="card">
311             <div class="card-head">
312                 <div>
313                     <div class="card-title">Repair Queue</div>
314                     <div class="card-sub">devices sent to you for repair</div>
315                 </div>
316                 <button class="btn btn-ghost btn-sm" onclick="showView('service-
requests',null)">View all </button>
317             </div>
318             <div class="tablewrap">
319                 <table>
320                     <thead><tr><th>Device</th><th>Issue</th><th>Status</th></tr></thead>
321                     <tbody id="dash-sr"></tbody>
322                 </table>
323             </div>
324         </div>
325
326         <div class="card">
327             <div class="card-head">
328                 <div>
329                     <div class="card-title">Active Repairs</div>
330                     <div class="card-sub">currently being serviced</div>
331                 </div>
332                 <button class="btn btn-ghost btn-sm" onclick="showView('repair-
logs',null)">View all </button>
333             </div>
334             <div class="tablewrap">
335                 <table>
336                     <thead><tr><th>Device</th><th>Sent</th><th>Status</th></tr></thead>
337                     <tbody id="dash-repairs"></tbody>
338                 </table>
339             </div>
340         </div>
341     </div>
342
343     <div class="card">
344         <div class="card-head">
345             <div class="card-title">Device Status Overview</div>
346         </div>
347         <div class="tablewrap">
348             <table>
349                 <thead><tr><th>Device</th><th>Type</th><th>Status</th><th>Assigned
To</th></tr></thead>
350                 <tbody id="dash-devices"></tbody>
351             </table>
352         </div>
353     </div>
354 </div>
355
356 <!-- MY DEVICES -->
357 <div id="my-devices-view" class="view">
358     <div class="card">
359         <div class="card-head">
360             <div>
361                 <div class="card-title">My Device Catalog</div>
362                 <div class="card-sub">all devices supplied by you</div>
363             </div>
364             <div class="action-row">
365                 <select class="form-input btn-sm" id="device-filter" onchange="filterDevices()"
style="width:140px;padding:5px 10px;font-size:11px">
366                     <option value="">All Status</option>
367                     <option value="AVAILABLE">Available</option>
368                     <option value="ASSIGNED">Assigned</option>
369                     <option value="UNDER_REPAIR">Under Repair</option>
370                     <option value="CONDEMNED">Condemned</option>
371                     <option value="RETURNED_TO_VENDOR">Returned</option>
372                 </select>

```



```

373         <button class="btn btn-ghost btn-sm" onclick="loadMyDevices()">
Refresh</button>
374     </div>
375 </div>
376 <div class="search-row">
377     <input class="search-input" id="device-search" placeholder="Search by name, serial,
brand..." oninput="filterDevices()">
378 </div>
379 <div class="tablewrap">
380     <table>
381         <thead><tr><th>ID</th><th>Device
Name</th><th>Brand</th><th>Type</th><th>Warranty</th><th>Status</th><th>Actions</th></tr></thead>
382         <tbody id="devices-list"></tbody>
383     </table>
384 </div>
385 </div>
386 </div>
387
388 <!-- ADD DEVICE -->
389 <div id="add-device-view" class="view">
390     <div class="card" style="max-width:700px">
391         <div class="card-head">
392             <div>
393                 <div class="card-title">Add New Device</div>
394                 <div class="card-sub">register a device to your catalog</div>
395             </div>
396         </div>
397         <div class="card-body">
398             <div class="form-grid">
399                 <div class="form-group">
400                     <label class="form-label">Device Name</label>
401                     <input class="form-input" id="d-name" placeholder="Dell XPS 15 9520">
402                 </div>
403                 <div class="form-group">
404                     <label class="form-label">Brand</label>
405                     <input class="form-input" id="d-brand" placeholder="Dell">
406                 </div>
407                 <div class="form-group">
408                     <label class="form-label">Device Type</label>
409                     <select class="form-input" id="d-type">
410                         <option value="LAPTOP">Laptop</option>
411                         <option value="DESKTOP">Desktop</option>
412                         <option value="PHONE">Phone</option>
413                         <option value="TABLET">Tablet</option>
414                         <option value="MONITOR">Monitor</option>
415                         <option value="KEYBOARD">Keyboard</option>
416                         <option value="MOUSE">Mouse</option>
417                         <option value="HEADSET">Headset</option>
418                         <option value="OTHER">Other</option>
419                     </select>
420                 </div>
421                 <div class="form-group">
422                     <label class="form-label">Warranty Expiry</label>
423                     <input class="form-input" type="date" id="d-warranty">
424                 </div>
425             </div>
426             <div class="form-actions">
427                 <button class="btn btn-primary" onclick="addDevice()">Register Device</button>
428                 <button class="btn btn-ghost" onclick="clearDeviceForm()">Clear</button>
429             </div>
430         </div>
431     </div>
432 </div>
433
434 <!--
435     SERVICE REQUESTS - vendor repair queue
436     GET /service-requests/vendor/me     SENT_FOR_REPAIR list
437     PUT /service-requests/vendor       RepairDTO { requestId, resolution, status }
438     status=REPAIR_DONE   device becomes ASSIGNED
439     status=anything else device becomes CONDEMNED
440 -->
441 <div id="service-requests-view" class="view">
442     <div class="card">
443         <div class="card-head">
444             <div>
445                 <div class="card-title">Repair Queue</div>

```

```

446         <div class="card-sub">devices sent to you – mark as repaired or condemned</div>
447     </div>
448     <button class="btn btn-ghost btn-sm" onclick="loadServiceRequests()">
Refresh</button>
449 </div>
450 <div class="tablewrap">
451     <table>
452         <thead>
453             <tr>
454                 <th>ID</th>
455                 <th>Device</th>
456                 <th>Issue Type</th>
457                 <th>Description</th>
458                 <th>Urgent</th>
459                 <th>Raised</th>
460                 <th>Actions</th>
461             </tr>
462         </thead>
463         <tbody id="sr-list"></tbody>
464     </table>
465 </div>
466 </div>
467
468 <!-- INLINE REPAIR UPDATE PANEL -->
469 <div class="card" id="vendor-repair-panel" style="max-width:640px;display:none">
470     <div class="card-head">
471         <div>
472             <div class="card-title">Update Repair Result</div>
473             <div class="card-sub" id="vr-panel-subtitle">Request #</div>
474         </div>
475         <button class="btn btn-ghost btn-sm" onclick="closeRepairPanel()"> Cancel</button>
476     </div>
477     <div class="card-body">
478         <input type="hidden" id="vr-request-id">
479
480         <div class="form-grid">
481             <!-- Outcome selector -->
482             <div class="form-group full">
483                 <label class="form-label">Repair Outcome</label>
484                 <select class="form-input" id="vr-status" onchange="onOutcomeChange()">
485                     <option value="REPAIR_DONE"> Repair Done – device returns to
employee</option>
486                     <option value="NOT_FIXABLE"> Could Not Repair – device will be
condemned</option>
487                 </select>
488             </div>
489
490             <!-- Resolution notes -->
491             <div class="form-group full">
492                 <label class="form-label">Resolution Notes</label>
493                 <input class="form-input" id="vr-resolution"
494                     placeholder="Describe what was repaired, parts replaced, or why it
could not be fixed...">
495             </div>
496         </div>
497
498         <!-- Dynamic outcome hint -->
499         <div id="vr-outcome-hint" class="outcome-hint success">
500             Device status <strong>ASSIGNED</strong> – returned to the employee
501         </div>
502
503         <div class="form-actions">
504             <button class="btn btn-primary" onclick="submitRepairUpdate()">Submit
Update</button>
505             <button class="btn btn-ghost" onclick="closeRepairPanel()">Cancel</button>
506         </div>
507     </div>
508 </div>
509 </div>
510
511 <!-- ASSIGNMENTS -->
512 <div id="assignments-view" class="view">
513     <div class="card">
514         <div class="card-head">
515             <div>
516                 <div class="card-title">Device Assignments</div>

```

```

517         <div class="card-sub">who has your devices</div>
518     </div>
519     <button class="btn btn-ghost btn-sm" onclick="loadAssignments()"> Refresh</button>
520 </div>
521 <div class="tablewrap">
522     <table>
523         <thead>
524             <tr>
525                 <th>Device</th>
526                 <th>Type</th>
527                 <th>Employee</th>
528                 <th>Assigned Date</th>
529                 <th>Status</th>
530             </tr>
531         </thead>
532         <tbody id="assignments-list"></tbody>
533     </table>
534 </div>
535 </div>
536 </div>
537
538 <!-- PROFILE -->
539 <div id="profile-view" class="view">
540     <div class="card" style="max-width:600px">
541         <div class="card-head">
542             <div class="card-title">My Profile</div>
543         </div>
544         <div class="card-body">
545             <div style="display:flex;align-items:center;gap:16px;margin-bottom:24px;padding-
bottom:20px;border-bottom:1px solid var(--border)">
546                 <div style="width:56px;height:56px;background:var(--cyan-dim);border:2px solid
var(--border2);border-radius:10px;display:flex;align-items:center;justify-content:center;f...
547                 <div>
548                     <div style="font-size:18px;font-weight:700;color:var(--text)" id="profile-
name">--</div>
549                     <div style="font-size:11px;color:var(--cyan);font-family:var(--
mono);margin-top:3px">TECH_VENDOR</div>
550                 </div>
551             </div>
552             <div class="detail-grid">
553                 <div class="detail-item"><div class="detail-label">Email</div><div
class="detail-value" id="profile-email">--</div></div>
554                 <div class="detail-item"><div class="detail-label">Phone</div><div
class="detail-value" id="profile-phone">--</div></div>
555                 <div class="detail-item"><div class="detail-label">Registered</div><div
class="detail-value" id="profile-reg">--</div></div>
556                 <div class="detail-item"><div class="detail-label">Status</div><div
class="detail-value"><span class="chip active_assign">ACTIVE</span></div></div>
557             </div>
558         </div>
559     </div>
560 </div>
561
562 </div>
563 </div>
564 </div>
565
566 <!-- DEVICE DETAIL MODAL -->
567 <div class="modal-overlay" id="device-modal">
568     <div class="modal">
569         <div class="modal-head">
570             <div class="modal-title" id="modal-device-name">Device Details</div>
571             <button class="modal-close" onclick="closeModal()"></button>
572         </div>
573         <div class="modal-body">
574             <div class="detail-grid" id="modal-detail-grid"></div>
575             <div style="margin-top:16px">
576                 <div class="card-title" style="margin-bottom:12px;font-size:12px;color:var(--text3);font-
family:var(--mono);text-transform:uppercase;letter-spacing:1px">Repair History</div>
577                 <div id="modal-repair-history"></div>
578             </div>
579         </div>
580     </div>
581 </div>
582
583 <script>

```

```

584     const API = 'http://localhost:8080';
585     let devicesCache = [], srCache = [], repairsCache = [], assignmentsCache = [];
586
587     // AUTH
588     (function(){
589         const token = localStorage.getItem('jwt_token');
590         if(!token){ window.location.href='/login.html'; return; }
591         try{
592             const p = JSON.parse(atob(token.split('.')[1]));
593             const role = (p.role||'').replace(/^ROLE_/, '');
594             if(role !== 'TECH_VENDOR'){ window.location.href='/google.html'; return; }
595             const email = p.sub||p.email||'TechVendor';
596             document.getElementById('topbar-email').textContent = email;
597             document.getElementById('sidebar-name').textContent = email.split('@')[0];
598             document.getElementById('sidebar-avatar').textContent = email.charAt(0).toUpperCase();
599             document.getElementById('profile-avatar').textContent = email.charAt(0).toUpperCase();
600             document.getElementById('profile-email').textContent = email;
601         }catch(e){ window.location.href='/login.html'; }
602         initDashboard();
603     })();
604
605     function getAuthHeader(){
606         const t = localStorage.getItem('jwt_token');
607         return t ? {'Authorization': `Bearer ${t}`} : {};
608     }
609
610     async function apiFetch(path, opts={}){
611         const res = await fetch(`${API}${path}`, {
612             ...opts,
613             headers: {'Content-Type': 'application/json', ...getAuthHeader(), ...(opts.headers||{})},
614             credentials: 'include'
615         });
616         if(res.status===401){
617             localStorage.removeItem('jwt_token');
618             window.location.href='/login.html';
619             throw new Error('Unauthorized');
620         }
621         const text = await res.text();
622         if(!res.ok) throw new Error(text || 'Request failed');
623         return text ? JSON.parse(text) : null;
624     }
625
626     // NAV
627     function showView(name, el){
628         document.querySelectorAll('.view').forEach(v=>v.classList.remove('active'));
629         document.getElementById(`${name}-view`).classList.add('active');
630         document.querySelectorAll('.nav-item').forEach(n=>n.classList.remove('active'));
631         if(el) el.classList.add('active');
632         document.getElementById('pageTitle').textContent = name.replace(/-/g, ' ');
633         const loaders = {
634             'dashboard': loadDashboard,
635             'my-devices': loadMyDevices,
636             'service-requests': loadServiceRequests,
637             'repair-logs': loadRepairLogs,
638             'assignments': loadAssignments,
639             'profile': loadProfile,
640             'add-device': ()=>{}
641         };
642         if(loaders[name]) loaders[name]();
643     }
644
645     // INIT
646     async function initDashboard(){
647         await Promise.all([loadMyDevices(), loadServiceRequests(), loadRepairLogs(), loadAssignments()]);
648         loadDashboard();
649     }
650
651     // DASHBOARD
652     function loadDashboard(){
653         document.getElementById('stat-total').textContent = devicesCache.length || 0;
654         document.getElementById('stat-avail').textContent =
655         devicesCache.filter(d=>d.deviceStatus==='AVAILABLE').length || 0;
656         document.getElementById('stat-repair').textContent = srCache.length || 0;
657         document.getElementById('stat-open').textContent = srCache.length || 0;
658
659         const badge = document.getElementById('sr-badge');

```

```

659     if(srCache.length){ badge.textContent=srCache.length; badge.style.display=''; }
660     else badge.style.display='none';
661
662     document.getElementById('dash-sr').innerHTML = srCache.slice(0,5).map(s=>`
663         <tr>
664             <td class="main-cell">${s.deviceName||'Device #' +s.deviceId}</td>
665             <td>${(s.requestType||'').toLowerCase().replace('_',' ')}</td>
666             <td>${chip('SENT_FOR_REPAIR')}</td>
667         </tr>`).join('') ||
668         `<tr><td colspan="3" class="empty">No pending repairs</td></tr>`;
669
670     document.getElementById('dash-repairs').innerHTML =
repairsCache.filter(r=>r.repairStatus!=='FIXED'&&r.repairStatus!=='IRREPARABLE').slice(0,5).map(r=>`
671         <tr>
672             <td class="main-cell">${r.deviceName||'Device #' +r.deviceId}</td>
673             <td>${r.sentDate||'-'}</td>
674             <td>${chip(r.repairStatus)}</td>
675         </tr>`).join('') ||
676         `<tr><td colspan="3" class="empty">No active repairs</td></tr>`;
677
678     document.getElementById('dash-devices').innerHTML = devicesCache.slice(0,8).map(d=>`
679         <tr>
680             <td class="main-cell">${d.deviceName||'-'}</td>
681             <td>${chip(d.deviceType)}</td>
682             <td>${chip(d.deviceStatus)}</td>
683             <td>${d.assignedEmployeeName||'-'}</td>
684         </tr>`).join('') ||
685         `<tr><td colspan="4" class="empty">No devices</td></tr>`;
686     }
687
688     // DEVICES
689     async function loadMyDevices(){
690         try{
691             const data = await apiFetch('/devices/vendor/me');
692             devicesCache = data || [];
693             renderDevices(devicesCache);
694         }catch(e){ renderDevices([]); }
695     }
696
697     function renderDevices(list){
698         document.getElementById('devices-list').innerHTML = list.length
699         ? list.map(d=>`<tr>
700             <td style="font-family:var(--mono);font-size:11px;color:var(--text3)">#${d.id}</td>
701             <td class="main-cell">${d.deviceName||'-'}</td>
702             <td>${d.brand||'-'}</td>
703             <td>${chip(d.deviceType)}</td>
704             <td style="font-size:11px;font-family:var(--mono)">
705                 ${d.warrantyExpiryDate
706                 ? (new Date(d.warrantyExpiryDate) > new Date()
707                 ? `<span style="color:var(--green)"> ${d.warrantyExpiryDate}</span>`
708                 : `<span style="color:var(--red)"> ${d.warrantyExpiryDate}</span>`)
709                 : `<span style="color:var(--text3)">—</span>`}
710             </td>
711             <td>${chip(d.deviceStatus)}</td>
712             <td><div class="action-row">
713                 <button class="btn btn-ghost btn-xs" onclick="viewDevice(${d.id})">Details</button>
714             </div></td>
715         </tr>`).join('')
716         : `<tr><td colspan="7"><div class="empty"><div class="empty-icon"></div>No devices registered
yet</div></tr>`;
717     }
718
719     function filterDevices(){
720         const q = document.getElementById('device-search').value.toLowerCase();
721         const f = document.getElementById('device-filter').value;
722         renderDevices(devicesCache.filter(d=>{
723             const matchQ = !q ||
(d.deviceName||'').toLowerCase().includes(q)|| (d.serialNumber||'').toLowerCase().includes(q)|| (d.brand||'').toLo
werCase().includes(q);
724             const matchF = !f || d.deviceStatus === f;
725             return matchQ && matchF;
726         }));
727     }
728
729     async function addDevice(){
730         const body = {

```

```

731     deviceName: document.getElementById('d-name').value.trim(),
732     brand: document.getElementById('d-brand').value.trim(),
733     deviceType: document.getElementById('d-type').value,
734     warrantyExpiryDate: document.getElementById('d-warranty').value || null,
735 };
736 if(!body.deviceName || !body.brand || !body.deviceType){
737     showAlert('Device name, brand and type are required','error'); return;
738 }
739 try{
740     await apiFetch('/devices', {method:'POST', body:JSON.stringify(body)});
741     showAlert('Device registered successfully!','success');
742     clearDeviceForm();
743     loadMyDevices();
744 }catch(e){ showAlert('Failed: '+e.message,'error'); }
745 }
746
747 function clearDeviceForm(){
748     ['d-name','d-brand','d-warranty'].forEach(id=>document.getElementById(id).value='');
749     document.getElementById('d-type').value='LAPTOP';
750 }
751
752 // SERVICE REQUESTS (vendor repair queue)
753 // GET /service-requests/vendor/me list of SENT_FOR_REPAIR requests
754 // PUT /service-requests/vendor { requestId, resolution, status }
755 // REPAIR_DONE device becomes ASSIGNED (back to employee)
756 // anything else device becomes CONDEMNED
757 //
758 async function loadServiceRequests(){
759     try{
760         const data = await apiFetch('/service-requests/vendor/me');
761         srCache = data || [];
762         renderServiceRequests(srCache);
763         // refresh badge
764         const badge = document.getElementById('sr-badge');
765         if(srCache.length){ badge.textContent=srCache.length; badge.style.display=''; }
766         else badge.style.display='none';
767     }catch(e){ renderServiceRequests([]); }
768 }
769
770 function renderServiceRequests(list){
771     document.getElementById('sr-list').innerHTML = list.length
772     ? list.map(s=><tr>
773         <td style="font-family:var(--mono);font-size:11px;color:var(--text3)">#${s.id}</td>
774         <td class="main-cell">${s.deviceName}||'Device #'+s.deviceId</td>
775         <td>${(s.requestType||'').toLowerCase().replace(/_/g,' ')}</td>
776         <td style="max-width:200px;overflow:hidden;text-overflow:ellipsis;white-
space:nowrap;color:var(--text2)">${s.issueDescription}||'-'</td>
777         <td>${s.urgent
778             ? '<span style="color:var(--red);font-family:var(--mono);font-size:10px;font-weight:700">
URGENT</span>'
779             : '<span style="color:var(--text3);font-family:var(--mono);font-size:10px">--</span>'}</td>
780         <td style="font-size:10px;font-family:var(--mono);color:var(--text3)">${s.raisedAt} ?
s.raisedAt.split('T')[0] : '-'</td>
781         <td>
782             <button class="btn btn-success btn-xs" onclick="openRepairPanel(${s.id},
'${(s.deviceName}||'Device #'+s.deviceId).replace(/'/g,'\\'')}'">
783                 Update Repair
784             </button>
785         </td>
786     </tr>`).join('')
787     : `<tr><td colspan="7"><div class="empty"><div class="empty-icon"></div>No devices in repair
queue</div></td></tr>`;
788 }
789
790 // REPAIR PANEL
791 function openRepairPanel(requestId, deviceName){
792     document.getElementById('vr-request-id').value = requestId;
793     document.getElementById('vr-panel-subtitle').textContent = `Request #${requestId} - ${deviceName}`;
794     document.getElementById('vr-status').value = 'REPAIR_DONE';
795     document.getElementById('vr-resolution').value = '';
796     onOutcomeChange(); // set correct hint
797     const panel = document.getElementById('vendor-repair-panel');
798     panel.style.display = 'block';
799     panel.scrollIntoView({behavior:'smooth', block:'start'});
800 }
801

```

```

802     function closeRepairPanel(){
803         document.getElementById('vendor-repair-panel').style.display = 'none';
804     }
805
806     function onOutcomeChange(){
807         const status = document.getElementById('vr-status').value;
808         const hint = document.getElementById('vr-outcome-hint');
809         if(status === 'REPAIR_DONE'){
810             hint.className = 'outcome-hint success';
811             hint.innerHTML = ' Device status <strong>ASSIGNED</strong> – returned to the employee';
812         } else {
813             hint.className = 'outcome-hint danger';
814             hint.innerHTML = ' Device status <strong>CONDEMNED</strong> – device will be marked unusable';
815         }
816     }
817
818     async function submitRepairUpdate(){
819         const requestId = document.getElementById('vr-request-id').value;
820         const status = document.getElementById('vr-status').value;
821         const resolution = document.getElementById('vr-resolution').value.trim();
822
823         if(!resolution){
824             showAlert('Please enter resolution notes','error'); return;
825         }
826
827         // RepairDTO: { requestId, resolution, status }
828         const body = {
829             requestId: parseInt(requestId),
830             resolution,
831             status // "REPAIR_DONE" ASSIGNED | anything else CONDEMNED
832         };
833
834         try{
835             await apiFetch('/service-requests/vendor', {method:'PUT', body:JSON.stringify(body)});
836             const label = status === 'REPAIR_DONE' ? 'Repair marked done – device returned to employee' :
837 'Device condemned';
838             showAlert(label, 'success');
839             closeRepairPanel();
840             // Refresh everything that could have changed
841             await Promise.all([loadServiceRequests(), loadMyDevices(), loadRepairLogs()]);
842             loadDashboard();
843         }catch(e){ showAlert('Failed: '+e.message,'error'); }
844
845         // REPAIR LOGS
846         async function loadRepairLogs(){
847             try{
848                 const data = await apiFetch('/tech-vendor/repair-logs');
849                 repairsCache = data || [];
850                 renderRepairLogs(repairsCache);
851             }catch(e){ renderRepairLogs([]); }
852         }
853
854         function renderRepairLogs(list){
855             document.getElementById('repair-list').innerHTML = list.length
856             ? list.map(r=><tr>
857                 <td style="font-family:var(--mono);font-size:11px;color:var(--text3)">#${r.id}</td>
858                 <td class="main-cell">${r.deviceName}||Device #'+r.deviceId}</td>
859                 <td style="max-width:140px;overflow:hidden;text-overflow:ellipsis;white-
860 space:nowrap">${r.issueReported}||'-'}</td>
861                 <td>${r.technicianName}||'-'}</td>
862                 <td style="font-size:11px;font-family:var(--mono)">${r.sentDate}||'-'}</td>
863                 <td style="font-size:11px;font-family:var(--mono)">${r.expectedReturnDate}||'-'}</td>
864                 <td style="font-family:var(--mono)">${r.repairCost ? ''+r.repairCost : '-'}</td>
865                 <td><chip(r.repairStatus)</td>
866                 <td><button class="btn btn-ghost btn-xs"
867 onclick="openRepairUpdate(${r.id})">Update</button></td>
868             </tr>` ).join('')
869             : `<tr><td colspan="9"><div class="empty"><div class="empty-icon"></div>No repair
870 logs</div></td></tr>`;
871         }
872
873         function openRepairUpdate(id){
874             document.getElementById('repair-id').value = id;
875             const form = document.getElementById('repair-update-form');
876             form.style.display = 'block';

```

```

874     form.scrollIntoView({behavior: 'smooth'});
875 }
876
877 async function updateRepair(){
878     const id = document.getElementById('repair-id').value;
879     const body = {
880         repairStatus: document.getElementById('repair-status-input').value,
881         technicianName: document.getElementById('repair-tech').value.trim(),
882         repairCost: parseFloat(document.getElementById('repair-cost').value)||null,
883         invoiceNumber: document.getElementById('repair-invoice').value.trim(),
884         actualReturnDate: document.getElementById('repair-return-date').value||null,
885         fixedSuccessfully: document.getElementById('repair-fixed').value==='true',
886         repairNotes: document.getElementById('repair-notes').value.trim(),
887         postRepairAction: document.getElementById('repair-action').value
888     };
889     try{
890         await apiFetch(`/tech-vendor/repair-logs/${id}`, {method: 'PUT', body: JSON.stringify(body)});
891         showAlert('Repair log updated!', 'success');
892         document.getElementById('repair-update-form').style.display='none';
893         loadRepairLogs(); loadMyDevices(); loadDashboard();
894     }catch(e){ showAlert('Failed: '+e.message, 'error'); }
895 }
896
897 // ASSIGNMENTS
898 async function loadAssignments(){
899     try{
900         const data = await apiFetch('/devices/assignments');
901         assignmentsCache = data || [];
902         document.getElementById('assignments-list').innerHTML = assignmentsCache.length
903             ? assignmentsCache.map(a=><tr>
904                 <td class="main-cell">${a.deviceName}||'-</td>
905                 <td>${chip(a.deviceType)}</td>
906                 <td>${a.employeeName}||'-</td>
907                 <td style="font-size:11px;font-family:var(--mono)">${a.assignedDate}||'-</td>
908                 <td>${chip(a.status==='ACTIVE'? 'active_assign': a.status?.toLowerCase())}</td>
909             </tr>`').join('')
910             : `<tr><td colspan="5"><div class="empty"><div class="empty-icon"></div>No assignments
found</div></td></tr>`;
911     }catch(e){}
912 }
913
914 // PROFILE
915 async function loadProfile(){
916     try{
917         const data = await apiFetch('/vendors/me');
918         document.getElementById('profile-name').textContent = data.name || '--';
919         document.getElementById('profile-email').textContent = data.email || '--';
920         document.getElementById('profile-phone').textContent = data.phone || '--';
921         document.getElementById('profile-reg').textContent = data.registeredAt || '--';
922         document.getElementById('profile-avatar').textContent = (data.name||'T').charAt(0).toUpperCase();
923         document.getElementById('sidebar-name').textContent = data.name || 'TechVendor';
924     }catch(e){}
925 }
926
927 // DEVICE DETAIL MODAL
928 async function viewDevice(id){
929     const d = devicesCache.find(x=>x.id===id);
930     if(!d) return;
931     document.getElementById('modal-device-name').textContent = d.deviceName;
932
933     const today = new Date();
934     const warrantyExpiry = d.warrantyExpiryDate ? new Date(d.warrantyExpiryDate) : null;
935     const warrantyDisplay = warrantyExpiry
936         ? (warrantyExpiry > today
937             ? `<span style="color:var(--green);font-family:var(--mono)"> Valid until
938               ${d.warrantyExpiryDate}</span>`
939             : `<span style="color:var(--red);font-family:var(--mono)"> Expired
940               ${d.warrantyExpiryDate}</span>`)
941         : `<span style="color:var(--text3);font-family:var(--mono)">—</span>`;
942
943     document.getElementById('modal-detail-grid').innerHTML = `
944         <div class="detail-item"><div class="detail-label">Brand</div><div class="detail-
value">${d.brand}||'-</div></div>
945         <div class="detail-item"><div class="detail-label">Type</div><div class="detail-
value">${chip(d.deviceType)}</div></div>
946         <div class="detail-item"><div class="detail-label">Status</div><div class="detail-

```



```

value">${chip(d.deviceStatus)}</div></div>
945     <div class="detail-item"><div class="detail-label">Warranty</div><div class="detail-
value">${warrantyDisplay}</div></div>
946     <div class="detail-item"><div class="detail-label">Assigned To</div><div class="detail-
value">${d.assignedEmployeeName||'<span style="color:var(--text3)">Unassigned</span>'}</div></div>
947     <div class="detail-item"><div class="detail-label">Added On</div><div class="detail-
value">${d.createdAt ? d.createdAt.split('T')[0] : '-'}</div></div>
948 `;
949
950     const repairs = repairsCache.filter(r=>r.deviceId===id);
951     document.getElementById('modal-repair-history').innerHTML = repairs.length
952     ? `<div class="timeline">${repairs.map(r=>`
953         <div class="tl-item">
954             <div class="tl-dot
955 ${r.repairStatus=== 'FIXED'? 'green': r.repairStatus=== 'IRREPARABLE'? 'red': r.repairStatus=== 'IN_PROGRESS'? 'amber': '
cyan'}"></div>
956                 <div class="tl-content">
957                     <div class="tl-title">${r.issueReported|| 'Repair'}</div>
958                     <div class="tl-meta">${chip(r.repairStatus)} · ${r.sentDate|| '-'}
959 ${r.actualReturnDate|| 'pending'} · ${r.repairCost ? ''+r.repairCost : 'cost pending'}</div>
960                     </div>
961                 </div>`)).join('')}</div>`
962     : `<div class="empty" style="padding:16px">No repair history</div>`;
963
964     document.getElementById('device-modal').classList.add('open');
965 }
966
967 function closeModal(){
968     document.getElementById('device-modal').classList.remove('open');
969 }
970
971 // HELPERS
972 function chip(val){
973     if(!val) return '-';
974     const cls = val.toLowerCase().replace(/ /g, '_');
975     return `<span class="chip ${cls}">${val.replace(/_/g, ' ')}</span>`;
976 }
977
978 function showAlert(msg, type){
979     const el = document.createElement('div');
980     el.className = `alert alert-${type}`;
981     el.innerHTML = `<span>${type==='success'? '' : ''}</span>${msg}`;
982     document.body.appendChild(el);
983     setTimeout(()=>el.remove(), 3500);
984 }
985
986 function logout(){
987     localStorage.removeItem('jwt_token');
988     localStorage.removeItem('auth_type');
989     fetch(`${API}/session/logout`, {method: 'POST'}).finally(()=>window.location.href='/vendor-
login.html');
990 }
991 </script>
992 </body>
993 </html>

```

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>EMS – Two-Factor Authentication Setup</title>
7      <link
href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700&family=JetBrains+Mono:wght@400;50
0&display=swap" rel="stylesheet">
8      <!-- qrcode.js for QR rendering -->
9      <script src="https://cdnjs.cloudflare.com/ajax/libs/qrcodejs/1.0.0/qrcode.min.js"></script>
10     <style>
11         *{margin:0;padding:0;box-sizing:border-box}
12         :root{
13             --bg:#070910;--panel:#0e1118;--panel2:#131821;
14             --border:rgba(255,255,255,0.07);--border-lit:rgba(255,255,255,0.16);
15             --text:#dde4f0;--text2:#6b7591;--text3:#3d4560;
16             --blue:#4f8cff;--blue-dim:rgba(79,140,255,0.13);
17             --green:#34d399;--green-dim:rgba(52,211,153,0.12);
18             --red:#f87171;--red-dim:rgba(248,113,113,0.12);
19             --amber:#f9c74f;
20             --font:'Outfit',sans-serif;--mono:'JetBrains Mono',monospace;
21         }
22         body{font-family:var(--font);background:var(--bg);color:var(--text);min-height:100vh;}
23
24         .bg-layer{position:fixed;inset:0;z-index:0;
25             background:
26                 radial-gradient(ellipse 50% 50% at 20% 30%, rgba(79,140,255,0.06) 0%,transparent 70%),
27                 radial-gradient(ellipse 40% 40% at 80% 70%, rgba(52,211,153,0.04) 0%,transparent 60%);
28         }
29         .grid-overlay{position:fixed;inset:0;z-index:0;
30             background-image:linear-gradient(rgba(255,255,255,0.015) 1px,transparent 1px),linear-
gradient(90deg,rgba(255,255,255,0.015) 1px,transparent 1px);
31             background-size:40px 40px;
32         }
33
34         /* Nav */
35         .nav{position:relative;z-index:10;display:flex;align-items:center;justify-content:space-
between;padding:18px 40px;border-bottom:1px solid var(--border);}
36         .nav-brand{display:flex;align-items:center;gap:10px;}
37         .nav-icon{width:36px;height:36px;background:linear-gradient(135deg,#4f8cff,#818cf8);border-
radius:9px;display:flex;align-items:center;justify-content:center;font-weight:700;font-size:14px;c...
38         .nav-name{font-size:16px;font-weight:700;}
39         .nav-back{font-size:13px;color:var(--text2);text-decoration:none;display:flex;align-
items:center;gap:6px;transition:color .2s;}
40         .nav-back:hover{color:var(--blue);}
41
42         /* Page */
43         .page{position:relative;z-index:1;max-width:680px;margin:0 auto;padding:48px 24px 80px;}
44
45         .page-header{margin-bottom:36px;}
46         .page-header h1{font-size:28px;font-weight:700;letter-spacing:-.4px;margin-bottom:6px;}
47         .page-header p{font-size:14px;color:var(--text2);line-height:1.6;}
48
49         /* Status badge */
50         .status-bar{display:flex;align-items:center;justify-content:space-between;background:var(--
panel);border:1px solid var(--border);border-radius:14px;padding:18px 22px;margin-bottom:28px;}
51         .status-left{display:flex;align-items:center;gap:14px;}
52         .status-icon{width:44px;height:44px;border-radius:12px;display:flex;align-items:center;justify-
content:center;font-size:22px;flex-shrink:0;}
53         .status-icon.on{background:var(--green-dim);}
54         .status-icon.off{background:var(--border);}
55         .status-title{font-size:15px;font-weight:600;margin-bottom:2px;}
56         .status-desc{font-size:12px;color:var(--text2);}
57         .badge{font-size:11px;font-weight:700;padding:4px 10px;border-radius:20px;letter-spacing:.04em;text-
transform:uppercase;}
58         .badge-on{background:var(--green-dim);color:var(--green);border:1px solid rgba(52,211,153,0.25);}
59         .badge-off{background:var(--border);color:var(--text2);border:1px solid var(--border-lit);}
60
61         /* Cards */
62         .card{background:var(--panel);border:1px solid var(--border);border-radius:14px;padding:24px;margin-
bottom:20px;}

```

```

63     .card-title{font-size:15px;font-weight:600;margin-bottom:4px;display:flex;align-
items:center;gap:8px;}
64     .card-subtitle{font-size:13px;color:var(--text2);margin-bottom:20px;}
65
66     /* Steps list */
67     .steps-list{display:flex;flex-direction:column;gap:16px;margin-bottom:24px;}
68     .step-row{display:flex;gap:14px;align-items:flex-start;}
69     .step-num{width:28px;height:28px;border-radius:50%;background:var(--blue-dim);border:1px solid
rgba(79,140,255,0.3);color:var(--blue);font-size:13px;font-weight:700;display:flex;align-items...
70     .step-text strong{font-size:13px;color:var(--text);display:block;margin-bottom:2px;}
71     .step-text span{font-size:12px;color:var(--text2);line-height:1.5;}
72
73     /* QR area */
74     .qr-area{display:none;flex-direction:column;align-
items:center;gap:20px;padding:24px;background:var(--panel2);border:1px solid var(--border);border-
radius:12px;margin-bottom:20px;}
75     .qr-area.show{display:flex;}
76     #qr-container{background:#fff;padding:14px;border-radius:10px;display:inline-block;}
77     .qr-container canvas, .qr-container img{display:block;}
78     .secret-box{width:100%;background:var(--bg);border:1px solid var(--border);border-
radius:9px;padding:12px 16px;text-align:center;}
79     .secret-label{font-size:11px;color:var(--text3);text-transform:uppercase;letter-
spacing:.06em;margin-bottom:6px;}
80     .secret-val{font-family:var(--mono);font-size:14px;color:var(--amber);letter-spacing:.12em;word-
break:break-all;}
81     .copy-btn{font-size:11px;color:var(--blue);background:none;border:none;cursor:pointer;font-
family:var(--font);padding:0;margin-top:4px;}
82     .copy-btn:hover{text-decoration:underline;}
83
84     /* OTP row */
85     .otp-row{display:flex;gap:10px;justify-content:center;margin:0 0 8px;}
86     .otp-digit{width:48px;height:58px;text-align:center;font-size:24px;font-family:var(--mono);font-
weight:500;background:var(--panel2);border:1px solid var(--border);border-radius:10px;color:v...
87     .otp-digit:focus{border-color:var(--blue);box-shadow:0 0 3px var(--blue-dim);}
88     .otp-digit.filled{border-color:rgba(79,140,255,0.4);}
89
90     /* Alerts */
91     .alert{border-radius:9px;padding:11px 14px;font-size:13px;margin-bottom:14px;display:none;align-
items:flex-start;gap:9px;}
92     .alert.show{display:flex;}
93     .alert-err{background:var(--red-dim);border:1px solid rgba(248,113,113,0.25);color:var(--red);}
94     .alert-ok{background:var(--green-dim);border:1px solid rgba(52,211,153,0.25);color:var(--green);}
95     .alert-icon{font-size:15px;flex-shrink:0;}
96
97     /* Buttons */
98     .btn{padding:12px 22px;border-radius:10px;border:none;font-family:var(--font);font-size:14px;font-
weight:600;cursor:pointer;transition:all .2s;}
99     .btn-primary{background:var(--blue);color:#fff;}
100    .btn-primary:hover{background:#6ba1ff;box-shadow:0 4px 16px rgba(79,140,255,0.3);}
101    .btn-primary.disabled{opacity:.5;cursor:not-allowed;box-shadow:none;}
102    .btn-danger{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.25);}
103    .btn-danger:hover{background:rgba(248,113,113,0.2);}
104    .btn-ghost{background:transparent;color:var(--text2);border:1px solid var(--border);}
105    .btn-ghost:hover{border-color:var(--border-lit);color:var(--text);}
106
107    .btn-row{display:flex;gap:10px;flex-wrap:wrap;}
108
109    .spinner{display:inline-block;width:14px;height:14px;border:2px solid rgba(255,255,255,0.2);border-
top-color:#fff;border-radius:50%;animation:spin .6s linear infinite;vertical-align:middle;...
110    @keyframes spin{to{transform:rotate(360deg)}}
111
112    /* Danger zone */
113    .danger-card{background:var(--red-dim);border:1px solid rgba(248,113,113,0.2);border-
radius:14px;padding:20px 24px;display:flex;align-items:center;justify-content:space-between;gap:16px;}
114    .danger-text strong{font-size:14px;color:var(--red);display:block;margin-bottom:3px;}
115    .danger-text span{font-size:12px;color:rgba(248,113,113,0.7);}
116
117    .loading{text-align:center;padding:60px 0;color:var(--text2);}
118    .loading .spinner{border-top-color:var(--blue);border-color:var(--border-
lit);width:24px;height:24px;}
119    </style>
120 </head>
121 <body>
122 <div class="bg-layer"></div>
123 <div class="grid-overlay"></div>
124

```

```

125 <nav class="nav">
126     <div class="nav-brand">
127         <div class="nav-icon">EMS</div>
128         <div class="nav-name">EmployeeMS</div>
129     </div>
130     <a class="nav-back" href="javascript:history.back()"> Back to dashboard</a>
131 </nav>
132
133 <div class="page">
134     <div class="page-header">
135         <h1>Two-Factor Authentication</h1>
136         <p>Add an extra layer of security to your account. Once enabled, you'll need to provide a 6-digit
code from your authenticator app every time you sign in.</p>
137     </div>
138
139     <!-- Loading state -->
140     <div class="loading" id="loading">
141         <span class="spinner"></span>
142     </div>
143
144     <!-- Main content (shown after status loads) -->
145     <div id="main-content" style="display:none;">
146
147         <!-- Status bar -->
148         <div class="status-bar">
149             <div class="status-left">
150                 <div class="status-icon" id="status-icon"></div>
151                 <div>
152                     <div class="status-title">Two-Factor Authentication</div>
153                     <div class="status-desc" id="status-desc">Loading...</div>
154                 </div>
155             </div>
156             <span class="badge" id="status-badge">—</span>
157         </div>
158
159         <!-- ===== SETUP SECTION (shown when disabled) ===== -->
160         <div id="setup-section">
161             <div class="card">
162                 <div class="card-title"> Enable 2FA</div>
163                 <div class="card-subtitle">Follow these steps to add two-factor authentication to your
account.</div>
164
165                 <div class="steps-list">
166                     <div class="step-row">
167                         <div class="step-num">1</div>
168                         <div class="step-text">
169                             <strong>Install an authenticator app</strong>
170                             <span>Download <a href="https://support.google.com/accounts/answer/1066447"
target="_blank" style="color:var(--blue)">Google Authenticator</a> or <a href="https://authy...
171                         </div>
172                     </div>
173                     <div class="step-row">
174                         <div class="step-num">2</div>
175                         <div class="step-text">
176                             <strong>Scan the QR code</strong>
177                             <span>Click "Generate QR Code" below, then scan it with your authenticator app.
You can also enter the secret key manually.</span>
178                         </div>
179                     </div>
180                     <div class="step-row">
181                         <div class="step-num">3</div>
182                         <div class="step-text">
183                             <strong>Verify the setup</strong>
184                             <span>Enter the 6-digit code shown in your app to confirm everything is working
correctly.</span>
185                         </div>
186                     </div>
187                 </div>
188
189                 <!-- QR area -->
190                 <div class="qr-area" id="qr-area">
191                     <div id="qr-container"></div>
192                     <div class="secret-box">
193                         <div class="secret-label">Manual entry key (backup)</div>
194                         <div class="secret-val" id="secret-display"></div>
195                         <button class="copy-btn" onclick="copySecret()">Copy key</button>

```

```

196         </div>
197     </div>
198
199     <!-- Alerts -->
200     <div class="alert alert-err" id="setup-err"><span class="alert-icon"></span><span
id="setup-err-msg"></span></div>
201     <div class="alert alert-ok" id="setup-ok"><span class="alert-icon"></span><span id="setup-
ok-msg"></span></div>
202
203     <!-- Verify code input (shown after QR generated) -->
204     <div id="verify-area" style="display:none;">
205         <p style="font-size:13px;color:var(--text2);margin-bottom:16px;">Enter the code shown
in your authenticator app to activate 2FA:</p>
206         <div class="otp-row" id="setup-otp-row">
207             <input class="otp-digit" type="text" inputmode="numeric" maxlength="1" id="s0">
208             <input class="otp-digit" type="text" inputmode="numeric" maxlength="1" id="s1">
209             <input class="otp-digit" type="text" inputmode="numeric" maxlength="1" id="s2">
210             <input class="otp-digit" type="text" inputmode="numeric" maxlength="1" id="s3">
211             <input class="otp-digit" type="text" inputmode="numeric" maxlength="1" id="s4">
212             <input class="otp-digit" type="text" inputmode="numeric" maxlength="1" id="s5">
213         </div>
214     </div>
215
216     <div class="btn-row" style="margin-top:8px;">
217         <button class="btn btn-ghost" id="btn-generate" onclick="generateQr()"> Generate QR
Code</button>
218         <button class="btn btn-primary" id="btn-verify" style="display:none;" disabled
onclick="verifySetup()">Activate 2FA</button>
219     </div>
220 </div>
221 </div>
222
223     <!-- ===== ACTIVE SECTION (shown when enabled) ===== -->
224     <div id="active-section" style="display:none;">
225         <div class="card">
226             <div class="card-title"> 2FA is active</div>
227             <div class="card-subtitle">Your account is protected. Every sign-in requires your
authenticator app code.</div>
228             <p style="font-size:13px;color:var(--text2);line-height:1.6;">
229                 If you lose access to your authenticator app, contact your admin to reset 2FA. We
recommend also saving backup codes.
230             </p>
231         </div>
232
233         <div class="danger-card">
234             <div class="danger-text">
235                 <strong>Disable Two-Factor Authentication</strong>
236                 <span>This will remove the extra protection from your account.</span>
237             </div>
238             <button class="btn btn-danger" onclick="disableTotp()">Disable 2FA</button>
239         </div>
240     </div>
241
242 </div>
243 </div>
244
245 <script>
246     const token = () => localStorage.getItem('jwt_token');
247     const authHeader = () => ({ 'Authorization': 'Bearer ' + token(), 'Content-Type': 'application/json'
});
248
249     // ---- Load status on page open ----
250     async function loadStatus() {
251         try {
252             const res = await fetch('/totp/status', { headers: authHeader() });
253             if (res.status === 401) { window.location.href = '/google.html'; return; }
254             const data = await res.json();
255             renderStatus(data.totpEnabled);
256         } catch (e) {
257             console.error(e);
258         } finally {
259             document.getElementById('loading').style.display = 'none';
260             document.getElementById('main-content').style.display = 'block';
261         }
262     }
263

```

```

264     function renderStatus(enabled) {
265         const icon = document.getElementById('status-icon');
266         const desc = document.getElementById('status-desc');
267         const badge = document.getElementById('status-badge');
268         const setup = document.getElementById('setup-section');
269         const active = document.getElementById('active-section');
270
271         if (enabled) {
272             icon.textContent = '';
273             icon.className = 'status-icon on';
274             desc.textContent = 'Your account requires a 6-digit code on every sign-in.';
275             badge.textContent = 'Enabled';
276             badge.className = 'badge badge-on';
277             setup.style.display = 'none';
278             active.style.display = 'block';
279         } else {
280             icon.textContent = '';
281             icon.className = 'status-icon off';
282             desc.textContent = 'Not enabled – only your password protects your account.';
283             badge.textContent = 'Disabled';
284             badge.className = 'badge badge-off';
285             setup.style.display = 'block';
286             active.style.display = 'none';
287         }
288     }
289
290     // ---- Generate QR ----
291     let currentSecret = null;
292
293     async function generateQr() {
294         const btn = document.getElementById('btn-generate');
295         btn.disabled = true;
296         btn.innerHTML = '<span class="spinner"></span>Generating...';
297         clearAlerts();
298
299         try {
300             const res = await fetch('/totp/setup', { method: 'POST', headers: authHeader() });
301             const data = await res.json();
302             if (!res.ok) { showAlert('setup-err', data.error || 'Failed to generate QR code'); return; }
303
304             currentSecret = data.secret;
305
306             // Render QR code
307             const qrContainer = document.getElementById('qr-container');
308             qrContainer.innerHTML = '';
309             new QRCode(qrContainer, {
310                 text: data.qrCodeUri,
311                 width: 180,
312                 height: 180,
313                 colorDark: '#000000',
314                 colorLight: '#ffffff',
315                 correctLevel: QRCode.CorrectLevel.M
316             });
317
318             document.getElementById('secret-display').textContent = formatSecret(data.secret);
319             document.getElementById('qr-area').classList.add('show');
320             document.getElementById('verify-area').style.display = 'block';
321             document.getElementById('btn-verify').style.display = 'inline-block';
322             btn.textContent = 'Regenerate';
323
324             // Focus first digit
325             setTimeout(() => document.getElementById('s0').focus(), 200);
326         } catch (e) {
327             showAlert('setup-err', 'Network error. Please try again.');
```

```

340     navigator.clipboard.writeText(currentSecret || '');
341     const btn = document.querySelector('.copy-btn');
342     btn.textContent = 'Copied!';
343     setTimeout(() => btn.textContent = 'Copy key', 1500);
344 }
345
346 // ---- OTP inputs for setup ----
347 const setupDigits = Array.from({ length: 6 }, (_, i) => document.getElementById('s' + i));
348 const btnVerify = document.getElementById('btn-verify');
349
350 setupDigits.forEach((d, i) => {
351     d.addEventListener('input', () => {
352         const val = d.value.replace(/\D/g, '');
353         d.value = val;
354         d.classList.toggle('filled', val.length > 0);
355         if (val && i < 5) setupDigits[i + 1].focus();
356         btnVerify.disabled = setupDigits.map(x => x.value).join('').length < 6;
357     });
358     d.addEventListener('keydown', e => {
359         if (e.key === 'Backspace' && !d.value && i > 0) {
360             setupDigits[i - 1].focus();
361             setupDigits[i - 1].value = '';
362             setupDigits[i - 1].classList.remove('filled');
363             btnVerify.disabled = true;
364         }
365         if (e.key === 'Enter' && !btnVerify.disabled) verifySetup();
366     });
367     d.addEventListener('paste', e => {
368         const pasted = (e.clipboardData || window.clipboardData).getData('text').replace(/\D/g,
369             '').slice(0, 6);
370         if (pasted.length === 6) {
371             pasted.split('').forEach((ch, idx) => { setupDigits[idx].value = ch;
372             setupDigits[idx].classList.add('filled'); });
373             setupDigits[5].focus();
374             btnVerify.disabled = false;
375             e.preventDefault();
376         }
377     });
378 });
379
380 // ---- Verify setup ----
381 async function verifySetup() {
382     clearAlerts();
383     const code = setupDigits.map(d => d.value).join('');
384     if (code.length < 6) return;
385
386     btnVerify.disabled = true;
387     btnVerify.innerHTML = '<span class="spinner"></span>Activating...';
388
389     try {
390         const res = await fetch('/totp/verify-setup', {
391             method: 'POST',
392             headers: authHeader(),
393             body: JSON.stringify({ code })
394         });
395         const data = await res.json();
396         if (!res.ok) {
397             showAlert('setup-err', data.error || 'Invalid code. Try again.');
```

```
account less secure.')) return;
414
415     try {
416         const res = await fetch('/totp/disable', { method: 'DELETE', headers: authHeader() });
417         if (!res.ok) { alert('Failed to disable 2FA.');
```

```
         return; }
418         renderStatus(false);
419     } catch (e) {
420         alert('Network error.');
```

```
    }
421 }
422 }
423
424 // ---- Alerts ----
425 function showAlert(id, msg) {
426     const el = document.getElementById(id);
427     el.classList.add('show');
428     document.getElementById(id + '-msg').textContent = msg;
429 }
430 function clearAlerts() {
431     ['setup-err', 'setup-ok'].forEach(id => document.getElementById(id).classList.remove('show'));
432 }
433
434 // ---- Boot ----
435 if (!localStorage.getItem('jwt_token')) {
436     window.location.href = '/google.html';
437 } else {
438     loadStatus();
439 }
440 </script>
441 </body>
442 </html>
```



```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>EMS – Vendor Hub</title>
7      <link
href="https://fonts.googleapis.com/css2?family=DM+Sans:wght@300;400;500;600;700&family=Space+Mono:wght@400;700&
isplay=swap" rel="stylesheet">
8      <style>
9          *{margin:0;padding:0;box-sizing:border-box}
10         :root{
11             --bg:#08100a;--bg2:#0c160e;--bg3:#101c12;
12             --panel:#131f15;--panel2:#182219;
13             --border:rgba(52,211,153,0.08);--border2:rgba(52,211,153,0.18);
14             --text:#d4edd9;--text2:#6b9474;--text3:#3d5e44;
15             --accent:#34d399;--accent-dim:rgba(52,211,153,0.1);
16             --amber:#fbbf24;--amber-dim:rgba(251,191,36,0.1);
17             --red:#f87171;--red-dim:rgba(248,113,113,0.1);
18             --blue:#60a5fa;--blue-dim:rgba(96,165,250,0.1);
19             --font:'DM Sans',sans-serif;--mono:'Space Mono',monospace;
20             --sidebar:245px;
21         }
22         body{font-family:var(--font);background:var(--bg);color:var(--text);font-
size:14px;overflow:hidden;height:100vh}
23         .app{display:flex;height:100vh}
24
25         /* SIDEBAR */
26         .sidebar{width:var(--sidebar);background:var(--bg2);border-right:1px solid var(--
border);display:flex;flex-direction:column;flex-shrink:0;position:relative}
27         .sidebar::before{content:'';position:absolute;left:0;top:0;bottom:0;width:2px;background:linear-
gradient(to bottom,transparent,var(--accent),transparent)}
28         .logo{padding:22px 20px;border-bottom:1px solid var(--border)}
29         .logo-row{display:flex;align-items:center;gap:10px;margin-bottom:4px}
30         .logo-icon{width:34px;height:34px;background:linear-gradient(135deg,#16a34a,var(--accent));border-
radius:10px;display:flex;align-items:center;justify-content:center;font-weight:700;font-siz...
31         .logo h2{font-size:16px;font-weight:700;color:var(--text)}
32         .logo p{font-size:10px;color:var(--text3);font-family:var(--mono)}
33         .role-badge{display:inline-flex;align-items:center;gap:6px;padding:4px 12px;background:var(--accent-
dim);border:1px solid rgba(52,211,153,0.2);border-radius:4px;font-size:10px;font-weight:7...
34         .nav{flex:1;padding:10px 0;overflow-y:auto}
35         .nav-section{padding:12px 20px 6px;font-size:9px;font-weight:700;color:var(--text3);letter-
spacing:2px;text-transform:uppercase;font-family:var(--mono)}
36         .nav-item{display:flex;align-items:center;gap:10px;padding:10px 20px;margin:2px 8px;border-
radius:6px;cursor:pointer;transition:all 0.2s;color:var(--text2);font-size:13px;font-weight:500}
37         .nav-item:hover{background:var(--accent-dim);color:var(--accent)}
38         .nav-item.active{background:var(--accent-dim);color:var(--accent);border-left:2px solid var(--
accent);margin-left:6px}
39         .sidebar-footer{padding:16px 20px;border-top:1px solid var(--border)}
40         .user-card{display:flex;align-items:center;gap:10px}
41         .avatar{width:34px;height:34px;background:linear-gradient(135deg,#16a34a,var(--accent));border-
radius:6px;display:flex;align-items:center;justify-content:center;font-size:14px;font-weight:7...
42         .user-info-side .name{font-size:12px;font-weight:600;color:var(--text)}
43         .user-info-side .role-text{font-size:9px;color:var(--accent);font-family:var(--mono);text-
transform:uppercase;letter-spacing:1px}
44
45         /* MAIN */
46         .main{flex:1;display:flex;flex-direction:column;overflow:hidden}
47         .topbar{background:var(--bg2);padding:14px 24px;display:flex;justify-content:space-between;align-
items:center;border-bottom:1px solid var(--border);flex-shrink:0}
48         .page-title{font-size:16px;font-weight:700;color:var(--text);font-family:var(--mono)}
49         .topbar-right{display:flex;align-items:center;gap:12px}
50         .logout-btn{padding:7px 16px;background:transparent;border:1px solid var(--border2);border-
radius:4px;color:var(--text2);font-family:var(--mono);font-size:11px;cursor:pointer;transition:all...
51         .logout-btn:hover{background:var(--red-dim);border-color:var(--red);color:var(--red)}
52         .content{flex:1;overflow-y:auto;padding:24px}
53         .view{display:none}
54         .view.active{display:block;animation:fadeIn 0.25s ease}
55         @keyframes fadeIn{from{opacity:0;transform:translateY(6px)}to{opacity:1;transform:translateY(0)}}
56
57         /* STATS */
58         .stats-grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(150px,1fr));gap:14px;margin-

```

```

bottom:24px}
59     .stat-card{background:var(--panel);border:1px solid var(--border);border-
radius:10px;padding:18px;position:relative;transition:border-color 0.2s}
60     .stat-card:hover{border-color:var(--border2)}
61     .stat-card::before{content:'';position:absolute;top:0;left:0;right:0;height:2px;border-radius:10px
10px 0 0}
62     .stat-card.green::before{background:var(--accent)}
63     .stat-card.amber::before{background:var(--amber)}
64     .stat-card.blue::before{background:var(--blue)}
65     .stat-card.red::before{background:var(--red)}
66     .stat-label{font-size:10px;color:var(--text3);text-transform:uppercase;letter-spacing:1.2px;margin-
bottom:10px;font-weight:600;font-family:var(--mono)}
67     .stat-value{font-size:28px;font-weight:700;color:var(--text);font-family:var(--mono)}
68     .stat-sub{font-size:11px;color:var(--text3);margin-top:4px}
69
70     /* SECTION */
71     .section{background:var(--panel);border:1px solid var(--border);border-radius:10px;margin-
bottom:18px;overflow:hidden}
72     .section-head{padding:14px 20px;border-bottom:1px solid var(--border);display:flex;justify-
content:space-between;align-items:center}
73     .section-title{font-size:13px;font-weight:700;color:var(--text);font-family:var(--mono)}
74     .section-sub{font-size:11px;color:var(--text3);margin-top:2px}
75
76     /* TABLE */
77     .tablewrap{overflow-x:auto}
78     table{width:100%;border-collapse:collapse}
79     th{padding:10px 16px;text-align:left;font-size:10px;color:var(--text3);font-weight:700;letter-
spacing:1px;text-transform:uppercase;background:var(--bg3);border-bottom:1px solid var(--border...
80     td{padding:11px 16px;border-bottom:1px solid var(--border);font-size:13px;color:var(--text2)}
81     tr:last-child td{border-bottom:none}
82     tr:hover td{background:rgba(52,211,153,0.03);color:var(--text)}
83
84     /* CHIPS */
85     .chip{display:inline-flex;align-items:center;padding:3px 8px;border-radius:4px;font-size:10px;font-
weight:700;font-family:var(--mono);letter-spacing:0.5px}
86     .chip.active{background:var(--accent-dim);color:var(--accent);border:1px solid rgba(52,211,153,0.2)}
87     .chip.inactive{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.2)}
88     .chip.pending{background:var(--amber-dim);color:var(--amber)}
89     .chip.delivered{background:var(--accent-dim);color:var(--accent)}
90     .chip.processing{background:var(--blue-dim);color:var(--blue)}
91     .chip.breakfast{background:var(--amber-dim);color:var(--amber)}
92     .chip.lunch{background:var(--accent-dim);color:var(--accent)}
93     .chip.dinner{background:var(--blue-dim);color:var(--blue)}
94
95     /* BUTTONS */
96     .btn{padding:8px 16px;border-radius:6px;border:none;font-family:var(--mono);font-size:11px;font-
weight:700;cursor:pointer;transition:all 0.2s;letter-spacing:0.5px;text-transform:uppercase}
97     .btn-primary{background:var(--accent);color:#08100a}
98     .btn-primary:hover{background:#22c77a;box-shadow:0 4px 12px rgba(52,211,153,0.3)}
99     .btn-secondary{background:var(--panel2);color:var(--text2);border:1px solid var(--border)}
100    .btn-secondary:hover{border-color:var(--border2);color:var(--text)}
101    .btn-danger{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.2)}
102    .btn-danger:hover{background:var(--red);color:#fff}
103    .btn-warning{background:var(--amber-dim);color:var(--amber);border:1px solid rgba(251,191,36,0.2)}
104    .btn-warning:hover{background:var(--amber);color:#000}
105    .btn-sm{padding:5px 10px;font-size:10px}
106    .action-row{display:flex;gap:6px}
107
108    /* FORM */
109    .form-card{padding:22px}
110    .form-grid{display:grid;grid-template-columns:1fr 1fr;gap:14px}
111    .form-group{display:flex;flex-direction:column;gap:5px}
112    .form-group.full{grid-column:1/-1}
113    label{font-size:10px;font-weight:700;color:var(--text3);text-transform:uppercase;letter-
spacing:0.8px;font-family:var(--mono)}
114    input,select,textarea{background:var(--bg3);border:1px solid var(--border);border-
radius:6px;padding:9px 12px;color:var(--text);font-family:var(--font);font-size:13px;transition:border-colo...
115    input:focus,select:focus,textarea:focus{outline:none;border-color:var(--accent)}
116    input::placeholder,textarea::placeholder{color:var(--text3)}
117    select option{background:var(--bg2)}
118    .form-actions{display:flex;gap:10px;margin-top:18px}
119
120    /* ALERT */
121    .alert{position:fixed;top:20px;right:20px;padding:12px 20px;border-radius:8px;z-
index:1100;animation:slideIn 0.3s ease;font-size:12px;font-weight:700;font-family:var(--mono)}
122    .alert-success{background:var(--accent-dim);color:var(--accent);border:1px solid

```

```

rgba(52,211,153,0.3)}
123     .alert-error{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.3)}
124     @keyframes slideIn{from{transform:translateX(120%);opacity:0}to{transform:translateX(0);opacity:1}}
125     .empty-state{text-align:center;color:var(--text3);font-style:italic;padding:28px;font-family:var(--
mono);font-size:12px}
126
127     /* RESTAURANT CARDS */
128     .restaurant-grid{display:grid;grid-template-columns:repeat(auto-
fill,minmax(240px,1fr));gap:14px;padding:20px}
129     .restaurant-card{background:var(--bg3);border:1px solid var(--border);border-
radius:10px;padding:18px;transition:all 0.2s;position:relative;overflow:hidden}
130     .restaurant-
card::before{content:'';position:absolute;top:0;left:0;bottom:0;width:3px;background:var(--accent)}
131     .restaurant-card:hover{border-color:var(--border2);transform:translateX(2px)}
132     .restaurant-card.inactive::before{background:var(--red)}
133     .rest-name{font-weight:700;color:var(--text);margin-bottom:6px;font-size:14px}
134     .rest-meta{font-size:11px;color:var(--text3);font-family:var(--mono);margin-bottom:12px}
135     .rest-actions{display:flex;gap:8px}
136 </style>
137 </head>
138 <body>
139 <div class="app">
140     <!-- SIDEBAR -->
141     <div class="sidebar">
142         <div class="logo">
143             <div class="logo-row">
144                 <div class="logo-icon">V</div>
145                 <h2>Vendor Hub</h2>
146             </div>
147             <p>EMS Vendor Portal</p>
148             <div class="role-badge">// FOOD VENDOR</div>
149         </div>
150         <nav class="nav">
151             <div class="nav-section">// overview</div>
152             <div class="nav-item active" onclick="showView('dashboard',this)"><span></span> Dashboard</div>
153             <div class="nav-section">// restaurants</div>
154             <div class="nav-item" onclick="showView('my-restaurants',this)"><span></span> My
Restaurants</div>
155             <div class="nav-item" onclick="showView('add-restaurant',this)"><span></span> Add
Restaurant</div>
156             <div class="nav-section">// operations</div>
157             <div class="nav-item" onclick="showView('subscriptions',this)"><span></span>
Subscriptions</div>
158             <div class="nav-item" onclick="showView('deliveries',this)"><span></span> Deliveries</div>
159             <div class="nav-section">// account</div>
160             <div class="nav-item" onclick="showView('profile',this)"><span></span> My Profile</div>
161         </nav>
162         <div class="sidebar-footer">
163             <div class="user-card">
164                 <div class="avatar" id="avatar-initials">V</div>
165                 <div class="user-info-side">
166                     <div class="name" id="sidebar-name">Vendor</div>
167                     <div class="role-text">// vendor</div>
168                 </div>
169             </div>
170         </div>
171     </div>
172
173     <!-- MAIN -->
174     <div class="main">
175         <div class="topbar">
176             <div class="page-title" id="pageTitle">// dashboard</div>
177             <div class="topbar-right">
178                 <span style="font-size:11px;color:var(--text3);font-family:var(--mono)" id="topbar-
email"></span>
179                 <button class="logout-btn" onclick="logout()">SIGN OUT</button>
180             </div>
181         </div>
182         <div class="content">
183
184             <!-- DASHBOARD -->
185             <div id="dashboard-view" class="view active">
186                 <div class="stats-grid">
187                     <div class="stat-card green">
188                         <div class="stat-label">Restaurants</div>
189                         <div class="stat-value" id="stat-restaurants">--</div>

```

```

190         <div class="stat-sub">active listings</div>
191     </div>
192     <div class="stat-card amber">
193         <div class="stat-label">Subscriptions</div>
194         <div class="stat-value" id="stat-subs">--</div>
195         <div class="stat-sub">active customers</div>
196     </div>
197     <div class="stat-card blue">
198         <div class="stat-label">Deliveries</div>
199         <div class="stat-value" id="stat-deliveries">--</div>
200         <div class="stat-sub">total today</div>
201     </div>
202     <div class="stat-card red">
203         <div class="stat-label">Pending</div>
204         <div class="stat-value" id="stat-pending">--</div>
205         <div class="stat-sub">deliveries pending</div>
206     </div>
207 </div>
208 <div style="display:grid;grid-template-columns:1fr 1fr;gap:18px">
209     <div class="section">
210         <div class="section-head">
211             <div><div class="section-title">// my_restaurants</div></div>
212             <button class="btn btn-secondary btn-sm" onclick="showView('my-
restaurants',null)">view </button>
213         </div>
214         <div id="dash-restaurants" style="padding:4px 0"></div>
215     </div>
216     <div class="section">
217         <div class="section-head">
218             <div><div class="section-title">// recent_deliveries</div></div>
219             <button class="btn btn-secondary btn-sm"
onclick="showView('deliveries',null)">view </button>
220         </div>
221         <div class="tablewrap">
222             <table>
223                 <thead><tr><th>Meal</th><th>Slot</th><th>Status</th></tr></thead>
224                 <tbody id="dash-deliveries"><tr><td colspan="3" class="empty-
state">loading...</td></tr></tbody>
225             </table>
226         </div>
227     </div>
228 </div>
229 </div>
230
231 <!-- MY RESTAURANTS -->
232 <div id="my-restaurants-view" class="view">
233     <div class="section">
234         <div class="section-head">
235             <div><div class="section-title">// my_restaurants</div><div class="section-
sub">Manage your listings</div></div>
236             <button class="btn btn-secondary btn-sm" onclick="loadMyRestaurants()">
refresh</button>
237         </div>
238         <div class="restaurant-grid" id="restaurants-grid">
239             <div class="empty-state">loading...</div>
240         </div>
241     </div>
242 </div>
243
244 <!-- ADD RESTAURANT -->
245 <div id="add-restaurant-view" class="view">
246     <div class="section">
247         <div class="section-head"><div class="section-title">// add_restaurant</div></div>
248         <div class="form-card">
249             <div class="form-grid">
250                 <div class="form-group full">
251                     <label>Restaurant Name</label>
252                     <input id="rest-name" placeholder="My Restaurant Name">
253                 </div>
254
255                 <div class="form-group full">
256                     <label>Address</label>
257                     <input id="rest-address" placeholder="Street, area, city">
258                 </div>
259
260                 <div class="form-group full">

```

```

261             <label>Meal Slots</label>
262             <div style="display:flex;gap:14px;flex-wrap:wrap;padding:10px
12px;background:var(--bg3);border:1px solid var(--border);border-radius:6px">
263                 <label style="display:flex;align-items:center;gap:8px;color:var(--
text);font-family:var(--font);text-transform:none;letter-spacing:0;font-size:13px">
264                     <input type="checkbox" class="rest-slot-check" value="BREAKFAST"
style="width:auto"> Breakfast
265                 </label>
266                 <label style="display:flex;align-items:center;gap:8px;color:var(--
text);font-family:var(--font);text-transform:none;letter-spacing:0;font-size:13px">
267                     <input type="checkbox" class="rest-slot-check" value="LUNCH"
style="width:auto"> Lunch
268                 </label>
269                 <label style="display:flex;align-items:center;gap:8px;color:var(--
text);font-family:var(--font);text-transform:none;letter-spacing:0;font-size:13px">
270                     <input type="checkbox" class="rest-slot-check" value="DINNER"
style="width:auto"> Dinner
271                 </label>
272             </div>
273         </div>
274
275         <div class="form-group full">
276             <label>Description (optional)</label>
277             <textarea id="rest-desc" rows="2" placeholder="Brief description of your
restaurant..."></textarea>
278         </div>
279     </div>
280     <div class="form-actions">
281         <button class="btn btn-primary" onclick="addRestaurant()">CREATE
RESTAURANT</button>
282         <button class="btn btn-secondary" onclick="clearRestForm()">CLEAR</button>
283     </div>
284 </div>
285 </div>
286 </div>
287
288 <!-- SUBSCRIPTIONS -->
289 <div id="subscriptions-view" class="view">
290     <div class="section">
291         <div class="section-head">
292             <div><div class="section-title">// subscriptions</div><div class="section-
sub">Customers subscribed to your restaurants</div></div>
293             <button class="btn btn-secondary btn-sm" onclick="loadSubscriptions()">
refresh</button>
294         </div>
295         <div class="tablewrap">
296             <table>
297                 <thead><tr><th>Employee</th><th>Restaurant</th><th>Meal
Slot</th><th>From</th><th>To</th><th>Status</th></tr></thead>
298                 <tbody id="subscriptions-list"><tr><td colspan="6" class="empty-
state">loading...</td></tr></tbody>
299             </table>
300         </div>
301     </div>
302 </div>
303
304 <!-- DELIVERIES -->
305 <div id="deliveries-view" class="view">
306     <div class="section">
307         <div class="section-head">
308             <div><div class="section-title">// deliveries</div></div>
309             <button class="btn btn-secondary btn-sm" onclick="loadDeliveries()">
refresh</button>
310         </div>
311         <div class="tablewrap">
312             <table>
313                 <thead><tr><th>ID</th><th>Restaurant</th><th>Meal
Slot</th><th>Date</th><th>Status</th><th>Action</th></tr></thead>
314                 <tbody id="deliveries-list"><tr><td colspan="6" class="empty-
state">loading...</td></tr></tbody>
315             </table>
316         </div>
317     </div>
318 </div>
319
320 <!-- PROFILE -->

```

```

321         <div id="profile-view" class="view">
322             <div class="section">
323                 <div class="section-head"><div class="section-title">// my_profile</div></div>
324                 <div style="padding:24px;display:grid;grid-template-columns:1fr 1fr;gap:16px"
id="vendor-profile">
325                     <div><div style="font-size:10px;color:var(--text3);font-family:var(--mono);text-
transform:uppercase;letter-spacing:0.8px;margin-bottom:6px">NAME</div><div style="font-family...
326                     <div><div style="font-size:10px;color:var(--text3);font-family:var(--mono);text-
transform:uppercase;letter-spacing:0.8px;margin-bottom:6px">EMAIL</div><div style="font-famil...
327                     <div><div style="font-size:10px;color:var(--text3);font-family:var(--mono);text-
transform:uppercase;letter-spacing:0.8px;margin-bottom:6px">VENDOR ID</div><div style="font-f...
328                     <div><div style="font-size:10px;color:var(--text3);font-family:var(--mono);text-
transform:uppercase;letter-spacing:0.8px;margin-bottom:6px">ROLE</div><div style="font-family...
329                     </div>
330                 </div>
331             </div>
332
333         </div>
334     </div>
335 </div>
336
337 <script>
338     const API='http://localhost:8080';
339     let vendorId=null;
340
341     (function(){
342         const token=localStorage.getItem('jwt_token');
343         const authType=localStorage.getItem('auth_type');
344         if(!token&&authType!=='session'){window.location.href='/login.html';return;}
345         if(token){
346             try{
347                 const p=JSON.parse(atob(token.split('.')[1]));
348                 const roles=p.roles||p.authorities||'';
349                 if(roles.includes('ROLE_VENDOR')) { initUser(); return; }
350                 if(roles.includes('ROLE_EMPLOYEE')){window.location.href='/employee-
dashboard.html';return;}
351                 if(roles.includes('ROLE_MANAGER')){window.location.href='/manager-dashboard.html';return;}
352                 if(roles.includes('ROLE_ADMIN')){window.location.href='/dashboard.html';return;}
353             }catch(e){}
354         }
355         initUser();
356     })();
357
358     function getAuthHeader(){const t=localStorage.getItem('jwt_token');return t?{'Authorization':`Bearer
${t}`}:{};};
359     async function apiFetch(path,opts={}){
360         const res=await fetch(`${API}${path}`,{...opts,headers:{'Content-
Type':'application/json',...getAuthHeader(),...(opts.headers||{})},credentials:'include'});
361         if(res.status===401){localStorage.removeItem('jwt_token');localStorage.removeItem('auth_type');showAlert('SESSIO
N EXPIRED','error');setTimeout(()=>window.location.href='/login.html',1500);t...
362         const text=await res.text();return text?JSON.parse(text):null;
363     }
364
365     async function initUser(){
366         const token=localStorage.getItem('jwt_token');
367         let email='';
368         if(token){try{const p=JSON.parse(atob(token.split('.')[1]));email=p.sub||p.email||'';}catch(e){}}
369         document.getElementById('avatar-initials').textContent=(email||'V').charAt(0).toUpperCase();
370         document.getElementById('sidebar-name').textContent=(email.split('@')[0]||'Vendor');
371         document.getElementById('topbar-email').textContent=email;
372         document.getElementById('p-email').textContent=email;
373
374         try{
375             const me = await apiFetch('/vendors/me');
376             if(me){
377                 vendorId = me.id || me.vendorId || null;
378                 document.getElementById('p-name').textContent = me.name || '-';
379                 document.getElementById('p-id').textContent = vendorId || '-';
380             }
381         }catch(e){
382             console.error('Could not load vendor profile', e);
383         }
384
385         loadDashboard();
386     }

```

```

387
388     function showView(name,el){
389         document.querySelectorAll('.view').forEach(v=>v.classList.remove('active'));
390         document.getElementById(`${name}-view`).classList.add('active');
391         document.querySelectorAll('.nav-item').forEach(n=>n.classList.remove('active'));
392         if(el)el.classList.add('active');
393         document.getElementById('pageTitle').textContent='// '+name.replace(/-/g, '_');
394         const loaders={dashboard:loadDashboard,'my-restaurants':loadMyRestaurants,'add-
restaurant':()=>{},'subscriptions':loadSubscriptions,'deliveries':loadDeliveries,'profile':()=>{}};
395         if(loaders[name])loaders[name]()();
396     }
397
398     async function loadDashboard(){
399         try{
400             const [rests,subs,deliveries]=await Promise.all([
401                 apiFetch('/restaurants/vendor').catch(()=>[]),
402                 apiFetch('/subscriptions').catch(()=>[]),
403                 apiFetch('/deliveries').catch(()=>[])
404             ]);
405
406             const restArr=rests||[];
407             const subArr=subs||[];
408             const delArr=deliveries||[];
409
410             document.getElementById('stat-
restaurants').textContent=restArr.filter(r=>r.active!==false).length;
411             document.getElementById('stat-subs').textContent=subArr.length;
412             document.getElementById('stat-deliveries').textContent=delArr.length;
413             document.getElementById('stat-
pending').textContent=delArr.filter(d=>d.status==='PENDING').length;
414
415             document.getElementById('dash-restaurants').innerHTML=restArr.length
416                 ? restArr.slice(0,4).map(r=><div style="padding:12px 20px;border-bottom:1px solid var(--
border);display:flex;justify-content:space-between;align-items:center"><div><div style="font...
417                 : '<div class="empty-state">no restaurants yet</div>';
418
419             document.getElementById('dash-deliveries').innerHTML=delArr.length
420                 ? delArr.slice(0,5).map(d=><tr><td>${d.restaurantName||d.restaurantId||'-'}</td><td><span
class="chip ${((d.mealSlot||'')).toLowerCase()}">${d.mealSlot||'-'}</span></td><td><span cla...
421                 : '<tr><td colspan="3" class="empty-state">no deliveries</td></tr>';
422             }catch(e){console.error(e);}
423         }
424
425
426     async function loadMyRestaurants(){
427         try{
428             const rests=await apiFetch('/restaurants/vendor');
429             const arr=rests||[];
430             document.getElementById('restaurants-grid').innerHTML=arr.length
431                 ? arr.map(r=><div class="restaurant-card ${r.active===false?'inactive':''}>
432                 <div class="rest-name">${r.name||'-'}</div>
433                 <div class="rest-meta">${r.supportedMealSlots?.join(', ')}||'-'} · ID:
${r.id||r.restaurantId||'-'}</div>
434                 <div style="font-size:12px;color:var(--text2);margin-bottom:8px">${r.address||'-'}</div>
435                 <div style="font-size:11px;color:var(--text3);margin-bottom:12px">${r.description||''}</div>
436                 <div class="rest-actions">
437                     ${r.active!==false
438                     ? <button class="btn btn-warning btn-sm"
onclick="deactivateRestaurant(${r.id}|r.restaurantId)">DEACTIVATE</button>`
439                     : `<span style="font-size:10px;color:var(--red);font-family:var(--
mono)">INACTIVE</span>`}
440                 </div>
441             </div>`).join('')
442                 : '<div class="empty-state">no restaurants found. create one!</div>';
443             }catch(e){
444                 document.getElementById('restaurants-grid').innerHTML='<div class="empty-state">could not load
restaurants</div>';
445             }
446         }
447
448
449     async function addRestaurant(){
450         const name=document.getElementById('rest-name').value.trim();
451         const address=document.getElementById('rest-address').value.trim();
452         const description=document.getElementById('rest-desc').value.trim();
453         const supportedMealSlots=Array.from(document.querySelectorAll('.rest-slot-

```

```

check:checked')).map(el=>el.value);
454
455     if(!name || !address || supportedMealSlots.length===0){
456         showAlert('NAME, ADDRESS AND AT LEAST ONE MEAL SLOT REQUIRED','error');
457         return;
458     }
459
460     try{
461         await apiFetch('/restaurants',{
462             method:'POST',
463             body:JSON.stringify({name,address,description,supportedMealSlots})
464         });
465         showAlert('RESTAURANT CREATED!','success');
466         clearRestForm();
467         loadMyRestaurants();
468         loadDashboard();
469     }catch(e){
470         showAlert('FAILED: '+e.message,'error');
471     }
472 }
473
474
475 function clearRestForm(){
476     ['rest-name','rest-address','rest-desc'].forEach(id=>document.getElementById(id).value='');
477     document.querySelectorAll('.rest-slot-check').forEach(el=>el.checked=false);
478 }
479
480 async function loadSubscriptions(){
481     try{
482         const data=await apiFetch('/subscriptions');
483         document.getElementById('subscriptions-list').innerHTML=(data||[]).length
484             ? data.map(s=><tr><td style="font-family:var(--mono);font-size:12px">${s.employeeEmail}|${s.employeeId}|-</td><td>${s.restaurantName}|${s.restaurantId}|-</td><td><span class="chi...
485             : '<tr><td colspan="6" class="empty-state">no subscriptions found</td></tr>';
486     }catch(e){document.getElementById('subscriptions-list').innerHTML='<tr><td colspan="6" class="empty-state">could not load subscriptions</td></tr>';}
487 }
488
489 async function loadDeliveries(){
490     try{
491         const data=await apiFetch('/deliveries');
492         document.getElementById('deliveries-list').innerHTML=(data||[]).length
493             ? data.map(d=><tr><td style="font-family:var(--mono);font-size:11px">#${d.id}|-</td><td>${d.restaurantName}|${d.restaurantId}|-</td><td><span class="chip
494             : '<tr><td colspan="6" class="empty-state">no deliveries found</td></tr>';
495     }catch(e){document.getElementById('deliveries-list').innerHTML='<tr><td colspan="6" class="empty-state">could not load deliveries</td></tr>';}
496 }
497
498 async function markDelivered(id){
499     try{await apiFetch(`/deliveries/${id}/delivered`,{method:'PUT'});showAlert('MARKED AS
DELIVERED','success');loadDeliveries();}
500     catch(e){showAlert('FAILED','error');}
501 }
502
503 function logout(){
504     // Clear all localStorage
505     localStorage.removeItem('jwt_token');
506     localStorage.removeItem('refresh_token');
507     localStorage.removeItem('auth_type');
508     localStorage.removeItem('last_role');
509
510     // Call server logout to invalidate session
511     fetch(`${API}/session/logout`, {
512         method: 'POST',
513         credentials: 'include'
514     }).finally(() => {
515         // Force expire the session cookie on client side
516         document.cookie = 'JSESSIONID=; expires=Thu, 01 Jan 1970 00:00:00 UTC; path=/;';
517         window.location.href = '/google.html';
518     });
519 }
520
521 function showAlert(msg,type){

```



```
522     const el=document.createElement('div');
523     el.className=`alert alert-${type}`;el.textContent=msg;
524     document.body.appendChild(el);setTimeout(()=>el.remove(),3000);
525 }
526 </script>
527 </body>
528 </html>
529
```

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>EMS – Vendor Login</title>
7      <link
href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700&family=JetBrains+Mono:wght@400;50
0&display=swap" rel="stylesheet">
8      <style>
9          *{margin:0;padding:0;box-sizing:border-box}
10         :root{
11             --bg:#070910;
12             --panel:#0e1118;
13             --panel2:#131821;
14             --border:rgba(255,255,255,0.07);
15             --border-lit:rgba(255,255,255,0.14);
16             --text:#dde4f0;--text2:#6b7591;--text3:#3d4560;
17             --red:#f87171;--red-dim:rgba(248,113,113,0.12);
18             --blue:#4f8cff;--blue-dim:rgba(79,140,255,0.12);
19             --green:#34d399;--green-dim:rgba(52,211,153,0.12);
20             --amber:#f9c74f;--amber-dim:rgba(249,199,79,0.12);
21             --font:'Outfit',sans-serif;--mono:'JetBrains Mono',monospace;
22         }
23         body{font-family:var(--font);background:var(--bg);color:var(--text);min-
height:100vh;display:flex;overflow:auto;}
24
25         .bg-layer{position:fixed;inset:0;z-index:0;
26             background:
27                 radial-gradient(ellipse 60% 50% at 20% 50%, rgba(248,113,113,0.06) 0%,transparent 70%),
28                 radial-gradient(ellipse 40% 60% at 80% 20%, rgba(249,199,79,0.05) 0%,transparent 60%),
29                 radial-gradient(ellipse 50% 40% at 70% 80%, rgba(248,113,113,0.04) 0%,transparent 60%);
30         }
31         .grid-overlay{position:fixed;inset:0;z-index:0;background-image:linear-
gradient(rgba(255,255,255,0.02) 1px,transparent 1px),linear-gradient(90deg,rgba(255,255,255,0.02)
1px,transparent 1px)...
32
33         /* LEFT */
34         .left-panel{flex:1;display:flex;flex-direction:column;justify-
content:center;padding:60px;position:relative;z-index:1;animation:fadeLeft 0.8s ease both;}
35         @keyframes fadeLeft{from{opacity:0;transform:translateX(-
24px)}to{opacity:1;transform:translateX(0)}}
36         .brand-logo{display:flex;align-items:center;gap:12px;margin-bottom:32px}
37         .brand-icon{width:44px;height:44px;background:linear-gradient(135deg,#f87171,#fb923c);border-
radius:12px;display:flex;align-items:center;justify-content:center;font-weight:700;font-size:18p...
38         .brand-name{font-size:22px;font-weight:700;color:var(--text);letter-spacing:-0.3px}
39         .brand-tagline{font-size:13px;color:var(--text2)}
40         .hero-text h1{font-size:clamp(36px,4vw,50px);font-weight:700;line-height:1.1;letter-spacing:-
1px;color:var(--text);margin-bottom:16px;}
41         .hl-red{color:var(--red)}
42         .hero-text p{font-size:15px;color:var(--text2);line-height:1.6;max-width:360px}
43
44         .info-cards{display:flex;flex-direction:column;gap:12px;margin-top:40px;max-width:360px;}
45         .info-card{background:var(--panel);border:1px solid var(--border);border-radius:10px;padding:14px
18px;display:flex;align-items:flex-start;gap:12px;}
46         .info-card-icon{font-size:18px;flex-shrink:0;margin-top:1px}
47         .info-card-text strong{font-size:13px;color:var(--text);display:block;margin-bottom:2px}
48         .info-card-text span{font-size:12px;color:var(--text2)}
49
50         .back-link{display:inline-flex;align-items:center;gap:6px;font-size:12px;color:var(--text3);text-
decoration:none;margin-top:36px;transition:color 0.2s;}
51         .back-link:hover{color:var(--text2)}
52
53         /* RIGHT */
54         .right-panel{width:460px;flex-shrink:0;display:flex;align-items:flex-start;overflow-y:auto;justify-
content:center;padding:32px 40px;position:relative;z-index:1;border-left:1px solid var(--b...
55         @keyframes
fadeRight{from{opacity:0;transform:translateX(24px)}to{opacity:1;transform:translateX(0)}}
56         .form-box{width:100%}
57
58         .vendor-badge{display:inline-flex;align-items:center;gap:8px;background:var(--red-dim);border:1px
solid rgba(248,113,113,0.25);border-radius:20px;padding:6px 14px;font-size:12px;font-weight...

```

```

59     .vendor-badge .dot{width:7px;height:7px;border-radius:50%;background:var(--red);animation:pulse 1.4s
infinite;}}
60     @keyframes pulse{0%,100%{opacity:1}50%{opacity:0.4}}
61
62     .form-title{font-size:22px;font-weight:700;color:var(--text);margin-bottom:6px;}
63     .form-subtitle{font-size:13px;color:var(--text2);margin-bottom:28px;}
64
65     /* AUTH TABS */
66     .auth-tabs{display:flex;background:var(--bg);border-radius:10px;padding:4px;gap:4px;margin-
bottom:24px;border:1px solid var(--border)}
67     .auth-tab{flex:1;padding:9px;border:none;background:transparent;color:var(--text2);font-family:var(-
font);font-weight:600;font-size:13px;cursor:pointer;border-radius:7px;transition:all 0.2s;}
68     .auth-tab.active{background:var(--panel2);color:var(--text);box-shadow:0 1px 4px rgba(0,0,0,0.3)}
69
70     /* FORM ELEMENTS */
71     .form-group{margin-bottom:16px}
72     .form-label{display:block;font-size:10px;font-weight:600;color:var(--text2);text-
transform:uppercase;letter-spacing:0.8px;font-family:var(--mono);margin-bottom:7px}
73     .form-input{width:100%;padding:11px 14px;background:var(--bg);border:1px solid var(--border);border-
radius:9px;color:var(--text);font-family:var(--font);font-size:14px;transition:all 0.2s;}
74     .form-input:focus{outline:none;border-color:var(--red);box-shadow:0 0 3px rgba(248,113,113,0.08)}
75     .form-input::placeholder{color:var(--text3)}
76
77     /* BUTTONS */
78     .btn-login{width:100%;padding:12px;border:none;border-radius:9px;font-family:var(--font);font-
size:14px;font-weight:600;cursor:pointer;transition:all 0.2s;margin-top:4px;background:var(--re...
79     .btn-login:hover{background:#f98a8a;box-shadow:0 6px 20px
rgba(248,113,113,0.35);transform:translateY(-1px)}
80     .btn-login.active{transform:translateY(0)}
81     .btn-login.loading{opacity:0.7;pointer-events:none}
82
83     /* STATUS */
84     .status-box{border-radius:9px;padding:10px 14px;margin-top:14px;font-size:13px;font-
weight:500;display:none;animation:fadeIn 0.3s ease;}
85     @keyframes fadeIn{from{opacity:0;transform:translateY(4px)}to{opacity:1;transform:translateY(0)}}
86     .status-box.error{background:var(--red-dim);color:var(--red);border:1px solid rgba(248,113,113,0.2)}
87     .status-box.success{background:var(--green-dim);color:var(--green);border:1px solid
rgba(52,211,153,0.2)}
88     .status-box.loading{background:var(--blue-dim);color:var(--blue);border:1px solid
rgba(79,140,255,0.2)}
89
90     .notice{background:rgba(249,199,79,0.06);border:1px solid rgba(249,199,79,0.15);border-
radius:9px;padding:12px 14px;margin-top:20px;font-size:12px;color:var(--text2);line-height:1.5;}
91     .notice strong{color:var(--amber)}
92
93     /* FOOTER */
94     .form-footer{margin-top:20px;padding-top:18px;border-top:1px solid var(--border)}
95     .tz-row{display:flex;align-items:center;gap:8px;margin-bottom:8px}
96     .tz-label{font-size:10px;color:var(--text3);font-family:var(--mono);flex-shrink:0}
97     .tz-select{flex:1;padding:6px 8px;background:var(--bg);border:1px solid var(--border);border-
radius:7px;color:var(--text2);font-family:var(--mono);font-size:11px;cursor:pointer;}
98     .tz-select:focus{outline:none;border-color:var(--border-lit)}
99     .tz-time{font-size:10px;color:var(--red);font-family:var(--mono)}
100
101     @media(max-width:900px){
102         .left-panel{display:none}
103         .right-panel{width:100%;border-left:none;background:var(--bg)}
104     }
105 </style>
106 </head>
107 <body>
108 <div class="bg-layer"></div>
109 <div class="grid-overly"></div>
110
111 <!-- LEFT -->
112 <div class="left-panel">
113     <div class="brand-logo">
114         <div class="brand-icon">V</div>
115     </div>
116     <div class="brand-name">Vendor Hub</div>
117     <div class="brand-tagline">Employee Management System</div>
118 </div>
119 </div>
120 <div class="hero-text">
121     <h1>Manage your<br><span class="hl-red">vendor account</span><br>securely.</h1>
122     <p>Access your deliveries, restaurants, and subscriptions. Your account is created and managed by

```

```
the system admin.</p>
123     </div>
124     <div class="info-cards">
125         <div class="info-card">
126             <span class="info-card-icon"></span>
127             <div class="info-card-text">
128                 <strong>Delivery Tracking</strong>
129                 <span>Monitor your active and scheduled meal deliveries in real-time.</span>
130             </div>
131         </div>
132         <div class="info-card">
133             <span class="info-card-icon"></span>
134             <div class="info-card-text">
135                 <strong>Restaurant Management</strong>
136                 <span>View and update restaurant details and meal offerings.</span>
137             </div>
138         </div>
139         <div class="info-card">
140             <span class="info-card-icon"></span>
141             <div class="info-card-text">
142                 <strong>Account by Admin Only</strong>
143                 <span>Vendor accounts are created by the system admin. Contact your admin if you don't have
credentials.</span>
144             </div>
145         </div>
146     </div>
147     <a class="back-link" href="/google.html"> Back to main login</a>
148 </div>
149
150 <!-- RIGHT FORM -->
151 <div class="right-panel">
152     <div class="form-box">
153
154         <div class="vendor-badge"><span class="dot"></span>Vendor Portal</div>
155         <div class="form-title">Vendor Sign In</div>
156         <div class="form-subtitle">Enter the credentials provided by your system admin.</div>
157
158         <!-- AUTH TABS -->
159         <div class="auth-tabs">
160             <button class="auth-tab active" id="tab-jwt" onclick="switchTab('jwt')">JWT Login</button>
161             <button class="auth-tab" id="tab-session" onclick="switchTab('session')">Session Login</button>
162         </div>
163
164         <!-- JWT FORM -->
165         <div id="jwt-form">
166             <div class="form-group">
167                 <label class="form-label">Email / Username</label>
168                 <input class="form-input" id="jwt-username" type="text" placeholder="vendor@company.com"
autocomplete="off">
169             </div>
170             <div class="form-group">
171                 <label class="form-label">Password</label>
172                 <input class="form-input" id="jwt-password" type="password" placeholder="....."
autocomplete="current-password">
173             </div>
174             <button class="btn-login" id="jwt-btn" onclick="jwtLogin()">Sign In as Vendor</button>
175         </div>
176
177         <!-- SESSION FORM -->
178         <div id="session-form" style="display:none">
179             <div class="form-group">
180                 <label class="form-label">Email / Username</label>
181                 <input class="form-input" id="session-username" type="text"
placeholder="vendor@company.com">
182             </div>
183             <div class="form-group">
184                 <label class="form-label">Password</label>
185                 <input class="form-input" id="session-password" type="password" placeholder=".....">
186             </div>
187             <button class="btn-login" id="session-btn" onclick="sessionLogin()">Sign In with
Session</button>
188         </div>
189
190     <div class="status-box" id="status-box"></div>
191
192     <div class="notice">
```

```

193         <strong>Don't have an account?</strong> Vendor accounts are created exclusively by the system
admin. Please contact your administrator to set up access.
194     </div>
195
196     <!-- FOOTER -->
197     <div class="form-footer">
198         <div class="tz-row">
199             <span class="tz-label">TZ</span>
200             <select class="tz-select" id="tz-select" onchange="updateTz()">
201                 <option value="Asia/Kolkata">India – IST UTC+5:30</option>
202                 <option value="UTC">UTC</option>
203                 <option value="America/New_York">New York – EST UTC-5</option>
204                 <option value="America/Los_Angeles">Los Angeles – PST UTC-8</option>
205                 <option value="Europe/London">London – GMT UTC+0</option>
206                 <option value="Europe/Paris">Paris – CET UTC+1</option>
207                 <option value="Asia/Tokyo">Tokyo – JST UTC+9</option>
208                 <option value="Asia/Dubai">Dubai – GST UTC+4</option>
209                 <option value="Australia/Sydney">Sydney – AEDT UTC+11</option>
210                 <option value="Asia/Singapore">Singapore – SGT UTC+8</option>
211             </select>
212             <span class="tz-time" id="tz-time">--:--:--</span>
213         </div>
214     </div>
215
216 </div>
217 </div>
218
219 <script>
220     const API = 'http://localhost:8080';
221
222     const DASHBOARDS = {
223         FOOD_VENDOR: '/vendor-dashboard.html',
224         TECH_VENDOR: '/tech-vendor-dashboard.html'
225     };
226
227     // ALREADY LOGGED IN?
228     (function(){
229         const token = localStorage.getItem('jwt_token');
230         if(!token) return;
231         try{
232             const role = getRoleFromJWT(token);
233             if(DASHBOARDS[role]) window.location.href = DASHBOARDS[role];
234         }catch(e){}
235     })();
236
237     // HELPERS
238     function getRoleFromJWT(token){
239         const payload = JSON.parse(atob(token.split('.')[1]));
240         const raw = payload.role || payload.roles || payload.authorities || payload.scope || '';
241         const role = Array.isArray(raw) ? raw[0] : raw;
242         return String(role).replace(/^ROLE_/, '').toUpperCase().trim();
243     }
244
245     function showStatus(type, msg){
246         const box = document.getElementById('status-box');
247         box.className = `status-box ${type}`;
248         box.textContent = msg;
249         box.style.display = 'block';
250     }
251     function hideStatus(){
252         document.getElementById('status-box').style.display = 'none';
253     }
254
255     function switchTab(type){
256         document.getElementById('jwt-form').style.display = type === 'jwt' ? 'block' : 'none';
257         document.getElementById('session-form').style.display = type === 'session' ? 'block' : 'none';
258         document.getElementById('tab-jwt').classList.toggle('active', type === 'jwt');
259         document.getElementById('tab-session').classList.toggle('active', type === 'session');
260         hideStatus();
261     }
262
263     function redirectByRole(role){
264         const dest = DASHBOARDS[role];
265         if(!dest){
266             showStatus('error', 'This portal is for vendors only. Please use the main login page.');
```

```

268     }
269     showStatus('success', `Login successful! Redirecting to ${role === 'TECH_VENDOR' ? 'Tech Vendor' :
'Food Vendor'} dashboard...`);
270     setTimeout(() => window.location.href = dest, 700);
271     return true;
272 }
273
274 // JWT LOGIN
275 async function jwtLogin(){
276     const username = document.getElementById('jwt-username').value.trim();
277     const password = document.getElementById('jwt-password').value;
278     if(!username || !password){ showStatus('error', 'Please enter your email and password'); return; }
279
280     const btn = document.getElementById('jwt-btn');
281     btn.classList.add('loading'); btn.textContent = 'Signing in...';
282     showStatus('loading', 'Authenticating...');
283
284     try{
285         const res = await fetch(`${API}/Authenticate`, {
286             method: 'POST',
287             headers: {'Content-Type': 'application/json'},
288             body: JSON.stringify({username, password})
289         });
290
291         if(res.ok){
292             const data = await res.json();
293             const token = data.accessToken || data.token;
294             const role = getRoleFromJWT(token);
295
296             if(!DASHBOARDS[role]){
297                 showStatus('error', 'This portal is for vendors only. Please use the main login page.');
```

btn.classList.remove('loading'); btn.textContent = 'Sign In as Vendor';
 return;
 }
 localStorage.setItem('jwt_token', token);
 localStorage.setItem('refresh_token', data.refreshToken || '');
 localStorage.setItem('auth_type', 'jwt');
 localStorage.setItem('last_role', role);
 localStorage.setItem('user_timezone', document.getElementById('tz-select').value);
 btn.textContent = 'Signed In ';
 redirectByRole(role);
 }else{
 const err = await res.text();
 showStatus('error', 'Login failed: ' + (err || 'Invalid credentials'));
 btn.classList.remove('loading'); btn.textContent = 'Sign In as Vendor';
 }
 }catch(e){
 showStatus('error', 'Connection error: ' + e.message);
 btn.classList.remove('loading'); btn.textContent = 'Sign In as Vendor';
 }
}
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322 // SESSION LOGIN
323 async function sessionLogin(){
324 const username = document.getElementById('session-username').value.trim();
325 const password = document.getElementById('session-password').value;
326 if(!username || !password){ showStatus('error', 'Please enter your email and password'); return; }
327
328 const btn = document.getElementById('session-btn');
329 btn.classList.add('loading'); btn.textContent = 'Signing in...';
330 showStatus('loading', 'Authenticating...');
331
332 try{
333 const res = await fetch(`\${API}/session/login`, {
334 method: 'POST',
335 headers: {'Content-Type': 'application/json'},
336 body: JSON.stringify({username, password}),
337 credentials: 'include'
338 });
339
340 if(res.ok){
341 // Session login – fetch /employee/me or /vendor/me to get role
342 try{

```

343         const meRes = await fetch(`${API}/vendor/me`, {credentials: 'include'});
344         if(meRes.ok){
345             const me = await meRes.json();
346             const role = String(me.role || '').replace(/^ROLE_/, '').toUpperCase();
347             localStorage.setItem('auth_type', 'session');
348             localStorage.setItem('last_role', role);
349             localStorage.setItem('user_timezone', document.getElementById('tz-select').value);
350             btn.textContent = 'Signed In ';
351             redirectByRole(role);
352             return;
353         }
354     }catch(e){}
355
356     // Fallback if /vendor/me not available
357     showStatus('error', 'Could not determine vendor type. Please use JWT login.');
```

358 btn.classList.remove('loading'); btn.textContent = 'Sign In with Session';

359

```

360     }else{
361         const err = await res.json().catch(()=>({}));
362         showStatus('error', 'Login failed: ' + (err.error || 'Invalid credentials'));
363         btn.classList.remove('loading'); btn.textContent = 'Sign In with Session';
364     }
365     }catch(e){
366         showStatus('error', 'Connection error: ' + e.message);
367         btn.classList.remove('loading'); btn.textContent = 'Sign In with Session';
368     }
369 }
370
371 // TIMEZONE
372 function updateTz(){
373     localStorage.setItem('user_timezone', document.getElementById('tz-select').value);
374     refreshTzClock();
375 }
376 function refreshTzClock(){
377     const tz = document.getElementById('tz-select').value;
378     document.getElementById('tz-time').textContent =
379         new Date().toLocaleTimeString('en-GB', {timeZone: tz, hour12: false});
380 }
381
382 document.addEventListener('keydown', e => {
383     if(e.key !== 'Enter') return;
384     if(document.getElementById('jwt-form').style.display !== 'none') jwtLogin();
385     else sessionLogin();
386 });
387
388 window.onload = () => {
389     const savedTz = localStorage.getItem('user_timezone') || 'Asia/Kolkata';
390     document.getElementById('tz-select').value = savedTz;
391     refreshTzClock();
392     setInterval(refreshTzClock, 1000);
393 };
394 </script>
395 </body>
396 </html>

```

169 Current:

src\test\java\com\example\EmployeeManagementSystem\EmployeeManagementSystemApplication

```
1 package com.example.EmployeeManagementSystem;
2
3 import org.junit.jupiter.api.Test;
4 import org.springframework.boot.test.context.SpringBootTest;
5
6 @SpringBootTest
7 class EmployeeManagementSystemApplicationTests {
8
9     @Test
10     void contextLoads() {
11     }
12
13 }
14
```



```

1  package com.example.EmployeeManagementSystem.service;
2
3
4  import com.example.EmployeeManagementSystem.Entity.Employee;
5  import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
6  import com.example.EmployeeManagementSystem.Entity.LeaveType;
7  import com.example.EmployeeManagementSystem.Enum.Gender;
8  import com.example.EmployeeManagementSystem.Enum.Status;
9  import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
10 import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
11 import com.example.EmployeeManagementSystem.Repository.LeaveTypeRepository;
12 import com.example.EmployeeManagementSystem.Service.LeaveAccrualService;
13 import org.junit.jupiter.api.BeforeEach;
14 import org.junit.jupiter.api.Test;
15 import org.mockito.*;
16
17 import java.math.BigDecimal;
18 import java.time.LocalDate;
19 import java.util.List;
20 import java.util.Optional;
21
22 import static org.assertj.core.api.Assertions.assertThat;
23 import static org.mockito.ArgumentMatchers.any;
24 import static org.mockito.Mockito.*;
25
26 class LeaveAccrualServiceTest {
27
28     @Mock
29     EmployeeRepo employeeRepo;
30     @Mock
31     LeaveTypeRepository leaveTypeRepo;
32     @Mock
33     LeaveEntitlementRepository entitlementRepo;
34
35     @InjectMocks
36     LeaveAccrualService service;
37
38     @BeforeEach void setup() { MockitoAnnotations.openMocks(this); }
39
40     @Test
41     void maleEmployee_doesNotAccrueMaternity() {
42         Employee emp = employee(Gender.M);
43         LeaveType maternity = leaveType("MATERNITY", true, Gender.F);
44
45         when(employeeRepo.findByStatus(Status.ACTIVE)).thenReturn(List.of(emp));
46         when(leaveTypeRepo.findAll()).thenReturn(List.of(maternity));
47
48         service.runMonthlyAccrual(LocalDate.of(2025, 6, 1));
49
50         verify(entitlementRepo, never()).save(any());
51     }
52
53     @Test
54     void femaleEmployee_accruesMaternity() {
55         Employee emp = employee(Gender.F);
56         LeaveType maternity = leaveType("MATERNITY", true, Gender.F);
57
58         when(employeeRepo.findByStatus(Status.ACTIVE)).thenReturn(List.of(emp));
59         when(leaveTypeRepo.findAll()).thenReturn(List.of(maternity));
60         when(entitlementRepo.findByEmployeeIdAndLeaveTypeIdAndYear(any(), any(), any()))
61             .thenReturn(Optional.empty());
62
63         // Simulate new entitlement creation
64         when(entitlementRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));
65
66         service.runMonthlyAccrual(LocalDate.of(2025, 6, 1));
67
68         ArgumentCaptor<LeaveEntitlement> captor = ArgumentCaptor.forClass(LeaveEntitlement.class);
69         verify(entitlementRepo, atLeastOnce()).save(captor.capture());
70
71         LeaveEntitlement saved = captor.getAllValues().stream()

```

```

72         .filter(e -> e.getAccruedThisYear().compareTo(BigDecimal.ONE) == 0)
73         .findFirst().orElseThrow();
74
75         assertThat(saved.getAccruedThisYear()).isEqualToComparingTo("1");
76     }
77
78     @Test
79     void employeeJoiningAfterAccrualDate_isSkipped() {
80         Employee emp = employee(Gender.M);
81         emp.setJoined_at(LocalDate.of(2025, 6, 15)); // joins mid-month
82         LeaveType casual = leaveType("CASUAL", false, null);
83
84         when(employeeRepo.findByStatus(Status.ACTIVE)).thenReturn(List.of(emp));
85         when(leaveTypeRepo.findAll()).thenReturn(List.of(casual));
86
87         service.runMonthlyAccrual(LocalDate.of(2025, 6, 1));
88
89         verify(entitlementRepo, never()).save(any());
90     }
91
92     // --- helpers ---
93     private Employee employee(Gender gender) {
94         Employee e = new Employee();
95         e.setEmployeeId(1L);
96         e.setGender(gender);
97         e.setStatus(Status.ACTIVE);
98         e.setJoined_at(LocalDate.of(2023, 1, 1));
99         return e;
100     }
101
102     private LeaveType leaveType(String name, boolean genderRestricted, Gender restriction) {
103         LeaveType lt = new LeaveType();
104         lt.setId(1);
105         lt.setName(name);
106         lt.setGenderRestricted(genderRestricted);
107         lt.setGenderRestriction(restriction);
108         lt.setCarriesForward(!name.equals("SICK"));
109         lt.setMonthlyReset(name.equals("SICK"));
110         return lt;
111     }
112 }

```

```

1  package com.example.EmployeeManagementSystem.service;
2
3  import com.example.EmployeeManagementSystem.Entity.Employee;
4  import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
5  import com.example.EmployeeManagementSystem.Entity.LeaveRequest;
6  import com.example.EmployeeManagementSystem.Enum.LeaveStatus;
7  import com.example.EmployeeManagementSystem.Enum.LeaveType;
8  import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
9  import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
10 import com.example.EmployeeManagementSystem.Repository.LeaveRequestRepo;
11 import com.example.EmployeeManagementSystem.Repository.LeaveTypeRepository;
12 import com.example.EmployeeManagementSystem.Service.LeaveRequestService;
13 import org.junit.jupiter.api.BeforeEach;
14 import org.junit.jupiter.api.Test;
15 import org.mockito.InjectMocks;
16 import org.mockito.Mock;
17 import org.mockito.MockitoAnnotations;
18
19 import java.math.BigDecimal;
20 import java.time.LocalDate;
21 import java.util.Optional;
22
23 import static org.assertj.core.api.Assertions.assertThat;
24 import static org.mockito.ArgumentMatchers.any;
25 import static org.mockito.Mockito.when;
26
27 class LeaveRequestServiceTest {
28
29     @Mock
30     LeaveRequestRepo leaveRequestRepo;
31     @Mock
32     EmployeeRepo employeeRepo;
33     @Mock
34     LeaveTypeRepository leaveTypeRepository;
35     @Mock
36     LeaveEntitlementRepository leaveEntitlementRepository;
37
38     @InjectMocks
39     LeaveRequestService service;
40
41     @BeforeEach
42     void setup() {
43         MockitoAnnotations.openMocks(this);
44     }
45
46     @Test
47     void approveLeave_updatesUsedEntitlementDays() {
48         Employee employee = new Employee();
49         employee.setEmployeeId(1L);
50
51         LeaveRequest request = new LeaveRequest();
52         request.setId(10L);
53         request.setEmployee(employee);
54         request.setLeaveType(LeaveType.CASUAL);
55         request.setStartDate(LocalDate.of(2026, 5, 4));
56         request.setEndDate(LocalDate.of(2026, 5, 6));
57         request.setStatus(LeaveStatus.PENDING);
58
59         com.example.EmployeeManagementSystem.Entity.LeaveType casual =
60             new com.example.EmployeeManagementSystem.Entity.LeaveType();
61         casual.setId(2);
62         casual.setName("CASUAL");
63         casual.setCarriesForward(true);
64
65         LeaveEntitlement entitlement = new LeaveEntitlement();
66         entitlement.setEmployee(employee);
67         entitlement.setLeaveType(casual);
68         entitlement.setYear(2026);
69         entitlement.setOpeningBalance(BigDecimal.ZERO);
70         entitlement.setAccruedThisYear(BigDecimal.TEN);
71         entitlement.setUsedThisYear(BigDecimal.ONE);

```

```
72     entitlement.setClosingBalance(BigDecimal.ZERO);
73
74     when(leaveRequestRepo.findById(10L)).thenReturn(Optional.of(request));
75     when(leaveRequestRepo.save(any())).thenReturn(inv -> inv.getArgument(0));
76     when(leaveTypeRepository.findByName("CASUAL")).thenReturn(Optional.of(casual));
77     when(leaveEntitlementRepository.findByIdAndLeaveTypeIdAndYear(1L, 2, 2026))
78         .thenReturn(Optional.of(entitlement));
79     when(leaveEntitlementRepository.save(any())).thenReturn(inv -> inv.getArgument(0));
80
81     service.approveLeave(10L);
82
83     assertThat(entitlement.getUsedThisYear()).isEqualByComparingTo("4");
84 }
85 }
86
```

```

1 package com.example.EmployeeManagementSystem.service;
2
3 import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
4 import com.example.EmployeeManagementSystem.Repository.LeaveTypeRepository;
5 import org.junit.jupiter.api.BeforeEach;
6 import org.junit.jupiter.api.Test;
7 import org.mockito.*;
8 import com.example.EmployeeManagementSystem.Service.SickLeaveResetService;
9 import com.example.EmployeeManagementSystem.Entity.LeaveType;
10 import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
11 import com.example.EmployeeManagementSystem.Entity.Employee;
12
13 import java.math.BigDecimal;
14 import java.time.LocalDate;
15 import java.time.YearMonth;
16 import java.util.List;
17
18 import static org.assertj.core.api.Assertions.assertThat;
19 import static org.mockito.Mockito.*;
20
21 class SickLeaveResetServiceTest {
22
23     @Mock
24     LeaveTypeRepository leaveTypeRepo;
25     @Mock
26     LeaveEntitlementRepository entitlementRepo;
27     @InjectMocks
28     SickLeaveResetService service;
29
30     @BeforeEach
31     void setup() {
32         MockitoAnnotations.openMocks(this);
33     }
34
35     @Test
36     void unusedSickDays_areZeroedAtMonthEnd() {
37         LeaveType sick = sickLeaveType();
38         LeaveEntitlement entitlement = entitlement(sick, BigDecimal.valueOf(3), BigDecimal.ONE);
39         // accrued=3, used=1, available=2 should be wiped
40
41         when(leaveTypeRepo.findByMonthlyResetTrue()).thenReturn(List.of(sick));
42         when(entitlementRepo.findByLeaveTypeIdAndYear(sick.getId(), 2025))
43             .thenReturn(List.of(entitlement));
44         when(entitlementRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));
45
46         service.runMonthlyReset(LocalDate.of(2025, 6, 30));
47
48         // After reset: accrued == used, available == 0
49         assertThat(entitlement.getAccruedThisYear())
50             .isEqualToComparingTo(entitlement.getUsedThisYear());
51         assertThat(entitlement.getAvailableBalance())
52             .isEqualToComparingTo(BigDecimal.ZERO);
53     }
54
55     @Test
56     void fullyUsedSickLeave_noChangeNeeded() {
57         LeaveType sick = sickLeaveType();
58         LeaveEntitlement entitlement = entitlement(sick, BigDecimal.ONE, BigDecimal.ONE);
59         // accrued=1, used=1, available=0 nothing to wipe
60
61         when(leaveTypeRepo.findByMonthlyResetTrue()).thenReturn(List.of(sick));
62         when(entitlementRepo.findByLeaveTypeIdAndYear(sick.getId(), 2025))
63             .thenReturn(List.of(entitlement));
64         when(entitlementRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));
65
66         service.runMonthlyReset(LocalDate.of(2025, 6, 30));
67
68         // accrued unchanged – still equals used
69         assertThat(entitlement.getAccruedThisYear()).isEqualToComparingTo("1");
70     }
71 }

```

```

72 // FIX: New test – ensures reset does NOT alter a negative balance (over-used edge case)
73 @Test
74 void negativeBalance_isNotTouched() {
75     LeaveType sick = sickLeaveType();
76     // accrued=0, used=1, available=-1 (negative – already over-consumed)
77     LeaveEntitlement entitlement = entitlement(sick, BigDecimal.ZERO, BigDecimal.ONE);
78
79     when(leaveTypeRepo.findByMonthlyResetTrue()).thenReturn(List.of(sick));
80     when(entitlementRepo.findByLeaveTypeIdAndYear(sick.getId(), 2025))
81         .thenReturn(List.of(entitlement));
82     when(entitlementRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));
83
84     service.runMonthlyReset(LocalDate.of(2025, 6, 30));
85
86     // available is <= 0 so no reset should happen; accrued stays 0
87     assertThat(entitlement.getAccruedThisYear()).isEqualByComparingTo(BigDecimal.ZERO);
88 }
89
90 // FIX: New test – verifies correct year/month is used when resetDate is end-of-month
91 // (guards against the midnight-fire fragility in the scheduler)
92 @Test
93 void resetDate_usesCorrectYearFromPassedDate_notFromSystemClock() {
94     LeaveType sick = sickLeaveType();
95     LeaveEntitlement entitlement = entitlement(sick, BigDecimal.valueOf(2), BigDecimal.ZERO);
96
97     LocalDate endOfJune2025 = YearMonth.of(2025, 6).atEndOfMonth(); // 2025-06-30
98
99     when(leaveTypeRepo.findByMonthlyResetTrue()).thenReturn(List.of(sick));
100    when(entitlementRepo.findByLeaveTypeIdAndYear(sick.getId(), 2025))
101        .thenReturn(List.of(entitlement));
102    when(entitlementRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));
103
104    service.runMonthlyReset(endOfJune2025);
105
106    // Should query year=2025, not system year – verified by mock setup using 2025 only
107    verify(entitlementRepo).findByLeaveTypeIdAndYear(sick.getId(), 2025);
108    assertThat(entitlement.getAvailableBalance()).isEqualByComparingTo(BigDecimal.ZERO);
109 }
110
111 // --- helpers ---
112
113 private LeaveType sickLeaveType() {
114     LeaveType lt = new LeaveType();
115     lt.setId(1);
116     lt.setName("SICK");
117     lt.setMonthlyReset(true);
118     lt.setCarriesForward(false);
119     return lt;
120 }
121
122 private LeaveEntitlement entitlement(LeaveType type, BigDecimal accrued, BigDecimal used) {
123     Employee emp = new Employee();
124     emp.setEmployeeId(1L);
125     LeaveEntitlement e = new LeaveEntitlement();
126     e.setEmployee(emp);
127     e.setLeaveType(type);
128     e.setYear(2025);
129     e.setOpeningBalance(BigDecimal.ZERO);
130     e.setAccruedThisYear(accrued);
131     e.setUsedThisYear(used);
132     e.setClosingBalance(BigDecimal.ZERO);
133     return e;
134 }
135 }

```

```

1  package com.example.EmployeeManagementSystem.service;
2
3  import com.example.EmployeeManagementSystem.Entity.Employee;
4  import com.example.EmployeeManagementSystem.Entity.LeaveEntitlement;
5  import com.example.EmployeeManagementSystem.Entity.LeaveType;
6  import com.example.EmployeeManagementSystem.Enum.Status;
7  import com.example.EmployeeManagementSystem.Repository.EmployeeRepo;
8  import com.example.EmployeeManagementSystem.Repository.LeaveEntitlementRepository;
9  import com.example.EmployeeManagementSystem.Repository.LeaveWarningRepository;
10 import com.example.EmployeeManagementSystem.Repository.YearEndCarryForwardLogRepository;
11 import com.example.EmployeeManagementSystem.Service.YearEndCarryForwardService;
12
13 import org.junit.jupiter.api.BeforeEach;
14 import org.junit.jupiter.api.Test;
15
16 import org.mockito.InjectMocks;
17 import org.mockito.Mock;
18 import org.mockito.MockitoAnnotations;
19
20 import java.math.BigDecimal;
21 import java.util.List;
22 import java.util.Optional;
23
24 import static org.mockito.ArgumentMatchers.any;
25 import static org.mockito.ArgumentMatchers.eq;
26
27 import static org.mockito.Mockito.when;
28 import static org.mockito.Mockito.verify;
29 import static org.mockito.Mockito.never;
30 import static org.mockito.Mockito.atLeastOnce;
31
32 import static org.assertj.core.api.Assertions.assertThat;
33 class YearEndCarryForwardServiceTest {
34
35     @Mock
36     EmployeeRepo employeeRepo;
37     @Mock
38     LeaveEntitlementRepository entitlementRepo;
39     @Mock
40     YearEndCarryForwardLogRepository logRepo;
41     @Mock
42     LeaveWarningRepository warningRepo;
43     @InjectMocks
44     YearEndCarryForwardService service;
45
46     @BeforeEach
47     void setup() { MockitoAnnotations.openMocks(this); }
48
49     @Test
50     void whenTotalUnderCap_noCapApplied() {
51         Employee emp = employee();
52         LeaveType casual = carryForwardType("CASUAL");
53
54         // casual: opening=0, accrued=8, used=2 closing=6
55         LeaveEntitlement ent = entitlement(emp, casual, 0, 8, 2);
56
57         when(logRepo.existsByProcessedYear(2025)).thenReturn(false);
58         when(employeeRepo.findById(Status.ACTIVE)).thenReturn(List.of(emp));
59         when(entitlementRepo.findByIdByEmployeeIdAndYear(emp.getId(), 2025))
60             .thenReturn(List.of(ent));
61         when(entitlementRepo.findByIdByEmployeeIdAndLeaveTypeIdAndYear(any(), any(), eq(2026)))
62             .thenReturn(Optional.empty());
63         when(entitlementRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));
64         when(logRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));
65
66         service.runYearEnd(2025);
67
68         // closing balance = 6, no cap needed, nothing wasted
69         assertThat(ent.getClosingBalance()).isEqualToComparingTo("6");
70         verify(warningRepo, never()).save(any());
71     }

```

72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137

```
@Test
void whenTotalExceedsCap_capAppliedProportionally() {
    Employee emp = employee();
    LeaveType casual = carryForwardType("CASUAL");
    LeaveType maternity = carryForwardType("MATERNITY");

    // casual: closing=20, maternity: closing=16 total=36, over cap by 6
    LeaveEntitlement casualEnt = entitlement(emp, casual, 0, 20, 0);
    LeaveEntitlement maternityEnt = entitlement(emp, maternity, 0, 16, 0);

    when(logRepo.existsByProcessedYear(2025)).thenReturn(false);
    when(employeeRepo.findByStatus(Status.ACTIVE)).thenReturn(List.of(emp));
    when(entitlementRepo.findByEmployeeEmployeeIdAndYear(emp.getEmployeeId(), 2025))
        .thenReturn(List.of(casualEnt, maternityEnt));
    when(entitlementRepo.findByEmployeeEmployeeIdAndLeaveTypeIdAndYear(any(), any(), eq(2026)))
        .thenReturn(Optional.empty());
    when(entitlementRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));
    when(logRepo.save(any())).thenAnswer(inv -> inv.getArgument(0));

    service.runYearEnd(2025);

    // casual: 20/36 * 30 = 16.67, maternity: 16/36 * 30 = 13.33, total = 30
    BigDecimal casualCapped = casualEnt.getClosingBalance();
    BigDecimal maternityCapped = maternityEnt.getClosingBalance();
    BigDecimal total = casualCapped.add(maternityCapped);

    assertThat(total).isEqualByComparingTo("30.00");
    verify(warningRepo, atLeastOnce()).save(any()); // wasted warning issued
}

@Test
void idempotencyGuard_preventsDoubleRun() {
    when(logRepo.existsByProcessedYear(2025)).thenReturn(true);

    service.runYearEnd(2025);

    verify(employeeRepo, never()).findByStatus(any());
}

// --- helpers ---
private Employee employee() {
    Employee e = new Employee(); e.setEmployeeId(1L); return e;
}

private LeaveType carryForwardType(String name) {
    LeaveType lt = new LeaveType();
    lt.setId(name.equals("CASUAL") ? 2 : 3);
    lt.setName(name);
    lt.setCarriesForward(true);
    lt.setMonthlyReset(false);
    return lt;
}

private LeaveEntitlement entitlement(Employee emp, LeaveType type,
    int opening, int accrued, int used) {
    LeaveEntitlement e = new LeaveEntitlement();
    e.setEmployee(emp); e.setLeaveType(type); e.setYear(2025);
    e.setOpeningBalance(BigDecimal.valueOf(opening));
    e.setAccruedThisYear(BigDecimal.valueOf(accrued));
    e.setUsedThisYear(BigDecimal.valueOf(used));
    e.setClosingBalance(BigDecimal.ZERO);
    return e;
}
}
```