

## REACT HOL9

```
cricketapp > src > JS App.js > [🔍] default
1  import React from 'react';
2  import ListOfPlayers from './ListOfPlayers';
3  import ScoreBelow70 from './ScoreBelow70';
4  import { OddPlayers } from './OddPlayers';
5  import { EvenPlayers } from './EvenPlayers';
6  import ListOfIndianPlayers from './ListOfIndianPlayers';
7
8
9  const App = () => {
10   const flag = false;
11
12   const players = [
13     { name: 'Jack', score: 50 },
14     { name: 'Michael', score: 70 },
15     { name: 'John', score: 40 },
16     { name: 'Ann', score: 61 },
17     { name: 'Elisabeth', score: 61 },
18     { name: 'Sachin', score: 95 },
19     { name: 'Dhoni', score: 100 },
20     { name: 'Virat', score: 84 },
21     { name: 'Jadeja', score: 64 },
22     { name: 'Raina', score: 75 },
23     { name: 'Rohit', score: 80 },
24   ];
25   const IndianTeam = ['Sachin1', 'Dhoni2', 'Virat3', 'Rohit4', 'Yuvaraj5', 'Raina6'];
26
27   const T20Players = ['First Player', 'Second Player', 'Third Player'];
28   const RanjiTrophyPlayers = ['Fourth Player', 'Fifth Player', 'Sixth Player'];
29   const IndianPlayers = [...T20Players, ...RanjiTrophyPlayers];
30
31   return (
32     <div>
33       {flag === true ? (
34         <div>
35           <h1>List of Players</h1>
36           <ListOfPlayers players={players} />
37           <hr />
38           <h1>List of Players having Scores Less than 70</h1>
39           <ScoreBelow70 players={players} />
40         </div>
41       ) : (
42         <div>
43           <h1>Odd Players</h1>
44           <OddPlayers team={IndianTeam} />
45           <hr />
46           <h1>Even Players</h1>
47           <EvenPlayers team={IndianTeam} />
48           <hr />
49           <h1>List of Indian Players Merged:</h1>
50           <ListOfIndianPlayers IndianPlayers={IndianPlayers} />
51         </div>
52       )}
53     </div>
54   );
55 };
56
57 export default App;
```

```
cricketapp > src > JS EvenPlayers.js > [🔍] EvenPlayers
```

```
1  import React from 'react';
2
3  export function EvenPlayers({ team }) {
4    const [, second, , fourth, , sixth] = team;
5
6    return (
7      <ul className="player-list">
8        <li>Second: {second}</li>
9        <li>Fourth: {fourth}</li>
10       <li>Sixth: {sixth}</li>
11     </ul>
12   );
13 }
```

cricketapp > src > JS ListOfPlayers.js > default

```
1  import React from 'react';
2
3  const ListOfPlayers = ({ players }) => {
4    return (
5      <ul className="player-list">
6        {players.map((player, index) => (
7          <li key={index}>
8            Mr. {player.name}<span> {player.score}</span>
9          </li>
10         ))}
11      </ul>
12    );
13  };
14
15  export default ListOfPlayers;
```

cricketapp > src > JS OddPlayers.js > OddPlayers

```
1  import React from 'react';
2
3  export function OddPlayers({ team }) {
4    const [first, , third, , fifth] = team;
5
6    return (
7      <ul className="player-list">
8        <li>First: {first}</li>
9        <li>Third: {third}</li>
10       <li>Fifth: {fifth}</li>
11     </ul>
12   );
13 }
```

cricketapp > src > JS ScoreBelow70.js > default

```
1  import React from 'react';
2
3  const ScoreBelow70 = ({ players }) => {
4    const filtered = players.filter(player => player.score < 70);
5
6    return (
7      <ul className="player-list">
8        {filtered.map((player, index) => (
9          <li key={index}>
10             Mr. {player.name}<span> {player.score}</span>
11          </li>
12        ))}
13      </ul>
14    );
15  };
16
17  export default ScoreBelow70;
```

localhost:3000

**Odd Players**

- First: Sachin1
- Third: Virat3
- Fifth: Yuvraj5

**Even Players**

- Second: Dhoni2
- Fourth: Rohit4
- Sixth: Raina6


**List of Indian Players Merged:**

- Mr. First Player
- Mr. Second Player
- Mr. Third Player
- Mr. Fourth Player
- Mr. Fifth Player
- Mr. Sixth Player

## REACT HOL10

```
officespacereentalapp > src > JS Office.js > [?] default
1 import React from 'react'
2 const element="Office Space"
3 const jsxatt=
5 const itemName={Name:"DBS",Rent:90000,Address:"Chennai"}
6 const Office = () => {
7   let colors = [];
8   if (itemName.Rent <= 60000) {
9     colors.push("textRed");
10  } else {
11    colors.push("textGreen");
12  }
13
14  return (
15    <div className='details'>
16      <h1>{element}, at Affordable Range</h1>
17      {jsxatt}
18      <h1>Name: {itemName.Name}</h1>
19      <h3 className={colors.join(" ")}>Rent: Rs. {itemName.Rent}</h3>
20      <h3>Address: {itemName.Address}</h3>
21    </div>
22  )
23 }
24
25 export default Office
```

```
officespacereentalapp > src > JS App.js > [?] default
1 import logo from './logo.svg';
2 import './App.css';
3 import Office from './Office';
4
5
6 function App() {
7   return (
8     <div className="App">
9       <Office />
10     </div>
11   );
12 }
13
14 export default App;
```



## REACT HOL11

eventexamplesapp > src > JS App.js > default

```
1 import logo from './logo.svg';
2 import Events from './Events';
3
4 function App() {
5   return (
6     <div className="App">
7       <Events/>
8     </div>
9   );
10 }
11
12 export default App;
```


eventexamplesapp > src > JS Events.js > default

```
1 import React, { useState } from 'react';
2
3 const Events = () => {
4   const [count, setCount] = useState(0);
5   const [amount, setAmount] = useState('');
6   const [currencyType, setCurrencyType] = useState('');
7
8   const IncreaseValue = () => {
9     const newCount = count + 1;
10    setCount(newCount);
11    alert('Hello Members');
12  };
13
14   const DecreaseValue = () => {
15     const newCount = count - 1;
16     setCount(newCount);
17     alert('Hello Members');
18   };
19
20   const Display = () => {
21     alert('Welcome');
22   };
23
24   const Click = () => {
25     alert('I was clicked');
26   };
27
28   const CurrencyConverter = () => {
29     let rate = 0;
30
31     switch (currencyType.toLowerCase()) {
32       case 'euro':
33       case 'eur':
34         rate = 80;
35         break;
36       case 'usd':
37       case 'dollar':
38         rate = 75;
39         break;
40       case 'yen':
41       case 'jpy':
42         rate = 110;
43         break;
44     }
45   };
46 }
```

```

40     case 'yen':
41         rate = 0.55;
42         break;
43     case 'pound':
44     case 'gbp':
45         rate = 90;
46         break;
47     default:
48         alert('Unsupported currency type!');
49         return;
50 }
51 const result = (amount * rate);
52 alert(`Converting to ${currencyType.toLowerCase()} Amount is ${result}`);
53
54 };
55
56 return (
57     <div>
58         <div>
59             <h2>{count}</h2>
60             <div><button onClick={IncreaseValue}>Increment</button></div>
61             <div><button onClick={DecreaseValue}>Decrement</button></div>
62             <div><button onClick={Display}>Say welcome</button></div>
63             <div><button onClick={Click}>Click on me</button></div>
64         </div>
65
66         <h1 style={{ color: 'green' }}>Currency Convertor!!!</h1>
67         <div >
68             <table>
69                 <tbody>
70                     <tr>
71                         <td>Amount:</td>
72                         <td style={{paddingLeft:30}}>
73                             <input
74                                 type="number"
75                                 value={amount}
76                                 onChange={(e) => setAmount(e.target.value)}
77                             />
78                     </td>
79                 </tr>
80                 <tr>
81                     <td>Currency:</td>
82                     <td style={{paddingLeft:30}}>
83                         <textarea
84                             value={currencyType}
85                             onChange={(e) => setCurrencyType(e.target.value)}
86                             rows={2}
87                             cols={20}
88                         />
89                     </td>
90                 </tr>
91             </tbody>
92         </table>
93
94         <div style={{marginLeft: '10%'}}>
95             <button onClick={CurrencyConvertor}>Submit</button>
96         </div>
97     </div>
98 </div>
99 );
100 };
101
102 export default Events;

```



## REACT HOL12



```
ticketbookingapp > src > JS App.js > default
7   class App extends React.Component {
22
23     render() {
24       const isLoggedIn = this.state.isLoggedIn;
25       let button;
26
27       if (isLoggedIn) {
28         button = <LogoutButton onClick={this.handleLogoutClick} />;
29       } else {
30         button = <LoginButton onClick={this.handleLoginClick} />;
31       }
32
33       return (
34         <div className="App">
35           <h1>Flight Ticket Booking</h1>
36           <Greeting isLoggedIn={isLoggedIn} />
37           <div className="button-container">
38             {button}
39           </div>
40         </div>
41       );
42     }
43   }
44
45   export default App;
```

```
ticketbookingapp > src > JS Greetings.js > default
1   import React from 'react';
2   import UserGreeting from './UserGreeting';
3   import GuestGreeting from './GuestGreeting';
4
5   function Greeting(props) {
6     const isLoggedIn = props.isLoggedIn;
7     if (isLoggedIn) {
8       return <UserGreeting />;
9     }
10    return <GuestGreeting />;
11  }
12
13  export default Greeting;
```

```
ticketbookingapp > src > JS LoginButton.js > default
1   import React from 'react';
2
3   function LoginButton(props) {
4     return (
5       <button onClick={props.onClick} className="app-button login">
6         Login
7       </button>
8     );
9   }
10
11  export default LoginButton;
```

```
ticketbookingapp > src > JS LogoutButton.js > default
1   import React from 'react';
2
3   function LogoutButton(props) {
4     return (
5       <button onClick={props.onClick} className="app-button logout">
6         Logout
7       </button>
8     );
9   }
10
11  export default LogoutButton;
```

```
ticketbookingapp > src > JS UserGreetings.js > default
1  import React from 'react';
2
3  function UserGreeting() {
4    return <h2 className="greeting-text">Welcome back! You can now book tickets.</h2>;
5  }
6
7  export default UserGreeting;
```



## REACT HOL13

```
bloggerapp > src > JS App.js > default
6  function App() {
21  return (
22    <div className="App">
23      <div className="content-wrapper">
24        <div className="v1">
25          <h1>Course Details</h1>
26          <CourseDetails course={course} />
27        </div>
28
29        <div className="st2">
30          <h1>Book Details</h1>
31          <BookDetials books={books} />
32        </div>
33
34        <div className="mystyle1">
35          <h1>Blog Details</h1>
36          <BlogDetails blog={blog} />
37        </div>
38      </div>
39    </div>
40  );
41  };
42  }
43
44  export default App;
```

```
bloggerapp > src > JS BlogDetails.js > default
1  import React from 'react'
2
3  const BlogDetails = (props) => {
4    const content=(
5      <ul>
6        {props.blog.map((blog)=>
7          <div key={blog.id}>
8            <h1>{blog.name}</h1>
9            <b><p>{blog.author}</p></b>
10           <p>{blog.cont}</p>
11          </div>
12        )}
13      </ul>
14    )
15    return (
16      <div>
17        {content}
18      </div>
19    )
20  }
21
22  export default BlogDetails
```

bloggerapp > src > JS BookDetails.js > [🔍] default

```
1 import React from 'react';
2
3 const BookDetails = (props) => {
4   const bookdet = (
5     <ul>
6       {props.books.map((book) => (
7         <div key={book.id}>
8           <h3>{book.bname}</h3>
9           <h4>{book.price}</h4>
10        </div>
11      )}}
12    </ul>
13  );
14
15  return (
16    <div>
17      {bookdet}
18    </div>
19  );
20 };
21
22 export default BookDetails;
```

bloggerapp > src > JS CourseDetails.js > [🔍] default

```
1 import React from 'react'
2
3 const CourseDetails = (props) => {
4   const coursedet=(
5     <ul>
6       {props.course.map((course)=>
7         <div key={course.id}>
8           <h1>{course.cname}</h1>
9           <p>{course.date}</p>
10          </div>
11        )}
12      </ul>
13    );
14    return (
15      <div>
16        {coursedet}
17      </div>
18    )
19  }
20
21 export default CourseDetails;
```

localhost:3000

## Course Details

### Angular

4/5/2021

### React

6/3/2021

## Book Details

### Master React

670

### Deep Dive into Angular 11

800

### Mongo Essentials

450

## Blog Details

### React Learning

Stephen Biz

Welcome to learning React!

### Installation

Schweydenier

You can install React from npm