

CSE 1005

PROJECT

Project Title: Restaurant Management System

TEAM MEMBERS

PUSALA PRANEETHA – 20BCI7323

MARAMREDDY MEGHANA – 20BCI7081

SURYABOINA CHARIS – 20BCE7007

SKUND AGARWAL – 20BCR7137

MEGHANA NALLA – 20BCN7069

Table of Contents:

S.No	Title	Page. No
0	FEASIBILITY STUDY	2
1	PROBLEM ANALYSIS	3
2	SOFTWARE REQUIREMENT ANALYSIS AND PLANNING	4
3	DATA MODELING	6
4	DEVELOPMENT	12
5	SOFTWARE TESTING	23
6	PROJECT DEMO	24

Feasibility Study

Existing System

Restaurants are popular since the 18th century, with a variety of cuisines and dishes. Currently, in most restaurants, the menu and orders are still done manually by waiters. Customers must wait until they receive the menu to place an order. Using a digital menu instead of old ones has lots of advantages for a profitable business. Here are a few points showing digital menu is better than an old menu.

Pros of digital menu

- Dishes are available with their pictures
- Popular dishes are spotlighted
- Cuisine combos
- Quick placement of orders
- Know the real-time status of an order
- Great insights about the dish

Cons of an old menu

- All dishes are mentioned irrespective of the availability
- No quick review of the dish
- Dependent on the waiter to place an order
- Not so attractive

Problem Statement

Under this, the following are the various problems that are faced so often, we have to wait for longer times to place an order, which in return waste a lot of time and a greater level of patience. There could be many human errors while dealing with the information manually. There are various benefits on account of automation. This includes an increase in customer satisfaction, better decision-making timeliness of information, expediting activities, and making the work easy for management as well as customers.

Objective

The software which we are proposing now has many enhancing features of the 21st century, which not only saves time but is also user-friendly, which helps for better and more accurate alignment. The digital menu features, such as food items display, and direct order placement improves customer satisfaction. Not just photos of dishes, popular

recommended foods based on previous customer reviews and a whole new combo of food from different origins that customers can explore.

1. PROBLEM ANALYSIS

1.1 Overview of the project:

Using a digital menu instead of old ones has lots of advantages for a profitable business. Customers can order their food directly through an electronic tablet, available at each table. The order directly goes to the chef, which helps the chef to get a clear idea of the next orders.

1.2 Identification of project scope:

Task involved:

The main scope of this project is to improve customer satisfaction with features such as digital menus where customers get pictures of dishes, their origin, and taste. And make the management easy for restaurants.

1.3 Objectives

The software which we are proposing now has many enhancing features of the 21st century, which not only saves time but is also user-friendly, which helps for better and more accurate alignment. The digital menu features, such as food items display, and direct order placement improves customer satisfaction. Not just photos of dishes, popular recommended foods based on previous customer reviews, and a whole new combo of food from different origins that customers can explore.

1.4 Infrastructure

Each developer in our team will work on a particular aspect of the project and push it on Github from time to time. Once the project is done, we will create a test environment wherein we will run tests on the application using the TEM tool Apwide Golive. Next, we will create a QA environment to test the existing functionality, log the bugs and retest the fixed bugs, and perform code reviews using Test I/O. Once this is done, Selenium S is used to test the user interface design. Also, we will create a pipeline for automatic build, test and deploy.

2. SOFTWARE REQUIREMENT ANALYSIS AND PLANNING

2.1 Description of individual phase/module:

Module	Description
Login	Phone number OTP login (for previous order analysis and feedback)
Menu	List of dishes with photos
Chef	Get info about orders to prepare
Status	Current order status
Waiter	Get info about next dish to serve along with table id
Payment	Payment through: UPI, Net Banking, Card, Cash

2.1.1 User characteristics

- Users should know how to operate a computerized system
- All the systems will have a proper connection
- Admin should beware of malware, virus and other aspects which can harm the computer system
- Users should be familiar with self-payment after the final bill

2.1.2 General constraints

- We required tablets with custom software installed
- All the tablets should be connected to an Admin PC using Wi-fi

2.1.3 Assumption:

- Tablets for all tables with software installed
- Power points at each table
- Large monitors in the kitchen and waiter's space
- Good Wi-Fi connection
- Backup in case of a powercut

Dependency:

- Min Tablet specification:
 - Android 9+
 - RAM: 2GB
 - Storage: min 5GB
- Tablets should be compactable with the software, if not, the software or tablet should be changed
- Cloud service for database administration and data backup
- Power generators for consistent power supply

2.1.4 Functional requirements:

A functional requirement is a requirement that, when satisfied, will allow the user to perform some kind of function. The priority value is in the range from 1 to 3 where 1 is a high priority and 3 is a low priority.

Requirements	Priority
Organised display of active orders	1
View preferences and optional choices for every meal	1
Inform client; update order to 'in-progress'	2
Inform waiter; update order to 'ready'	2
Display elapsed time and progress ² of each order	3

2.2 Identify individual module deliverables

Login:

- Primary actor: client
- Purpose: To identify the client
- Function information: Personalized experience of the client

Menu:

- Primary actor: client
- Purpose: Choosing a dish
- Function information: Dishes with photos are available. List of orders with ORDER button.

Chef:


- Primary actor: chef
- Purpose: Get the list of orders pending
- Function information: As soon as the client orders, it appears on the chef module.

Status:


- Primary actor: waiter, chef
- Purpose: Know the status of orders
- Function information: As soon as the client orders a dish, it appears on the chef module. The chef should update the dish status before starting as well as in the end.

Waiter:


2. Use Case Diagram




3. Activity Diagram



4. DFD Diagram




Level 1: Data Flow Diagram




Level 2: Data Flow Diagram

5. Class Diagram



6. Database Diagram:



4. DEVELOPMENT

4.1 Coding and Implementation

Java Code files

<MainActivity.java>

```

5 package com.example.easykitchen;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.view.Window;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {
    EditText ph;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        this.requestWindowFeature(Window.FEATURE_NO_TITLE);
        setContentView(R.layout.activity_main);
    }

    public void next(View view) {
        ph = findViewById(R.id.ph_no);
        String p = ph.getText().toString();
        if(p.length()==10){
            startActivity(new
Intent(MainActivity.this,MainScreen.class));
        }
        else{
            Toast t = Toast.makeText(getApplicationContext(),"Please
enter a valid 10-digit mobile number",Toast.LENGTH_LONG);
            t.show();
        }
    }
}

```

<MainScreen.java>

```

package com.example.easykitchen;

import android.app.AlertDialog;
import android.content.DialogInterface;
import android.content.Intent;
import android.os.Bundle;
import android.provider.Settings;
import android.view.LayoutInflater;
import android.view.View;
import android.widget.ArrayAdapter;
import android.widget.ListView;
import android.widget.Toast;

import com.example.easykitchen.ui.home.menu list;

```

```

import com.google.android.material.bottomnavigation.BottomNavigationView;

import androidx.appcompat.app.AppCompatActivity;
import androidx.navigation.NavController;
import androidx.navigation.Navigation;
import androidx.navigation.ui.AppBarConfiguration;
import androidx.navigation.ui.NavigationUI;

import com.example.easykitchen.databinding.ActivityMainScreenBinding;

import java.util.ArrayList;

public class MainScreen extends AppCompatActivity {

    private ActivityMainScreenBinding binding;

    public ListView cust_view, serve_view, chef_view;
    public ArrayList<item> curr_menu, chef_list, serve_list;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);

        binding = ActivityMainScreenBinding.inflate(getLayoutInflater());
        setContentView(binding.getRoot());

        BottomNavigationView navView = findViewById(R.id.nav_view);
        // Passing each menu ID as a set of Ids because each
        // menu should be considered as top level destinations.
        AppBarConfiguration appBarConfiguration = new
AppBarConfiguration.Builder(
        R.id.navigation_home, R.id.navigation_dashboard,
R.id.navigation_notifications)
        .build();
        NavController navController = Navigation.findNavController(this,
R.id.nav_host_fragment_activity_main_screen);

        NavigationUI.setupWithNavController(binding.navView,
navController);

        cust_view = findViewById(R.id.cust_list);
        chef_view = (ListView) findViewById(R.id.chef_list);
        curr_menu = menu_list.it_arr;

        ListAdapter listAdapter = new ListAdapter(this, curr_menu);
        cust_view.setAdapter(listAdapter);

    }

    public void add_open(View add) {
        startActivity(new Intent(MainScreen.this, menu_list.class));
    }

    public void generate_bill(View view) {
        int Total = 0;
        for (item i : menu_list.it_arr) {
            Total+=i.getCost()*i.getQuant();
        }
        AlertDialog altr = new AlertDialog.Builder(this).create();
    }
}

```

```

        altr.setTitle("Toatal Bill");
        altr.setMessage("₹ "+Total);
        altr.setButton("PAY", new DialogInterface.OnClickListener() {
            @Override
            public void onClick(DialogInterface dialog, int which) {
                System.exit(0);
            }
        });
        altr.show();
    }
}

```

<item.java>

```

package com.example.easykitchen;

public class item {

    String dish_name,status;
    int cost,quant;
    int imgID;

    public item(String dish_name,int cost, int quant,String status){
        this.dish_name = dish_name;
        this.cost = cost;
        this.quant = quant;
        this.imgID = imgID;
        this.status = status;
    }

    public String getDish_name(){return dish_name;}

    public void setDish_name(String t_dish){this.dish_name = t_dish;}

    public int getImgID(){return imgID;}

    public void setImgID(int t_imgID){this.imgID = t_imgID;}

    public int getCost(){return cost;}

    public void setCost(int t_cost){this.cost = t_cost;}

    public int getQuant(){return quant;}

    public void setQuant(int t_quant){this.quant = t_quant;}

    public String getStatus(){return status;}

    public void setStatus(String t_status){this.status = t_status;}
}

```

<menu_list.java>

```

package com.example.easykitchen.ui.home;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.AdapterView;
import android.widget.EditText;
import android.widget.ListView;
import android.widget.TextView;
import android.widget.Toast;

import com.example.easykitchen.ListAdapter;
import com.example.easykitchen.MainScreen;
import com.example.easykitchen.R;
import com.example.easykitchen.databinding.ActivityMainBinding;
import com.example.easykitchen.databinding.ActivityMainScreenBinding;
import com.example.easykitchen.databinding.ActivityMenuListBinding;
import com.example.easykitchen.item;

import java.util.ArrayList;

public class menu_list extends AppCompatActivity {

    ActivityMenuListBinding binding;
    TextView dn,dc;
    EditText et;

    int[] dish_name={R.id.dish_name1,
        R.id.dish_name2,
        R.id.dish_name3,
        R.id.dish_name4,
        R.id.dish_name5,
        R.id.dish_name6,
        R.id.dish_name7,
        R.id.dish_name8,
        R.id.dish_name9,
        R.id.dish_name10
    };
    int[] dish_cost={R.id.dish_cost1,
        R.id.dish_cost2,
        R.id.dish_cost3,
        R.id.dish_cost4,
        R.id.dish_cost5,
        R.id.dish_cost6,
        R.id.dish_cost7,
        R.id.dish_cost8,
        R.id.dish_cost9,
        R.id.dish_cost10
    };
    int[] dish_quants={R.id.quant_field1,
        R.id.quant_field2,
        R.id.quant_field3,
        R.id.quant_field4,
        R.id.quant_field5,
        R.id.quant_field6,
        R.id.quant_field7,
        R.id.quant_field8,
    }

```

```

        R.id.quant_field9,
        R.id.quant_field10
    };
    public static ArrayList<item> it_arr = new ArrayList<item>();

    String[] dishes = {"Tomato Soup","Panner Manchurian","Veg Biryani","Veg
    Fried Rice","South Indian Thali","Panner Butter Masala","Butter
    Naan","Chocolate Cake","Vanilla Ice-cream","Butter Milk"};
    int[] cost = {129,269,275,229,199,299,50,599,169,40};

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        binding = ActivityMenuListBinding.inflate(getLayoutInflater());
        setContentView(R.layout.activity_menu_list);

        for(int i=0;i<dishes.length;i++){
            dn = findViewById(dish_name[i]);
            dc = findViewById(dish_cost[i]);
            dn.setText(dishes[i]);
            dc.setText("₹ "+cost[i]);
        }
    }

    public void menu_close(View view) {
        this.finish();
    }

    public void order_these(View view) {
        for(int i=0;i<dish_quants.length;i++){
            et = findViewById(dish_quants[i]);
            String s =et.getText().toString();
            if(s.length()>0){
                item it = new
item(dishes[i],cost[i],Integer.parseInt(s),"Food is Processing");
                it_arr.add(it);
            }
        }
        this.finish();
        startActivity(new Intent(menu_list.this,MainScreen.class));
    }
}

```

<ListAdapter.java>

```

package com.example.easykitchen;

import android.content.Context;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;
import android.widget.ArrayAdapter;
import android.widget.ImageView;
import android.widget.TextView;

```



```

import androidx.annotation.NonNull;
import androidx.annotation.Nullable;

import org.w3c.dom.Text;

import java.util.ArrayList;
import java.util.List;

public class ListAdapter extends ArrayAdapter<item> {

    public ListAdapter(Context context, ArrayList<item> menuList){
        super(context,0,menuList);
    }

    @NonNull
    @Override
    public View getView(int position, @Nullable View convertView, @NonNull
    ViewGroup parent) {

        item it = getItem(position);

        if(convertView == null){
            convertView =
            LayoutInflater.from(getContext()).inflate(R.layout.cust_orders,parent,false
            );

        }

        TextView dish_name = convertView.findViewById(R.id.curr_dish_name);
        TextView dish_quant =
        convertView.findViewById(R.id.curr_dish_quant);
        TextView dish_status =
        convertView.findViewById(R.id.curr_dish_status);

        dish_name.setText(it.getDish_name());
        dish_quant.setText(String.valueOf(it.getQuant()));
        dish_status.setText(it.getStatus());

        //        return super.getView(position, convertView, parent);
        return convertView;
    }
}

```

<CustomerFragment.java>

```

package com.example.easykitchen.ui.home;

import android.app.AlertDialog;
import android.content.DialogInterface;
import android.content.Intent;
import android.os.Bundle;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;
import android.widget.Button;
import android.widget.ListView;
import android.widget.TextView;

import androidx.annotation.NonNull;
import androidx.fragment.app.Fragment;

```

```

import androidx.lifecycle.ViewModelProvider;

import com.example.easykitchen.ListAdapter;
import com.example.easykitchen.MainActivity;
import com.example.easykitchen.MainScreen;
import com.example.easykitchen.R;
import com.example.easykitchen.databinding.FragmentHomeBinding;
import com.example.easykitchen.item;

import java.util.ArrayList;

public class HomeFragment extends Fragment {

    ListView cust_view;
    ArrayList<item> curr_menu;
    private FragmentHomeBinding binding;
    private AlertDialog.Builder dialogBuilder;
    private AlertDialog dialog;
    Button ad,cl;

    public View onCreateView(@NonNull LayoutInflater inflater,
                             ViewGroup container, Bundle
savedInstanceState) {
        HomeViewModel homeViewModel =
            new ViewModelProvider(this).get(HomeViewModel.class);

        binding = FragmentHomeBinding.inflate(inflater, container, false);
        View root = binding.getRoot();

        final TextView textView = binding.textHome;
        homeViewModel.getText().observe(getViewLifecycleOwner(),
textView::setText);

        cust_view = root.findViewById(R.id.cust_list);
        curr_menu = menu_list.it_arr;

        ListAdapter listAdapter = new ListAdapter(getContext(),curr_menu);
        cust_view.setAdapter(listAdapter);

        return root;
    }

    @Override
    public void onDestroyView() {
        super.onDestroyView();
        binding = null;
    }

}

```

<WaiterFragment.java>

```

package com.example.easykitchen.ui.dashboard;

import android.app.AlertDialog;
import android.content.DialogInterface;

```

```

import android.os.Bundle;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;
import android.widget.AdapterView;
import android.widget.AdapterView;
import android.widget.ListView;
import android.widget.TextView;

import androidx.annotation.NonNull;
import androidx.fragment.app.Fragment;
import androidx.lifecycle.ViewModelProvider;

import com.example.easykitchen.ListAdapter;
import com.example.easykitchen.R;
import com.example.easykitchen.databinding.FragmentDashboardBinding;
import com.example.easykitchen.item;
import com.example.easykitchen.ui.home.menu_list;

import java.util.ArrayList;

public class DashboardFragment extends Fragment {
    ListView serve_view;
    public ArrayList<item> serve_list, curr_menu;
    private FragmentDashboardBinding binding;

    public View onCreateView(@NonNull LayoutInflater inflater,
                             ViewGroup container, Bundle
savedInstanceState) {
        DashboardViewModel dashboardViewModel =
            new ViewModelProvider(this).get(DashboardViewModel.class);

        binding = FragmentDashboardBinding.inflate(inflater, container,
false);
        View root = binding.getRoot();

        serve_view = root.findViewById(R.id.serve_list);

        curr_menu = menu_list.it_arr;
        serve_list = new ArrayList<>();
        for(int i =0;i<curr_menu.size();i++) {
            if (curr_menu.get(i).getStatus().charAt(0) == 'R') {
                serve_list.add(curr_menu.get(i));
            }
        }

        ListAdapter chefadapter = new
ListAdapter(requireContext(),serve_list);
        serve_view.setAdapter(chefadapter);
        serve_view.setClickable(true);

        serve_view.setOnItemClickListener(new
AdapterView.OnItemClickListener() {
            @Override
            public void onItemClick(AdapterView<?> parent, View view, int
position, long id) {
                final int which_item = position;
                new AlertDialog.Builder(requireContext())
                    .setIcon(R.drawable.ic_baseline_chef_24)

```

```

        .setTitle("Served?")
        .setMessage("Change status to Finished")
        .setPositiveButton("YES", new
DialogInterface.OnClickListener() {
            @Override
            public void onClick(DialogInterface dialog, int
which) {
                change_curr(serve_list.get(which_item));
                serve_list.remove(which_item);
                chefadapter.notifyDataSetChanged();

            }
        })
        .setNegativeButton("No", null)
        .show();
    }
});

return root;
}

@Override
public void onDestroyView() {
    super.onDestroyView();
    binding = null;
}

public void change_curr(item it){
    for(int i=0;i<menu_list.it_arr.size();i++){
        if(menu_list.it_arr.get(i)==it){
            int temp = menu_list.it_arr.indexOf(it);
            menu_list.it_arr.get(temp).setStatus("Completed");
        }
    }
}
}
}

```

<ChefFragment.java>

```

package com.example.easykitchen.ui.notifications;

import android.app.AlertDialog;
import android.content.DialogInterface;
import android.os.Bundle;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;
import android.widget.AdapterView;
import android.widget.AdapterView.OnItemClickListener;
import android.widget.ListView;
import android.widget.TextView;

import androidx.annotation.NonNull;
import androidx.fragment.app.Fragment;
import androidx.lifecycle.ViewModelProvider;

import com.example.easykitchen.ListAdapter;
import com.example.easykitchen.MainScreen;
import com.example.easykitchen.R;

```

```

import com.example.easykitchen.databinding.FragmentNotificationsBinding;
import com.example.easykitchen.item;
import com.example.easykitchen.ui.home.menu_list;

import java.util.ArrayList;
import java.util.List;

public class NotificationsFragment extends Fragment {
    public ArrayList<item> chef_list, curr_menu;
    ListView chef_view;
    View view;
    private FragmentNotificationsBinding binding;

    public View onCreateView(@NonNull LayoutInflater inflater,
                             ViewGroup container, Bundle
savedInstanceState) {
        NotificationsViewModel notificationsViewModel =
            new
ViewModelProvider(this).get(NotificationsViewModel.class);

        binding = FragmentNotificationsBinding.inflate(inflater, container,
false);
        View root = binding.getRoot();

        final TextView textView = binding.textNotifications;
        notificationsViewModel.getText().observe(getViewLifecycleOwner(),
textView::setText);

        chef_view = root.findViewById(R.id.chef_list);

        curr_menu = menu_list.it_arr;
        chef_list = new ArrayList<>();
        for(int i =0; i<curr_menu.size(); i++) {
            if (curr_menu.get(i).getStatus().charAt(0) == 'F') {
                chef_list.add(curr_menu.get(i));
            }
        }

        ListAdapter chefadapter = new
ListAdapter(requireContext(), chef_list);
        chef_view.setAdapter(chefadapter);
        chef_view.setClickable(true);

        chef_view.setOnItemClickListener(new
AdapterView.OnItemClickListener() {
            @Override
            public void onItemClick(AdapterView<?> parent, View view, int
position, long id) {
                final int which_item = position;
                new AlertDialog.Builder(requireContext())
                    .setIcon(R.drawable.ic_baseline_chef_24)
                    .setTitle("Finished?")
                    .setMessage("Change status to serve")
                    .setPositiveButton("YES", new
DialogInterface.OnClickListener() {
                        @Override

```

```

                                public void onClick(DialogInterface dialog, int
which) {
                                change_curr(chef_list.get(which_item));
                                chef_list.remove(which_item);
                                chefadapter.notifyDataSetChanged();

                                }
                                })
                                .setNegativeButton("No",null)
                                .show();

                                }
                                });

                                return root;
                                }

@Override
public void onDestroyView() {
    super.onDestroyView();
    binding = null;
}

public void change_curr(item it){
    for(int i=0;i<menu_list.it_arr.size();i++){
        if(menu_list.it_arr.get(i)==it){
            int temp = menu_list.it_arr.indexOf(it);
            menu_list.it_arr.get(temp).setStatus("Ready to Serve");
        }
    }
}

}
}

```

5. SOFTWARE TESTING

5.1 Test plan

5.2 Test results and debugging

In computer hardware and software development, testing is used at key checkpoints in the overall process to determine whether objectives are being met.

Types of Testing:


- Unit Testing.
- Integrated Testing
- Functional Testing.
- System Testing.
- Performance Testing.
- Usability Testing.
- Beta Testing.

Test Case	Test Scenario	Test Steps	Test Plan	Expected Result	Actual Result	Pass / Fail
TC01	Check login	<ol style="list-style-type: none"> 1. Enter various phone numbers 2. Check if it takes to main page 	Only 10-digit phone number login is allowed	Use login to the application	As expected	Pass
TC02	Add Dishes	<ol style="list-style-type: none"> 1. Add some dishes 2. check if its showing in respective tabs 	Status should be updated with respective actions.	List and status of dishes appeared	As expected	Pass


6. PROJECT DEMO:

6.1 Screen shots


Login page




Menu



Customer tab



Waiter tab



Chef tab

11:03		
Orders		
Veg Fried Rice	1	Food is Processing
South Indian Thali	1	Food is Processing
<div> <div>Customer</div> <div>Waiter</div> <div>Chef</div> </div>		

Total Bill

11:05		
<div> <div>Current Orders</div> <div>BILL</div> <div>+ NEW ORDER</div> </div>		
Veg Biryani	2	Ready to Serve
Veg Fried Rice		Food is Processing
South Indian Thali	1	Food is Processing
<div> <div>Customer</div> <div>Waiter</div> <div>Chef</div> </div>		

Demo Video: <https://youtu.be/0VXZxxcnxUI>