```
mysql> use newBankOfIndia
Database changed
mysql> show tables;
 Tables_in_newbankofindia
 account_details
 bank_branch
 benificiary_details
 credit_score_details
 fixed_deposit
 loan_details
 transaction_details
 transaction_status
 user_credentials
 user_sessions
10 rows in set (0.02 sec)
mysql>
```

```
mysql> desc account_details;
 Field
              Type
                            Null |
                                    Key |
                                          Default
 accountNo | char(12)
                            NO
                                    PRI
                                          NULL
              varchar(50)
                                          NULL
 Fname
                            NO
 Mname
              varchar(50)
                            YES
                                          NULL
              varchar(50)
                            YES
                                          NULL
 Lname
DOB
              date
                            NO
                                          NULL
              char(10)
Phno
                            NO
                                          NULL
              varchar(50)
| Email
                            NO
                                          NULL
| ISFC_code
              char(11)
                            NO
                                    MUL
                                          NULL
Balance
              int
                             NO
                                          NULL
| uPIN
              char(4)
                            YES
                                          NULL
10 rows in set (0.05 sec)
mysql>
```

```
mysql> desc bank_branch;
                                       Key
                                           | Default
| Field
                               Null |
               Type
                                                       Extra
 ISFC
                char(11)
                               NO
                                       PRI
                                             NULL
                varchar(100)
                                YES
                                             NULL
 branch_name
                varchar(50)
                               YES
                                             NULL
  state
3 rows in set (0.00 sec)
mysql>
```

```
mysql> desc benificiary_details;
| Field
                  | Type
                                | Null | Key | Default | Extra
 id
                    int
                                  NO
                                         PRI |
                                               NULL
                                                         auto_increment
 uAccountNo
                    char(12)
                                  NO
                                         MUL
                                               NULL
 benificiaryACNo |
                    char(12)
                                  NO
                                         MUL
                                               NULL
  BISFC
                    char(11)
                                  YES
                                               NULL
 nickName
                    varchar(30)
                                  YES
                                               NULL
 addDate
                    date
                                  YES
                                               NULL
6 rows in set (0.00 sec)
mysql>
```

mysql> desc ci	redit_score	_details	5;		
Field	Туре	Null	Key	Default	Extra
pin	char(12) char(4) int	NO NO NO NO NO NO YES	PRI MUL	NULL   NULL   NULL   NULL   NULL   O	
6 rows in set	(0.00 sec)	F	<b>+</b> -+	<b>+</b>	+

```
mysql> desc fixed_deposit;
                              | Null | Key | Default | Extra
| Field
                | Type
| fdAccountNo
                | varchar(12) |
                                NO
                                       PRI | NULL
accountNo
                | char(12)
                                NO
                                       MUL | NULL
 invested
                 int
                                NO
                                             NULL
 interestRate
                | float
                                NO
                                             NULL
 presentAmount | int
                                NO
                                             NULL
                | varchar(20) | NO
 status
                                            NULL
6 rows in set (0.00 sec)
mysql>
```

mysql> desc loan_details;								
Field	Туре	Null	Key	Default	Extra			
loanAC   accountNo   loanType   interestRate   amount   paidAmt   interest   status	varchar(12) char(12) varchar(50) float int int int varchar(20)	NO   NO   NO   NO   NO   NO   NO   YES	PRI MUL	NULL NULL NULL NULL NULL NULL NULL NULL				
8 rows in set (0.00 sec)								
mysql>								

```
mysql> desc transaction_details;
 Field
                     Type
                                    Null
                                            Key |
                                                  Default
                                                            Extra
 T_id
                      bigint
                                     NO
                                            PRI
                                                  NULL
                                                            auto_increment
 T_type
                      varchar(50)
                                     NO
                                                  NULL
 Ac_no
                      char(12)
                                     NO
                                            MUL
                                                  NULL
                                     NO
                                                  NULL
 amount
                      int
                                    NO
 t_date
                      date
                                                  NULL
 status_id
                      int
                                    YES
                                                  3
 Ben_Ac_no
                      char(12)
                                     YES
                                                  NULL
 BalancePerTransac |
                      int
                                     YES
                                                  NULL
8 rows in set (0.04 sec)
mysql>
```

```
mysql> desc transaction_status;
| Field
                              Null | Key | Default
                Type
                                                     | Extra
                                            NULL
  status_id
                               NO
                                      PRI |
                int
                                            NULL
                varchar(50)
                               NO
  status_type
2 rows in set (0.00 sec)
mysql>
```

```
mysql> desc user_credentials;
 Field
                  Type
                                | Null | Key | Default |
                                                         Extra
  u_{id}
                                               NULL
                                                         auto_increment
                  int
                                 NO
                                         PRI
                  varchar(100)
  uName
                                  NO
                                               NULL
  password
                  varchar(50)
                                 NO
                                               NULL
                  char(12)
  accountNumber
                                 NO
                                         MUL
                                               NULL
4 rows in set (0.00 sec)
mysql>
```

```
mysql> desc user_sessions;
| Field
            | Type
                            Null | Key | Default | Extra
| uToken
             varchar(700)
                            NO
                                   PRI
                                        NULL
            int
                                   MUL
| u_id
                            NO
                                         NULL
| socket_id | varchar(50)
                                        NULL
                           | YES
3 rows in set (0.00 sec)
mysql>
```