

Agent 03 Content Ideation Agent

User Guide for campaign ideation and downstream handoffs

Updated: 2026-06-15 | Scope: Agent 03 v1 | Mode: strategy package only

One-line summary

Agent 03 turns campaign context into a review-ready Content Ideation Package, including a Blog Brief for Agent 01 and a Repurposing Brief for Agent 02.

1. What Agent 03 Is Trying To Do

Agent 03 sits before writing and repurposing. It converts vague campaign notes into themes, content ideas, hooks, CTAs, risk flags, and structured handoff briefs.

- Input: campaign goal, product/service, audience, industry, tone, key message, optional keywords/notes/constraints, and number of ideas.
- Output: campaign summary, audience insights, themes, ranked ideas, hooks, CTA suggestions, risk flags, quality score, and downstream briefs.
- Handoff: `blog_brief_for_agent_01` and `repurposing_brief_for_agent_02`.
- Boundary: it does not write the finished blog, repurpose a full source asset, publish, scrape, search, or call Agent 01/02 code directly.

2. What It Can And Cannot Do

Can do	Cannot do in v1
Generate campaign themes, ideas, hooks, and CTAs.	Write or publish the final blog.
Produce structured handoff briefs for Agents 01 and 02.	Directly run Agent 01 or Agent 02.
Flag unsupported numerical claims and live research requests.	Search the web, scrape trends, use SEO tools, or fetch analytics.
Score ideation quality and risk handling.	Schedule, post, write to CMS/CRM, or call marketing platforms.
Stop before the Rs 20 package cost ceiling.	Invent evidence or claim live research was performed.

3. How The Ideation Pipeline Works

- 1 Intake builds the campaign request from form fields.
- 2 Validate campaign brief checks required and minimum context.
- 3 Analyze audience turns the target audience into pain points and expectations.
- 4 Generate themes, ideas, hooks, and CTA suggestions.
- 5 Create Blog Brief for Agent 01.

- 6 Create Repurposing Brief for Agent 02.
- 7 Quality scoring checks relevance, audience fit, specificity, downstream usability, originality, brand fit, and risk handling.
- 8 Assemble ContentIdeationPackage with status, notes, handoff briefs, and cost.

4. Output Statuses

Status	Meaning	What to do
pass	Quality score is at least 80, at least one usable idea exists, and both handoff briefs exist.	Use the package or copy handoff JSON to Agent 01/02.
needs_more_input	Required campaign context is missing or too thin.	Fill campaign goal, product, audience, industry, tone, and key message.
needs_human	A terminal hard-fail or non-passing quality gate remains.	Review notes/risk flags and improve the campaign context.
stopped_cost_ceiling	The Rs 20 ceiling protected the run.	Reduce requested ideas or simplify context.
error	A config/provider/unexpected failure happened.	Check the terminal running uvicorn.

5. How To Start The UI In Live GCP Mode

```
Set-Location "C:\Users\Pranesh\Desktop\agents-platform"

$repo = (Get-Location).Path
$env:AGENT03_UI_PROVIDER = "gcp"
$env:VERTEX_AI_PROJECT = "agents-platform-1212"
$env:PYTHONPATH = "$repo\packages;$repo\agents\agent-03-content-ideation"

Set-Location "$repo\apps\agent-03-ui"
& "$repo\agent02-ui-venv\Scripts\python.exe" -m uvicorn app:app --host 127.0.0.1 --port 8003
```

Open <http://127.0.0.1:8003>. The page should say Current provider: GCP live.

6. How To Use The UI

- 1 Fill campaign goal, product/service, industry, target audience, brand tone, and key message.
- 2 Add optional keywords, notes, constraints, and preferred formats if useful.
- 3 Choose number of ideas, usually 5 to 8 for practical review.
- 4 Click Generate Ideas.
- 5 Review status, campaign summary, audience insights, themes, ideas, hooks, CTAs, quality, risk flags, and cost.
- 6 For downstream work, copy the JSON handoff objects from the saved run file.

7. Sample Campaign Input

```
Campaign goal: Build awareness for AI-assisted content workflows
Product/service: ContentIQ
Industry: B2B SaaS
Target audience: B2B marketing managers at growing SaaS companies
Brand tone: clear, practical, confident
Key message: AI agents help teams turn campaign context into structured ideas, briefs, and review-ready drafts wh
Optional keywords: AI agents, content planning, content automation
Optional notes: Emphasize safe workflows, human review, and starting with one repeatable process.
Constraints: Do not invent statistics. Avoid hype. Keep evidence placeholders visible.
Number of ideas: 8
```

8. How To Send Agent 03 Output To Agent 01

- 1 Open the Agent 03 run JSON: `apps/agent-03-ui/runs/{run_id}.json`.
- 2 Find `package.blog_brief_for_agent_01`.
- 3 Copy that object only, including its braces.
- 4 Open Agent 01 UI.
- 5 Leave Text input blank if you want the brief to be the main source, or add extra source notes if needed.
- 6 Paste the object into Agent 03 blog brief JSON.
- 7 Generate the blog. The blog should follow the selected idea, audience, outline, CTA, tone, constraints, and risk flags.

```
{
  "selected_idea_id": "idea_01",
  "suggested_title": "How AI Agents Help B2B Teams Scale Content",
  "title_options": ["How AI Agents Help B2B Teams Scale Content"],
  "target_audience": "B2B marketing managers",
  "campaign_goal": "Build awareness for AI-assisted content workflows",
  "content_angle": "Practical workflow adoption without removing human review",
  "core_message": "AI agents help content teams scale repetitive work safely.",
  "suggested_outline": [
    "Why content teams get stuck",
    "Where agents help",
    "Why human review still matters",
    "How to start safely"
  ],
  "tone": "clear, practical, confident",
  "cta": "Audit one repeatable content workflow this week.",
  "constraints": ["Do not invent statistics."]
}
```

9. How To Send Agent 03 Output To Agent 02

- 1 Open the Agent 03 run JSON: apps/agent-03-ui/runs/{run_id}.json.
- 2 Find package.repurposing_brief_for_agent_02.
- 3 Copy that object only, including its braces.
- 4 Open Agent 02 UI.
- 5 Still fill Title, Summary, and Full blog/article text. Agent 02 needs real source content.
- 6 Paste the object into Agent 03 repurposing brief JSON.
- 7 Generate the package. The drafts should follow the brief's audience, hooks, CTA, tone rules, platform direction, and guardrails.

Common mistake

Do not paste only the Agent 03 brief into Agent 02 and leave Title/source blank. Agent 02 will correctly reject that because a repurposing brief is strategy, not source content.

```
{
  "core_message": "AI agents help B2B teams scale content safely.",
  "target_audience": "B2B marketing managers",
  "recommended_platforms": ["linkedin", "instagram", "x_twitter", "short_video"],
  "platform_direction": [
    {"platform": "linkedin", "direction": "Strategic lesson for marketing managers"},
    {"platform": "short_video", "direction": "Simple workflow explanation"}
  ],
  "hooks": ["Your content bottleneck may be handoff, not writing."],
  "cta": "Audit one repeatable content workflow this week.",
  "tone_rules": ["Clear", "Practical", "No hype"],
  "content_pillars": ["Workflow design", "Human review", "Safe automation"],
  "message_guardrails": ["Do not invent benchmarks."],
  "repurposing_focus": "Turn the approved blog/source into channel-native drafts."
}
```

10. Cost, Quality, And Safety

- Hard ceiling: Rs 20/package.

- Pass threshold: quality score ≥ 80 and no terminal hard-fails.
- Warning risk flags can remain on a passing package for human review.
- Optional notes are untrusted data, not instructions.
- No web search, scraping, trend research, or analytics calls are performed in v1.

11. Troubleshooting

Symptom	Likely cause	Fix
needs_more_input	Required campaign context missing.	Fill all required fields and use specific key message.
needs_human	Risk or quality issue remains.	Read quality notes and risk flags; remove unsupported claims or improve specificity.
No blog brief	Quality gate failed or input too thin.	Improve campaign context and rerun.
Agent 01 rejects pasted brief	Copied the wrong JSON wrapper or malformed JSON.	Copy only package.blog_brief_for_agent_01 from the run JSON.
Agent 02 says Title is required	Agent 02 source title blank.	Fill Agent 02 Title and source content; then paste the repurposing brief.

12. Where Files Live

Area	Path / behavior
Agent logic	agents/agent-03-content-ideation/agent/
UI wrapper	apps/agent-03-ui/
Run JSONs	apps/agent-03-ui/runs/{run_id}.json
Contracts	agents/agent-03-content-ideation/agent/contracts.py
Tests/evals	agents/agent-03-content-ideation/tests/