

OOPD-WORKSHOP4

PHP:

```
<?php
$jsonFile = 'users.json';
$errors = [];
$success = "";
if ($_SERVER["REQUEST_METHOD"] === "POST") {
    $name = trim($_POST['name']);
    $email = trim($_POST['email']);
    $password = $_POST['password'];
    $confirmPassword = $_POST['confirm_password'];
    if (empty($name)) {
        $errors['name'] = "Name is required.";
    }
    if (empty($email)) {
        $errors['email'] = "Email is required.";
    } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors['email'] = "Invalid email format.";
    }
    if (empty($password)) {
        $errors['password'] = "Password is required.";
```

```
} elseif (strlen($password) < 8 || !preg_match("/[!@#$%^&*]/",
$password)) {
    $errors['password'] = "Password must be at least 8 characters and
include a special character.";
}
if ($password !== $confirmPassword) {
    $errors['confirm_password'] = "Passwords do not match.";
}
if (empty($errors)) {
    try {
        if (!file_exists($jsonFile)) {
            file_put_contents($jsonFile, json_encode([]));
        }
        $usersData = file_get_contents($jsonFile);
        $users = json_decode($usersData, true);
        if (!is_array($users)) {
            $users = [];
        }
        $hashedPassword = password_hash($password,
PASSWORD_DEFAULT);
        $newUser = [
            "name" => $name,
            "email" => $email,
```

```

        "password" => $hashedPassword
    ];
    $users[] = $newUser;
    if (file_put_contents($jsonFile, json_encode($users,
JSON_PRETTY_PRINT))) {
        $success = "Registration successful!";
    } else {
        $errors['file'] = "Error writing to users.json.";
    }
} catch (Exception $e) {
    $errors['exception'] = "Unexpected error: " . $e->getMessage();
}
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>User Registration</title>
    <style>
        * {
            margin: 0;

```

```
padding: 0;
box-sizing: border-box;
}

body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background: linear-gradient(135deg, #74ebd5 0%, #9face6 100%);
  min-height: 100vh;
  display: flex;
  flex-direction: column;
  align-items: center;
  padding-top: 40px;
}

.header {
  text-align: center;
  margin-bottom: 20px;
}

.success {
  background: #d4edda;
  color: #155724;
  padding: 10px 20px;
  border-radius: 6px;
  margin-top: 10px;
  font-weight: 600;
```

```
display: inline-block;
}
.container {
  background: #fff;
  padding: 30px;
  border-radius: 12px;
  box-shadow: 0 8px 20px rgba(0,0,0,0.15);
  width: 100%;
  max-width: 420px;
}
form label {
  display: block;
  margin-bottom: 6px;
  font-weight: 600;
  color: #444;
}
form input {
  width: 100%;
  padding: 10px;
  margin-bottom: 15px;
  border: 1px solid #ccc;
  border-radius: 6px;
  font-size: 14px;
```

```
    transition: border-color 0.3s;
}
```

```
form input:focus {
    border-color: #6c63ff;
    outline: none;
}
```

```
button {
    width: 100%;
    padding: 12px;
    background: #6c63ff;
    color: #fff;
    border: none;
    border-radius: 6px;
    font-size: 16px;
    font-weight: bold;
    cursor: pointer;
    transition: background 0.3s;
}
```

```
button:hover {
    background: #574fd6;
}
```

```
.error {
```

```
color: #d9534f;
font-size: 13px;
margin-top: -10px;
margin-bottom: 10px;
display: block;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1 style="text-align: center;">User Registration</h1>
```

```
<?php if ($success): ?>
```

```
<div class="success"><?= htmlspecialchars($success) ?></div>
```

```
<?php endif; ?>
```

```
<form method="POST" action="">
```

```
<label>Name:
```

```
<input type="text" name="name" value="<?=
htmlspecialchars($_POST['name'] ?? " ") ?>">
```

```
<span class="error"><?= $errors['name'] ?? " " ?></span>
```

```
</label>
```

```
<label>Email:
```


```
<input type="email" name="email" value="<?=
htmlspecialchars($_POST['email'] ?? " ") ?>">
```

```
<span class="error"><?= $errors['email'] ?? " "></span>
</label>
<label>Password:
    <input type="password" name="password">
    <span class="error"><?= $errors['password'] ?? " "></span>
</label>
<label>Confirm Password:
    <input type="password" name="confirm_password">
    <span class="error"><?= $errors['confirm_password'] ?? "
?></span>
</label>
<button type="submit">Register</button>
</form>
</body>
</html>
```


JSON:

```
[
  {
    "name": "Pranish Mulmi",
    "email": "pranish.mulmi09@gmail.com",
    "password":
"$2y$10$N6dPEemzdI0GHM.Hnt.pyeitscXzZP9rG0ARIPouRckwEw3JZncxe
"
  },
  {
    "name": "Kushal Shrestha",
    "email": "kushal@gmail.com",
    "password":
"$2y$10$Dn.6NZzK1Q8kASYOmM3oFutaamc5ebfrGD9b7EdlFiMVaqObBp
la."
  }
]
```

OUTPUT:



The image shows a user registration form on a light blue background. At the top, the title "User Registration" is centered in a bold black font. Below the title, a light green rounded rectangle contains the text "Registration successful!". The form consists of four labeled input fields: "Name:" with the value "Kushal Shrestha", "Email:" with the value "kushal@gmail.com", "Password:" which is empty, and "Confirm Password:" which is also empty. Each label is positioned to the left of its corresponding input field. At the bottom of the form, there is a blue rounded rectangle button with the text "Register" in white.

User Registration

Registration successful!

Name:
Kushal Shrestha

Email:
kushal@gmail.com

Password:

Confirm Password:

Register

User Registration

Name:

Name is required.

Email:

Email is required.

Password:

Password is required.

Confirm Password:

Register