12/4/2019 Quartiles



Quartiles

Quartiles are the divide a list of numbers into quarters:

• Put the list of numbers in order

• Then cut the list into four equal parts


• The Quartiles are at the "cuts"

Like this:

Example: 5, 7, 4, 4, 6, 2, 8

Put them in order: 2, 4, 4, 5, 6, 7, 8

Cut the list into quarters:



And the result is:

- Quartile 1 (Q1) = 4
- Quartile 2 (Q2), which is also the Median, = 5
- Quartile 3 (Q3) = **7**


Sometimes a "cut" is between two numbers ... the Quartile is the average of the two numbers.

Example: 1, 3, 3, 4, 5, 6, 6, 7, 8, 8

The numbers are already in order

Cut the list into quarters:

12/4/2019



In this case Quartile 2 is half way between 5 and 6:


$$Q2 = (5+6)/2 = 5.5$$

And the result is:

- Quartile 1 (Q1) = 3
- Quartile 2 (Q2) = **5.5**
- Quartile 3 (Q3) = **7**

Interquartile Range


The "Interquartile Range" is from Q1 to Q3:



To calculate it just subtract Quartile 1 from Quartile 3, like this:

Example:

12/4/2019




The **Interquartile Range** is:

$$Q3 - Q1 = 7 - 4 = 3$$

Box and Whisker Plot

We can show all the important values in a "Box and Whisker Plot", like this:



A final example covering everything:

Example: Box and Whisker Plot and Interquartile Range for

Put them in order:

Cut it into quarters:

In this case all the quartiles are between numbers:


- Quartile 1 (Q1) = (4+4)/2 = 4
- Quartile 2 (Q2) = (10+11)/2 = 10.5
- Quartile 3 (Q3) = (14+16)/2 = 15

12/4/2019 Quartiles

Also:

- The Lowest Value is 3,
- The Highest Value is 18

So now we have enough data for the **Box and Whisker Plot**:



And the Interquartile Range is:

$$Q3 - Q1 = 15 - 4 = 11$$

<u>Question 1 Question 2 Question 3 Question 4 Question 5 Question 6</u> <u>Question 7 Question 8 Question 9 Question 10</u>

Copyright © 2016 MathsIsFun.com