

Cucumber Report

Aug 4, 2023, 5:19:28 PM

Start : Aug 04, 5:18:30.009 PM

End : Aug 04, 5:19:26.898 PM

Duration : 56.889 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 0


PASSED - 4
FAILED - 2
SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Telecom Application test cases.</u>	56.889 s	3	1	2	0	12	4	2	6





#	Feature Name	T	P	F	S	Duration
1	<u>Telecom Application test cases.</u>	3	1	2	0	56.889 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Telecom Application test cases.	Test the Home Page Functionality	3	3	0	0	21.349 s
2	Telecom Application test cases.	Test the AddCustomerDetails	4	0	1	3	30.355 s
3	Telecom Application test cases.	Test the Add Tariff Plan Page	5	1	1	3	5.100 s

Telecom Application test cases.



FAILED	DURATION - 56.889 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 12 Pass - 4 Fail - 2 Skip - 6	
/ 5:18:30.009 PM // 5:19:26.898 PM /					

Test the Home Page Functionality


<div><div>PASSED</div><div>DURATION - 21.349 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:18:30.022 PM // 5:18:51.371 PM /				
Telecom Application test cases.				

#	Step / Hook Details	Status	Duration
1	Given user on home page	PASSED	10.767 s
2	When user validate url and title	PASSED	5.126 s
3	Then user click on Add Customer link	PASSED	5.236 s
	AFTER - StepDefination.AddCustomerPageDef.tearDown(io.cucumber.java.Scenario)	PASSED	0.200 s
	Test the Home Page Functionality		
			



Test the AddCustomerDetails

<div>FAILED</div> <div>DURATION - 30.355 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 5:18:51.412 PM // 5:19:21.767 PM /				
Telecom Application test cases.				

#	Step / Hook Details	Status	Duration
1	When User Select Background Radio button <pre> org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=115.0.5790.110) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [2a8ead47667a2f0d17d4c20c0a38d2d8, clickElement {id=57346C2953C77CF3CA6BE1834EA37D85_element_64}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f..., userDataDir: C:\Users\HP\AppData\Local\T. ..}, goog:chromeOptions: {debuggerAddress: localhost:64222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64222/devtoo..., se.cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2a8ead47667a2f0d17d4c20c0a38d2d8)] -> xpath: //input[@name='active']] Session ID: 2a8ead47667a2f0d17d4c20c0a38d2d8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at UtilsLayer.UtilsClass.handleRadio(UtilsClass.java:38) at PageLayer.AddCustomerFunctionalityPage.selectRadioButton(AddCustomerFunctionalityPage.java:45) at StepDefination.AddCustomerFunctionalityStepDef.user_select_background_radio_button(AddCustomerFunctionalityStepDef.java:15) at ?.User Select Background Radio button(file:///C:/Users/HP/git/Guru99Telecom/AllFeatureFiles/Telicom.feature:11) </pre>	FAILED	30.242 s
	* Not displayable characters are replaced by '?'. 		

#	Step / Hook Details	Status	Duration
2	And User enter Firstname and Lastname and Email and Address and Mobilenumber	SKIPPED	0.001 s
3	And User click on Submit button	SKIPPED	0.001 s
4	Then User capture the customer ID	SKIPPED	0.002 s
	AFTER - StepDefination.AddCustomerPageDef.tearDown(io.cucumber.java.Scenario)	PASSED	0.097 s
	Test the AddCustomerDetails		
			

Test the Add Tariff Plan Page

FAILED		DURATION - 5.100 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 5:19:21.798 PM // 5:19:26.898 PM /						
Telecom Application test cases.						

#	Step / Hook Details	Status	Duration
1	When user click on Home Link	PASSED	0.063 s
2	Then user click on Add Tariff Plan Link	FAILED	5.023 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.110) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a8ead47667a2f0d17d4c20c0a38d2d8, findElement {using=xpath, value=//a[text()='Add Tariff Plan']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:64222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64222/devtoo..., se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a8ead47667a2f0d17d4c20c0a38d2d8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.isDisplayed(Unknown Source) at UtilsLayer.UtilsClass.click(UtilsClass.java:18) at PageLayer.AddTariffPlanPage.clickOnAddTariffPlanButton(AddTariffPlanPage.java:54) at StepDefination.AddTariffPlanPageDef.user_click_on_add_tariff_plan_link(AddTariffPlanPageDef.java:23) at ?.user click on Add Tariff Plan Link(file:///C:/Users/HP/git/Guru99Telecom/AllFeatureFiles/Telicom.feature:19) * Not displayable characters are replaced by '?'. </pre>		
3	And user enter Monthly Rental and Free Local minutes and Free International minutes and Free SMS pack	SKIPPED	0.000 s
4	And user enter Local per minute charge and International per minute charge and SMS per charge	SKIPPED	0.001 s
5	And click on submit button	SKIPPED	0.000 s
	<p>AFTER - StepDefination.AddCustomerPageDef.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.110) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a8ead47667a2f0d17d4c20c0a38d2d8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:64222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64222/devtoo..., se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a8ead47667a2f0d17d4c20c0a38d2d8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefination.AddCustomerPageDef.tearDown(AddCustomerPageDef.java:46)		