

# Cucumber Report

Aug 4, 2023, 5:12:08 PM

Start : Aug 04, 5:10:52.926 PM

End : Aug 04, 5:12:06.838 PM

Duration : 1 m 13.912 s

Features


Scenarios

Steps


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 2  
SKIPPED - 0


PASSED - 4  
FAILED - 2  
SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Telecom Application test cases.</u>	1 m 13.912 s	3	1	2	0	12	4	2	6





#	Feature Name	T	P	F	S	Duration
1	<u>Telecom Application test cases.</u>	3	1	2	0	1 m 13.912 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Telecom Application test cases.</u>	<u>Test the Home Page Functionality</u>	3	3	0	0	23.013 s
2	<u>Telecom Application test cases.</u>	<u>Test the AddCustomerDetails</u>	4	0	1	3	30.937 s
3	<u>Telecom Application test cases.</u>	<u>Test the Add Tariff Plan Page</u>	5	1	1	3	19.879 s

## Telecom Application test cases.



<b>FAILED</b>	DURATION - 1 m 13.912 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 12 Pass - 4 Fail - 2 Skip - 6	
/ 5:10:52.926 PM // 5:12:06.838 PM /					

## Test the Home Page Functionality

<div>PASSED</div> <div>DURATION - 23.013 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:10:52.932 PM // 5:11:15.945 PM /</div>				
<div>Telecom Application test cases.</div>				

#	Step / Hook Details	Status	Duration
1	Given user on home page	PASSED	12.508 s
2	When user validate url and title	PASSED	5.078 s
3	Then user click on Add Customer link	PASSED	5.227 s
	AFTER - StepDefination.AddCustomerPageDef.tearDown(io.cucumber.java.Scenario)	PASSED	0.177 s
	Test the Home Page Functionality		
			

## Test the AddCustomerDetails

<div>FAILED</div> <div>DURATION - 30.937 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 5:11:15.977 PM // 5:11:46.914 PM /				
Telecom Application test cases.				

#	Step / Hook Details	Status	Duration
1	<b>When User Select Background Radio button</b> <pre> org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=115.0.5790.110) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [88089e862984b472c51adae1896f7df2, clickElement {id=63B7487BCA35C47ECC402970C2095B54_element_53}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f..., userDataDir: C:\Users\HP\AppData\Local\T. ..}, goog:chromeOptions: {debuggerAddress: localhost:63505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:63505/devtoo..., se.cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (88089e862984b472c51adae1896f7df2)] -&gt; xpath: //input[@name='active']] Session ID: 88089e862984b472c51adae1896f7df2     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)     at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)     at UtilsLayer.UtilsClass.handleRadio(UtilsClass.java:49)     at PageLayer.AddCustomerFunctionalityPage.selectRadioButton(AddCustomerFunctionalityPage.java:45)     at StepDefination.AddCustomerFunctionalityStepDef.user_select_background_radio_button(AddCustomerFunctionalityStepDef.java:15)     at ?.User Select Background Radio button(file:///C:/Users/HP/git/Guru99Telecom/AllFeatureFiles/Telicom.feature:11) </pre>	<b>FAILED</b>	30.480 s
	* Not displayable characters are replaced by '?'. 		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.isDisplayed(Unknown Source) at UtilsLayer.UtilsClass.click(UtilsClass.java:18) at PageLayer.AddTariffPlanPage.clickOnAddTariffPlanButton(AddTariffPlanPage.java:54) at StepDefination.AddTariffPlanPageDef.user_click_on_add_tariff_plan_link(AddTariffPlanPageDef.java:23) at ?.user click on Add Tariff Plan Link(file:///C:/Users/HP/git/Guru99Telecom/AllFeatureFiles/Telicom.feature:19) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	And user enter Monthly Rental and Free Local minutes and Free International minutes and Free SMS pack	SKIPPED	0.002 s
4	And user enter Local per minute charge and International per minute charge and SMS per charge	SKIPPED	0.002 s
5	And click on submit button	SKIPPED	0.001 s
	<p>AFTER - StepDefination.AddCustomerPageDef.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=115.0.5790.110) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [88089e862984b472c51adae1896f7df2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:63505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63505/devtoo..., se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 88089e862984b472c51adae1896f7df2 </pre> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) </pre>	FAILED	0.069 s



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefination.AddCustomerPageDef.tearDown(AddCustomerPageDef.java:46)		