Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

AY: 2025-26

Class:	**TE**	**Semester:**	**V**
Course Code:	**CSC502**	**Course Name:**	**WC**

Name of Student:	**Pranita Kumbhar**
Roll No. :	**70**
Experiment No.:	**03**
Title of the Experiment:	**Web Development using bootstrap**
Date of Performance:	**30/07/25**
Date of Submission:	**06/08/25**

Evaluation

Performance Indicator	Max. Marks	Marks Obtained
Performance	5	
Understanding	5	
Journal work and timely submission	10	
Total	20	

Performance Indicator	Exceed Expectations (EE)	Meet Expectations (ME)	Below Expectations (BE)
Performance	4-5	2-3	1
Understanding	4-5	2-3	1
Journal work and timely submission	8-10	5-8	1-4

Checked by

Name of Faculty : Ms. Kshitija Gharat

Signature :

Date:

Aim - Web Development using bootstrap

Objective -

1) To understand Bootstrap

2) Understand how to implement different functions of Bootstrap

Requirement -

1. An editor (Visual Studio Code)
2. Browser (Google Chrome)

Theory: Bootstrap is a free and open-source tool collection for creating responsive websites and web applications. It is the most popular HTML, CSS, and JavaScript framework for developing responsive, mobile-first websites. Nowadays, the websites are perfect for all the browsers.

Why do we use Bootstrap ?

● It is a Faster and Easier way for Web-Development.

● It creates Platform-independent web-pages.

● It creates Responsive Web-pages.

● It designed responsive web pages for mobile devices too.

● It is Free and open-source framework available on www.getbootstrap.com

Code:

```
&lt;!DOCTYPE html&gt;
&lt;html lang=&quot;en&quot;&gt;
&lt;head&gt;
&lt;meta charset=&quot;UTF-8&quot;&gt;

&lt;meta http-equiv=&quot;X-UA-Compatible&quot; content=&quot;IE=edge&quot;&gt;
&lt;meta name=&quot;viewport&quot; content=&quot;width=device-width, initial-scale=1.0&quot;&gt;
&lt;title&gt;Donation&lt;/title&gt;
&lt;link href=&quot;https://cdn.jsdelivr.net/npm/bootstrap@5.1.0/dist/css/bootstrap.min.css&quot;
rel=&quot;stylesheet&quot; integrity=&quot;sha384-
KyZXEAg3QhqLMpG8r+8fhAXLRk2vvoC2f3B09zVXn8CA5QIVfZOJ3BCsw2P0p/We&quot;
crossorigin=&quot;anonymous&quot;&gt;
&lt;/head&gt;
&lt;body style=&quot;background-color: cornflowerblue;&quot;&gt;
```

```
&lt;nav class=&quot;navbar navbar-expand-lg navbar-light bg-light&quot; &gt;
&lt;div class=&quot;collapse navbar-collapse&quot; id=&quot;navbarSupportedContent&quot;
style=&quot;background-color: coral;&quot;&gt;
&lt;ul class=&quot;navbar-nav me-auto mb-2 mb-lg-0&quot;&gt;
&lt;li class=&quot;nav-item&quot;&gt;
&lt;a class=&quot;nav-link active&quot; aria-current=&quot;page&quot;
href=&quot;boot1.html&quot;&gt;Home&lt;/a&gt;
&lt;/li&gt;
&lt;li class=&quot;nav-item&quot;&gt;
&lt;a class=&quot;nav-link&quot; href=&quot;boot2.html&quot;&gt;Form&lt;/a&gt;
&lt;/li&gt;
&lt;/ul&gt;
&lt;/div&gt;
&lt;/nav&gt;
&lt;div class=&quot;container&quot;&gt;
&lt;div class=&quot;row&quot;&gt;
&lt;div class=&quot;col-xl&quot;&gt;
&lt;h1&gt;Vission&lt;/h1&gt;
&lt;h6&gt;To be helpful to everyone &lt;/h6&gt;
&lt;/div&gt;
&lt;div class=&quot;col-xl&quot;&gt;
&lt;h1&gt; Mission&lt;/h1&gt;
&lt;h6&gt;To help more and more people in need&lt;/h6&gt;
&lt;/div&gt;
&lt;div class=&quot;col-xl&quot;&gt;
&lt;h1&gt;About us &lt;/h1&gt;
&lt;h6&gt;website takes unused clothes from people&lt;br&gt;
And donate it to needful ones&lt;/h6&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;script
src=&quot;https://cdn.jsdelivr.net/npm/bootstrap@5.1.0/dist/js/bootstrap.bundle.min.js&quot;
```

integrity="sha384-
U1DAWAznBHeqEIlVSCgzq+c9gqGAJn5c/t99JyeKa9xxaYpSvHU5awsuZVVFIhvj"
crossorigin="anonymous"></script>
</body>
</html>
Second Page:
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>donations</title>
</head>
<body style="background-color: darksalmon;">
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<div class="collapse navbar-collapse" id="navbarNavDropdown">
<ul class="navbar-nav">
<li class="nav-item">
<a class="nav-link " href="boot1.html">Home</a>
</li>
<li class="nav-item">
<a class="nav-link active" aria-current="page"
href="boot2.html">Form</a>
</li>
</ul>
</nav>
<div class="jumbotron">
<h1 class="display-4">Survey Form!</h1>
<p class="lead">Enter your details so that we can contact you and do the needful
</p>
</div>
<div class="form-container">

```
&lt;form action=&quot;html/next.html&quot; id=&quot;form&quot;&gt;
&lt;h2&gt;Login&lt;/h2&gt;
&lt;class class=&quot;container&quot;&gt;
&lt;span class=&quot;icon&quot;&gt;&lt;i class=&quot;fas fa-user&quot;&gt;&lt;/i&gt;&lt;/span&gt;
&lt;input type=&quot;text&quot; placeholder=&quot;username&quot; /&gt;
&lt;div class=&quot;container&quot;&gt;
&lt;span class=&quot;icon&quot;&gt;&lt;i class=&quot;fas fa-at&quot;&gt;&lt;/i&gt;&lt;/span&gt;
&lt;input type=&quot;email&quot; placeholder=&quot;email&quot; /&gt;
&lt;/div&gt;
&lt;div class=&quot;container&quot;&gt;
&lt;span class=&quot;icon&quot;&gt;&lt;i class=&quot;fas fa-lock&quot;&gt;&lt;/i&gt;&lt;/span&gt;
&lt;input type=&quot;text&quot; placeholder=&quot;contact-no&quot; /&gt;
&lt;/div&gt;
&lt;input type=&quot;submit&quot; value=&quot;login&quot; /&gt;
&lt;/class&gt;
&lt;/form&gt;
&lt;/div&gt;
&lt;/body&gt;
&lt;/html&gt;
```

Program-

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Donation - Bootstrap Demo</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <style>
        body { background-color: #6495ed; }
        .jumbotron-custom { background-color: #ff7f50; padding: 40px; margin: 20px 0; border-radius:
10px; color: white; }
```

```
    .form-section { background-color: white; padding: 30px; border-radius: 8px; margin: 20px 0; }
    .card-section { margin: 20px 0; }
  </style>
</head>
<body>

  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg navbar-light bg-light">
    <div class="container-fluid">
      <a class="navbar-brand fw-bold" href="#home">DonateHub</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item"><a class="nav-link active" href="#home">Home</a></li>
          <li class="nav-item"><a class="nav-link" href="#form">Form</a></li>
        </ul>
      </div>
    </div>
  </nav>

  <!-- Breadcrumb -->
  <div class="container mt-3">
    <nav aria-label="breadcrumb">
      <ol class="breadcrumb">
        <li class="breadcrumb-item active">Home</li>
        <li class="breadcrumb-item"><a href="#form">Form</a></li>
      </ol>
    </nav>
  </div>
```

```
<!-- Jumbotron -->
<div class="container mt-4">
  <div class="jumbotron-custom">
    <h1 class="display-4">Welcome to DonateHub</h1>
    <p class="lead">Help others by donating unused clothes and essentials to those in need</p>
  </div>
</div>

<!-- Grid System - Mission/Vision/About -->
<div class="container card-section">
  <div class="row">
    <div class="col-md-4 col-sm-12 mb-3">
      <div class="card text-white bg-info">
        <div class="card-body">
          <h5 class="card-title">Vision</h5>
          <p class="card-text">To be helpful to everyone and create a community of givers</p>
        </div>
      </div>
    </div>
    <div class="col-md-4 col-sm-12 mb-3">
      <div class="card text-white bg-success">
        <div class="card-body">
          <h5 class="card-title">Mission</h5>
          <p class="card-text">To help more and more people in need through donations</p>
        </div>
      </div>
    </div>
    <div class="col-md-4 col-sm-12 mb-3">
      <div class="card text-white bg-warning">
        <div class="card-body">
          <h5 class="card-title">About Us</h5>
          <p class="card-text">We take unused clothes and donate them to needful ones</p>
        </div>
```

```
            </div>
        </div>
    </div>
  </div>

  <!-- Form Section -->
  <div class="container form-section" id="form">
    <h2 class="mb-4">Survey Form</h2>
    <p class="text-muted">Enter your details so we can contact you</p>

    <form>
        <div class="mb-3">
            <label for="username" class="form-label">Username</label>
            <input type="text" class="form-control" id="username" placeholder="Enter username"
required>
        </div>

        <div class="mb-3">
            <label for="email" class="form-label">Email Address</label>
            <input type="email" class="form-control" id="email" placeholder="Enter email" required>
        </div>

        <div class="mb-3">
            <label for="contact" class="form-label">Contact Number</label>
            <input type="text" class="form-control" id="contact" placeholder="Enter contact number"
required>
        </div>

        <div class="mb-3">
            <label for="items" class="form-label">Items to Donate</label>
            <textarea class="form-control" id="items" rows="3" placeholder="Describe
items..."></textarea>
        </div>
```

```
        <button type="submit" class="btn btn-primary btn-lg">Submit</button>
        <button type="reset" class="btn btn-secondary btn-lg ms-2">Clear</button>
      </form>
    </div>

    <!-- Footer -->
    <footer class="bg-dark text-white text-center py-3 mt-5">
      <p>&copy; 2025 DonateHub. All rights reserved.</p>
    </footer>

    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.0/dist/js/bootstrap.bundle.min.js"></script>
  </body>
</html>
```

OUTPUT-





Conclusion –

Bootstrap is a free front-end framework that is popular among developers, particularly those who work in the web design world. It's easy to use and saves developers a lot of time from having to write HTML, CSS, and JavaScript code manually.