

# talend Jobs

Generated by Talend Cloud Data Fabric

|              |                 |                      |                           |
|--------------|-----------------|----------------------|---------------------------|
| Project Name | Pranita_Dev     | GENERATION DATE      | 28-May-2025, 4:45:08 pm   |
| AUTHOR       | Patole, Pranita | Talend Cloud VERSION | 8.0.1.20250126_0750-patch |

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)


## Project Description

| Properties  | Values      |
|-------------|-------------|
| Name        | Pranita_Dev |
| Language    | java        |
| Description | null        |

## Description

| Properties   | Values                  |
|--------------|-------------------------|
| Name         | Paging_consumer         |
| Author       | Patole, Pranita         |
| Version      | 0.1                     |
| Purpose      |                         |
| Status       |                         |
| Description  |                         |
| Creation     | 30-Dec-2024, 2:35:52 pm |
| Modification | 30-Dec-2024, 4:40:34 pm |

# Preview Picture



# Settings

## Extra settings

| Name                   | Value |
|------------------------|-------|
| COMP_DEFAULT_FILE_DIR  |       |
| Multi thread execution | false |
| Implicit tContextLoad  | false |

## Status & Logs

| Name                                | Value |
|-------------------------------------|-------|
| Use statistics (tStatCatcher)       | false |
| Use logs (tLogCatcher)              | false |
| Use volumetrics (tFlowMeterCatcher) | false |
| On Console                          | false |
| On Files                            | false |
| On Databases                        | false |
| Catch components statistics         | false |
| Catch runtime errors                | true  |
| Catch user errors                   | true  |
| Catch user warnings                 | true  |

# Context List

ContextDefault

| Name | Prompt | Need Prompt? | Type | Value | Source |
|------|--------|--------------|------|-------|--------|
|------|--------|--------------|------|-------|--------|

Component List

| Component Name | Component Type |
|----------------|----------------|
| tHTTPClient_1  | HTTPClient     |
| tRESTClient_1  | tRESTClient    |

Components Description

Component HTTPClient

|                                                                                   |             |                 |           |      |
|-----------------------------------------------------------------------------------|-------------|-----------------|-----------|------|
|  | UNIQUE NAME | tHTTPClient_1   | INPUT(S)  | none |
|                                                                                   | LABEL       | __UNIQUE_NAME__ | OUTPUT(S) | none |

Component Parameters:

| Properties                    | Values                                  |
|-------------------------------|-----------------------------------------|
| Unique Name                   | tHTTPClient_1                           |
| Component Name                | Client                                  |
| TACOKIT_COMPONENT_ID          | aHR0cC1zdHVkaW8jSFRUUCNDbGlbnQ          |
| TACOKIT_METADATA_TYPE_ID      |                                         |
| Version                       | 3                                       |
| Family                        | HTTP                                    |
| Start                         | true                                    |
| Startable                     | true                                    |
| SUBTREE_START                 | true                                    |
| END_OF_FLOW                   | true                                    |
| Activate                      | true                                    |
| Help                          | HELP                                    |
| Update components             | true                                    |
| IREPORT_PATH                  |                                         |
| Property Type                 | Built-In                                |
| Query Type                    | Built-In                                |
| tStatCatcher Statistics       | false                                   |
| Enable parallel execution     | false                                   |
| Number of parallel executions | 2                                       |
| PARALLELIZE_KEEP_EMPTY        | false                                   |
| Label format                  | __UNIQUE_NAME__                         |
| Hint format                   | <b> __UNIQUE_NAME__ </b><br>__COMMENT__ |
| Connection format             | row                                     |
| Show Information              | false                                   |
| Base URL                      | "http://localhost:8090/Book"            |
| Authentication type           | NoAuth                                  |
| Username                      |                                         |
| Password                      |                                         |
| Username                      |                                         |
| Password                      |                                         |
| Destination                   | HEADERS                                 |
| Name                          | Authorization                           |

|                                                                          |                                                                                                                                                                                                      |
|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name                                                                     | apikey                                                                                                                                                                                               |
| Prefix                                                                   | Bearer                                                                                                                                                                                               |
| Token                                                                    |                                                                                                                                                                                                      |
| Flow                                                                     | CLIENT_CREDENTIAL                                                                                                                                                                                    |
| Authentication mode                                                      | FORM                                                                                                                                                                                                 |
| Token endpoint                                                           |                                                                                                                                                                                                      |
| Client ID                                                                |                                                                                                                                                                                                      |
| Client secret                                                            |                                                                                                                                                                                                      |
| Additional parameters                                                    | []                                                                                                                                                                                                   |
| HTTP method                                                              | GET                                                                                                                                                                                                  |
| Path                                                                     | "/booksdetails"                                                                                                                                                                                      |
| Path parameters                                                          | false                                                                                                                                                                                                |
| configuration.dataset.pathParams                                         | []                                                                                                                                                                                                   |
| Query parameters                                                         | true                                                                                                                                                                                                 |
| configuration.dataset.queryParams                                        | [[{"configuration.dataset.queryParams[].key="o", "configuration.dataset.queryParams[].value="}, {"configuration.dataset.queryParams[].key="newLine", "configuration.dataset.queryParams[].value="}]] |
| Request headers                                                          | false                                                                                                                                                                                                |
| configuration.dataset.headers                                            | []                                                                                                                                                                                                   |
| Request body                                                             | false                                                                                                                                                                                                |
| Body type                                                                | TEXT                                                                                                                                                                                                 |
| Text                                                                     |                                                                                                                                                                                                      |
| JSON                                                                     |                                                                                                                                                                                                      |
| XML                                                                      |                                                                                                                                                                                                      |
| File path                                                                |                                                                                                                                                                                                      |
| Body parameters                                                          | []                                                                                                                                                                                                   |
| Response body format                                                     | RAW_TEXT                                                                                                                                                                                             |
| Extract a sub-part of the response                                       |                                                                                                                                                                                                      |
| Returned content                                                         | BODY_ONLY                                                                                                                                                                                            |
| Output key/value pairs                                                   | false                                                                                                                                                                                                |
| Forward input values                                                     | false                                                                                                                                                                                                |
| configuration.dataset.keyValuePairs                                      | []                                                                                                                                                                                                   |
| Download attachments                                                     | false                                                                                                                                                                                                |
| Directory to save                                                        |                                                                                                                                                                                                      |
| Use custom authorization token header                                    | false                                                                                                                                                                                                |
| configuration.dataset.datastore.authentication.oauth20.customHeaderName  | Authorization                                                                                                                                                                                        |
| Use custom token prefix                                                  | false                                                                                                                                                                                                |
| configuration.dataset.datastore.authentication.oauth20.customTokenPrefix | Bearer                                                                                                                                                                                               |
| Connection timeout (ms)                                                  | 30000                                                                                                                                                                                                |
| Receive timeout (ms)                                                     | 120000                                                                                                                                                                                               |
| Bypass server certificate validation                                     | false                                                                                                                                                                                                |
| Use a proxy                                                              | false                                                                                                                                                                                                |
| Proxy type                                                               | HTTP                                                                                                                                                                                                 |
| Proxy host                                                               |                                                                                                                                                                                                      |
| Proxy port                                                               | 443                                                                                                                                                                                                  |
| Proxy login                                                              |                                                                                                                                                                                                      |
| Proxy password                                                           |                                                                                                                                                                                                      |
| Retry with exponential backoff                                           | false                                                                                                                                                                                                |
| Initial backoff (ms)                                                     | 500                                                                                                                                                                                                  |
| Backoff factor                                                           | 1                                                                                                                                                                                                    |
| Maximum number of retries                                                | 2                                                                                                                                                                                                    |
| Accept redirections                                                      | true                                                                                                                                                                                                 |
| Maximum number of redirects                                              | 3                                                                                                                                                                                                    |
| Redirect only on same host                                               | false                                                                                                                                                                                                |
| Pagination                                                               | false                                                                                                                                                                                                |
| Preset                                                                   |                                                                                                                                                                                                      |
| Pagination strategy                                                      | OFFSET_LIMIT                                                                                                                                                                                         |
| Location                                                                 | QUERY_PARAMETERS                                                                                                                                                                                     |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Name of the offset                                   |                          |
| Value of the offset                                  |                          |
| Name of the limit                                    |                          |
| Value of the limit                                   |                          |
| Path to elements                                     |                          |
| Load selected preset                                 |                          |
| Force JSON numbers to "Double" type in response body | true                     |
| Normalize the JSON HTTP response                     | false                    |
| Normalize attributes                                 | <input type="checkbox"/> |
| Normalize arrays                                     | <input type="checkbox"/> |
| Enforce all numbers as String                        | true                     |
| Add attachments                                      | false                    |
| Files to upload                                      | <input type="checkbox"/> |
| Die on error (status code different from 2xx)        | false                    |
| LAYOUT_MAIN                                          |                          |
| LAYOUT_ADVANCED                                      |                          |
| configuration.dataset.__version                      | 3                        |
| configuration.dataset.datastore.__version            | 3                        |
| Schema LOOKUP                                        | Built-In                 |
| Schema MERGE                                         | Built-In                 |
| Reject Schema                                        | Built-In                 |
| Schema                                               | Built-In                 |

## Schema for LOOKUP :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|--------|-----|------|--------|-----------|----------|---------|
|--------|-----|------|--------|-----------|----------|---------|

## Original Function Parameters:

### Component tRESTClient

|                                                                                     |             |                 |           |      |
|-------------------------------------------------------------------------------------|-------------|-----------------|-----------|------|
|  | UNIQUE NAME | tRESTClient_1   | INPUT(S)  | none |
|                                                                                     | LABEL       | __UNIQUE_NAME__ | OUTPUT(S) | none |

## Component Parameters:

| Properties                    | Values                                                   |
|-------------------------------|----------------------------------------------------------|
| Unique Name                   | tRESTClient_1                                            |
| Component Name                | tRESTClient                                              |
| Version                       | 0.102 (ALPHA)                                            |
| Family                        | ESB/REST                                                 |
| Start                         | true                                                     |
| Startable                     | true                                                     |
| SUBTREE_START                 | true                                                     |
| END_OF_FLOW                   | true                                                     |
| Activate                      | true                                                     |
| DUMMY                         | false                                                    |
| tStatCatcher Statistics       | false                                                    |
| Help                          | org.talend.help.tRESTClient                              |
| Update components             | true                                                     |
| IREPORT_PATH                  |                                                          |
| JAVA_LIBRARY_PATH             | E:\Talend_Studio_Workplace\studio\configuration\lib\java |
| Subjob color                  |                                                          |
| Subjob header color           |                                                          |
| Enable parallel execution     | false                                                    |
| Number of parallel executions | 2                                                        |
| PARALLELIZE_KEEP_EMPTY        | false                                                    |
| URL                           | "http://localhost:8090/Book"                             |
| Relative Path                 | "/booksdetails"                                          |

|                                        |                                           |
|----------------------------------------|-------------------------------------------|
| HTTP Method                            | GET                                       |
| Content Type                           | application/xml                           |
| Accept Type                            | application/xml                           |
| Query parameters                       |                                           |
| REPOSITORY_ALLOW_AUTO_SWITCH           | true                                      |
| Input Schema                           | Built-In                                  |
| Response Schema                        | Built-In                                  |
| Error Schema                           | Built-In                                  |
| Use Service Locator                    | false                                     |
| Service namespace                      | "http://www.talend.org/rest/"             |
| Service name                           | ""                                        |
| Use Service Activity Monitor           | false                                     |
| Use Authentication                     | false                                     |
| Authentication Type                    | BASIC                                     |
| Username                               | "username"                                |
| Password                               | *****                                     |
| Bearer Token                           | ""                                        |
| Use Authorization                      | false                                     |
| Role                                   | ""                                        |
| Use Business Correlation               | false                                     |
| Correlation Value                      | ""                                        |
| Check Server Identity                  | true                                      |
| Re-use SSL connection                  | false                                     |
| Die on error                           | true                                      |
| Log messages                           | false                                     |
| Follow redirects                       | false                                     |
| Allow non-same host redirects          | false                                     |
| Maintain session                       | false                                     |
| Enable WebClient Operation Reporting   | true                                      |
| Convert Response To DOM Document       | true                                      |
| Drop JSON Request Root                 | false                                     |
| Wrap JSON Response                     | true                                      |
| Convert Types To Strings               | false                                     |
| HTTP Headers                           |                                           |
| Service Locator                        |                                           |
| Service Activity Monitor               |                                           |
| Disable chunked encoding               | false                                     |
| Connection timeout (seconds)           | 30                                        |
| Receive timeout (seconds)              | 60                                        |
| Use HTTP proxy                         | false                                     |
| Host                                   | "127.0.0.1"                               |
| Port                                   | 8080                                      |
| Username                               | ""                                        |
| Password                               | **                                        |
| Transfer these JSON elements as arrays | ""                                        |
| Label format                           | __ UNIQUE_NAME __                         |
| Hint format                            | <b>__ UNIQUE_NAME __</b><br>__ COMMENT __ |
| Connection format                      | row                                       |
| Show Information                       | false                                     |
| Comment                                |                                           |
| Use an existing validation rule        | false                                     |
| Validation Rule Type                   |                                           |

#### Schema for tRESTClient\_1 :

| Column | Key   | Type     | Length | Precision | Nullable | Comment |
|--------|-------|----------|--------|-----------|----------|---------|
| body   | false | Document |        |           | true     |         |
| string | false | String   | 4048   |           | true     |         |

#### Original Function Parameters: