

LAB ASSIGNMENT 13.4

NAME: R. PRANITHA REDDY

ID.NO: 2303A52248

Task 1: Refactoring Data Transformation Logic

```
ass13.1.py > ...
1 values = [2, 4, 6, 8, 10]
2 doubled = [v * 2 for v in values]
3 print(doubled)
4 |
```

PROBLEMS OUTPUT DEBUG CONSOLE ... Filter (e.g. text, !excludeText, t... Code ▾ ☰

[Running] python -u "c:\Users\geeth\java1\jav\ass13.1.py"

[4, 8, 12, 16, 20]

Task 2: Improving Text Processing Code Readability


```
as.2.py > ...
1 words = ["Refactoring", "with", "AI", "improves", "quality"]
2 message = " ".join(words)
3 print(message)
4 |
```

PROBLEMS OUTPUT DEBUG CONSOLE ... Filter (e.g. text, !excludeText, t... Code ▾ ☰

[Running] python -u "c:\Users\geeth\java1\jav\ass13.2.py"

Refactoring with AI improves quality

Task 3: Safer Access to Configuration Data



The screenshot shows a code editor with a file named `ass3.py`. The code consists of two lines: a dictionary definition for `config` and a `print` statement using the `get` method with a default value. Below the code editor, the `OUTPUT` tab is selected, showing the execution results. The first line indicates the program exited successfully. The second line shows the command executed and the output printed to the console.

```
ass3.py > ...
1 config = {"host": "localhost", "port": 8080}
2 print(config.get("timeout", "Default timeout used"))
3
```

PROBLEMS OUTPUT DEBUG CONSOLE ... Filter (e.g. text, lexcludeText, t... Code

[Done] exited with code=0 in 0.368 seconds

[Running] python -u "c:\Users\geeth\java1\jav\ass3.py"
Default timeout used

Task 4: Refactoring Conditional Logic for Scalability

```
ass4.py > ...
1  action = "divide"
2  x, y = 10, 2
3  operations = {
4      "add": lambda a, b: a + b,
5      "subtract": lambda a, b: a - b,
6      "multiply": lambda a, b: a * b,
7      "divide": lambda a, b: a / b,
8  }
9  result = operations.get(action)
10 if result is not None:
11     result = result(x, y)
12 print(result)
13
```

PROBLEMS OUTPUT DEBUG CONSOLE ... Filter (e.g. text, !excludeText, t... Code ▾

[Done] exited with code=0 in 0.511 seconds

[Running] python -u "c:\Users\geeth\java1\jav\ass4.py"

5.0

Task 5: Simplifying Search Logic in Collections

ass5.py > ...

```
1 inventory = ["pen", "notebook", "eraser", "marker"]
2 print("Item Available" if "eraser" in inventory else "Item Not Available")
3
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

...

Filter (e.g. text, lexcludeText, t...

Code

▼

[Running] python -u "c:\Users\geeth\java1\jav\ass5.py"
Item Available