

Single Field Analysis

Name: KARPAGAM M.
ID: 926753

Eye: Right

DOB: 19-12-1947

Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot

Fixation Target: Central

Fixation Losses: 0/16

False POS Errors: 1 %

False NEG Errors: 13 %

Test Duration: 06:20

Fovea: 24 dB

Stimulus: III, White

Background: 31.5 ASB

Strategy: SITA-Standard

Pupil Diameter: 3.0 mm


Visual Acuity: 6/6

RX: +7.25 DS +1.50 DC X 165

Date: 07-02-2018

Time: 1:16 PM

Age: 70



-28	-28	-28	-25
-30	-30	-31	-30
-30	-31	-32	-32
-28	-31	-32	-33
-28	-12	-4	-2
-9	-4	-2	-1
-6	-6	-5	-6
-10	-9	-7	-14

Total Deviation

-25	-25	-24	-22
-26	-27	-27	-27
-26	-28	-29	-29
-24	-27	-29	-30
-24	-9	-1	1
-6	-1	1	2
-3	-3	-2	-2
-6	-6	-4	-10

Pattern Deviation



GHT

Outside Normal Limits

VFI 56%

MD -15.55 dB P < 0.5%

PSD 13.21 dB P < 0.5%



:: < 5%
 ☒ < 2%
 ☒ < 1%
 ■ < 0.5%

Aravind Eye Hospital
Thavalakuppam
Pondicherry

BE 2 times Repeated

Single Field Analysis

Name: KARPAGAM M.

ID: 926753

Eye: Left

DOB: 19-12-1947

Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot

Fixation Target: Central

Fixation Losses: 3/17

False POS Errors: 0 %

False NEG Errors: 28 %

Test Duration: 06:15

Fovea: 24 dB

Stimulus: III, White

Background: 31.5 ASB

Strategy: SITA-Standard

Pupil Diameter: 3.0 mm



Visual Acuity: 6/6

RX: +6.75 DS +1.50 DC X 165

Date: 07-02-2018

Time: 1:26 PM

Age: 70



-15	-28	-28	-28				
-13	-7	-8	-10	-26	-30		
-6	-8	-4	-5	-7	-5	-19	-30
-8	-4	-1	-4	-6	-4	-23	-28
-3	-5	-1	-1	-2	-2	-12	-28
-11	-8	-4	-4	-3	-2	-2	-4
-5	-4	-9	-8	-4	-3		
-10	-8	-9	-9				

Total Deviation

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Pattern Deviation



GHT

Outside Normal Limits

VFI 81%

MD -8.03 dB P < 0.5%

PSD 8.29 dB P < 0.5%



:: < 5%
 < 2%
 < 1%
 < 0.5%

Aravind Eye Hospital
Thavalakuppam
Pondicherry

Aravind Eye Care System

Glaucoma Review Record

Name : Mr / Ms / Mrs. KARPAAGAM M

M.R.No.: 926753

Age : 69 Yrs

Sex : M ☐ F ☒ Date : 17 JUN 2018

Review as per appointment : Yes ☐ No ☐

Gl.No. _____

MRD in time : 10-5301

Glaucoma in time : 11-0207

out time : _____

Previous Diagnosis:

NTG

Systemic Illness

DM ☐

HTN ☒ on h

BA ☐

CARDIAC ☐

Urinary Problem ☐

OTHERS _____

Complaints :

checkup

Treatment taken

IOP

RE

Time

LE

Red Lobet Bd (B)

Perkins / NCT

14


1.50R

15

Applanation

Examination :

RE



LE



RE

Gonioscopy


LE



Dilate : RPI - HPA D/I

Fundus :

RE



- Cup




- Blood Vessels



- RNFL

LE



Treatment Plan:

Current Diagnosis:

Review After 3 / 4 / 6 / 12 Months

HPA Induction gene

Indernourished / Well built / Obese

Immunization

Scanned by CamScanner

40 Checkup

Time: 12.10pm

Refraction Record

RG Power	Spherical	Cylinder	Axis	V/A with
DV RE	+4.0	+1.50	185	6/6
LE	+3.50	+1.50	165	6/6
NV RE : Add	+2.50m	(K13)	Good	14m
LE : Add				

Retinoscopy
(DYNAMIC)

RE

+6.50

LE

+6.0

Working distance

67cm

+5.0

+4.50

Spc

Wants to change PG : Y (N)

Comfortable with PG : Y (N)

Subjective Refraction

Occupation : N/A

Refractionist Signature : Anandh

VA / Unaided	SPH	CYL	Axis	V / A	With PH V / A
DV RE	+4.0	+1.50	185	6/6	
LE	+3.50	+1.50	165	6/6	
NV RE : add+	Sph reads	at		cms	
RE : add+	2.50	Sph reads	185	at 33	cms 1 fed

IPD: OD 31mm OS 31mm NV OD OS DBOC :

	RE	LE
HFA		
OCT		

COUNSELLING INFORMATION

UNDERSTANDING OF GLAUCOMA	MEDICATION COMPLIANCE	SUFFICIENT MEDICINE TILL NEXT FOLLOWUP
Good <input type="checkbox"/>	Good <input type="checkbox"/>	Yes <input type="checkbox"/>
Average <input type="checkbox"/>	Average <input type="checkbox"/>	No <input type="checkbox"/>
Poor <input type="checkbox"/>	Poor <input type="checkbox"/>	

Follow up Investigations

- ☐ HFA Last HFA done on _____
- ☐ OCT
- ☐ Gonioscopy
- ☐ Others

Review Date : _____

Referred to : _____

Counsellor Signature _____

Physician Signature _____