

Email:

TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

Scope of Accreditation

La présente portée d'accréditation existe également en français et est publiée séparément.

Legal Name of Accredited Laboratory:	AGAT Laboratories LTD.
Contact Name:	Ana Maria Ibarra
Address:	9770, route Transcanadienne Saint-Laurent, Québec H4S 1V9
Telephone:	514 337-1000 Ext.1082
Fax:	514 333-3046
Website:	www.agatlabs.com

To ensure compliance with the *Official Languages Act*, the Standards Council of Canada (SCC) translated proprietary content from English to French when it was not available in French. In case of discrepancies between the English and French versions, the original version of the method prevails.

Ibarra@agatlabs.com

SCC File Number:	15806
Accreditation Standard(s):	ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories
Fields of Testing:	Biological Chemical/Physical
Program Specialty Area:	Agriculture Inputs, Food, Animal Health and Plant Protection (AFAP) Environmental Testing (ET) Test Method Development and Non-routine Testing (TMDNRT)
Initial Accreditation:	2009-01-12
Most Recent Accreditation:	2024-06-25
Accreditation Valid to:	2029-01-12





TEST METHOD DEVELOPMENT AND NON-ROUTINE TESTING

Description of activities – Chemical Analysis:

Food samples: Food and edible products: edible animal fat, dairy products, eggs.

For verification and use new matrices for commercially available 3M and Neogen test kits used for the screening and determination of food allergens in food samples.

<u>Description of techniques – Chemical Analysis:</u>

- 1. Sample preparation/extraction techniques including homogenization and extraction for ELISA methods
- 2. Enzyme linked immunosorbent assay (ELISA.) via commercial Neogen and 3M kits.

A current list of all food matrices and allergen testing kits is maintained by the laboratory.

ANIMAL AND PLANTS (AGRICULTURE)

Foods and Edible Products (Human and Animal Consumption):

(Chemicals Tests)

FC-102-15001F	Determination of ash
	Applicable matrix: Food products
	Device/Technique: Gravimetry
FC-102-15002F	Determination of total dietary fibres
	Applicable matrix: Food products
	Device/Technique: Enzymatic hydrolysis
FC-102-15003F	Determination of carbohydrates, caloric value, and energy content
	Applicable matrix: Food products
	Device/Technique: N/A Calculation
FC-102-15005F	Determination of moisture and total solids
	Applicable matrix: Food products
	Device/Technique: Gravimetry
FC-102-15006F	Determination of total fat
	Applicable matrices: Meat and derivatives
	Device/Technique: Extraction on Soxhlet
FC-102-15007F	Determination of protein/nitrogen
	Applicable matrix: Food products
	Device/Technique: Digestion and Kjeldahl Distillation
FC-102-15008F	Determination of cholesterol
	Applicable matrix: Food products
	Device/Technique: GC-FID





FC-102-15009F	Determination of total fat content
	Applicable matrices: Food products containing: Flour and derivatives, Fish and
	derivatives, Eggs, Cheese, Salad dressings; Mixed food products containing
	meat and vegetables and/or pasta; Sweet products.
	Device/Technique: Acid hydrolysis/Gravimetry
FC-102-15010F	Determination of total fat content
	Applicable matrices: Milk and milk products excluding cheese
	Device/Technique: Mojonnier/Gravimetry
FC-102-15011F	Determination of fatty acid, saturated and unsaturated
	Applicable matrix: Food products
	Device/Technique: GC-FID
FC-102-15012F	Determination of metals
	Applicable matrix: Food products
	Device/Technique: ICP-OES (Emission Espetrometry inductively coupled
	plasma optics)
	Note: This method is also applicable for MET-101-6107F (see the
	Environmental section)
	Metals: As, Cd, Pb, Ca, Cu, Fe, Mg, Mn, K, Na, Zn, P, Se
FC-102-15014F	Determination of total fat
	Applicable matrices: Cocoa and chocolate products excluding white chocolate
	Device/Technique: Gravimetry
FC-102-15016F	Determination of salt
	Applicable matrix: Food products
	Device/Technique: Color titration
FC-102-15029F	Determination of sugars (fructose, glucose, galactose, sucrose, maltose,
	lactose)
	Applicable matrix: Food products
	Device/Technique: HPLC with RID detector
FC-102-15050F	Quantitative determination of allergens by the Elisa method with Neogen
	Applicable matrix: Food Products
	Device/Technique: ELISA
biological Tests)	•

(Microbiological Tests)

obiological resis)	
MFHPB-10	Isolation of Escherichia coli O157:H7/NM from foods and environmental
	surface samples
	Applicable matrices: Food products and environmental samples (surfaces)
	Device/Technique: Selective Enrichment / Isolation
MFHPB-18	Determination of the Aerobic Colony Counts in Foods
	Applicable matrices: Food products
	Device/Technique: Incorporation
MFHPB-19	Enumeration of Coliforms, Faecal Coliforms and of E. coli in foods using the
	MPN Method
	Applicable matrices: Food products and water,
	Device /Technique: Multiple Tubes / Most Probable Number



MFHPB-20	
	Isolation and Identification of <i>Salmonella</i> from food and environmental samples Applicable matrices: Food and environmental products
	· · ·
MEUDD 01	Device /Technique: Selective Enrichment / Isolation
MFHPB-21	Enumeration of Staphylococcus aureus in foods
	Applicable matrices: Food and environmental products
MEUDD 00	Device/Technique: Spreading/Isolation
MFHPB-22	Enumeration of Yeasts and Moulds in foods
	Applicable matrices: Food
	Device/Technique: Spreading
MFHPB-23	Enumeration of Clostridium perfringens in foods
	Applicable matrices: Food products
	Device/Technique: Incorporation/Isolation
MFHPB-30	Isolation of Listeria monocytogenes and other Listeria spp. from foods and
	environmental samples
	Applicable matrices: Food and environmental products
	Apparatus/Technique: Selective Enrichment / Isolation
MFHPB-32	Enumeration of Yeast and Mold in Food Products and Food Ingredients Using
	3M [™] Petrifilm [™] Yeast and Mold Count Plates
	Applicable matrices: Food products (except dark colored products) and
	environmental products
	Apparatus/Technique: PetrifilmTM Plates
MFHPB-33	Enumeration of Total Aerobic Bacteria in Food Products and Food Ingredients
	Using 3M™ Petrifilm™ Aerobic Count Plates
	Applicable matrices: Food products (except dark colored products) and
	environmental products
	Apparatus/Technique: PetrifilmTM Plates
MFHPB-34	Enumeration of Escherichia coli and Coliforms in Food Products and Food
	Ingredients Using 3M™ Petrifilm™ E. coli Count Plates
	Applicable matrices: Food products (except dark colored products) and
	environmental products
	Apparatus/Technique: PetrifilmTM Plates
MFLP-09	
	·
	'
	, ,
	· · · · · · · · · · · · · · · · · · ·
MFLP-21	
	·
	environmental products
MFLP-09	Enumeration of Enterobacteriaceae species in Food and Environmental Samples Using 3M™ Petrifilm™ Enterobacteriaceae Count Plates Applicable matrices: the following foods (cheddar cheese, milk, flour, frozen broccoli, frozen prepared meals, nuts, and sprouted seeds (soy, alfalfa, and Other germs) and environmental samples. Apparatus/Technique: PetrifilmTM Plates Enumeration of Staphylococcus aureus in Foods and Environmental Samples Using 3MT PetrifilmT Staph Express Count (STX) Plates Applicable matrices: Food products (except dark colored products) and





MFLP-28	Detection of Listeria monocytogenes in a Variety of Foods and Environmental
	Surfaces Using the Bax® System L.monocytogenes Assay
	Applicable matrices: All foods and on a variety of environmental surfaces
	Device/Technique: Selective enrichment/Q7 or X5 instruments of the BAX®
	system. (PCR)/Isolation
MFLP-29	Detection of Salmonella in Foods and Environmental Surface Samples Using
	the BAX® System Salmonella Assay
	Applicable matrices: All foods and on a variety of environmental surface
	samples
	Device/Technique: Selective enrichment/Q7 or X5 instruments of the BAX®
	system. (PCR)/Isolation
MFLP-30	Detection of Escherichia coli O157:H7 in Select Foods using the BAX® System
	PCR Assay for <i>E. coli</i> O157:H7 MP
	Applicable matrices: Dairy products, raw meats, ready-to-eat meat and poultry
	products, fruit and vegetable products and dry cereals and dry feeds in the
	miscellaneous foods category
	Device/Technique: Selective enrichment/Q7 or X5 instruments of the BAX®
	system. (PCR)/Isolation
MFLP-38	Detection of Salmonella spp. from all foods and selected environmental
	surfaces using iQ-Check™ Salmonella Real-Time PCR Test Kit
	Applicable matrices: All foods and on a variety of environmental surfaces.
	Device/Technique: Selective enrichment/ The iQ-Check kit (PCR)/ Isolation
MFLP-39	Detection of Listeria spp. from Environmental Surfaces and Heat Processed
	Ready to Eat Meat and Poultry Using iQ-Check™ <i>Listeria spp</i> . Real-Time PCR
	Test Kit
	Applicable matrices: various environmental surfaces and on heat-treated foods
	in the ready-to-eat meat and poultry category.
	Device/Technique: Selective enrichment/ The iQ-Check kit (PCR)/ Isolation
MFLP-42	Isolation and Enumeration of the Bacillus cereus Group in Foods
	Applicable matrices: Naturally contaminated foods such as meats, vegetables,
	dairy products, grains and dehydrated foods
	Device/Technique: Sprawling/Isolation
MFLP-43	Determination of Enterobacteriaceae
	Applicable matrices: Naturally contaminated foods
	Device/Technique: Incorporation/Isolation
MFLP-54	Detection of <i>Listeria monocytogenes</i> from selected foods using iQ-Check™
	Listeria monocytogenes Real-Time PCR Test Kit
	Applicable matrices: Ready-to-eat meat and poultry, fruit and vegetable
	products (except raw processed vegetables), fish and seafood products (except
	smoked fish), and frozen and frozen dairy products fermented.
	Device/Technique: Selective enrichment/ The iQ-Check kit (PCR)/ Isolation
MFLP-74	Enumeration of Listeria monocytogenes in foods
	Applicable matrices: all foods.





	Device/Technique: Spreading/Isolation
MFLP-100	Detection of Salmonella spp. in Foods Using the 3M™ Molecular Detection
	System Test Kit Version 2
	Applicable matrices: All foods except chocolate products, spices, powdered
	dairy products and whole nuts.
	Device/Technique: Selective enrichment/Molecular detection assays
	(MDS)/Isolation
MFLP-101	Detection of <i>Listeria spp.</i> in Environmental Surface Samples Using the 3M [™] Molecular Detection System Test Kit Version 2
	Applicable matrices: samples taken from a variety of environmental surfaces.
	Device/Technique: Selective enrichment/Molecular detection assays (MDS)/Isolation
MFLP-111	Detection of <i>Listeria monocytogenes</i> in Foods Using the 3M [™] Molecular Detection System Test Kit Version 2
	Applicable matrices: The categories of raw meat products, fruit and vegetable
	products, for the types of "other" foods in the ready-to-eat meat and poultry
	category, the types of "raw" foods and the types of "frozen" foods in the dairy
	products category and the "raw fish and shellfish" food types and the "frozen"
	food types in the fish and seafood category.
	Device/Technique:
	Selective enrichment/Molecular detection assays (MDS)/Isolation
MIC-102-7076F	Enumeration of lactic acid bacteria by 3M [™] Petrifilm
	Applicable matrices: Food Products
	Device/Technique: 3M™ Petrifilm
MLG 4.14	Isolation and Identification of Salmonella from Meat, Poultry, Pasteurized Egg,
	and Siluriformes (Fish) Products and Carcass and Environmental Sponges
	Applicable matrices: Various samples of meat, poultry, egg, Fermented
	products, Dried products, Ready-to-eat products made from meat, poultry and
	siluriformes (fish), sponge and rinse,
	Device/Technique: Selective enrichment/Molecular detection assays
	(MDS)/Isolation
MLG 41.07	Isolating and Identifying Campylobacter jejuni/coli/lari from Poultry Rinse,
	Sponge and Raw Product Samples
	Applicable matrices: samples of poultry rinses, poultry carcasses,
	environmental sponges and raw poultry products.
	Device/Technique: Selective enrichment/Molecular detection assays
	(MDS)/Isolation





ENVIRONMENTAL AND OCCUPATIONAL HEALTH AND SAFETY

Environmental

HR-151-5400F	Determination of Dioxins and Furans by	y GC-MS/MS
	(Reference methods: Environment Can	ada ESP1/RM/19, US-EPA 1613,
	CEAEQ MA 400-D. F. 1.0, US-EPA 23,	, US-EPA TO-9A)
	Applicable matrices: Water, soil, sedim Device/Technique: APGC (Waters Atm	ent, leachates, tissue and air. ospheric Pressure Gas Chromatography)
	Compounds:	
	2,3,7,8-Tetra CDD	1,2,3,4,6,7,8-Hepta CDF
	1,2,3,7,8-Penta CDD	1,2,3,4,7,8,9-Hepta CDF
	1,2,3,4,7,8-Hexa CDD	OctaCDF
	1,2,3,6,7,8-Hexa CDD	Sum of Tetra CDDs
	1,2,3,7,8,9-Hexa CDD	Summation of Penta CDDs
	1,2,3,4,6,7,8-Hepta CDD	Summation of Hexa CDD
	Octa CDD	Summation of CDD Hepta
	2,3,7,8-Tetra CDF	Summation of PCDDs
	1,2,3,7,8-Penta CDF	Summation of Tetra CDFs
	2,3,4,7,8-Penta CDF	Summation of Penta CDFs
	1,2,3,4,7,8-Hexa CDF	Summation of Hexa CDFs
	1,2,3,6,7,8-Hexa CDF	Summation of Hepta CDFs
	2,3,4,6,7,8-Hexa CDF	Summation of PCDFs
	1,2,3,7,8,9-Hexa CDF	



LID 454 54045	Determination of DCD commons	
HR-151-5401F	Determination of PCB congeners	
	Applicable matrices: Waters, soils. Device/Technique: APGC (Waters Atmospheric Pressure Gas Chromatography)	
	Device/ rechinque. AFGC (waters Atmo	sprienc Fressure Gas Chromatography)
	Compounds:	
	CI-3 IUPAC 31+28	CI-6 IUPAC 128
	CI-3 IUPAC 33	CI-6 IUPAC 156
	CI-4 IUPAC 52	CI-6 IUPAC 169
	CI-4 IUPAC 49	CI-7 IUPAC 187
	CI-4 IUPAC 44	CI-7 IUPAC 183
	CI-4 IUPAC 74	CI-7 IUPAC 177
	Cl-4 and Cl-5 IUPAC 70+95	CI-7 IUPAC 171
	CI-5 IUPAC 101	CI-7 IUPAC 180
	CI-5 IUPAC 99	CI-7 IUPAC 191
	CI-5 IUPAC 87	CI-7 IUPAC 170
	CI-5 IUPAC 110 CI-5 and CI-6 IUPAC	CI-8 IUPAC 199
	82+151	CI-8 IUPAC 195
	CI-5 IUPAC 118	CI-8 IUPAC 194
	CI-5 IUPAC 105	CI-8 IUPAC 205
	CI-6 IUPAC 149	CI-9 IUPAC 208
	CI-6 IUPAC 153	CI-9 IUPAC 206
	CI-6 IUPAC 132	CI-10 IUPAC 209
	CI-6 IUPAC 138-158	
INOR-101-6000F	Determination of alkalinity, soluble carbo	nates and bicarbonates
	Applicable matrix: Water	
	Device/Technique: PC-Titrate	
INOR-101-6004F	Determination of anions	
	Anions: Chlorides, Fluorides, Nitrite, Nitri	
	Applicable matrices: Water (all), soil (all)	, leachate (nitrites and nitrates only)
	Device/Technique: Ion chromatography	
INOR-101-6006F	Determination of biological oxygen dema	nd (BOD in 5 days)
	Applicable matrix: Water	
INOD 404 CO4CE	Device/Technique: Automated Analyzer	
INOR-101-6016F	Determination of conductivity	
	Applicable matrices: Waters, soils. Device/Technique: PC-Titrate, Manual co	onductivity meter
INOR-101-6021F	Determination of pH	
	Applicable matrices: Waters, soils.	
	Device/Technique: PC-Titrate and Manu	· · · · · · · · · · · · · · · · · · ·
INOR-101-6028F	•	nded solids and volatile suspended solids (TSS,
	VSS)	
	Applicable matrix: Water	
	Device/Technique: Gravimetry	



INOR-101-6042F	Determination of chemical oxygen demand (COD)
	Applicable matrix: Water
	Device/Technique: Automated Analyzer
INOR-101-6044F	Determination of turbidity
	Applicable matrix: Water
	Device/Technique: Turbidimeter (nephelometry)
INOR-101-6048F	Determination of total Kjeldahl nitrogen and total phosphorous
	Applicable matrices: Water, Soil, Sediment and Mud
INOD 404 00545	Device/Technique: Automated colorimetric analyzer
INOR-101-6051F	Determination of ammonia nitrogen
	Applicable matrices: Water, Soil, Sediment and Mud
INOR-101-6056F	Device/Technique: Automated colorimetric analyzer (Discrete analyser) Determination of Carbon and sulfur
INOR-101-6056F	
	Applicable matrices: Soil, Sediment and Mud Device/Technique: Infrared Spectrometry
INOR-101-6061F	Determination of total cyanide and total and free cyanide
INOK-101-0001F	Applicable matrices: Water (total, oxidizable and available cyanides), soil (total and
	available cyanides)
	Device/Technique: Automated colorimetric analyzer (continuous flow analyzer).
INOR-101-6062F	Determination of total phenols in water and leachate
	Applicable matrices: Water, leachate
	Device/Technique: Automated colorimetric analyzer (continuous flow analyzer)
INOR-101-6068F	Determination of particles in air samples
	Applicable matrix: Air (filters, rinsing solvent and falling dust)
	Device/Technique: Gravimetry
MET-101-6102F	Determination of mercury, total dissolved mercury
	Applicable matrices: Water, soil/mud/sediment, air, leachate, smear, fish, fluorescent
	bulbs
	Device/Technique: CVAAS (Cold vapor atomic absorption spectroscopy) and CVAAF
	(Cold vapor atomic fluorescence)
MET-101-6105F	Determination of metals, Dissolved metals, Total extractable and acid-soluble metals
	Applicable matrices: Water, soil, mud, sediment, air, leachate, smear, fish and fluorescent
	bulbs Device/Techniques ICB MS
	Device/Technique: ICP-MS Metals: Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Hg, K, Li, Mg, Mn, Mo, Na, Ni, P,
	Pb, Rb, S, Sb, Se, Si, Sn, Sr, Ti, U, V, Zn, Zr, Te.
MET-101-6107F	Determination of metals, Dissolved metals, Total extractable and acid-soluble metals
	Applicable matrices:, Soil/mud/sediment, air, leachate, smear, fish, fluorescent bulbs
	Device/Technique: ICP-OES (Inductively Coupled Plasma Optical Emission Spectrometry)
	Metals:, Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, Li, Mg, Mn, Mo, Na, Ni, P,
	Pb, Rb, S, Sb, Se, Si, Sn, Sr, Ti, U, V, Zn, Zr, Th, W, La, Nb, Te, Rb, SC, Ga, Cs, Ce, Hg
	(Mercury).



ORG-100-5101F	Determination of volatile organic compounds in water and soils (Reference method:
	CENTRE D'EXPERTISE EN ANALYSE ENVIRONNEMENTALE DU QUÉBEC.
	Determination of volatile organic compounds in water and soil: dosage by "Purge and Trap"
	coupled with a gas chromatograph and a mass Spectrometer, MA 400 - COV 2.0, Rev. 4,
	Quebec Ministry of Sustainable Development, Environment and the Fight against Climate
	Change, 2015-02-03, 13 p).

Applicable matrices: Water, soil/mud/sediment, leachate, swab Device/Technique: GC/MS coupled to a HeadSpace

Compounds:
Dichlorofluoromethane
Chloromethane
Vinyl Chloride

Toluene 1,3- Dichloropropane Dibromochloromethane 1.2-Dibromoethane

1,2-Dichloropropane Trichloroethane Bromodichloromethane 2-chloroethylvinyle-ether Sec-butylbenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene

Bromomethane Chloroethane

Tetrachloroethane

Cis-1,3-Dichloropropene

1,2,3-trimethylbenzène 1,2-Dichlorobenzène

Trichlorofluoromethane

1,1,1,2-Tetrachloroethane Chlorobenzene Ethylbenzene

Trans-1,3-Dichloropropene 1,1,2-Trichloroethane

Acroleine

1,2,4-Trichlorobenzene Hexachlorobutadiene

n-butylbenzene

4-chlorotoluene

 α -metyl styrene

1,1-Dichloroethane Dichloromethane Acrylonitrile Trans-1,2-Dichloroethane

m+p-xylenes Bromoforme

Acetone Methyl Ethyl Cetone (MEK)

T-Butanol Terta-butyl ethyl ether (TBE)

Methyl-t-Butyl Ether (MTBE) 1,1-Dichloroethane

Styrene 1,1,2,2-tetrachloroethane o-xylene

Methyl Isobutyl Cetone (MIBK) 2-Hexanone T-Butanol

Tert-Amyl ethyl ether (TAE) 1,2,3-trichloropropane Bromobenzene 2-chlorotoluene

Cis-1,2-Dichloroethane Chloroforme 1,2-Dichloroethane 1,1,1-Trichloroethane Carbon Tetrachloride Benzene

Isopropylbenzene n-propylbenzene 1,3,5-trimethylbenzene Tert-butylbenzene 1,2,4-trimethylbenzene Disulfure de carbone Bromochloromethane 2,2-dichloropropane 1,1-dichloropropene Dibromomethane

p-isopropyltoluene 1,2-dibromo-3-chloropropane



ORG-100-5102F

Determination of polycyclic aromatic hydrocarbons in water soil/mud/sediment, leachate and swab.

(Reference method: CENTRE D'EXPERTISE EN ANALYSE ENVIRONNEMENTALE DU QUÉBEC. Determination of polycyclic aromatic hydrocarbons: determination by gas chromatography coupled with a mass ESPctrometer. MA. 400 – HAP 1.1,Rev.4,Ministry of Sustainable Development, of the Environment and the Fight against Climate Change, 2016, 21 p)

Applicable matrices: Water, soil/mud/sediment, leachate, swab

Device/Technique: GC/MS

Compounds:

Acenaphtene Chrysène

Aenaphtylene Dibenzo (a,h) anthracene
Anthracene Dibenzo (a,i) pyrene
Benzo (a) anthracène Dibenzo (a,h) pyrene
Benzo (a) pyrene Dibenzo (a,l) pyrene

Benzo (b) fluoranthene Fluoranthene

Benzo (j) fluoranthene Dimethyl-7,12 benzo (a) anthracene

Benzo (k) fluoranthene Fluorene

Benzo (c) phenanthrene Indeno (1,2,3-cd) pyrene

Benzo (g,h,i) perylene Naphtalene Methyl-1 naphtalene Phenanthrene

Methyl-2 naphtalene Pyrene

Dimethyl-1,3 naphtalene 3-Methylcholanthrene

2,3,5-trimethylnapthalene



(Reference method: CENTRE D'EXPERTISE EN ANALYSE ENVIRONNEMENTALE DU QUÉBEC, Determination of phenolic compounds: determination by gas phase chromatography coupled with a mass Spectrometer after derivation with acetic anhydride. MY. 400– Phe1.0, Rev. 3, Ministry of Sustainable Development, Environment, Wildlife and

Parks of Quebec, 2013, 20 p). Applicable matrices: Soil, sediment Device/Technique: GC/MS

Compounds:

Phenol Dichloro-2,3 phenol o-Cresol Dichloro-3,4 phenol m-Cresol Trichloro-2,4,6 phenol Trichloro-2,3,6 phenol p-Cresol Dimethyl-2,4 phenol Trichloro-2,3,5 phenol Nitro-2 phenol Trichloro-2,4,5 phenol Nitro-4 phenol Trichloro-2,3,4 phenol Chloro-2 phenol Trichloro-3,4,5 phenol Chloro-3 phenol Tetrachloro-2,3,5,6 phenol Chloro-4 phenol Tetrachloro-2,3,4,6 phenol 2,6-dichlorophenol Tetrachloro-2,3,4,5 phenol

2,4 + 2,5-dichlorophenol Pentachlorophenol 3,5-dichlorophenol



ORG-100-5107F	Determination of PCB Congeners. (R	leference method: CENTRE D'EXPERTISE EN
	ANALYSE ENVIRONNEMENTALE D	OU QUÉBEC. Determination of polychlorinated
	biphenvls: determination by gas chro	matography coupled with a mass Spectrometer or an
	1 1 1	y congener and homologous group, MA. 400 – BPC
	·	
		nable Development, Environment and the Fight
	against Climate Change, 2014, 35 p)	
	Applicable matrices: Water, soil/mud/s	sediment, oil, solvent, leachate
	Device/Technique: GC/MS	
	·	
	Compounds:	
	·	CL C II IDAC #450 : 420
	CI-3 IUPAC #17+18	CI-6 IUPAC #158+138
	CI-3 IUPAC #28+31	CI-7 IUPAC #187
	CI-3 IUPAC #53	CI-7 IUPAC #183 CI-6 IUPAC #128
	CI-4 IUPAC #52	
	CI-4 IUPAC #49	CI-7 IUPAC #177
	CI-4 IUPAC #44 CI-4 IUPAC #74	CI-7 IUPAC #171 CI-6 IUPAC #156
	CI-4 IUPAC #70	CI-7 IUPAC #180
	CI-4 10P AC #70 CI-5 IUPAC #95	CI-7 10F AC #180 CI-7 1UPAC #191
	CI-5 TOP AC #93 CI-5 TUPAC #101	CI-6 IUPAC #191
	CI-5 IUPAC #99	CI-7 IUPAC #170
	CI-5 IUPAC #87	CI-8 IUPAC #179
	CI-5 IUPAC #110	CI-9 IUPAC #208
	CI-5 IUPAC #82	CI-8 IUPAC #195
	CI-6 IUPAC #151	CI-8 IUPAC #194
	CI-6 IUPAC #149	CI-8 IUPAC #205
	CI-5 IUPAC #118	CI-9 IUPAC #206
	CI-6 IUPAC #153	CI-10 IUPAC #209
	CI-6 IUPAC #132	PCB congener summation (targeted and
	CI-5 IUPAC #105	non-targeted)
ORG-100-5108F		l/mud/sediment, oil, solvent and leachate by
OKG-100-5106F	GC/ECD.	i/mud/sediment, oii, solvent and leachate by
		ERTISE EN ANALYSE ENVIRONNEMENTALE DU
		inated biphenyls: determination by gas
		S Spectrometer or an electron capture detector –
		s group, MA.400 – BPC 1.0, rev.5, Ministry of
		ent and Quebec's fight against climate change, 2014,
	35 p).	The second of th
	Applicable matrices: Water, soil/mud/	/sediment, oil, solvent, leachate
	Device: GC/ECD	
	Compounds:	
	Aroclor 1242, Aroclor 1248, Aroclor 1	254, Aroclor 1260



ORG-100-5109F	Determination of chlorobenzenes in water and soil by GC/MS (Reference method: CENTRE D'EXPERTISE EN ANALYSE ENVIRONNEMENTALE DU QUÉBEC. Determination of chlorobenzenes: determination by gas chromatography coupled with a mass ESPctrometer, MA. 400 – Clbz 1.0, Rev. 4, Ministry of Sustainable Development, Environment, Wildlife and Parks of Quebec, 2013, 20 p). Applicable matrices: Water, soil Device: GC/MS Compounds:
	Hexachlorobenzene
	Pentachlorobenzene Tatasahlara 4.0.0.4 harana 4.0.0
	Tetrachloro-1,2,3,4 benzene Tetrachloro-1,2,3,5 benzene
	Tetrachloro-1,2,4,5 benzene
	Trichloro-1,2,3 benzene
	Trichloro-1,2,4 benzene
ORG-100-5112F	Trichloro-1,3,5 benzene Determination of fatty and resin acids in soil and water by GC/MS
ORG-100-5112F	(Reference method: CENTRE D'EXPERTISE EN ANALYSE ENVIRONNEMENTALE DU QUÉBEC. Determination of fatty and resin acids: determination by gas phase chromatography coupled with a mass Spectrometer after derivation at the BSTFA, MA 414 – Aci-g-r- 1.0, Rev. 3, Ministry of Sustainable Development, Environment, Wildlife and Parks of Quebec, 2013, 18 p). Applicable matrices: Water, soil Device: GC/MS
	Compounds:
	Linoleic acid
	Linolenic acid oleic acid
	9,10-dichlorostearic acid
	Stearic acid
	pimaric acid
	Sandaracopimaric acid Isopimaric acid
	palustric acid
	Levopimaric acid
	Dehydroabietic acid
	Abietic acid
	Neoabietic acid 14-chlorodehydroabietic acid
	12-chlorodehydroabietic acid
	12,14-dichlorodehydroabietic acid



ORG-100-5113F	Determination of phenolic compo- anhydride derivatization.	unds in water and leachate by GC/MS by acetic
		EXPERTISE EN ANALYSE ENVIRONNEMENTALE DU
		olic compounds: determination by gas phase
		nass Spectrometer after derivation with acetic anhydride
		ec Ministry of Sustainable Development, Environment,
	Wildlife and Parks, 2013, 20 p).	
	Applicable matrices : Water, leach	nate
	Device: GC/MS	
	Compounds:	
	Phenol	Eugenol
	ortho-Cresol	4-chlorocatechol
	m-Cresol	4,6-dichloroguaiacol
	para-Cresol	2,3,4-trichlorophenol
	2-chlorophenol	3,4,5-trichlorophenol
	3-chlorophenol	4,5-dichloroguaiacol
	4-chlorophenol	Iso-eugenol
	2,4-dimethylphenol	2,3,5,6-tetrachlorophenol
	Guaiacol	3,5-dichlorocatechol
	2,6-dichlorophenol	2,3,4,6-tetrachlorophenol
	2,4 + 2,5-dichlorophenol	3,4,5-trichloroveratrol
	3,5-dichlorophenol	6-chlorovanillin
	Catechol	2,3,4,5-tetrachlorophenol
	2,3-dichlorophenol	4,5-dichlorocatechol
	2-nitrophenol	3,4,5-trichloroguaiacol
	3,4-dichlorophenol	Tetrachloroveratrol
	4-chloroguaiacol	4,5,6-trichloroguaiacol
	2,4,6-trichlorophenol	5,6-dichlorovanillin
	4-nitrophenol	Pentachlorophenol
	2,3,6-trichlorophenol	3,4,5-trichlorocatechol
	2,3,5-trichlorophenol	Tetrachloroguaiacol
	2,4,5-trichlorophenol	3,4,5-trichlorosyringol
	4,5-dichloroveratrol	Tetrachlorocatechol
ORG-100-5115F	Determination of glyphosate and	
	(Reference method: CENTRE D'E	EXPERTISE EN ANALYSE ENVIRONNEMENTALE DU
	QUÉBEC, Determination of glyph	osate and AMPA in water: determination by
	chromatography in liquid phase, p	post-column derivation and fluorescence detection MA.
	403 - GlyAmp 1.0, Rev. 4, Ministr	y of Sustainable Development, Environment and Parks
	of Quebec, 2011, 12 p).	•
	Applicable matrix: Water	
	Device: HPLC-FLD detector	
	1	
	Compounds:	
	Glyphosate, AMPA	



Liquid-Liquid microextraction, derivatization capture; US-EPA Method 552.3-1). Applicable matrix: Water Device: GC/MS	oacetic acids and Dalapon in Drinking Water by
Chloroacetic acid	
Dichloroacetic acid	
Trichloroacetic acid Bromoacetic acid	
	and his CO/MC
(Reference method: Disinfection by-by-pro	oducts: Aldehydes, PFBHA Liquid-Liquid 6252 B., Standard Methods for the Examination
Compounds: Formaldehyde	
•	
Applicable matrices: Water, soil Device/Technique: UPLC-MS (Ultra-perfo	rmance Liquid Chromatography/Mass
spectrometer)	
Determination of nitroaromatics, nitramine	es and nitrate esters
1 `	paromatics, nitramines and nitrate esters by
,	nont
1	
	tra-performance Liquid Chromatography-tandem
Mass Spectrometry/OV)	
Compounds:	
HMX	2-NT
RDX	2-Am-DNT
1,3,5-TNB	2,6-DNT
Tetryl	3-NT
	4-NT
1	TNG PETN
2,4-DNT	3,5-DNA
	(Reference method: Determination of hal Liquid-Liquid microextraction, derivatization capture; US-EPA Method 552.3-1). Applicable matrix: Water Device: GC/MS Compounds: Chloroacetic acid Dichloroacetic acid Bromoacetic acid Dibromoacetic acid Determination of aldehydes in water and selection (Reference method: Disinfection by-by-prextraction Gas Chromatographic Method, of Water and Wastewater, 21st Edition, 20 Applicable matrices: Water, soil Device: GC/MS Compounds: Formaldehyde Determination of perchlorate Applicable matrices: Water, soil Device/Technique: UPLC-MS (Ultra-performance) Determination of nitroaromatics, nitramine (Reference method: Determination of nitroaromatics) UPLC-MS/MS: US-EPA 8330B) Applicable matrices: Water, soil and sedin Device/Technique: UPLC- MSMS / UV Ultra Mass Spectrometry/UV) Compounds: HMX RDX 1,3,5-TNB Tetryl 1,3-DNB NB 4-Am-DNT



TOX-151-19003F	Determination of nonylphenols and nonylphenols polyethoxylates (Reference method: ASTM D7485, ASTM D7742) Applicable matrix: Water Device/Technique: UPLC-MS
	Compounds:
	p-n-Nonylphenol
	Nonylphenol technical grade
	Bisphenol A (BPA)
	Nonylphenol monoethoxylate (NP ₁ EO)
	Nonylphenol diethoxylate (NP ₂ EO)
	Nonylphenol triethoxylate (NP ₃ EO)
	Nonylphenol tetraethoxylate (NP ₄ EO)
	Nonylphenol pentaethoxylate (NP ₅ EO)
	Nonylphenol hexaethoxylate (NP6EO)
	Nonylphenol heptaethoxylate (NP ₇ EO)
	Nonylphenol octaethoxylate (NP ₈ EO)
	Nonylphenol nonaethoxylate (NP ₉ EO)
	Nonylphenol decaethoxylate (NP ₁₀ EO)
	Nonylphenol undecaethoxylate (NP ₁₁ EO)
	Nonylphenol dodecaethoxylate (NP ₁₂ EO)
	Nonylphenol tridecaethoxylate (NP ₁₃ EO)
	Nonylphenol tetradecaethoxylate (NP ₁₄ EO)
	Nonylphenol pentadecaethoxylate (NP ₁₅ EO)
	Nonylphenol hexadecaethoxylate (NP ₁₆ EO)
	Nonylphenol heptadecaethoxylate (NP ₁₇ EO)
TOX-151-19005F	Determination of polycyclic aromatic hydrocarbons (PAH)
	Applicable matrix: Air Device/Technique: GC/MS



Determination of perfluorinated alkyl substances (PFAS) in water and soil by SPE-LC-TOX-151-19012F

MS/MS

(Reference methods: US-EPA 533, EPA1633)

Applicable matrices: Water, soil Device/Technique: SPE-LC-MS/MS

Compounds:

Perfluorobutanoic acid (PFBA)

Perfluoropentanoic acid (PFPeA)

Perfluorohexanoic acid (PFHxA)

Perfluoroheptanoic acid (PFHpA)

Perfluorooctanoic acid (PFOA)

Perfluorononanoic acid (PFNA)

Perfluorodecanoic acid (PFDA)

Perfluoroundecanoic acid (PFUnA)

Perfluorododecanoic acid (PFDoA)

Perfluorotridecanoic acid (PFTrDA)

Perfluorotetradecanoic acid (PFTeDA)

Perfluorobutanesulfonic acid (PFBS)

Perfluorohexasulfonic acid (PFHxS)

Perfluoroheptanesulfonic acid (PFHpS)

Perfluorooctasulfonic acid (PFOS)

Perfluorooctane sulfonamide (PFOSA)

Perfluorodecanesulfonic acid (PFDS)

Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA)

Perfluoro-3-methoxypropanoic acid (PFMPA)

Perfluoro-4-methoxybutanoic acid (PFMBA)

Perfluorododecanesulfonic acid (PFDoS)

Perfluorononanesulfonic acid (PFNS)

Perfluoropentansulfonic acid (PFPeS)

4,8-Dioxa-3H-perfluorononanoic acid (ADONA)

11-Chloro-eicosa-fluoro-3-oxaundecane-1-sulfonate

Hexafluoropropylene Oxide dimer Acid (HFPO-DA)

2H-perfluoro-octenoic acid (FHUEA)

3:3 Fluorotelomer carboxylic acid (3:3FTCA)

2H-perfluoro-decenoic acid (FOUEA)

2H-Perfluoro-dodecanoic acid (FDUEA)

F-53B Major (9CI-PF3ONS)

4:2 Fluorotelomer Sulfonic Acid (4:2-FTS)

5:3 Fluorotelomer carboxylic acid (5:3FTCA)

6:2 Fluorotelomer Sulfonic Acid (6:2-FTS)

7:3 Fluorotelomer carboxylic acid (7:3FTCA)

8:2 Fluorotelomer Sulfonic Acid (8:2-FTS)



N-Methyl perfluorooctane sulfonamide (NMeFOSA)
N-ethyl perfluorooctane sulfonamide (NEtFOSA)
N-ethyl perfluorooctanesulfonamidoac. (NEtFOSAA)
N-Methylperfluorooctanesulfonamide ethanol NMeFOSE
N-ethylperfluorooctane sulfonamide ethanol NEtFOSE
N-methyl perfluorooctanesulfonamidoac. (NMeFOSAA)
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)

Water (Toxicology)

Water (Toxicolo	ogy)
ECO-152-20000F	Acute Rainbow Trout (<i>Oncorhynchus mykiss</i>) EPS Test 1/RM/9 (wide range of substances) ESP1/RM/13 (effluents) and ESP1/RM/50; DGST1/RM/59 (pH stabilization) Applicable matrices: water, effluents, Chemicals Device/Technique: NA
	Compounds/Parameters: LC50-96h
ECO-152-20004F	Determination of acute toxicity in <i>Daphnia magna</i> ESP 1/RM/11, ESP 1/RM/14 and MA. 500 – D.mag 1.1 Applicable matrices: water, chemicals Device/Technique: N/A Compounds/Parameters:
	LC50-48h
ECO-152-20017F	Acute Toxicity Test with Fathead Minnow Larvae (Lethality Test) (Pimephales promelas) US-EPA-821-R-02-012 Applicable matrices: water, chemicals Device/Technique: N/A Compounds/Parameters: LC50-96h
ECO-152-20019F	Determination of growth inhibition in the alga Raphidocelis subcapitata (Pseudokirchneriella subcapitata) ESP 1/RM/25 Applicable matrices: water, chemicals Device/Technique: Particle Counter Compounds/Parameters: IC50; IC25-72h (growth)
ECO-152-20021F	Determination of growth inhibition in the alga <i>Raphidocelis subcapitata</i> MA. 500-P.sub 1.0 Applicable matrices: water, chemicals Device/Technique: Particle Counter Compounds/Parameters: IC50; IC25-96h (growth)



ECO-152-20022F	Larval fathead minnow growth and survival test (chronic test) (<i>Pimephales promelas</i>) ESP 1/RM/22
	Applicable matrices: water, chemicals
	Device/Technique: Gravimetry
	Bevious reasimique. Gravimenty
	Compounds/Parameters:
	LC50; Cl25 (growth)-7 days
FCO 452 20022F	
ECO-152-20023F	Determination of the toxicity of samples using the luminescent bacterium <i>Vibrio fisheri</i> (microtox) based on ESP 1/RM/24
	Applicable matrices: water, chemicals
	Device/Technique: Microtox analyzer
	Device, resimilated misreson analyzer
	Compounds/Parameters:
	IC50 (bioluminescence)
FCO 452 20027F	
ECO-152-20027F	Survival and reproduction test in Ceriodaphnia dubia (ESP 1/RM/21)
	Applicable matrices: water, chemicals
	Device/Technique: N/A
	Compounds/Parameters:
	LC50; Cl25 (breeding) 5 to 8 days
ECO-152-20029F	Measurement of growth inhibition of the freshwater macrophyte Lemna minor
	(ESP1/RM/37)
	Applicable matrices: water, chemicals
	Device/Technique: Gravimetry
	Device/ reclinique. Gravillietry
	Compounds/Parameters:
	Compounds/Parameters:
	IC25-7d (growth: number of fronds, dry weight)

Number of Scope Listings: 87 Number of TMDNRT Techniques: 2

Notes:

ASTM: ASTM International, formerly American Society for Testing and Materials

US-EPA: United States Environmental Protection Agency

USDA: United States Department of Agriculture

MFHPB: Method Food Health Protection Branch-HPB Methods for the Microbiological Analysis of Foods,

Health Canada

MFLP: Microbiology Food Laboratory Procedure-Laboratory Procedures for the Microbiological Analysis of Foods, Health Canada

MLG: United States Department of Agriculture Food Safety And Inspection Service, Office of Public

Health Science

FC: Internal Laboratory Method (Food Chemistry)
HR: Internal Laboratory Method (Environmental)
INOR: Internal Laboratory Method (Inorganic)
ORG: Internal Laboratory Method (Organic)
MET: Internal Laboratory Method (Metals)
TOX: Internal Laboratory Method (Toxicology)





ECO: Internal Laboratory Method (Ecotoxicology)

This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at scc-ccn.ca.

Elias Rafoul Vice-President, Accreditation Services Publication on: 2025-03-24