Problem Statement: Create a student registration form with HTML5 validation for name, email, and age inputs. Medium: Build a responsive banking UI with deposit/withdrawal buttons and balance display. Hard: Develop an admin dashboard with CSS Grid layout and dynamic theme switching.


EXP - 1 (code)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Student Registration Form</title>
  <!-- Tailwind CSS CDN -->
  <script src="https://cdn.tailwindcss.com"></script>
  <style>
    /* Custom font for a clean look */
    body {
      font-family: 'Inter', sans-serif;
      background-color: #f0f4f8; /* Light gray background */
      display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      padding: 20px;
    }
  </style>
```

```
</head>
<body class="bg-gray-100 flex items-center justify-center min-h-screen p-4">
  <div class="bg-white p-8 rounded-lg shadow-xl w-full max-w-md border border-gray-200">
    <h2 class="text-3xl font-bold text-center text-gray-800 mb-8">Student Registration</h2>
    <form id="registrationForm" class="space-y-6">
      <div>
        <label for="name" class="block text-sm font-medium text-gray-700 mb-1">Full Name</label>
        <input type="text" id="name" name="name" placeholder="John Doe"
           class="mt-1 block w-full px-4 py-2 border border-gray-300 rounded-md shadow-sm
focus:ring-blue-500 focus:border-blue-500 sm:text-sm transition duration-150 ease-in-out"
           required pattern="[A-Za-z\s]+" title="Name should only contain letters and spaces">
        Required: Only letters and spaces
      </div>
      <div>
       <label for="email" class="block text-sm font-medium text-gray-700 mb-1">Email
Address</label>
        <input type="email" id="email" name="email" placeholder="john.doe@example.com"
           class="mt-1 block w-full px-4 py-2 border border-gray-300 rounded-md shadow-sm
focus:ring-blue-500 focus:border-blue-500 sm:text-sm transition duration-150 ease-in-out"
           required>
        Required: Valid email format
      </div>
      <div>
        <label for="age" class="block text-sm font-medium text-gray-700 mb-1">Age</label>
        <input type="number" id="age" name="age" placeholder="18"
           class="mt-1 block w-full px-4 py-2 border border-gray-300 rounded-md shadow-sm
focus:ring-blue-500 focus:border-blue-500 sm:text-sm transition duration-150 ease-in-out"
           required min="16" max="99">
```

```
Required: Must be between 16 and 99
      </div>
      <div class="flex items-center">
        <input id="terms" name="terms" type="checkbox" required
           class="h-4 w-4 text-blue-600 focus:ring-blue-500 border-gray-300 rounded">
        <label for="terms" class="ml-2 block text-sm text-gray-900">
          I agree to the <a href="#" class="text-blue-600 hover:text-blue-800 font-medium">terms and
conditions</a>
        </label>
      </div>
      <button type="submit"
          class="w-full flex justify-center py-3 px-4 border border-transparent rounded-md shadow-sm
text-lg font-semibold text-white bg-blue-600 hover:bg-blue-700 focus:outline-none focus:ring-2
focus:ring-offset-2 focus:ring-blue-500 transition duration-150 ease-in-out transform hover:scale-105">
        Register
      </button>
    </form>
    <div id="messageBox" class="hidden mt-6 p-4 rounded-md text-sm text-center" role="alert"></div>
  </div>
  <script>
    document.getElementById('registrationForm').addEventListener('submit', function(event) {
      event.preventDefault(); // Prevent default form submission
      const messageBox = document.getElementById('messageBox');
      messageBox.classList.add('hidden'); // Hide previous messages
      if (this.checkValidity()) {
```

```
// Form is valid, process data (e.g., send to server)
        const formData = new FormData(this);
        const data = {};
        for (let [key, value] of formData.entries()) {
           data[key] = value;
        }
        console.log('Form Data:', data);
         messageBox.textContent = 'Registration successful! Check console for data.';
         messageBox.classList.remove('hidden', 'bg-red-100', 'text-red-700');
         messageBox.classList.add('bg-green-100', 'text-green-700');
        this.reset(); // Clear the form
      } else {
        // Form is invalid, browser will show default validation messages
         messageBox.textContent = 'Please fill out all required fields correctly.';
         messageBox.classList.remove('hidden', 'bg-green-100', 'text-green-700');
         messageBox.classList.add('bg-red-100', 'text-red-700');
      }
    });
  </script>
</body>
</html>
```



EXP 2 (code)

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Simple Banking UI</title>
<!-- Tailwind CSS CDN -->
<script src="https://cdn.tailwindcss.com"></script>
<style>
    /* Custom font for a modern look */
body {
    font-family: 'Inter', sans-serif;
    background-color: #e2e8f0; /* Light blue-gray background */
```

```
display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      padding: 20px;
    }
    .container {
      background-color: #ffffff;
      border-radius: 1rem; /* rounded-xl */
      box-shadow: 0 10px 15px -3px rgba(0, 0, 0, 0.1), 0 4px 6px -2px rgba(0, 0, 0, 0.05); /* shadow-xl */
      padding: 2.5rem; /* p-10 */
      width: 100%;
      max-width: 28rem; /* max-w-md */
      border: 1px solid #cbd5e0; /* border-gray-300 */
    }
    .button-gradient {
      background-image: linear-gradient(to right, #4CAF50, #66BB6A); /* Green gradient */
    }
    .button-gradient:hover {
      background-image: linear-gradient(to right, #66BB6A, #4CAF50);
    }
    .button-gradient-red {
      background-image: linear-gradient(to right, #EF4444, #DC2626); /* Red gradient */
    }
    .button-gradient-red:hover {
      background-image: linear-gradient(to right, #DC2626, #EF4444);
    }
  </style>
</head>
```

```
<body class="bg-gray-200 flex items-center justify-center min-h-screen p-4">
  <div class="container">
    <h2 class="text-4xl font-extrabold text-center text-gray-800 mb-8">
     <span class="text-green-600">My</span> Bank
    </h2>
    <div class="bg-blue-600 text-white p-6 rounded-lg shadow-md mb-8 flex flex-col items-center
justify-center">
     Current Balance
     $1000.00
    </div>
    <div class="grid grid-cols-1 md:grid-cols-2 gap-6 mb-8">
     <div class="bg-green-50 p-6 rounded-lg shadow-sm border border-green-200">
       <h3 class="text-xl font-semibold text-green-800 mb-4">Deposit Funds</h3>
       <input type="number" id="depositAmount" placeholder="Amount"
           class="w-full px-4 py-2 border border-green-300 rounded-md shadow-sm focus:ring-green-
500 focus:border-green-500 transition duration-150 ease-in-out mb-4 text-gray-800"
           min="0" step="0.01">
       <button id="depositButton"
           class="w-full py-3 px-4 rounded-md text-lg font-semibold text-white button-gradient
hover:shadow-lg focus:outline-none focus:ring-2 focus:ring-offset-2 focus:ring-green-500 transition
duration-200 ease-in-out transform hover:scale-105">
         Deposit
       </button>
     </div>
      <div class="bg-red-50 p-6 rounded-lg shadow-sm border border-red-200">
        <h3 class="text-xl font-semibold text-red-800 mb-4">Withdraw Funds</h3>
        <input type="number" id="withdrawalAmount" placeholder="Amount"
```

class="w-full px-4 py-2 border border-red-300 rounded-md shadow-sm focus:ring-red-500 focus:border-red-500 transition duration-150 ease-in-out mb-4 text-gray-800"


```
min="0" step="0.01">
<button id="withdrawalButton"
```

class="w-full py-3 px-4 rounded-md text-lg font-semibold text-white button-gradient-red hover:shadow-lg focus:outline-none focus:ring-2 focus:ring-offset-2 focus:ring-red-500 transition duration-200 ease-in-out transform hover:scale-105">

```
Withdraw
      </button>
    </div>
  </div>
  <div id="messageBox" class="hidden mt-6 p-4 rounded-md text-sm text-center" role="alert"></div>
</div>
<script>
  let balance = 1000.00; // Initial balance
  const balanceDisplay = document.getElementById('balanceDisplay');
  const depositAmountInput = document.getElementById('depositAmount');
  const depositButton = document.getElementById('depositButton');
  const withdrawalAmountInput = document.getElementById('withdrawalAmount');
  const withdrawalButton = document.getElementById('withdrawalButton');
  const messageBox = document.getElementById('messageBox');
 // Function to update the balance display
  function updateBalanceDisplay() {
    balanceDisplay.textContent = `$${balance.toFixed(2)}`;
  }
 // Function to show messages in the message box
  function showMessage(message, type = 'info') {
```

```
messageBox.textContent = message;
      messageBox.classList.remove('hidden', 'bg-green-100', 'text-green-700', 'bg-red-100', 'text-red-
700', 'bg-blue-100', 'text-blue-700');
      if (type === 'success') {
         messageBox.classList.add('bg-green-100', 'text-green-700');
      } else if (type === 'error') {
         messageBox.classList.add('bg-red-100', 'text-red-700');
      } else { // info
         messageBox.classList.add('bg-blue-100', 'text-blue-700');
      }
      setTimeout(() => {
        messageBox.classList.add('hidden');
      }, 3000); // Hide message after 3 seconds
    }
    // Deposit function
    depositButton.addEventListener('click', () => {
      const amount = parseFloat(depositAmountInput.value);
      if (isNaN(amount) | | amount <= 0) {
        showMessage('Please enter a valid positive deposit amount.', 'error');
        return;
      }
      balance += amount;
      updateBalanceDisplay();
      showMessage(`Successfully deposited $${amount.toFixed(2)}.`, 'success');
      depositAmountInput.value = "; // Clear input
    });
    // Withdrawal function
```

```
withdrawalButton.addEventListener('click', () => {
      const amount = parseFloat(withdrawalAmountInput.value);
      if (isNaN(amount) || amount <= 0) {</pre>
        showMessage('Please enter a valid positive withdrawal amount.', 'error');
        return;
      }
      if (amount > balance) {
        showMessage('Insufficient funds.', 'error');
        return;
      }
      balance -= amount;
      updateBalanceDisplay();
      showMessage(`Successfully withdrew $${amount.toFixed(2)}.`, 'success');
      withdrawalAmountInput.value = "; // Clear input
    });
    // Initial display update
    updateBalanceDisplay();
  </script>
</body>
</html>
```



EXP 3 (code)

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Admin Dashboard</title>
<!-- Tailwind CSS CDN -->
<script src="https://cdn.tailwindcss.com"></script>
<style>

/* Custom font for a modern dashboard feel */
body {
font-family: 'Inter', sans-serif;
```

```
transition: background-color 0.3s ease, color 0.3s ease;
}
/* Light Theme */
body.light-theme {
  background-color: #f3f4f6; /* bg-gray-100 */
  color: #1f2937; /* text-gray-900 */
}
.light-theme .card {
  background-color: #ffffff;
  border: 1px solid #e5e7eb; /* border-gray-200 */
  box-shadow: 0 4px 6px -1px rgba(0, 0, 0, 0.1), 0 2px 4px -1px rgba(0, 0, 0, 0.06); /* shadow-md */
}
.light-theme .header, .light-theme .sidebar {
  background-color: #ffffff;
  border-bottom: 1px solid #e5e7eb; /* border-gray-200 */
}
.light-theme .sidebar {
  border-right: 1px solid #e5e7eb;
}
/* Dark Theme */
body.dark-theme {
  background-color: #1a202c; /* bg-gray-900 */
  color: #e2e8f0; /* text-gray-200 */
}
.dark-theme .card {
  background-color: #2d3748; /* bg-gray-800 */
  border: 1px solid #4a5568; /* border-gray-700 */
```

```
box-shadow: 0 4px 6px -1px rgba(0, 0, 0, 0.2), 0 2px 4px -1px rgba(0, 0, 0, 0.12);
}
.dark-theme .header, .dark-theme .sidebar {
  background-color: #2d3748;
  border-bottom: 1px solid #4a5568;
}
.dark-theme .sidebar {
  border-right: 1px solid #4a5568;
}
/* CSS Grid Layout for Dashboard */
.dashboard-grid {
  display: grid;
  grid-template-columns: 1fr; /* Single column for mobile */
  grid-template-rows: auto 1fr auto; /* Header, Main, Footer */
  min-height: 100vh;
}
@media (min-width: 768px) { /* md breakpoint */
  .dashboard-grid {
    grid-template-columns: 250px 1fr; /* Sidebar, Main content */
    grid-template-rows: auto 1fr; /* Header, Main/Sidebar */
  }
  .header {
    grid-column: 1 / 3; /* Header spans both columns */
  }
  .sidebar {
    grid-column: 1 / 2; /* Sidebar in first column */
    grid-row: 2 / 3; /* Sidebar in second row */
```

```
}
      .main-content {
        grid-column: 2 / 3; /* Main content in second column */
        grid-row: 2 / 3; /* Main content in second row */
      }
    }
  </style>
</head>
<body class="light-theme">
  <div class="dashboard-grid">
    <!-- Header -->
    <header class="header p-4 flex items-center justify-between shadow-sm rounded-b-lg">
      <h1 class="text-2xl font-bold text-blue-600">Admin Dashboard</h1>
      <div class="flex items-center space-x-4">
        <button id="themeToggle"</pre>
            class="px-4 py-2 rounded-full bg-blue-500 text-white font-semibold hover:bg-blue-600
focus:outline-none focus:ring-2 focus:ring-blue-500 focus:ring-offset-2 transition duration-200 ease-in-
out transform hover:scale-105">
          Toggle Theme
        </button>
        <span class="text-gray-700 dark:text-gray-300">Welcome, Admin!</span>
      </div>
    </header>
    <!-- Sidebar -->
    <aside class="sidebar p-4 shadow-sm md:flex md:flex-col hidden">
      <nav class="space-y-4">
        <a href="#" class="block px-4 py-2 rounded-md text-lg font-medium text-blue-600 hover:bg-
blue-100 hover:text-blue-700 transition duration-150 ease-in-out">
          Dashboard
```

```
</a>
       <a href="#" class="block px-4 py-2 rounded-md text-lg font-medium text-gray-700 hover:bg-
gray-100 hover:text-gray-900 transition duration-150 ease-in-out">
         Users
        </a>
       <a href="#" class="block px-4 py-2 rounded-md text-lg font-medium text-gray-700 hover:bg-
gray-100 hover:text-gray-900 transition duration-150 ease-in-out">
         Products
       </a>
       <a href="#" class="block px-4 py-2 rounded-md text-lg font-medium text-gray-700 hover:bg-
gray-100 hover:text-gray-900 transition duration-150 ease-in-out">
         Settings
       </a>
     </nav>
    </aside>
    <!-- Main Content -->
    <main class="main-content p-6">
     <h2 class="text-3xl font-bold mb-6">Overview</h2>
     <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
       <!-- Card 1 -->
       <div class="card p-6 rounded-lg">
          <h3 class="text-xl font-semibold mb-3">Total Users</h3>
         1,234
         Last updated 1 hour ago
       </div>
       <!-- Card 2 -->
       <div class="card p-6 rounded-lg">
```

```
567
        Currently processing
       </div>
      <!-- Card 3 -->
       <div class="card p-6 rounded-lg">
        <h3 class="text-xl font-semibold mb-3">Revenue Today</h3>
        $8,910
        Up 12% from yesterday
      </div>
      <!-- Card 4 -->
      <div class="card p-6 rounded-lg md:col-span-2 lg:col-span-3">
        <h3 class="text-xl font-semibold mb-3">Recent Activity</h3>
        class="flex justify-between items-center py-2 border-b last:border-b-0 border-gray-200
dark:border-gray-700">
            <span>New user registered: <span class="font-medium">Alice Smith</span></span>
            <span class="text-sm text-gray-500">10 mins ago</span>
          class="flex justify-between items-center py-2 border-b last:border-b-0 border-gray-200
dark:border-gray-700">
            <span>Product updated: <span class="font-medium">Laptop Pro X</span></span>
            <span class="text-sm text-gray-500">30 mins ago</span>
          class="flex justify-between items-center py-2 border-b last:border-b-0 border-gray-200
dark:border-gray-700">
            <span>Order #12345 completed</span>
            <span class="text-sm text-gray-500">1 hour ago</span>
```

<h3 class="text-xl font-semibold mb-3">Active Orders</h3>

```
</div>
      </div>
    </main>
  </div>
  <script>
    const themeToggle = document.getElementById('themeToggle');
    const body = document.body;
    // Check for saved theme preference or default to light
    const currentTheme = localStorage.getItem('theme') || 'light-theme';
    body.classList.add(currentTheme);
    themeToggle.addEventListener('click', () => {
      if (body.classList.contains('light-theme')) {
        body.classList.remove('light-theme');
        body.classList.add('dark-theme');
        localStorage.setItem('theme', 'dark-theme');
      } else {
        body.classList.remove('dark-theme');
        body.classList.add('light-theme');
        localStorage.setItem('theme', 'light-theme');
      }
    });
  </script>
</body>
</html>
```

