PRATHAM SHARMA 2401010229

Assignment 10
Using the tables “DEPARTMENTS” and “EMPLOYEES” perform the following queries
a) Display the employee details, departments that the departments are same in both the emp and dept.

```
SELECT e.emp_id, e.emp_name, e.emp_salary,
       d.dept_name, d.dept_location
FROM Employees e
INNER JOIN Departments d
ON e.dept_no = d.dept_no;
```

b) Display the employee name and Department name by implementing a left outer join.

```
SELECT e.emp_name, d.dept_name
FROM Employees e
LEFT JOIN Departments d
ON e.dept_no = d.dept_no;
```

c) Display the employee name and Department name by implementing a right outer join.

```
SELECT e.emp_name, d.dept_name
FROM Employees e
RIGHT JOIN Departments d
ON e.dept_no = d.dept_no;
```

d) Display the details of those who draw the salary greater than the average salary

```
SELECT *
FROM Employees
WHERE emp_salary > (
    SELECT AVG(emp_salary) FROM Employees
);
```

Full code ;

```
-- 1. CREATE DATABASE
CREATE DATABASE CompanyDB;

-- 2. USE DATABASE
USE CompanyDB;


-- 3. CREATE TABLES

CREATE TABLE Departments (
  dept_no INT PRIMARY KEY,
  dept_name VARCHAR(50),
  dept_location VARCHAR(50)
);

CREATE TABLE Employees (
  emp_id INT PRIMARY KEY,
  emp_name VARCHAR(50),
  emp_salary INT,
  dept_no INT,
  FOREIGN KEY (dept_no) REFERENCES Departments(dept_no)
);


-- 4. INSERT SAMPLE DATA

INSERT INTO Departments VALUES
(1, 'HR', 'Delhi'),
(2, 'Finance', 'Mumbai'),
(3, 'IT', 'Bangalore');

INSERT INTO Employees VALUES
(101, 'Amit', 30000, 1),
```

```
(102, 'Riya', 35000, 2),
(103, 'Rahul', 40000, 3),
(104, 'Sneha', 32000, 1),
(105, 'Karan', 37000, 2);


-- (a) INNER JOIN (Matching departments in both tables)

SELECT e.emp_id, e.emp_name, e.emp_salary,
       d.dept_name, d.dept_location
FROM Employees e
INNER JOIN Departments d
ON e.dept_no = d.dept_no;


-- (b) LEFT OUTER JOIN

SELECT e.emp_name, d.dept_name
FROM Employees e
LEFT JOIN Departments d
ON e.dept_no = d.dept_no;


-- (c) RIGHT OUTER JOIN

SELECT e.emp_name, d.dept_name
FROM Employees e
RIGHT JOIN Departments d
ON e.dept_no = d.dept_no;


-- (d) EMPLOYEES WITH SALARY > AVERAGE SALARY

SELECT *
FROM Employees
WHERE emp_salary > (
  SELECT AVG(emp_salary) FROM Employees
);
```

OUTPUT :

Log | **1: Employees [5]** | 2: Employees [5] | 3: Employees [5] | 4: Employees [2]

In **DbVisualizer Pro** this feature includes data editing functionality, management of binary/BLOB data, and more...

*	emp_id	emp_name	emp_salary	dept_name	dept_location
1	101	Amit	31000	HR	Delhi
2	104	Sneha	33000	HR	Delhi
3	102	Riya	35000	Finance	Mumbai
4	105	Karan	37000	Finance	Mumbai
5	103	Rahul	40000	IT	Bangalore

Log | 1: Employees [5] | **2: Employees [5]** | 3: Employees [5] | 4: Employees [2]

In **DbVisualizer Pro** this feature includes data editing functionality, management of binary/BLOB data, and more...

*	emp_name	dept_name
1	Amit	HR
2	Riya	Finance
3	Rahul	IT
4	Sneha	HR
5	Karan	Finance

Log | 1: Employees [5] | 2: Employees [5] | **3: Employees [5]** | 4: Employees [2]

In **DbVisualizer Pro** this feature includes data editing functionality, management of binary/BLOB data, and more...

*	emp_name	dept_name
1	Amit	HR
2	Sneha	HR
3	Riya	Finance
4	Karan	Finance
5	Rahul	IT

Log | 1: Employees [5] | 2: Employees [5] | 3: Employees [5] | **4: Employees [2]**

In **DbVisualizer Pro** this feature includes data editing functionality, management of binary/BLOB data, and more...

*	emp_id	emp_name	emp_salary	dept_no
1	103	Rahul	40000	3
2	105	Karan	37000	2