



Password Management Policy

Translab Technologies Pvt Ltd

TL-PMP-POL-001

1	28-Mar-25	Released for Implementation	CISO	DISO's	MF
0	25-Feb-22	Policy Drafted	CISO	DISO's	
Rev	Date DD/MM/YY	STATUS	WRITTEN BY	CHECKED BY	APPROVED BY
DOCUMENT REVISIONS					

Sections changed in last revision are identified by a vertical line in the right margin

Password Management Policy		Version 1.0
TL-PMP-POL-001		Classification: Internal

Table of Contents

1. Purpose	3
2. Scope.....	3
3. Glossary.....	3
4. Policy.....	3
4.1 User Password	3
5. References/Forms/Templates.....	5

1. Purpose

Password policy will ensure uniform password standards across Translab and will encourage users to follow good security practices in the selection and use of passwords.

2. Scope

This policy applies to all employees, contractors, vendors, Employees of Third Parties and Consultants having business relationship with Translab and provided with a User ID and Password for authentication to Translab's systems.

3. Glossary

Abbreviation /Term	Full Form /Full Description
CISO	Chief Information Security Officer
DISO	Departmental Information Security Officer

Password Management Policy		Version 1.0
TL-PMP-POL-001		Classification: Internal

PREMIER DIGITAL -TRANSFORMATION PARTNER

HR	Human Resource
IT	Information Technology
Individual Users / Employees	Employees of Translab
Information Processing Facility	Any information processing system, service or infrastructure, or the physical locations housing them
ISF	Core group of people responsible for implementing and maintaining the ISMS
MF	Management Forum

4. Policy

4.1 User Password

- User passwords should remain confidential and not shared, posted or otherwise divulged in any manner.
- Passwords should consist of a minimum of EIGHT characters to THIRTY characters with password complexity which should be a combination of numerals and one upper case and one lower case and should not contain the user's name, family member's name, and date of birth or user-ID
- Password should contain both upper and lower case characters (e.g., a-z, A-Z)
- Have digits and punctuation characters as well as letters e.g., 0-9,!@#\$%^&*()_+|~-=\{}[]:~<>?.,/)
- Users are encouraged to create passwords that will prohibit easy guessing (i.e., passwords such as spouse's first name, Children name should not be used).
- Password should not be based on following
 - Months of the year, days of the week or any other aspect of the date (like date of birth, date of joining etc.)
 - Family names or initials.
 - Vehicle registration numbers.
 - Employee No. / Employee Id or designations
 - Project or department name or references
 - Company names, identifiers or references
 - Telephone numbers or similar all-numeric groups.
 - User ID, user name, group ID or other system identifier.
 - More than two consecutive identical characters.
 - All-number or all-alphabetic groups

Password Management Policy		Version 1.0
TL-PMP-POL-001		Classification: Internal

PREMIER DIGITAL -TRANSFORMATION PARTNER

- **Windows Active Directory** is an authentication system to Translab LAN/WAN resources and the same is integrated with Systems VPN.
- The password remains common to all these systems. Following are the Password Parameters configured on the Active Directory for all users
 - Password history: - 12 passwords remembered.
 - Maximum password age:- 60 days
 - Minimum Password age:- 3 days
 - Minimum password length :- 8 alphanumeric
 - Password must meet complexity:- Enabled
 - Account lockout threshold:- 5 invalid login attempts
 - Account lockout duration:- 30 Minutes
 - Reset account lockout counter after:- 30 minutes
- If the Server administrator provides a user with an initial password, the user should change it immediately after the first time login into the system.
- Every user should use the screen saver with password, which should be activated after 10 minutes of inactivity.
- Remote access to Translab's information resources by either its employees or its partners is prohibited. However if remote access is to be provided on senior management's directive it shall be controlled using either a one-time password authentication or a public/private key system with a strong passphrase.
- Passwords for critical user-IDs of systems like administrator should be kept with IT Manager for passwords pertaining to other units/ departments & those pertaining to the IT Dept. to be kept with the MD as a backup. These should be kept in individual sealed envelopes (one sealed envelope for each user ID / server / network device). The sealed envelopes should be replaced every time the passwords change (routine / forced).
- The IT Manager should be contacted in case any of the regular users are absent. These sealed envelopes should be opened only with the written permission of the MD and the password should be changed immediately and replaced with the new sealed envelope. Details of such activity should be entered in the **Password Change Track**.
- It may happen that vendors require access to Translab' critical devices (routers, servers etc.). In this case a separate user id with the required level of privileges should be created and allotted for their use. This should be logged and continuously monitored.
- Service passwords used in the applications should also be managed in the same way.
- The user-ID and password should be authenticated as a whole. Error message due to Authentication failure should not provide the user with any indication on whether the user ID or password is incorrect i.e., the

Password Management Policy		Version 1.0
TL-PMP-POL-001		Classification: Internal

PREMIER DIGITAL -TRANSFORMATION PARTNER

message should not denote the status of the error and the error message shall be generic (e.g. "incorrect login" may be the message and not "incorrect password" or "Incorrect User").

5. References/Forms/Templates

- [Password Change Tracker](#)

ADDENDUM A

IoT DEVICE USAGE REQUEST FORM

Date

Manager Name

Type of Device

Date Needed

Describe the need for this device.

End of Document.

Password Management Policy		Version 1.0
TL-PMP-POL-001		Classification: Internal