

Question: What is the main objective of the Password Management Policy?

- (A) To enforce system-wide resets
- (B) To encourage secure password practices and uniform standards
- (C) To minimize VPN usage
- (D) To restrict login access to one device

Answer: (B)

Question: Who does the Password Management Policy apply to?

- (A) Only permanent employees
- (B) Only the IT department
- (C) All users including employees, vendors, contractors, and consultants
- (D) Customers and clients

Answer: (C)

Question: Which of the following is *not* permitted in a secure password?

- (A) A mix of uppercase and lowercase letters
- (B) Special characters and numerals
- (C) User's name or family member's name
- (D) Symbols like @ or #

Answer: (C)

Question: What is the **minimum** number of characters required in a password?

- (A) 6
- (B) 12
- (C) 10
- (D) 8

Answer: (D)

Question: Which of the following should *not* be used as a password?

- (A) Random phrases
- (B) Date of birth
- (C) Mixed case letters
- (D) Symbols and numbers

Answer: (B)

Question: How many previous passwords are remembered by the system?

- (A) 5
- (B) 10
- (C) 12
- (D) 8

Answer: (C)

Question: What is the **maximum** password age set in the policy?

- (A) 90 days
- (B) 60 days
- (C) 30 days
- (D) 120 days

Answer: (B)

Question: What happens if a user attempts 5 invalid logins?

- (A) Password is reset
- (B) Account is deleted
- (C) Account is locked
- (D) Admin is notified but no lock

Answer: (C)

Question: What is the lockout duration after failed login attempts?

- (A) 15 minutes
- (B) 1 hour
- (C) 10 minutes
- (D) 30 minutes

Answer: (D)

Question: After how many days can a password be changed again?

- (A) 1 day
- (B) 5 days
- (C) 3 days
- (D) 10 days

Answer: (C)

Question: Passwords should *not* include which of the following?

- (A) Alphanumeric values
- (B) Department names or user IDs
- (C) Special symbols
- (D) Uppercase and lowercase characters

Answer: (B)

Question: How soon must a user change a system-assigned initial password?

- (A) Within 24 hours
- (B) On first login
- (C) After 7 days
- (D) Before VPN access

Answer: (B)

Question: What must be activated after 10 minutes of system inactivity?

- (A) Power-saving mode
- (B) Auto logout
- (C) Screensaver with password
- (D) Firewall diagnostics

Answer: (C)

Question: Is remote access generally allowed?

- (A) Yes, for all users
- (B) No, it is prohibited unless approved by senior management
- (C) Only on weekends
- (D) Yes, if they use any password

Answer: (B)

Question: What type of authentication is required for approved remote access?

- (A) Simple password
- (B) Secret questions
- (C) One-time password or public/private key
- (D) Email OTP

Answer: (C)

Question: Who retains passwords for critical system accounts?

- (A) The security guard
- (B) The CISO
- (C) The IT Manager or MD, in sealed envelopes
- (D) End users themselves

Answer: (C)

Question: When are sealed envelopes with critical passwords replaced?

- (A) Monthly
- (B) When passwords are changed
- (C) Every year
- (D) At employee resignation

Answer: (B)

Question: Who must approve opening a sealed password envelope?

- (A) IT Executive
- (B) Any team member
- (C) Managing Director (MD)
- (D) HR Manager

Answer: (C)

Question: What system integrates with Windows Active Directory?

- (A) Social media accounts
- (B) HRMS only
- (C) Translab LAN/WAN and VPN systems
- (D) Public cloud apps

Answer: (C)

Question: What should happen after a sealed password envelope is used?

- (A) It's discarded without logging
- (B) It's stored indefinitely
- (C) It's replaced with a new sealed password
- (D) Nothing—no further action is needed

Answer: (C)

Question: What is the purpose of the Password Change Track?

- (A) Store password history
- (B) Record when and why sealed envelopes are accessed
- (C) Generate OTPs
- (D) Encrypt data

Answer: (B)

Question: What is the rule on vendors accessing critical systems?

- (A) Vendors can use admin credentials
- (B) They must use shared employee accounts
- (C) A separate user ID with required privileges must be created
- (D) No vendor access allowed under any condition

Answer: (C)

Question: What must accompany a vendor ID?

- (A) Admin role
- (B) Access to all files
- (C) Logging and continuous monitoring
- (D) Lifetime access

Answer: (C)

Question: What kind of passwords are *not* allowed?

- (A) Randomized passphrases
- (B) Strings with all identical characters
- (C) Unique character combos
- (D) Complex alphanumeric values

Answer: (B)

Question: What message is displayed on failed login attempts?

- (A) Incorrect password
- (B) Incorrect user ID
- (C) Generic error message like "Incorrect login"
- (D) Specific hint

Answer: (C)

Question: Which one of the following is a good password practice?

- (A) Using the project name as a password
- (B) Sharing with your team
- (C) Creating complex and unique combinations
- (D) Repeating old passwords

Answer: (C)

Question: What should users *avoid* using in passwords?

- (A) Their favorite quotes
- (B) Vehicle registration numbers
- (C) Punctuation and numbers
- (D) Random passphrases

Answer: (B)

Question: What is considered a strong password trait?

- (A) Common phrases
- (B) Use of first or last names
- (C) Unpredictable combinations of upper/lowercase, numbers, symbols
- (D) Plain text dictionary words

Answer: (C)

Question: What happens if a password fails complexity checks?

- (A) The system logs the user out
- (B) The password is accepted with warning
- (C) It is rejected and a new one must be created
- (D) It's auto-generated by the server

Answer: (C)

Question: What must the error message for authentication failure *not* do?

(A) Reveal whether user ID or password was wrong

(B) Block user

(C) Send alerts

(D) Log attempt

Answer: (A)